

2023 Can-Am Maverick X3 X mr Turbo RR 64"
Price in Kaliningrad is 4620000P



- Year 2023
- Make Can-Am
- Model Maverick X3 X mr Turbo RR 64"
- Vehicle Type Utility Vehicle
- VIN 3JBVRAV45PE000447

Engine

- Engine Type Rotax ACE (Advanced Combustion Efficiency) turbocharged triple-cylinder engine
- Engine Power 200 hp
- Cooling System Liquid-cooled with integrated intercooler, high-performance air filter and strategically positioned engine air intake
- Displacement 900 cc
- Fuel System Intelligent Throttle Control (iTCTM) with Electronic Fuel Injection (EFI)

Drivetrain

- Drivetrain Lockable front differential with exclusive Smart-Lok technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD MUD/4WD TRAIL
- Transmission Drive primary and Quick Response System X (QRS-X) CVT, high airflow with strategically positioned CVT air intake and exhaust, L/H/N/R/P
- Steering Power: High-torque Tri-Mode Dynamic Power Steering (DPS™)

Suspension

- Front Suspension Arched double A-arm with sway bar
- Front Travel (in./cm.) 18 in. (45.7 cm)
- Front Shocks FOX 2.5 PODIUM Piggyback with QS3 compression adjustment
- Rear Suspension 4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links
- Rear Travel (in./cm.) 18 in. (45.7 cm)
- Rear Shocks FOX 2.5 PODIUM Piggyback with QS3 compression adjustment and bottom-out control

Brakes

- Front braking system Dual 262 mm disc brakes with hydraulic twin-piston calipers
- Rear braking system Dual 248 mm disc brakes with hydraulic twin-piston calipers

Wheels & Tires

- Wheels 14 in. cast-aluminum with machined finish
- Front Tire ITP Cryptid 30 x 9 x 14 in
- Rear Tire ITP Cryptid 30 x 11 x 14 in

Dimensions

- Overall Vehicle Size (LxWxH) 133 x 66.7 x 66.1 in. (337.8 x 169.4 x 167.9 cm)
- Wheelbase 102 in. (259.1 cm)
- Ground Clearance 14 in. (35.6 cm)

Capacities

- Storage Capacity Total: 2.5 gal (9.4 L)
- Rack capacity, total 200 lb (91 kg) with LinQ® Quick-Attach
- Fuel Capacity 10.5 gal (40 L)

Weights

- Estimated Dry Weight (lbs./kgs.) 1,705 lb (773.4 kg)
- Weight Winch: 4,500 lb (2,041 kg) winch with synthetic rope

Features

- Instrumentation DC outlet (10-A)
- Features Anti-Theft System: RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
- Cage Type Dual-phase 980 steel
- Protection Plan Front bumper, half doors, front and rear tow hooks HMWPE full skid plate
- Magneto 850 W
- Gauges 7.6 in. wide digital display with keypad

Lights and Safety

- Lighting LED headlight, LED signature, LED tail lights