
## 2025 Harley-Davidson FLHTCUTG - Tri Glide Ultra Price in Kaliningrad is 3 700 000₽



Condition NewYear 2025

Make Harley-Davidson

Model FLHTCUTG - Tri Glide Ultra

Category Trike

• VIN 1HD1MAF14SB850590

Color Black

**Manufacturer Info** 

• Custom tuning Vivid Black\$850

Color Option Premium Solids: \$1,200 |

Black Trim Option: \$1,100 California Emissions\$200

Engine

• Engine Twin-Cooled<sup>TM</sup> Milwaukee-Eight® 114

Bore 4.016 in.
Stroke 4.5 in.
Displacement 114 cu in
Compression Ratio 10.5:1

• Fuel System Electronic Sequential Port Fuel Injection (ESPFI)

• Exhaust 2-1-2 dual exhaust with tapered mufflers

Dimensions

Length 105.1 in.
Overall Width 54.7 in.
Seat Height, Unladen 28.9 in.
Ground Clearance 4.9 in.
Rake (steering head) (deg) 26
Trail 3.96 in.
Wheelbase 65.7 in.

• Front Tire Dunlop® Harley-Davidson Series, bias blackwall front and

radial blackwall rear

• Rear Tire Dunlop® Harley-Davidson Series, bias blackwall front and

radial blackwall rear

• Tires, Front Specification MT 130/60B19 M/C 61H

• Tires, Rear Specification P215/45R18 83T

Fuel Capacity 6 gal.
Oil Capacity (w/filter) 5 qt.
Weight, In Running Order 1,237 lb.
Luggage Capacity -Volume 6.8 cu ft

Performance

Engine Torque Testing Method J1349
Engine Torque 120 ft-lb

• Engine Power 93 HP / 69 kW @ 5020 rpm

• Engine Torque (rpm) 2500

• Fuel Economy: Combined City/Hwy 42 mpg (5.6 l/100 km)

Drivetrain

Primary Drive Chain, 34/46 ratio

Gear Ratios (overall) 1st 10.534
Gear Ratios (overall) 2nd 7.302
Gear Ratios (overall) 3rd 5.423

Gear Ratios (overall) 4th
 Gear Ratios (overall) 5th
 Gear Ratios (overall) 6th
 3.157

Chassis

• Front Fork 49mm dual bending valve

• Rear Shocks Hand-adjustable emulsion rear suspension

Wheel Type, Front Cast aluminumWheels Type, Rear Cast aluminum

• Brakes, Caliper Type Front: 32mm 4 piston fixed, Rear: floating 36mm piston

integrated park brake

• Brake System Type Rotor: Dual floating rotors (front), fixed rotor (rear)

Electric

• Lighting LED 34-watt, 915 lumen low beam, 37-watt, 915 lumen

high beam with switchable 20-watt, 1,220 lumen LED Fog Lamps. Total of 2,136 lumen output at low beam with fog

lights; Tail/Stop/ Front Signal Lights: Incandescent;

• Gauges Speedometer, tachometer, fuel, and voltage gauges; display

features odometer, trip A, trip B, range to empty, gear

indicator

Features

• Features Infotainment system: Boom!<sup>TM</sup> Box GTS | Screen Size: 6.5

in (165 mm) | Type: Full Color TFT | Speaker Size: 5.25 inch (133 mm) | Headset Specifications (if equipped): 16 -

64 ohms