
2025 Can-Am Maverick R Max X RS With Smart-Shox Price in Kaliningrad is 4 150 000P



Condition New
Year 2025
Manufacturer Can-Am

Model Name
 Maverick R Max X RS With Smart-Shox

• Category Utility

VIN 3JB8NAU26SE001236
 Color Dusty Navy & Legion Red

• Engine

• Engine Type Rotax 999T engine, turbocharged triple-cylinder engine

• Engine Power 240 hp

• Cooling System Liquid cooled with integrated intercooler and high-

performance air filter

• Displacement 999 cc

• Fuel System Intelligent Throttle Control (iTCTM) with Electronic Fuel

Injection (EFI)

• Drivetrain Lockable front differential with exclusive Smart-Lok* True

2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV /

4WD TRAIL

• Transmission Rotax® DCT, 7 Speed with High & Extra Low range

Power: Gen 2 Tri-mode DPS High torque

Suspension

• Front Suspension Forged Aluminum heavy duty Tall Knuckle Double A-arm

with sway bar

• Front Travel (in./cm.) 24 in. (61 cm)

• Front Shocks FOX 2.5 PODIUM RC2 Piggyback with bypass and Smart-

Shox Technology featuring Live Valve Gen 3 (Dual Valve

compression & rebound)

• Rear Suspension 4 Link Trailing arm with Forged Aluminum heavy duty Tall

Knuckle

• Rear Travel (in./cm.) 24 in. (61 cm)

• Rear Shocks FOX 3.0 PODIUM RC2 Piggyback with bypass and Smart-

Shox Technology featuring Live Valve Gen 3 (Dual Valve

compression & rebound)

Brakes

• Front braking system 32 mm hydraulic triple piston caliper with a 265 mm disc

• Rear braking system 30 mm hydraulic twin piston caliper with a 255 mm disc

Wheels & Tires

Wheels 16 in. Aluminum Flow Formed Beadlock

Front Tire ITP Tenacity XNR 32 x 10 x 16 in.
Rear Tire ITP Tenacity XNR 32 x 10 x 16 in.

Dimensions

• Overall Vehicle Size 175 x 78.1 x 69.2 in. (444.7 x 198.4 x 175.7 cm)

Wheelbase 142.5 in. (365 cm)
 Ground Clearance 17 in. (43.2 cm)

Capacities

• Storage Capacity Total: 2.1 gal (8.1 L)

Rack capacity, total 200 lb (90 kg)
Fuel Capacity 13.2 Gal (50 L)

Weights

• Estimated Dry Weight (lbs./kgs.) 2,660 lb (1,210 kg)

• Weight Winch: 4,500 lb (2,041 kg) winch ready bumper

Features Anti-Theft System: RF Digitally Encoded Security System

(D.E.S.S.TM) with Start/Stop button

• Instrumentation USB A (charging port & communication port) DC outlet

(10-A)

Cage Type High strength (Dual phase) steel tubing and stampings
 Protection Plan Full hard roof Premium half doors, Front lower deflector,

Front / Rear anchor, Full HD HMW plastic skid plate Rock

guard

• Magneto 1700-W

• Gauges 4.5 in. wide digital display with keypad & 10.25 in.

touchscreen display

• Lights and Safety

Lighting
 Premium high-performance LED headlights Can-Am LED

signature