

2026 Harley-Davidson Street Glide Limited Price in Kaliningrad is 3 350 000P



Condition	New
Model Year	2026
Manufacturer	Harley-Davidson
Model	Street Glide® Limited
Category	Touring
VIN	1HD1AHN15TB610338
Color	Olive Steel Metallic / Vivid Black (Black Finish)
Brakes/Wheels/Tires	
Brakes	Front Caliper Type - 1.3 in. (32 mm) 4-piston fixed dual axially mounted Rear Caliper Type - Single axially mounted Front Rotor Type - Dual floating rotors Rear Rotor Type - Fixed rotor Rider Safety Enhancements - Anti-lock Brake System (ABS), Electronic Linked Braking (ELB), Traction Control System (TCS), Cornering Enhanced Anti-lock Brake System (C-ABS), Cornering Enhanced Electronic Linked Braking (C-ELB), Cornering Enhanced Traction Control System (C-TCS)
Wheels	Front / Rear - Cast aluminum ³
Tires	Type - Dunlop® Harley-Davidson Series, bias blackwall front and rear Front - 130 / 60B19 M / C 61H Rear - 180 / 55B18 M / C 80H Rider Safety Enhancements - Tire Pressure Monitoring System (TPMS)
Dimensions	
Length	103.3 in.
Width	40.7 in.
Weight	In Running Order - 893 lb.
Ground Clearance	5.9 in. Right / Left Lean Angle - 31°
Wheelbase	64 in.
Seat Height	Laden - 27.5 in. ⁸
Drivetrain	
Primary Drive	Chain, 34/46 ratio
Electrical	
Instrumentation	Gauges - Digital integrated within the display
Lighting	Lights (As per country regulation) Headlamp / Tail / Stop / Front Signal Lights / Rear Turn Signals² - LED
Advanced Electronics	Infotainment system - Skyline™ OS Screen Size - 12.3 in. Type - Full Color TFT Watts Per Channel - 50 Speakers - 4 Speaker Size - Two 6.5 in. fairing speakers plus two 6.5 in. Tour-pak speakers AM / FM - Standard SD Card, Flash Drive and MP3 - via USB Connection - Supported

Languages - Arabic, Bahasa (Indonesian), Catalan, Chinese (Simplified / Traditional), Czech, Danish, Dutch, English (UK / USA default), Finnish, French (Canada / France), German, Hebrew, Hungarian, Indonesian, Italian, Japanese, Korean, Malay, Norwegian, Polish, Portuguese (Brazil / Portugal), Romanian, Russian, Siamese (Thai), Slovak, Spanish (Mexico / Spain), Swedish, Tagalog, Turkish, Vietnamese

Hands-free Mobile Phone - via Bluetooth – Standard

Voice Recognition Languages - Phone functions only - Phone dependent

Voice Recognition Languages - Tuner / Media / Navigation - Danish, English (UK / USA default), French (Canada / France), German, Italian, Spanish (Mexico / Spain), Swedish

Rider / Passenger Intercom - Rider and passenger headsets sold separately, VOX is available for H-D headsets

Vehicle Information Screen (Air temperature, oil pressure and EITMS) - Standard

Text-to-Speech (TTS) Languages - Same as Languages list

USB - USB-C / MTP / Smartphone will work with any phone which has proper adapters to the connection located in the inner fairing storage

Phone Connectivity - Apple CarPlay (wireless or wired)

Bluetooth - Phone / Media Player, Headset

Engine

Engine

Horsepower

Displacement

Bore x Stroke

Torque

Milwaukee-Eight® VVT 117⁷

106 hp (79kW) @ 4,600 rpm

117 ci (1,923 cc)

4.075 x 4.5 in.

Testing method - J1349

131 ft. lb.⁵ @ 3,250 rpm

Rider Safety Enhancements - Drag-torque Slip Control System (DSCS), Cornering Drag-Torque Slip Control System (C-DSCS)

Compression Ratio

Gear Ratio

10.3:1

Overall

1st - 9.593

2nd - 6.65

3rd - 4.938

4th - 4

5th - 3.407

6th - 2.875

Fuel System

Exhaust

Fuel Capacity

Oil Capacity

MPG Rating

Electronic Sequential Port Fuel Injection (ESPFI)⁶

2-1-2 dual with tapered mufflers

6 gal.

With filter - 5 qt.

Fuel Economy Testing Method - Estimated City / Hwy

Fuel Economy - 45 mpg⁴

Operational

Rear Suspension

Shocks - 3 in. Dual adjustable emulsions suspension with remote preload adjustment on the left shock, and threaded preload on the right shock

Rake

26°

Trail

6.7 in.

Fork

Front - 1.9 in. Dual Bending Valve

Other

Includes

Rider Safety Enhancements - Vehicle Hold Control (VHC)

Cargo Capacity

Luggage-Volume - 5.05 cu. ft.