

2025 Can-Am Maverick X3 X RC Turbo RR 72

Price in Kaliningrad is 3 300 000P



- Condition New
- Year 2025
- Make Can-Am
- Model Maverick X3 X rc Turbo RR 72
- Vehicle Type Utility Vehicle
- VIN 3JBVVAV44SE000086
- Color Hybrid White/Legion Red

Manufacturer Info

- **Engine**
- Engine Type TURBO RR | Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine
- Engine Power 200 hp
- Cooling System liquid cooled with integrated intercooler and high-performance air filter
- Displacement 900 cc
- Fuel System Intelligent Throttle Control (iTCTM) with Electronic Fuel Injection (EFI)
- **Drivetrain**
- Drivetrain Lockable front differential with exclusive Smart-Lok* technology True 4-modes traction system: 2WD / 4WD with front diff. lock / 4WD ROCK / 4WD TRAIL
- Transmissionp Drive primary and Quick Response System X (QRS-X) CVT with high airflow, L / H / N / R / P
- Steering Power: High torque Tri-Mode Dynamic Power Steering
- **Suspension**
- Front Suspension Trophy truck inspired double arched A-arm with sway bar
- Front Travel (in./cm.) 22 in. (55.9 cm)
- Front Shocks Front:FOX† 2.5 PODIUM RC2† Piggyback with bypass, dual-speed compression and rebound adjustments/ Rear: FOX† 3.0 PODIUM RC2† with bypass, dual-speed compression and rebound adjustments
- Rear Suspension 4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links
- Rear Travel (in./cm.) 24 in. (61 cm)
- Rear Shocks FOX† 3.0 PODIUM RC2† with bypass, dual-speed compression and rebound adjustments
- **Brakes**
- Front braking system Dual 262 mm disc brakes with hydraulic twin-piston calipers
- Rear braking system Dual 248 mm disc brakes with hydraulic twin-piston calipers
- **Wheels & Tires**
- Wheels 15 in. cast-aluminum beadlock
- Front Tire Maxxis Liberty† 32 x 10 x 15 in.
- Rear Tire Maxxis Liberty† 32 x 10 x 15 in.
- **Dimensions**
- Overall Vehicle Size 134.5 x 72.8 x 68.5 in. (341.6 x 184.9 x 174 cm)
- Wheelbase 102 in. (259.1 cm)
- Ground Clearance 16 in. (40.6 cm)
- **Capacities**
- Storage Capacity Total: 2.5 gal (9.4 L)
- Rack capacity, total 200 lb (91 kg) with LinQ™ quick-attach

• Fuel Capacity	10.5 gal (40 L)
• Towing Capacity	Winch: 4,500 lb (2,041 kg) winch with synthetic rope
• Weights	
• Estimated Dry Weight	1,843 lb (836 kg)
• Features	
• Instrumentation	DC outlet (10-A)
• Features	Anti-Theft System: RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
• Cage Type	Dual-phase 980 steel
• Protection Plan	Front bumper, Half-doors, Full hard roof Intrusion bar 4-point harness with shoulder pads UHMWPE rock sliders, HMWPE skid plates: Full heavy duty with differential / Under bumper / Front and rear suspension arm Rear tow hook, Trailling Arm protector, Lower A-arm protector
• Magneto	850-W
• Gauges	7.6 in. wide digital display with keypad
• Lights and Safety	
• Lighting	LED headlight, LED signature, LED tail lights