2025 Ski-Doo Summit X w/ Expert Package 165 850 E-TEC Turbo R SHOT PowderMax X-Light 3.0 HAC <u>Price in Kaliningrad is 2 180 000₽</u>





Condition Model Year Manufacturer Model Category VIN Color Manufacturer Model **Dimensions** Length Height Width Weight **Engine & Drivetrain** Engine Cylinders Cooling Horsepower Displacement **Bore x Stroke Fuel System** Starting **Drive Clutch Driven Clutch Drive Sprocket Clutch Calibration** Reverse **Brakes Fuel Type Fuel Capacity Oil Capacity Operational Platform/Frame** Handlebar Instrumentation Seating or Rider capacity Skis **Ski Stance** Carbide

New 2025 Ski-Doo Summit X w/ Expert Package 165 850 E-TEC Turbo R SHOT PowderMax X-Light 3.0 HAC Deep Snow 2BPSTJSE9SV000672 **Timeless Black** Ski-Doo Summit X w/ Expert Package 165 850 E-TEC Turbo R SHOT PowderMax X-Light 3.0 HAC Overall - 129.9 in. (3,299 mm) Overall - 51.4 in. (1,306 mm) Overall - 40.3 in. (1,024 mm) (adjustable) Dry - 463 lb. Rotax 850 E-TEC Turbo R, two-stroke, turbocharged, **eRAVETM** 2 Liquid 180 hp up to 8,000 ft. 849 cc 3.2 x 3.2 in. (82 x 80.4 mm) E-TEC direct injection with additional booster injectors SHOT pDriveTM with clickers **QRS** Vent Plus Pitch - 3.5 in. (89 mm) High-altitude RERTM Brembo with adjustable lever Premium unleaded Octane - 91 9.5 US gal. (36 l) 3.6 qt. (3.4 l) REV® Gen5 Tapered with J-hooks / Grab handle / Flexible handguards Riser block height - 4.7 in. (120 mm) Gauge - 4.5 in. digital Deep snow ultra compact PilotTM DS 4 34 in. (864 mm) (adjustable) 4 in.

	Runner - Square 3/8 in.
Track Type	PowderMax† X-Light
Track LxWxH	165 x 16 x 3.0 in.
Other	
Includes	Heated throttle lever grips
Safety Features	Bumpers (Front / Rear)
	Headlights - Premium high-performance LED
Suspension	
Shocks	Front - KYB Pro 36 EA-3 with lightweight springs
	Center - KYB 36 Plus with lightweight spring
	Rear - KYB† Pro 36 EA-3
Front Suspension	RAS TM 3
	Travel - 8.2 in. (207 mm)
Rear Suspension	tMotion TM XT with Adjustable limiter strap
	Travel - 10.4 in. (264 mm)