

2026 BMW R 1300 RT Price in Kaliningrad is 3 050 000₽



Condition	New
Model Year	2026
Manufacturer	BMW
Model	R 1300 RT
Category	Touring
VIN	WB10M4304T6L45845
Color	Racing Blue Metallic

Engine

- Rated output: 145 hp at 7,750 rpm
- Emission control: Closed-loop 3-way catalytic converter
- Type: Air/liquid-cooled four-stroke flat twin engine with double overhead and chain driven camshafts and balance gear wheels
- Bore x stroke: 106.5 mm x 73 mm
- Capacity: 1,300 cc
- Max. torque: 110 lb-ft at 6,500 rpm
- Compression ratio: 13.3 : 1
- Mixture control: Electronic intake pipe injection / digital engine management system with throttle-by-wire

Performance / fuel consumption

- Maximum speed: over 120 mph
- Fuel type: Super unleaded (max. 15 % Ethanol, E15), 95 ROZ/RON, 90 AKI; adaptive fuel quality regulation (91-98 ROZ/RON)

Electrical system

- Alternator: 650 W
- Battery: 12 V / 12.5 Ah

Power transmission

- Gearbox: Claw-shifted 6-speed gearbox
- Drive: Cardan shaft drive

Chassis / brakes

- Frame: Two-part frame consisting of main frame, bolted rear frame, and load-bearing engine
- Front wheel location / suspension: BMW Motorrad EVO-Telelever, handlebar tilting decoupled via flex element, central shock absorber
- Rear wheel location / suspension: BMW Motorrad EVO-Paralever, cast aluminum single-sided swingarm, continuous swingarm bearing axle, central suspension strut
- Suspension travel, front / rear: 5.8" / 6.2"
- Wheelbase: 59.0"
- Castor: 4.78"
- Steering head angle: 64.2°
- Wheels: Aluminum cast wheels
- Rim, front: 3.50 x 17"
- Rim, rear: 6.00 x 17"
- Tire, front: 120/70 ZR17

- Tire, rear: 190/55 ZR17
- Brake, front: Twin disc brake, diameter 310 mm, 4-piston radial brake caliper
- Brake, rear: Single disc brake, diameter 285 mm, 2-piston floating caliper
- ABS: BMW Motorrad Full Integral ABS Pro (fully integral braking function, lean angle optimized)

Dimensions / weights

- Seat height at unladen weight: 32.2" / 33.0" (comfort seat low: 30.7" / 31.4"; comfort seat: 32.4" / 33.3"; comfort seat high: 33.0" / 33.8")
- Inner leg curve at unladen weight: 72.4" / 74.0" (comfort bench seat low: 70.0" / 71.6"; comfort bench seat: 73.2" / 74.8"; comfort bench seat high: 74.4" / 75.9")
- Usable tank volume: 6.3 gal
- Reserve: approx. 1 gal
- Length: 87.7"
- Height: 54.2" (above windshield)
- Width: 38.2" (with mirror)
- Dry weight: 584 lbs
- Permitted total weight: 1,124 lbs
- Payload (with standard equipment): 504 lbs