## 2025 Can-Am Maverick X3 MAX DS Turbo Price in Kaliningrad is 2 300 000₽



- Condition
- Year
- Make
- Model
- VIN
- Vehicle Type
- Color

- New
- 2025
- Can-Am
  - Maverick X3 MAX DS Turbo
  - 3JBVMAY40SE000102
- Utility Vehicle
  - Fiery Red & Hyper Silver

## **Manufacturer Info**

- Engine
- Engine Type •
- **Engine** Power •
- Cooling System •
- Displacement •
- Fuel System •
- Drivetrain
- Drivetrain
- Transmissionp
- Steering •
- **Suspension**
- Front Suspension •
- Front Travel (in./cm.) •
- Front Shocks •
- **Rear Suspension** •
- Rear Travel (in./cm.) •
- Rear Shocks •
- Brakes •
- Front braking system
- Rear braking system •
- Wheels & Tires •
- Wheels •
- Front Tire •
- Rear Tire •
- Dimensions •
- **Overall Vehicle Size** •
- Wheelbase •
- Ground Clearance •
- Capacities •
- Storage Capacity •
- Rack capacity, total
- Fuel Capacity •
- Weights •
- Estimated Dry Weight •

- TURBO | Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine
- 135 hp
- liquid cooled and high-performance air filter
- 900 cc
  - Intelligent Throttle Control (iTC<sup>TM</sup>) with Electronic Fuel Injection (EFI)
  - Lockable front differential with exclusive Smart-Lok\* True 2WD/4WD with front diff. lock / 4WD TRAIL ACTIV / **4WD TRAIL**
  - Drive primary and Quick Response System X (QRS-X) CVT with high airflow, L / H / N / R / P
  - Power: High torque Tri-Mode Dynamic Power Steering (DPS<sup>TM</sup>)

Double A-arm with sway bar

20 in. (50.8 cm) SHOWA HPG piggyback 2.5 (dual-speed Compression, Dual-rate spring) 4-link Torsional Trailing-arm X (TTX) with sway bar 20 in. (50.8 cm)

SHOWA HPG piggyback 2.5 (dual-speed Compression, Dual-rate spring)

Dual 262 mm disc brakes with hydraulic twin-piston calipers

Dual 248 mm disc brakes with hydraulic twin-piston calipers

14 in. cast-aluminum

XPS Trac Force 30 x 10 x 14 in.

XPS Trac Force 30 x 10 x 14 in.

164 x 64 x 65.8 in. (416.6 x 162.5 x 167.1 cm) 135 in. (342.9 cm) 13 in. (33 cm)

- Total: 3 gal (11.4 L) 150 lb (68 kg) with LinQ<sup>TM</sup> quick-attach
- 10.5 gal (40 L)
  - 1,810 lb (821 kg)

- Features
- Instrumentation
- Features
- Cage Type
- Protection Plan
- Magneto
- Gauges
- Lights and Safety
- Lighting

DC outlet (10-A) Anti-Theft System: RF Digitally Encoded Security System (D.E.S.S.<sup>TM</sup>) with Start/Stop button Dual-phase 980 steel Integrated front bumper, Quarter-doors, HMWPE full skid plate, Rear tow hook 650-W 4.5 in. digital display with keypad

LED headlight, LED tail lights