

**2025 Can-Am Outlander X MR 1000R Price in Kaliningrad is 1 750 000P**



<b>Condition</b>	New
<b>Model Year</b>	2025
<b>Manufacturer</b>	Can-Am
<b>Model</b>	Outlander X MR 1000R
<b>Category</b>	Utility
<b>VIN</b>	3JB3WA748SJ000701
<b>Color</b>	Granite Gray / Legion Red

**Brakes/Wheels/Tires****Brakes**

Front / Rear - Dual 214 mm disc with hydraulic twin-piston calipers

**Wheels**

14 in. aluminum

**Tires**

Front / Rear - XPS Swamp King XL 30 in.

**Dimensions****Length**

95.6 in. (242.9 cm)

**Height**

54.2 in. (137.6 cm)

**Width**

49.7 in. (126.2 cm)

**Weight**

Estimated Dry - 1,071 lb. (487 kg)

**Ground Clearance**

13.2 in. (33.5 cm)

**Wheelbase**

52.8 in. (134.2 cm)

**Seat Height**

37.8 in. (96 cm)

**Drivetrain****Transmission**

pDrive primary CVT with strategically positioned air intake and exhaust Extra low L / H / N / R / P

**Drive System**

4x4

**Drive**

Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential

Driving Assistance - Work / Standard / Sport modes Intelligent Engine Braking (iEB™)

**Electrical****Instrumentation**

Gauge - 7.6 in. wide digital display

Phone storage and USB charger

**Lighting**

LED headlights and tail lights, LED signature

**Advanced Electronics**

Anti Theft System - RF Digitally Encoded Security System (D.E.S.S.™)

**Engine****Engine**

Rotax V-twin, DOHC

**Cooling**

Liquid cooled with strategically positioned engine air intake

**Horsepower**

101 hp

**Displacement**

999 cc

**Torque**

69 ft. lb.

**Fuel System**

Intelligent Throttle Control (iTCTM) with Electronic Fuel Injection (EFI)

**Fuel Capacity**

5.1 gal. (19.5 l)

**Operational****Suspension**

Front - Arched Double A-arm 7.5 in. (19 cm) travel

Rear - Arched Double A-arm 10.2 in. (25.9 cm) travel

Front / Rear shocks - SHOWA Internal Floating Pistons (IFP)

**Steering**

Tri-Mode Dynamic Power Steering (DPS)

**Seating**

Special Edition (color, stitching and material)

**Towing Capacity**

1,830 lb. (830 kg)

Winch - 3,500 lb. (1,588 kg) bumper mounted winch with synthetic rope

**Load Capacity**

Front rack - 120 lb. (54.4 kg)

Rear rack - 240 lb. (109 kg)

**Capacity**

Storage - 1 gal. (3.8 l)

**Other****Includes**

Protection - Full skid plate, front mud bumper with winch mount, rear bumper