

2025 Can-Am Maverick X3 X MR Turbo RR 72

Price in Kaliningrad is 2 900 000P



- | | |
|----------------|------------------------------|
| • Condition | New |
| • Year | 2025 |
| • Make | Can-Am |
| • Model | Maverick X3 X mr Turbo RR 72 |
| • Vehicle Type | Utility Vehicle |
| • VIN | 3JBVWAV42SE000035 |
| • Color | Hyper Silver/Legion Red |

Manufacturer Info

- Engine

• Engine Type	TURBO RR Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine
• Engine Power	200 hp
• Cooling System	liquid cooled with integrated intercooler, high-performance air filter and strategically positioned engine air intake
• Displacement	900 cc
• Fuel System	Intelligent Throttle Control (iTCTM) with Electronic Fuel Injection (EFI)
• Drivetrain	
• Drivetrain	Lockable front differential with exclusive Smart-Lok* technology True 4-modes traction system: 2WD / 4WD with front diff. lock / 4WD MUD / 4WD TRAIL
• Transmission	Drive primary and Quick Response System X (QRS-X) CVT with high airflow, L / H / N / R / P
• Steering	Power: High torque Tri-Mode Dynamic Power Steering
• Suspension	
• Front Suspension	Double arched A-arm with sway bar
• Front Travel	22 in. (55.9 cm) suspension travel Trophy truck inspired arms
• Front Shocks	FOX† 2.5 PODIUM Piggyback with QS3† compression adjustment
• Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links
• Rear Travel (in./cm.)	22 in. (55.9 cm)
• Rear Shocks	FOX† 2.5 PODIUM Piggyback with QS3† compression adjustment and bottom-out control
• Brakes	
• Front braking system	Dual 262 mm disc brakes with hydraulic twin-piston calipers
• Rear braking system	Dual 248 mm disc brakes with hydraulic twin-piston calipers
• Wheels & Tires	
• Wheels	14 in. cast-aluminum beadlock
• Front Tire	ITP Cryptid 30 x 9/11 x 14 in.
• Rear Tire	ITP Cryptid 30 x 9/11 x 14 in.
• Dimensions	
• Overall Vehicle Size	132.3 x 74.2 x 68 in. (336 x 188.5 x 172.7 cm)
• Wheelbase	102 in. (259.1 cm)
• Ground Clearance	16 in. (40.6 cm)
• Capacities	
• Storage Capacity	Total: 2.5 gal (9.4 L)
• Rack capacity, total	200 lb (91 kg) with LinQ™ quick-attach
• Fuel Capacity	10.5 gal (40 L)
• Towing Capacity	Winch: 4,500 lb (2,041 kg) winch with synthetic rope
• Weights	

• Estimated Dry Weight	1,758 lb (797.4 kg)
• Features	
• Instrumentation	DC outlet (10-A)
• Features	Anti-Theft System: RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
• Cage Type	Dual-phase 980 steel
• Protection Plan	Front bumper, Half-doors, Front and rear tow hooks, HMWPE full skid plate
• Magneto	850-W
• Gauges	7.6 in. wide digital display with keypad
• Lights and Safety	
• Lighting	LED headlight, LED signature, LED tail lights