

2025 Polaris RZR Pro S Ultimate Price in Kaliningrad is 4 320 000P



Condition	New
Model Year	2025
Manufacturer	Polaris
Model	RZR Pro S Ultimate
Category	Utility Vehicles
VIN	3NSSPD925SG073412
Color	Orange Burst / Zenith Blue

Brakes/Wheels/Tires

Brakes

Front - 4-Wheel Hydraulic Disc with Triple-Bore Calipers;
Aluminum Top Hat Rotor

Rear - 4-Wheel Hydraulic Disc with Dual-Bore Calipers; Aluminum
Top Hat Rotor

Parking - Park In-Transmission

Wheels

Front / Rear Wheel Size - 15 x 7

15 in. Cast Aluminum Rim with 5-Lug Pattern

Tires

Front / Rear - 32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated

Dimensions

Length

Overall - 128 in. (325 cm)

Height

Overall - 74.4 in. (189 cm)

Width

Overall - 74 in. (188 cm)

Weight

Estimated Dry - 2,142 lb. (971.6 kg)

Ground Clearance

16 in. (40.6 cm)

Wheelbase

96 in. (244 cm)

Drivetrain

Transmission

Automatic PVT P / R / N / L / H

Drive System

Isolated Xtreme Performance True On-Demand AWD / 2WD

Electrical

Instrumentation

RIDE COMMAND® 7 in. Glove-Touch Display - DYNAMIX 2.0
Visualizer, Built-In GPS, Group ride* (cell-based or GPS based),
Topographic Mapping, Bluetooth and USB Smartphone
Connectivity, AM/FM and Weather Radio, In-Vehicle
Communications Capable With Optional Sena Headsets, Polaris
P.A.S.S Anti-Theft System (*Group Ride only available on North
America models.)

Dual-sweep Analog Dials with 4 in. LCD Rider Information Center
- User Selectable Blue / Red Backlighting and Brightness,
Programmable Service Intervals

Digital - Speedometer, Tachometer, Odometer, Tripmeter, Clock,
Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature,
Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light,
Gear Indicator, DC Outlet

Lighting

Signature Animated RZR Fang Accent Lighting; White LED, Low /
High and Red LED Tail / Brake Lights; Interior Dash Accent Lighting

Advanced Electronics

Audio - Factory Tuned and Integrated Rockford Fosgate Stage 4
Audio System with RIDE COMMAND Source Unit. Includes (2) 100
watt 1 in. tweeters, (2) 100 watt 6.5 in. component front speakers, (2)
100 watt 6.5 in. coaxial rear speakers, (1) 400 watt 4-channel
amplifier, and (1) 10 in. subwoofer with an integrated 400 watt
subwoofer amplifier. *Audio System is IPX7 and IPX9K water
immersion tested to withstand the wet elements.

Electronic Suspension Control System - Polaris Dynamix DV 3.0
(Dual Valve Control) Semi-Active Compression and Rebound

	Damping System with Selectable Ride Modes: Comfort, Rock, Track, Baja
Electrical System	High Output 900W charging system @ 3,000 rpm
Engine	
Engine	4-Stroke DOHC, Turbocharged
Cooling	Liquid
Cylinders	Twin
Horsepower	181 hp
Displacement	925 cc
Fuel System	Electronic Fuel Injection
Fuel Capacity	12 gal. (45.4 l)
Operational	
Front Suspension	Light Weight Boxed Dual A-Arm with 3 Piece Stabilizer Bar Usable Travel* - 27 in. (68.6 cm) (*Usable Travel is measured, with the vehicle in full droop, from the bottom of the tire to the bottom of the skid plate.). Wheel Travel - 22.25 in. (56.5 cm). Unitized Hubs Shocks - FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression and Rebound)
Rear Suspension	Tubular Trailing Arm with Boxed Gusseting and Toe Link, High Clearance Radius Rods, and Stabilizer Bar. Usable Travel* - 28.3 in. (71.9 cm) (*Usable Travel is measured, with the vehicle in full droop, from the bottom of the tire to the bottom of the skid plate.) Wheel Travel - 22.4 in. (56.9 cm). Unitized Hubs Shocks - FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression and Rebound)
Steering	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; RIDE COMMAND Push Button Controls
Seating	Color-Matched Bolstered Bucket Seats with Driver 4-way adjustability (including 6 in. front to back toolless seat slider with tilt adjustability) and Passenger tilt adjustability; Sub-Zero 4-Point Harnesses
Other	
Cargo Box Length	26 in. (66 cm)
Cargo Box Height	11.5 in. (29.2 cm)
Cargo Box Width	17.7 in. (45 cm)
Cargo Box Capacity	300 lb. (136 kg)
Cargo Box	System - Lock & Ride
Capacity	Payload - 730 lb. (331 kg)
Safety Features	Doors - Full Doors