2025 Ducati Streetfighter V4 Ducati Red Price in Kaliningrad is 4 500 000₽



- Condition
- Year
- Make
- Model
- Categoty
- Color
- Vin

- New
- 2025
- Ducati
- Streetfighter V4
- oty Super sport
- Red/White
 - ZDMFAKWW6SB005679

Manufacturer Info

- Engine
- **Engine** Type Desmosedici Stradale 90° V4, counter-rotating crankshaft, •

 - Displacement
 - Cooling
- Bore •

•

•

- Stroke •
- **Compression Ratio** •
- **Engine** Power •
- **Engine Torque** •
- **Fuel Injection** •
- Drivetrain •
- Gearbox •
- Primary Drive
- Gear Ratios (overall) 1st
- Gear Ratios (overall) 2nd
- Gear Ratios (overall) 3rd
- Gear Ratios (overall) 4th 32/21
- Gear Ratios (overall) 6th •
- **Final Drive** •
- Clutch •
- •
- **Suspension**
- Front Suspension
- **Rear Suspension**
- **Brakes**
- Front braking system
- Rear braking system •
- Wheels & Tires •
- Front Wheel
- Rear Wheel
- Front Tire •
- Rear Tire •
- Front Wheel Travel •

- Desmodromic timing, 4 valves per cylinder
- 1.103 cc
- Liquid Cooled
- 81 mm
 - 53.5 mm
 - 14.0:1
- 205 hp (150.7 kW) @ 12,650 rpm
 - 88.3 lb-ft (119.7 Nm) @ 11,500 rpm

Electronic fuel injection system. Twin injectors per cylinder. Full ride-by-wire elliptical throttle bodies.

6 speed with Ducati Quick Shift (DQS) up/down EVO 2 Straight cut gears; Ratio 1.80:1

Chain; Front sprocket 15; Rear sprocket 42

Aluminum alloy "Front Frame"

Symmetrical Swingarm

5-spokes light alloy 3.50" x 17" 5-spokes light alloy 6.00" x 17"

125 mm (4.9 in)

Hydraulically controlled slipper and self-servo wet

4-2-1-2 system, with 2 catalytic converters and 2 lambda

Fully adjustable Showa BPF fork, 43 mm chromed inner

2 x 330 mm semi-floating discs, radially mounted Brembo

Monobloc Stylema (M4.30) 4-piston callipers with Cornering ABS EVO. Self bleeding master cylinder.

245 mm disc, 2-piston caliper with Race eCBS

Pirelli Diablo Rosso IV Corsa 120/70 ZR17

Pirelli Diablo Rosso IV Corsa 200/60 ZR17

multiplate clutch. Self bleeding master cylinder

Fully adjustable Sachs unit. Aluminum Hollow

38/14

probes

tubes

- 36/17
- 33/19
- Gear Ratios (overall) 5th 30/22
 - 30/24

- Chassis
- Frame Type
- Exhaust

- Rear Wheel Travel
- Dimensions
- Seat Height
- Wheelbase
- Rake/trail
- Capacities
- Fuel Capacity
- Seating Capacity
- Weights
- Dry Weight
- Features
- Features

- 130 mm (5.1 in)
- 33.3 in (845 mm) 59 in (1,496 mm) 24.5°/99 mm (3.9)
- 24.3 /99 mm (3.9)

4.2 US-gallons (16 l)

Single seat Two seats, if passenger seat kit accessory is mounted

421 lb (191 kg)

Standard equipment: Ducati Power Launch (DPL) DVO, Ducati Quick Shift (DQS) up/down 2.0, Full LED headlights with Daytime Running Light (DRL)*, Sachs steering damper, Quick adjustment buttons, Pit Limiter, Auto-off indicators, Coming Home Riding Modes, Power Modes, Cornering ABS EVO, Ducati

Traction Control (DTC) EVO 2, Ducati Wheelie Control (DWC) EVO, Ducati Slide Control (DSC), Engine Brake Control (EBC) EVO, Auto tire calibration.

• Safety Features