




**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

2024 25 CATALOGUE




- General Laboratory Chemicals & Solvents
- Bioreagents, Biochemicals & Speciality Fine Chemicals
- Animal Cell Culture
- Nanopowders & Carbon Nanotubes (CNTs)
- Dehydrated Culture Media Products
- BioLit® DNA & Protein Tools and Kits
- Laboratory Accessories
- Bio-Indenta®

endless **PROCESS** of science...



Quality Policy



We, at Sisco Research Laboratories Pvt. Ltd., shall always strive to provide the best quality Laboratory Reagents and Biochemicals, Microbiological Culture Media, Supplements & Kits, and BioLit™ range of protein and DNA tools required for teaching, research, analysis and manufacture of high quality products for better quality of life.

We shall always maintain and upgrade our products and services to meet the highest International Quality Standards.

It is our constant endeavor to achieve maximum customer satisfaction by implementing an efficient customer relationship management system to meet the requirements and expectations of our valued customers.

To achieve our goals, we have instituted a quality management system conforming to ISO 9001:2015, ISO 17025:2017, CE Certification for our Microbiology range of products and an FDA Approval for select range of Pharmacopoeial products; and are firmly committed to continually improving its effectiveness through technological advancement, enhancement of skills, cultivation of a suitable work environment and dedicated team work



An ISO 9001:2015 Company

From the desk of the
Chairman



**Dear Scientists, Researchers
and Trade Partners**

It is my honor to introduce you to our latest range of products, meticulously designed to meet the exacting standards of modern research.

Our expansive catalog of over 9000 items encompasses chemicals, biochemicals, culture media, DNA tools, and laboratory accessories, all such offerings that provide you with unparalleled resources to propel your scientific endeavors forward.

It is our 50th year of existing, having modest beginnings since 1974. In this span of time, we have recognized the pivotal role that superior-quality research chemicals play in your investigations. It is our solemn pledge to continue to furnish you with the tools requisite for transformative discoveries and breakthroughs of profound consequence.

The Global Laboratory Chemicals Market is also due to an exciting growth era, expected to surge to USD 5.37 billion by 2030, a remarkable CAGR of 5.2%. We intend to remain steadfast in support of your evolving needs with innovative solutions and cutting-edge technologies.

As you navigate through the catalogue, I extend my sincere wishes for a productive and enriching exploration. May our products serve as catalysts for your scholarly pursuits.

With the utmost respect and anticipation of our continued collaboration,

A handwritten signature in blue ink that reads 'S.K. Agarwal' with a stylized flourish at the end.

S. K. Agarwal

Chairman
1st April 2024



Quality Control



Quality control facilities in our manufacturing plants

- Anaerobic Culture Jars
- Analytical Balances
- Antibiotic Zone Reader
- Atomic Absorption Spectrophotometer (AAS)
- Autoclaves
- Bacteriological Incubator
- B.O.D. Incubator
- Calorimeter
- Conductivity Meters
- Colony Counter
- Cyclomixer
- Electrophoresis Equipments
- FTIR Spectrophotometer
- Gas Chromatograph (w/Head space)
- Gel-Strength Indicator
- High Speed Centrifuges
- HPLC Instrument
- Hot Air Ovens
- IR Spectrophotometer
- Karl-Fischer Apparatus
- Kjeldhal's Apparatus
- Lab Furnace
- Laminar Air Flow Bench

- Melting Point Apparatus
- Micro-Ovens
- Microscopes
- pH Meters
- Polarograph
- Potentiometric Titrator
- Refractive Index Apparatus
- Rotary Flask Shaker
- TLC Equipments
- Transilluminator
- Turbidometer

- UV Cabinet
- UV Spectrophotometers
- Viscometer
- other support instruments

It is the precise instrumental, chemical, biochemical and microbiological analysis which enables **SRL** to guarantee that its products shall always meet the highest international standards.




Contents

	15	Part A General Laboratory Chemicals & Solvents
Part B Bioreagents, Biochemicals & Speciality Fine Chemicals	73	
	145	Part B1 Animal Cell Culture
Part C Nanopowders & Carbon Nanotubes (CNTs) (Carbon Nanotubes, Nanodispersants and Nanodispersions, Nanowires, Nanofilms and Nanopowders)	149	
	157	Part D Dehydrated Culture Media • Product Listing • Media Supplements • ChroMed™ • Media Kits
Part E BioLit® • DNA & Protein Tools	197	
	225	Part L Laboratory Accessories
Bio-Indenta™ Global searching station for Unlisted Compounds	231	

International Business



You will find the **SRL** brand in 6 different regions around the world and in more than 100 countries. Our main motive has always been to provide our products to customers in different corners of the world, wherever there is an industry or an institution that is working on improving the quality of our lives through research, innovation, quality control and manufacturing. Having more than 40 authorized agents and distributors and more than 100 trade partners, **SRL** is always on the lookout to make brighter and long lasting partnerships with companies that have a similar goal in mind, i.e. to be the best in their business. Before we appoint trade partners, we make it a point to conduct systematic checks to ensure that our partners are in a position to offer better sales support and post-sales services to their valued customers who choose an **SRL** product. We welcome new partnerships for growth and prosperity.



Our global reach

Europe & Eurasia

- Austria
- Azerbaijan
- Belgium
- Bulgaria
- Cyprus
- Czech Republic
- Denmark
- Finland
- France
- Germany
- Greece
- Hungary
- Ireland
- Italy
- Malta
- Moldova
- Netherlands
- Norway
- Poland
- Portugal
- Russia
- Spain
- Sweden
- Switzerland
- Turkey
- Turkmenistan
- United Kingdom
- Uzbekistan

Africa

- Benin
- Botswana
- Chad
- Cameroon
- Djibouti
- Ethiopia
- Ghana
- Kenya
- Madagascar
- Malawi
- Mali
- Mauritius
- Mozambique
- Namibia
- Nigeria
- Rwanda
- Seychelles
- South Africa
- Tanzania
- Uganda
- Zambia
- Zimbabwe

Middle East

- Bahrain
- Egypt
- Jordan
- Kuwait
- Lebanon
- Morocco
- Oman
- Qatar
- Saudi Arabia
- Tunisia
- United Arab Emirates

Central Asia

- Bangladesh
- Bhutan
- Kazakhstan
- Maldives
- Nepal
- Srilanka
- Tajikistan

North & South America

- Argentina
- Brazil
- Canada
- Chile
- Costa Rica
- Ecuador
- Guatemala
- Jamaica
- Mexico
- Peru
- Trinidad & Tobago
- Venezuela
- United States of America

East Asia & Pacific

- Australia
- Brunei
- Burma
- Cambodia
- China
- Fiji
- Indonesia
- Japan
- Laos
- Malaysia
- Mongolia
- New Zealand
- Philippines
- Singapore
- South Korea
- Thailand
- Vietnam



overseas customers can reach us at export@srlchem.com

Depots



Hyderabad

123/124, Murthy Building,
Prashanti Nagar, Kukatpally,
Hyderabad 500 072.
Telangana, India.
Telefax: +91-40-2307 0166
e-mail: hyderabad@srlchem.com

Chennai

Plot No.: 8B,
Self Help Industrial Estate,
Keeelkattalai, Kovilambakkam,
Chennai 600 117,
Tamil Nadu, India.
Telephone: +91-9962005587 /
+91-44-22682215
Email: chennai@srlchem.com

Delhi

69/6A, (Part A)
Rama Road Industrial Area,
Najafgarh Road,
New Delhi 110 015, India.
Tele Fax: +91-11-4591 4530
Email: delhi@srlchem.com

Mumbai

Raj Rajeshwari Logistic Park,
Gala No. 3-8, Bldg.No. B-4,
Behind Mini Punjab Grill,
Vehale, Bhatala,
Bhiwandi 421 302,
Maharashtra, India.
Telephone: +91-93229 31625 /
96191 47231
Email: bhiwandi@srlchem.com

Kolkata

46, N.S.C. Bose Road,
P.O. Malancha Mahinagar,
District: South 24 Paraganas,
Before Malancha Bazaar
Kolkata 700 145,
West Bengal, India.
Telephone: +91-8334800445
Email: kolkata@srlchem.com



Administrative Office:
608-B, Satellite Gazebo,
Near Solitaire Corporate Park,
Andheri Ghatkopar Link Road,
Chakala, Andheri (East), Mumbai 400 099. India
Tel.: +91-22-4268 5800
E-mail: marketing@srlchem.com

Website: www.srlchem.com


Label Explanation



for Laboratory & Research Chemicals

<p>Sisco Research Laboratories Pvt. Ltd. Plant Site 2: H-4, MIDC, Talaja - 410 208, Maharashtra, India. ☎ +91-22-42685800. email: customercare@srlchem.com</p> <p>Net Content: 100 g</p>  <p>Batch No: Mfg. Date:</p> <p><small>Important: No Liability accepted for accidents arising in handling or use. *Packed for servicing industry (including industrial quality control laboratories academic and research institutions universities etc.)</small></p>	<p>35825 (1944318) [151-21-3]</p> <p>Sodium Lauryl Sulphate High purity (sodium dodecyl sulphate, SDS)</p> <p>C₁₂H₂₅SO₄Na M.W. 288.38</p>  www.srlchem.com	<p>Specifications</p> <p>Assay min 99.5% pH(1% aq soln) 6.0-7.5 A10% aq. 210nm max 0.1 220nm max 0.06 230nm max 0.04 260nm max 0.02</p> <p>Maximum Limits of Impurities</p> <p>Loss on drying 1% Chloride (Cl) 0.01% Iron (Fe) 0.0001% Phosphate(PO₄) 0.0001% Heavy metals (Pb) 0.0002%</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">For Laboratory Use Only</p>
--	---	---

for Dehydrated Culture Media, Ingredients, Supplements & Kits


<p>Sisco Research Laboratories Pvt. Ltd. Plant Site 1: D-88/2, MIDC, Turbhe-400705, New Mumbai, India. ☎ +91-22-42685800. email: customercare@srlchem.com</p> <p>Net Content : 100 gms</p> <p>Received on dt : _____</p> <p>Opened on dt : _____</p> <p>Batch No : Mfg. Date : Best Before :</p> <p><small>Important: No Liability accepted for accidents arising in handling or use. *Packed for servicing industry (including industrial quality control laboratories academic and research institutions universities etc.)</small></p>	<p>REF 76875 (MM 011)</p> <p>MacConkey Agar</p> <p>For the selective isolation, cultivation and differentiation of coliforms and enteric pathogens based on the ability to ferment lactose.</p>  www.srlchem.com	<table border="1"> <thead> <tr> <th>Composition</th> <th>gm/lit.</th> </tr> </thead> <tbody> <tr><td>Peptone</td><td>17.00</td></tr> <tr><td>Agar</td><td>13.50</td></tr> <tr><td>Lactose</td><td>10.00</td></tr> <tr><td>Sodium chloride</td><td>5.00</td></tr> <tr><td>Bile salts</td><td>1.50</td></tr> <tr><td>Proteose peptone</td><td>3.00</td></tr> <tr><td>Neutral Red</td><td>0.03</td></tr> <tr><td>Crystal Violet</td><td>0.001</td></tr> </tbody> </table> <p>Final pH at 25°C : 7.1 ± 0.2 Formula standardized/adjusted to meet performance criteria.</p>	Composition	gm/lit.	Peptone	17.00	Agar	13.50	Lactose	10.00	Sodium chloride	5.00	Bile salts	1.50	Proteose peptone	3.00	Neutral Red	0.03	Crystal Violet	0.001	<p>Directions :</p> <ul style="list-style-type: none"> • Add 50.03 gm powder to distilled/ deionized water. • Bring volume to 1.0 liter and mix thoroughly. • Gently heat and bring to boiling. • Autoclave at 15 psi pressure at 121°C for 15 minutes. <p style="writing-mode: vertical-rl; transform: rotate(180deg);">For Laboratory Use Only</p>
Composition	gm/lit.																				
Peptone	17.00																				
Agar	13.50																				
Lactose	10.00																				
Sodium chloride	5.00																				
Bile salts	1.50																				
Proteose peptone	3.00																				
Neutral Red	0.03																				
Crystal Violet	0.001																				

for BioLit™ DNA & Protein Tools

SRL BioLit™
92972(BLL001) 50 µg
lot:5416089

BioLit™
ladders, markers & vectors

92972 (BLL001)
ProxiO 100bp DNA Ladder


www.srlchem.com

Description :
(This product includes Ex Orange DNA Loading Dye)

The 100bp ladder is ideal for determining the size of double-stranded DNA from 100 to 1500 base pairs. The ladder consists of 11 linear double-stranded fragments. The 500bp fragment is present at increased intensity to allow easy identification. All fragments are precisely quantified and mixed during the production. For 5 µl loading, all fragments except 500bp are 40ng. The 500bp fragment is 100ng. This ladder is pre-mixed with loading dye and is ready to use.

Recommended Loading: 2.5 µl/Lane

Concentration:
Spiral Bands: 100ng/µl
Other Bands: 40ng/µl

Active Electrophoresis Condition:
8cm, 1% Agarose-Gel, 0.5xTBE, 5V/cm, 1h

Contents (µg):
100, 200, 300, 400, 500, 600, 700, 800, 900, 1,000, 1,500

Na Concentration: 10ng/µl

Storage : 1 year at room temperature for long term preservation please store at 20°C.

Website

Consistently we follow in all aspects of our products and services continues even more comprehensively on our website. Some of the most revolutionary information we offer,

1. Interactive Product Pages

- Technical product specifications & print-ready Product Data sheets
 - (containing technical & application for each product)
- LIVE Stock Checks
 - Check the stocks of your desired product packing in real time at each of our
 - Manufacturing Sites
 - Distribution Depots
- Avail prices in more than 17 Global Currencies
- Access to H.S. Codes & MSDS of all products

2. Quick Links for viewing and downloads

- Product search by keywords, CAS, application, grade
- Certificate of Analysis (COA)
- Material Safety Data Sheet (MSDS)
- Latest Catalog Download
- Technical Product Brochures
- Picture gallery for product packaging

3. Online Transactions

- Get quotations
- Place Orders
- Ask us a Technical Query
- Apply for a position with us

4. Locate your nearest SRL Stockists & Distributor

- Indian Stockist network provided City-wise & State-wise
- Global Distributors provided country-wise

5. Multi-Lingual Display

- Read content in more than 80 Global languages of your preference



6. News and Information

- Follow our developments and road shows
- Path-breaking research developments in the Bioscience industry
- Latest SRL product offerings and highlights

7. Regulatory Certifications, now available online.

- Click and Download our
- ISO 9001-2015 Quality Management Certificate
 - FDA (Food & Drug Association) Certificate
 - CE (European Conformity) Certificate
 - GMP (Good Manufacturing Practices) Certificate

www.srlchem.com is ideal for researchers, scientists and customers who are always looking for new molecules, product information and availabilities at the click of a button!

Order your
CD today...



It's **FREE!**



No part of this book may be reproduced by any mechanical, photographic or electronic process or in the form of a phonographic audio/audio visual recording, nor may it be stored in a retrieval system, transmitted or otherwise copied for public or private use, without written permission from the publisher.

Trademarks owned by Sisco Research Laboratories Pvt Ltd

Registered Trademarks

SRL[®] **Bio-Indenta[®]** **BioLit[®]** **SafeDye[™]** **ChroMed[®]**
Seralose[®] **FluroBronze[®]** **Seralite[®]** **Serabeads[®]** **ExiPlus[®]**

"All trademarks mentioned in the catalogue other than those mentioned here, are not property/owned by Sisco Research Laboratories Pvt. Ltd. (SRL)"

Grades of Purity

SRL products adhere to highest grades of quality. However, we understand that our multiple grades may tend to overlap and disorient users. The explanations below give an approximate representation of the **SRL** grades and most closely suited applications of our products.

AAS	Products for Atomic Absorption Spectroscopy specially suited for AAS instrumentation.
ACS/AR/Reagent Grade	Complying with the specifications of American Chemical Society (ACS) reference manuals/ANALAR specifications, for critical laboratory analysis and quality production applications.
Dried/Specially Dried	Containing highly reduced water content for 'anhydrous' reactions, synthesis and assay studies.
Cell Culture	Low endotoxin products specially suited for cell culture DNA, RNA, Genetics applications.
Electronic Grade	Very low ionic impurities and suited for electronics and high-end applications.
ExiPlus[™]	Complying with the compendial specifications of USP (United States Pharmacopoeia) or BP (British Pharmacopoeia) or Ph.Eur (European Pharmacopoeia) or all. For production, quality control and laboratory applications.
Extrapure	Purified grade suited for general laboratory or synthesis.
GC-HS	For Gas Chromatography assay. Suited for use in GC instrumentation with Head Space.
High Purity/Ultrapur	Having very high levels of assay/purity (typically 3N (99.9%), 4N (99.99%), 5N (99.999%) or more) as compared to similar products in their class/category. Specially synthesized and purified for critical applications with low elemental impurities.
HPCL/UV	For High Pressure Liquid Chromatography or Ultra Violet Spectroscopy. Suited for use in HPLC or UV instrumentation.
Microbiology/Bacteriology	For microbiological application and bacteriological studies.
Microscopy	Typically dyes, stains and indicators (powders and solutions) used for microscopy and histological applications.
Molecular Biology	For molecular biology, cell culture, tissue culture, genetics, and all such applications, tested 'non-detected' for DNase, RNase and Protease.
NMR Spectroscopy	Solvents for NMR studies suited to most advanced NMR instrumentation.
OAS	Organic Analytical Standard for reference studies.
Pure/Technical/Practical/Grade	General, commercial grade for synthesis and routine applications.
OAS/CHR/Reference Standard Grade	Organic Analytical Standard/Chromatographically Harmonized Reagent to be used as in reference studies as an analytically pure standard.
Scintillation	Ideal for scintillation studies.
Tissue Culture	Ideal for plant tissue culture application & studied.

For Pharmaceutical Grade Labelled Products

IP	Indian Pharmacopoeia.
BP	British Pharmacopoeia.
USP-NF	United States Pharmacopoeia & The National Formulary.

For Dehydrated Culture Media

Harmonized	Dehydrated media prepared as mentioned in ICH Guidelines.
Bacteriology	For microbiological application and bacteriological studies.
BactoBio/Bacto	For microbiological preparation and cell culture media.
(I/P)	Dehydrated media prepared as mentioned in IP (Indian Pharmacopoeia).
(U/P)	Dehydrated media prepared as mentioned in USP (United States Pharmacopoeia).
(B/S)	Dehydrated media prepared as mentioned in BIS (Bureau Of Indian Standards).
(I)	Dehydrated media prepared as mentioned in ISO (International Standards Organization) Guidelines.



Production Capabilities



We invite you to tour and audit our plant and discuss any queries with our technical team

Our Bulk Manufacturing facilities follow cutting edge bio-techniques for producing many of our specialized products in bulk volumes. Multi-purpose process vessels and unit operations ensure consistent high quality batch-after-batch in a timely manner.



Our production facilities include –

- SS & Glass-lined Reactors with distillation columns
- All Glass Reactors
- SS Centrifuges
- SS Nutsche Filters
- SS Sparkler Filters
- SS Pulverizers, Sifters and Blenders
- Vacuum Tray Dryers
- SS Rotocone Vacuum Dryers, etc.

To support these unit operations, our utilities include –

- Chilled Brine Plant
- Cooling Water and Chilled Water Plant
- Boiler and Oil Heating System
- High Pressure Vacuum System
- Micron-filter Air Purification System
- DM Water Plant, Nitrogen Plant, Scrubbers, etc.

Contact info@srchem.com for more info.

Keeping strong the  quality promise.



Developing bulk specialty chemicals and customized new molecules in compliance with your in-house specifications supported by complete tech-packs.

Today, **SRL** is not only known for its high quality laboratory chemicals, but it is also been recognized as an important supplier of various fine chemicals as raw materials. Our company is manufacturing reagents and powders in bulk scale to meet the critical requirements of several industries that we serve. As a supplier of key technologies, we want to grow along with our customers in the pharmaceutical and biopharmaceutical industries. This expansion of capacity and modernization is our response to the growing global demand for and high requirements placed on quality and product safety for final pharmaceutical and biopharmaceutical formulations. SRL has an extensive product range and supports its customers in all phases of the drug manufacturing process, from research, quality control and commercial production, through to providing service in concrete safety and regulatory issues.

SRL's Bulk Manufacturing and Custom Synthesis (BMCS) business has broadened its production at our Talaja MIDC site to include existing and new bulk fine chemicals which are being manufactured at commercial scales. Production of the raw materials have been on since 2011 at this site and complements the existing offering of highly regulated active and non-active pharmaceutical ingredients manufactured here. Most of the products manufactured at the Talaja MIDC bulk plant facility meet and exceed IP, BP, USP & Ph. Eur regulation; follow Current Good Manufacturing Practices (cGMPs) for biopharmaceutical production; and comply with International Consortium for Innovation and Quality in Pharmaceutical Development.



Target Audience:

- Active Pharmaceutical Ingredients (API) (Human & Veterinary)
- Antibodies
- Biosimilars
- Biocides, Insecticides & Crop Sciences
- Bio-Fermentation (Upstream & Downstream)
- Blood Plasma
- Diagnostic Kit
- Excipients & Intermediates (Organic & Inorganic)
- Formulations (New & Generic)
- Home Care & Sanitation
- Hormones
- Injectables
- Neutraceuticals
- Peptides
- Personal Care Products
- Protein Purification
- Vaccines (Human & Veterinary)
- Carboxylation
- Cryogenic Reaction
- Cyclization
- Cyclo Addition (4 + 2, 4 + 3) Reaction
- Dehydration
- Esterification
- Formylation
- Friedel – Craft
- Grignard Reaction
- Heck Reaction
- Hydrochloride preparation
- Iodination
- Ion exchange Reactions
- Jones Oxidation
- Lithiation Chemistry
- Mignonac Reaction
- Mitosonobu Esterification
- Nitration
- Nitrosation
- Oximation
- Pachmann Condensation
- Perkin Reaction
- Sandmeyer Reaction
- Sonogashira Coupling
- Sulfonation
- Suzuki Coupling
- Swern Oxidation
- Williamson's Ether Synthesis
- Writing-Homer Reaction

Reaction Capabilities:

- Acid Chloride Preparations
- Aldol & Crossed Aldol Reaction
- Assymetric Reduction
- Bromination



We offer:

The BMCS division at the MIDC Taloja facility include difficult-to-source materials available from research to commercial-scale volumes. The program takes advantage of **SRL**'s purification, re-crystallization and distillation competencies to manufacture a short list of catalog products in the commercial product segment.

You will find our ExiPlus grade of products that are complying to the compendia specifications of Indian Pharmacopoeia (IP), British Pharmacopoeia (BP), United States Pharmacopoeia (USP), National Formulary (NF) and European Pharmacopoeia (Ph. Eur). We are well versed in providing these products for production requirements. Alternately, our highly researched ACS and AR grades are anyway much better and stringent in their impurity limits and are also being used as raw materials in various industries. We also are highly skilled in providing additional value through quality documentation packages, readily-available inventory and multiple batches to support customer qualification activities

Tech-packs:

SRL not only provides the raw materials through its BMCS program, but we also cater to the strict documentation requirements which our customers ask. Since the last decade, India has become a hub for the regulated as well as the non-regulated pharmaceutical markets, and to serve them we offer complete vendor questionnaire documents with all the technical, commercial and ethical information that we can provide.

* Document support:

- Aflatoxin free statement
- Allergen free certificate
- Brief description of manufacturing locations, capabilities
- Certificate of analysis (COA) / Method of analysis (MOA)
- Company Organogram
- Dioxan free certificate
- GC, HPLC, NMR graphs
- Gluten free certificate
- Kosher & Halal certificate
- Latex free statement
- List of equipment and instrumentation
- Material safety data sheet (MSDS)
- Melamine free certificate
- Metal catalyst statement
- Microbial contamination certificate
- Quality management certificate (QMS)
- Residual solvent & impurity profiling
- Route of synthesis (ROS) / Process flow chart
- Stability data
- TSE/BSE Declaration
- Vendor Questionnaire (VQ)

Post Sales Support:

We at **SRL** take special care to value our customers with utmost seriousness post-sales. Customers requiring additional services of more document support, pre-shipment sampling for repeat orders, production planning for scale-up and addressing non-conformity issues are some of the areas which we address. In times of product rejections due to storage or any other issues, we provide a complete CAPA (Corrective And Preventive Action) analysis document and such documents are recorded for future product improvements.

Today we provide a helping hand to the world's top 100 pharmaceutical companies to file successful ANDA (Abbreviated New Drug Application) filings in both regulated and non-regulated markets. We are ready to partner with you, so do get in touch with us on marketing@srlchem.com



* Document support provided depends on individual product and its chemistry. Not all documents are available for all BMCS products.



ExiPlus Range

(Products confirming to the reagent specifications of USP, BP & Ph. EUR)

ExiPlus range of products has been carefully designed to meet the requirements of scientists working in the manufacture of drugs, active pharmaceutical ingredients, bio-pharmaceutical & nutraceutical products in semi-bulk or bulk scale. ExiPlus products are the safest and most reliable products to meet the needs of students, researchers working in quality control, research and development laboratories in premier institutions all over the world.

Offering more than 300 ExiPlus World-class reagents and biochemicals, that are manufactured in compliance with the reagent specifications of various pharmacopeia such as United States Pharmacopeia (USP), British Pharmacopeia (BP), European Pharmacopeia (Ph.Eur).

Take the ExiPlus advantage, why loose a good chance:

- ExiPlus for use as an excipient
- ExiPlus for use as an active pharmaceutical ingredient
- ExiPlus for use in biopharmaceutical production
- ExiPlus for use in nutraceutical production
- ExiPlus for use in critical research and development

The quality of our raw materials and our extensive documentation support enable you to do your work quickly and cost-effectively. With ExiPlus SRL provides its customers with a high level of safety in QC, R&D and production activities. We provide you with all necessary technical documents such as Product Data Sheets, CoA, MoA and other documentary support can be made available upon request.

ExiPlus will simplify your life so let's make life simple.



ACS Grade Reagents

(Products confirming to the reagent specifications set by the American Chemical Society Committee)

Our ACS grade of reagents and chemicals are manufactured and tested to meet the specifications set by the American Chemical Society (ACS) Committee on Analytical Reagents. The specifications listed in this catalog are based on the ACS Reagent Chemicals Tenth Edition.

SRL offers more than 200 reagents and chemicals complying with ACS grade reagent specifications of very high quality for use in laboratory for both quality control in academics and industries. They are superior grade reagents that are contaminant-free that are being preferred world-wide because of the stringent specifications set by the American Chemical Society (ACS) committee. Many customers of SRL want to purchase an ACS grade product instead of an AR grade product, however both grades of products are considered to be superior for routine analytical testing applications.

Some common Application of ACS grade products:

- ACS reagents for industrial cleaning purposes
- ACS reagents for routine quality control
- ACS reagents for chemical process development
- ACS reagents for commercial scale-up of manufacture
- ACS reagents for analytical applications wherein UV absorption is not critical
- ACS reagents for the metal & steel industry

We provide you with all necessary technical documents such as Product Data Sheets, CoA, MoA and other documentary support can be made available upon request. We provide many products in various pack sizes and also at affordable prices so that students and scientists can benefit from the ultrapure purity of the ACS grade reagent manufactured, tested and packed for the most stress-free and reliable experience.

Come and try our ACS grade, because it's worth it!

**Part A - General Laboratory Chemicals & Solvents**

Ammonium Hexafluorophosphate	Dodecane	Polyvinylpyrrolidone K25 (Povidone, PVP K-25)
Azocarmine G (C.I. 50085) for histology	Eosin Blue (C.I. No. 45400)	Polyvinylpyrrolidone K90 (Povidone, PVP K-90)
tert-Butyl Acetate (TBAC)	Ferric Ammonium Oxalate Trihydrate	Salicylic Acid ACS, ExiPlus
Butyl Propionate	Ferric Chloride Anhydrous ExiPlus	Sodium Benzoate ExiPlus
Calcium Phosphate Dibasic Anhydrous	Ferric Phosphate	Sodium Citrate Dibasic Sesquihydrate
Calcium Phosphate Dibasic Dihydrate	Guanidine Hydrochloride (GHC) ExiPlus	Sodium Hydroxide Flakes
Ceramide ex. Chicken Egg	Iodophor	Sodium Hypochlorite Solution
Chloroform-d (w/o TMS, Stab w/ Ag) for NMR spectroscopy	Isooctane Fuel Grade for HPLC & UV Spectroscopy	Sodium Percarbonate
Chloroform-d (with 0.03% TMS, Stab w/ Ag) for NMR spectroscopy	Isopropanol (IPA) Dried	Sodium Peroxide ACS
Chloroform-d (with 1% TMS, Stab w/ Ag) for NMR spectroscopy	L-Leucine extrapure, ExiPlus	Sodium Phosphate Dibasic Dihydrate ExiPlus
Cupric Sulphate Anhydrous	D-Maltose Monohydrate ExiPlus	Tetrabutylammonium Fluoride (TBAF) 1M Soln. in THF
Cupric Sulphate Anhydrous ExiPlus	Melamine	Tetraheptyl Ammonium Bromide (THAB) for HPLC
Cuprous Chloride ACS	Methyl Isopropyl Ketone (MIPK)	Tetramethylammonium Hydroxide 25% aqueous solution, VLSI Semiconductor Grade
L-Cystine ExiPlus	N-Methyl-2-Pyrrolidone (NMP) VLSI Semiconductor Grade	Tiron Monohydrate
Diiodomethane (Stabilized with copper wire)	Mixed Cresol	Triethyl Citrate
Diisopropanolamine (DIPOA)	b-Naphthol	Water Distilled
Dimethyl Sulphoxide (DMSO) ULSI Semiconductor Grade	Oleic Acid	Zinc Metal Granules, 3-8 mm
Propylene Glycol Monomethyl Ether 2-Acetate (MPA)	Paraffin Wax w/ Ceresin Blocks	Zinc Metal Granules, 10-12mm
	Perchloric Acid ACS, for Diamond Industry	
	Polyethylene Glycol 10000 (PEG 10000)	

Part B - Bioreagents, Biochemicals & Specialty Fine Chemicals

ACES Buffer	Cyanuric Chloride	O,O-Diethyl Dithiophosphate
L-Alaninamide Hydrochloride	Cyanogen Bromide Solution (5.0M in Acetonitrile)	1,5-Difluoro-2,4-Dinitrobenzene (DFDNB)
N-Allylthiourea	1,10-Decanediol	N,N-Dimethyl-L-Phenylalanine
2-Amino-2-Methyl-1,3-Propanediol (AMPD Buffer)	Dextran ex. Leuconostoc Sp. - Tech 70 (65-75)	2-Ethylaniline
Azomethine H Monosodium Salt	Dichloro[1,1'-bis(di-t-Butylphosphino)Ferrocene]Palladium(II)	Furfural
Bis(Dibenzylideneacetone) Palladium	Dichloro(1,2-bis(Diphenylphosphino)Ethane) Palladium (II)	Z-Glycyl-L-Proline-4-Nitroanilide (Z-Gly-Pro-4-Nitroanilide)
1,1'-Bis(Diphenylphosphino)Ferrocene Palladium(II) Dichloride	Dichloro(1,3-bis(Diphenylphosphino)Propane) Palladium(II)	2-Heptanone (Methyl-n-Amyl Ketone, MAK)
1,1'-Bis(Diphenylphosphino)Ferrocene-Palladium(II) Dichloride-Dichloromethane Complex	Dichloro[1,4-bis(Diphenylphosphino)Butane]Palladium(II)	Hexaammine Cobalt (III) Chloride
Bis(Tricyclohexylphosphine) Palladium(II) Dichloride	Dichloro-[1,3-bis(Diisopropylphenyl)-2-Imidazolidinylidene]-(3-Chloropyridyl) Palladium(II)	Hygromycin B (HGR Solution)
Bis(Triphenylphosphine) Dichloropalladium (II)	1,4-Dichloro-2-Butyne	Kanamycin Acid Sulphate (KS)
Cacotheline Monohydrate	Dichlorobis(Triphenylphosphine)Palladium(II)	Kanamycin Acid Sulphate (KS) for tissue culture
Cadaverin Dihydrochloride	Diethyl bis(hydroxymethyl)malonate	N-Lauroylsarcosine Sodium Salt (Sarkosyl Sodium Solution)
Caffeic Acid	Diethyl Chlorophosphate	(Sarkosyl Sodium Solution)
Cefotetan Disodium Salt		Linoleic Acid (Free Acid)
Cesium Iodide		Meldrum's Acid
Cesium Nitrate		MES19: ICP Calibration Standard for Petroleum Mix 1
a-Chymotrypsin ex. Porcine		MES20: ICP Calibration Standard for EPA 6020



MES21: ICP 21 Calibration Standard
 MES22: ICP 19 Calibration Standard
 MES23: ICP 29 Calibration Standard
 MES24: ICP Environmental Calibration Standard A
 MES25: ICP Calibration Standard for EPA 6010
 MES26: ICP Water Pollution Standard 1
 MES27: ICP Common & Transition Elements Standard (1000 µg/mL)
 L-Methionine Sulfoximine (MSX)
 4-Methoxy-2,3,6-Trimethyl Benzaldehyde
 Mucin ex. Porcine Stomach, Type III

Niobium Chloride ultrapure
 2-Nitrocyclohexanone
 3,4-Dinitrophenol
 Palmitic Acid
 Palmitoyl Chloride
 Pectinase ex. Aspergillus Niger
 Phenyl Isothiocyanate (PITC) for HPLC & Sequencing
 Phleomycin (PLM) Solution
 Phytosphingosine Hydrochloride
 Poly-L-Lysine Hydrobromide (PLL HBr)
 Poly-D-Lysine Hydrobromide (PDL HBr)

Poly-e-L-Lysine Hydrochloride (PLL HCl)
 Protamine Sulfate for molecular biology
 Pyrazinamide
 Silicon Metal powder
 Simazine
 Spectinomycin Dihydrochloride Pentahydrate
 Styrene Monomer (Stab w/ tBC)
 N-Succinimidyl Ferrocenecarboxylate
 Syringic Acid
 p-Toluidine specially purified
 2,2,2-Trichloroethanol
 Tris(Dibenzylideneacetone)Dipalladium-Chloroform Adduct

Part B1 - Animal Cell Culture

ACES Buffer
 Blastidicin S HCl Solution in HEPES Buffer
 Cephalexime Sodium Salt (CFT)
 L-Leucine for cell culture, 99%, Endotoxin (BET) 1EU/ml
 Phleomycin (PLM) ex. Streptomyces verticillus

Part C - Nanopowders & Carbon Nanotubes

Formamidinium Bromide
 Formamidinium Iodide
 Methylammonium Bromide
 Methylammonium Iodide

Part E - BioLit (DNA & Protein Tools)

Taq Mix (2X) (PCR Master Mix (2X))(w/ Tracking Dye)
 QuickRxn BamHI (20U/mcl)
 QuickRxn KpnI (20U/mcl)

Part D - Dehydrated Culture Media

Actidione Agar Base w/o Actidione
 Aleksandrow Agar
 Ampicillin Dextrin Agar Base
 Ampicillin Dextrin Broth Base
 Ampicillin Dextrin Selective Supplement
 Anaerobic Blood Agar Base
 Andrade Lactose Peptone Water
 Andrade Peptone Water
 Andrade Peptone Water BioVeg
 Aspergillus Differentiation Medium Base
 Bacteroides Bile Esculin (BBE) Agar Base
 Bile Salts Technical for bacteriology
 Brain Heart CC Agar
 Bryant and Burkey Agar
 Bryant and Burkey Medium
 CAL Agar (Cellobiose Arginine Lysine Agar)

Charcoal Agar w/ Niacin
 Clostridium Difficile Agar Base
 Dichloran Glycerol Medium Base
 Dichloran Medium Base w/ Rose Bengal
 Doyle's Antibiotic Supplement
 Doyle's Enrichment Broth Base
 Doyle's Enrichment Broth Base BioVeg
 IMViC Test Kit (Pre-Weighed Media) w/ Reagents
 Kanamycin Esculin Azide Broth Base
 KG Agar Base
 Peptone BioVeg Sterile for bacteriology (Gamma Irradiated)
 R2A Agar BioVeg
 Tryptone Agar BioVeg
 Tryptose Cycloserine Dextrose Agar Base

QuickRxn NcoI (20U/mcl)
 QuickRxn NdeI (20U/mcl)
 QuickRxn NotI (20U/mcl)
 QuickRxn PstI (20U/mcl)


QuickRxn Sall
 QuickRxn SmaI (20U/mcl)
 QuickRxn XhoI (20u/mcl)
 Onion Root Tip Mitosis Kit (Teaching)
 BioLit Plasmid DNA Extraction Miniprep Kit (Research)

Part L - Laboratory Accessories

PAP Pen Mini (Hydrophobic Barrier Pen, 1mm, Blue)
 PAP Pen Regular (Hydrophobic Barrier Pen, 3mm, Blue)

Part A

General Laboratory Chemicals & Solvents





Amino Acids

- L-Alanine
- L-Arginine
- L-Asparagine Monohydrate
- L-Cysteine
- L-Cystine
- L-Glutamic Acid
- L-Lysine (free base) Anhydrous
- L-Proline
- L-Serine
- L-Threonine
- L-Tryptophan
- L-Tyrosine
- L-Valine

Antibiotics

- Ampicillin Sodium Salt (AMP-Na)
- Blasticidin S Hydrochloride
- Carbenicillin Disodium Salt
- Chloramphenicol (CFP)
- β -Cyclodextrin, base (BCD)
- Cycloheximide
- Erythromycin
- G-418 Sulphate (Geneticin)
- Gentamicin Sulphate (GM)
- Hygromycin B (HGR)
- Kanamycin Monosulphate (KM)
- Streptomycin Sulphate
- Tetracycline Hydrochloride (TC)

Buffers

- Glycine
- HEPES Buffer
- HEPES Sodium Salt
- Imidazole
- MES Hydrate Buffer
- PIPES Buffer
- Sodium Acetate Trihydrate

Carbohydrates & Derivatives

- Agar powder
- D-Fructose
- Gelrite Gellan Gum
- Lactose Monohydrate
- D-Maltose
- D-Mannose
- D-Ribose
- D-Sorbitol Powder
- Sucrose
- D-Trehalose Dihydrate

Dyes, Stains & Indicators

- Acridine Orange hemi (Zinc Chloride) Salt
- Alcian Blue
- Alizarin Red S
- DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole Dihydrochloride)
- New Methylene Blue N Zinc Chloride Double Salt
- Toluidine Blue O
- Trypan Blue
- Thiazolyl Blue Tetrazolium Bromide (MTT)

Enzyme Substrates

- 5-Bromo-4-Chloro-3-Indolyl-b-D Galactopyranoside (X-Gal)
- 5-Bromo-4-Chloro-3-Indolyl-B-D Glucuronide Cyclohexylammonium Salt
- 5-Bromo-4-Chloro-3-Indolyl-b-D Glucopyranoside (X-Glu, X-Glc)
- 5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP)
- Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT)

Inorganic Reagents

- Ammonium Chloride
- Ammonium Sulphate
- Calcium Chloride Dihydrate
- Ferrous Sulphate
- Magnesium Chloride Anhydrous
- Magnesium Chloride Hexahydrate
- Magnesium Sulphate Heptahydrate
- Potassium Acetate
- Potassium Chloride
- Potassium Dihydrogen Orthophosphate
- Potassium Phosphate Dibasic Anhydrous
- Potassium Sulphate
- Silver Nitrate
- Sodium Bicarbonate
- Sodium Chloride
- Sodium Phosphate Monobasic Anhydrous
- Zinc Chloride
- Zinc Sulphate Heptahydrate

Organic Reagents

- Adenine Sulphate
- Citric Acid Anhydrous
- Ferric Citrate Trihydrate
- Glutathione Oxidized (GSSG)
- Glutathione Reduced (GSH)
- Lactic Acid
- Polysorbate 20 (Tween 20)
- Putrescine Dihydrochloride
- Urea

Plant Growth Regulators

- Abscisic Acid
- DICAMBA (3,6-Dichloro-2-Methoxybenzoic Acid; 3,6-Dichloro-o Anisic Acid)
- 2,4-Dichlorophenoxyacetic Acid (2,4-D)
- EDTA Disodium Salt Dihydrate
- Gibberellic Acid (Ga3)
- Indole-3-Acetic Acid (IAA)
- Indole-3-Butyric Acid (IBA)
- Kinetin
- Naphthalene-1-Acetic Acid extrapure
- Thidiazuron (TDZ)
- Zeatin mixed Isomers

Proteins & Enzymes

- Albumin Bovine (pH 6.5-7.5) fraction V for tissue culture (Bovine Serum Albumin, BSA), 98%
- r-Albumin Human - Type LL ex. Yeast, 99% (Low Lipid)
- r-Albumin Human - Type Standard ACF ex. Plants, 97% (Animal Component Free)
- r-Albumin Human - Type EG ex. Yeast, 99% (Excipient use)
- r-Albumin Human - Type LE ex. Yeast, 98% (Low Endotoxin)
- r-CRP ex. E.Coli (Recombinant C-reactive protein)
- r-Insulin ex. Human
- r-Trypsin 1 \times Solution with EDTA in Phosphate Buffer for cell culture (AOF), 150U/ml
- r-Trypsin - Type Standard ACF ex. Porcine, 800U/mg

Vitamins

- L-Ascorbic Acid (Vitamin C)
- D-Biotin (Vitamin H)
- Folic Acid (Vitamin M)
- Inositol (Vitamin B8)
- Thiamine Hydrochloride (Vitamin B1 hydrochloride)
- DL-a-Tocopherol Acetate (Vitamin E Acetate)
- Vitamin B12 (Cyanocobalamin)





Code	Name	Packing	Price	Code	Name	Packing	Price
95237 [60-35-5]	Acetamide pure, 98%	500 Gms	850	12972 [666-52-4]	Acetone-d6 for NMR spectroscopy, 99.5 Atom %D	10 ml	10800
81658 [103-84-4]	Acetanilide extrapure, 99%	500 Gms	950	75185 [666-52-4]	Acetone-d6 (with 1% TMS) for NMR spectroscopy, 99.5 Atom %D	10 ml	11250
68175 [103-84-4]	Acetanilide ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	500 Gms	1350	49967 [75-05-8]	Acetonitrile (ACN) extrapure, 99%	500 ml 2500 ml 25 Ltr	670 2980 27480
18439 [64-19-7]	Acetic Acid 1N Aq. Solution	1000 ml	610	84578 [75-05-8]	Acetonitrile (ACN) extrapure AR, 99.5%	500 ml 2500 ml	700 3130
72690 [64-19-7]	Acetic Acid 2.5M Aq. Solution	1000 ml	650	82745 [75-05-8]	Acetonitrile (ACN) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml 2500 ml	820 3270
90868 [64-19-7]	Acetic Acid Glacial extrapure, 99.5%	500 ml 2500 ml 25 Ltr	240 1100 9000	90135 [75-05-8]	Acetonitrile (ACN) GC-HS, 99.9%	250 ml 500 ml 1000 ml	690 1040 1950
85801 [64-19-7]	Acetic Acid Glacial ACS, 99.9%	500 ml 2500 ml	260 1250	58209 [75-05-8]	Acetonitrile (ACN) for HPLC & UV Spectroscopy, 99.9%	500 ml 2500 ml	920 3730
93602 [64-19-7]	Acetic Acid Glacial ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP, Ph.Eur	500 ml 2500 ml	290 1350	24899 [75-05-8]	Acetonitrile (ACN) Gradient grade for HPLC, 99.9%	1000 ml 2500 ml	1950 4240
73215 [64-19-7]	Acetic Acid Dried, 99.9%, water 0.05%	500 ml 1000 ml	380 740	62006 [75-05-8]	Acetonitrile (ACN) for molecular biology, 99.9%	250 ml 500 ml	720 1080
32532 [64-19-7]	Acetic Acid for HPLC, 99.9%	500 ml 1000 ml 2500 ml	520 980 2100	62076 [75-05-8]	Acetonitrile (ACN) for DNA synthesis, 99.9%	1000 ml 2500 ml	2230 5260
59788 [64-19-7]	Acetic Acid Glacial for molecular biology, 99.9%	100 ml 500 ml	520 1600	26483 [2206-26-0]	Acetonitrile-d3 for NMR spectroscopy, 99.8 Atom %D	10 Gms	13000
31566 [67-64-1]	Acetone pure, 99%	500 ml 2500 ml 25 Ltr	270 1100 10000	67418	Aceto Orcein	100 ml	440
66951 [67-64-1]	Acetone extrapure, 99%	500 ml 2500 ml	285 1150	15873 [98-86-2]	Acetophenone extrapure, 99%	500 ml 2500 ml	690 3030
15168 [67-64-1]	Acetone ACS, 99.5%	500 ml 2500 ml	310 1250	22506 [98-86-2]	Acetophenone extrapure AR, 99.5%	500 ml 2500 ml	850 3570
27648 [67-64-1]	Acetone ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 ml 2500 ml	340 1350	96169 [123-54-6]	Acetylacetone extrapure, 99%	500 ml 2500 ml	900 4000
35007 [67-64-1]	Acetone Dried, 99%, water 0.005%	500 ml 2500 ml	380 1500	24212 [123-54-6]	Acetylacetone extrapure AR, 99.5%	250 ml 1000 ml	600 1750
89140 [67-64-1]	Acetone GC-HS, 99.9%	250 ml 500 ml 1000 ml	450 700 1050	39522 [3244-88-0]	Acid Fuchsin (C.I. No. 42685, Acid Violet 19, Fuchsin S, Fuchsin Acid, Rubine S)	25 Gms 100 Gms 500 Gms	650 2160 10800
11340 [67-64-1]	Acetone for HPLC & UV Spectroscopy, 99.9%	500 ml 1000 ml 2500 ml	500 800 1550	50190 [123334-10-1]	Acid Fuchsin Calcium Salt (Acid Rubin), 60% (C.I. No. 42685) (Acid Magenta, Rubin S)	25 Gms 100 Gms	3610 13220
12312 [67-64-1]	Acetone electronic grade, 99.9%	1000 ml 2500 ml	850 1900	22794 [79-06-1]	Acrylamide extrapure, 99%	500 Gms 5 Kg 25 Kg	420 3500 15000
55245 [67-64-1]	Acetone VLSI Semiconductor Grade, 99.5%	1000 ml 2500 ml	6000 13500	15657 [79-06-1]	Acrylamide 3x cryst. extrapure AR, 99.9%	100 Gms 500 Gms 1 Kg 5 Kg	700 2200 3800 13000
27498 [67-64-1]	Acetone for molecular biology, 99.8%	500 ml 2500 ml	550 2200				



Code	Name	Packing	Price	Code	Name	Packing	Price
61346 [79-06-1]	Acrylamide 3x cryst. for molecular biology, 99.9%	100 Gms	800	50683 [56-41-7]	L-Alanine ExiPlus, Multi-Compendial, 99%	100 Gms	740
		500 Gms	3000			500 Gms	2400
		1 Kg	4500			5 Kg	17500
29787 [79-06-1]	Acrylamide 40% aq. solution for molecular biology	250 ml	3000		meets compendial specs of USP, BP		
		500 ml	5400	87279	Alberts Stain A Solution	125 ml	160
24263	Acrylamide / Bis-acrylamide Premix Powder, Ratio 19:1	30 Gms	1140			500 ml	410
		200 Gms	5970	35652	Alberts Stain B Solution	125 ml	160
10762	Acrylamide / Bis-acrylamide Premix Powder, Ratio 29:1	30 Gms	1140			500 ml	410
		200 Gms	5970	17996 [63393-96-4]	Aliquat 336, 88% (Tricaprylylmethylammonium chloride)	250 ml	1300
74379	Acrylamide / Bis-acrylamide Premix Powder, Ratio 37.5:1	30 Gms	1140			1000 ml	5500
		200 Gms	5970			2500 ml	13000
67394	30% Acrylamide / Bis-acrylamide Mix Solution (Ratio 29:1)	100 ml	1100			25 Ltr	120000
		500 ml	4200	43805 [97-59-6]	Allantoin ExiPlus, 98.5% (5-Ureidohydantoin, Glyoxylic Acid Diureide)	100 Gms	500
92035	40% Acrylamide / Bis-acrylamide Mix Solution (Ratio: 37.5:1)	100 ml	1100			500 Gms	2000
		500 ml	4200			5 Kg	18500
60452 [79-10-7]	Acrylic Acid (Stabilized) pure, 99%	500 ml	790	99564 [2244-11-3]	Alloxan Monohydrate extrapure, 98% (2,4,5,6-Tetraoxypyrimidine, 5,6-Dioxyuracil)	10 Gms	370
		2500 ml	3780			25 Gms	810
41666 [107-13-1]	Acrylonitrile (Stabilized) pure, 99%	500 ml	590			100 Gms	3000
		2500 ml	2580	19093 [107-18-6]	Allyl Alcohol extrapure, 99%	500 ml	920
60064 [124-04-9]	Adipic Acid pure, 99%	500 Gms	580			2500 ml	4380
38573 [124-04-9]	Adipic Acid ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	700	69098 [107-11-9]	Allylamine pure, 99% (2-Propen-1-Ylamine, 3-Amino-1-Propene)	25 ml	600
						100 ml	1000
19661 [9002-18-0]	Agar powder regular grade for bacteriology	100 Gms	1030			250 ml	2000
		250 Gms	2220	45953 [124-02-7]	Diallylamine extrapure, 99%	100 ml	1200
		500 Gms	4260			500 ml	4400
		1 Kg	8400	73056 [106-95-6]	Allyl Bromide pure, 98% (3-Bromo-1-Propene)	250 ml	2500
85473 [9002-18-0]	Agar powder for tissue culture	5 Kg	40830			500 ml	4800
		100 Gms	1400	92459 [107-05-1]	Allyl Chloride pure, 98% (3-Chloro-1-Propene)	500 ml	400
		250 Gms	2450			2500 ml	1500
		500 Gms	4670	45262 [8007-69-0]	Almond Oil pure	500 ml	6810
24970 [9002-18-0]	Agar powder Bacto grade	100 Gms	1640	54568 [142-03-0]	Aluminium Acetate Basic Hydrate (Aluminium Subacetate) extrapure, 98% (Aluminum Hydroxide Acetate Hydrate)	100 Gms	1180
		500 Gms	6540			500 Gms	2880
26741 [8001-99-8]	Ajowan Seed Oil extrapure (Ajwain Oil)	100 ml	1290	64132 [7784-26-1]	Aluminium Ammonium Sulphate Dodecahydrate pure, 99% (Ammonium Alum, Alum Ammonia, Ammonium Aluminium Sulphate)	500 Gms	260
		500 ml	5330				
48863 [107-95-9]	β-Alanine extrapure CHR, 99%	25 Gms	300	83147 [7784-26-1]	Aluminium Ammonium Sulphate Dodecahydrate extrapure AR, 99.5% (Ammonium Alum, Alum Ammonia, Ammonium Aluminium Sulphate)	500 Gms	370
		100 Gms	1010				
		1 Kg	8630	61315 [7784-26-1]	Aluminium Ammonium Sulphate Dodecahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Ammonium Alum, Alum Ammonia, Ammonium Aluminium Sulphate) meets compendial specs of USP	500 Gms	400
71178 [56-41-7]	L-Alanine extrapure CHR, 99%	500 Gms	1800			5 Kg	3900
		1 Kg	3300	93606	Aluminium AAS Standard Solution in 1N HCl (Traceable to NIST)	100 ml	1600
		5 Kg	14500			250 ml	2600
				90015 [7784-13-6]	Aluminium Chloride Hexahydrate pure, 97%	500 Gms	750
71777 [56-41-7]	L-Alanine for tissue culture, 99%	100 Gms	650				
		500 Gms	2200				



Code	Name	Packing	Price	Code	Name	Packing	Price
23700 [7784-13-6]	Aluminium Chloride Hexahydrate extrapure AR, 99%	500 Gms	800	11820 [569-58-4]	Aluminon extrapure (Aurintricarboxylic Acid Ammonium Salt, ATA, Ammonium Aurintricarboxylate)	10 Gms 25 Gms	420 960
35543 [21645-51-2]	Aluminium Hydroxide Gel extrapure AR, ExiPlus, Multi-Compendial meets compendial specs of IP	500 Gms 5 Kg	420 3600	55745 [915-67-3]	Amaranth (Acid Red 27) (C.I. 16185), 85-95%	25 Gms 100 Gms 1 Kg	180 630 5500
12283 [555-31-7]	Aluminium Isopropoxide (powder) extrapure, 98% (AIP, Aluminium Isopropylate, Aluminum Triisopropoxide, 2-Propanol Aluminium Salt)	500 Gms 5 Kg	850 8200	57432 [83-07-8]	4-Aminoantipyrine (Ampyrone) extrapure AR, 99% (4-Amino-2,3-Dimethyl-1-Phenyl-3-Pyrazolin-5-One)	25 Gms 100 Gms 250 Gms	1190 4300 10500
57395 [7429-90-5]	Aluminium Metal powder, 99%, -325 mesh	500 Gms	740	82623 [60-32-2]	6-Aminocaproic Acid extrapure, 99% (6-Aminohexanoic Acid)	25 Gms 100 Gms 500 Gms	1190 3780 18360
92309 [7784-27-2]	Aluminium Nitrate Nonahydrate extrapure, 98%	500 Gms 5 Kg	380 3200	85996 [60-32-2]	Aminocaproic Acid IP (6-Aminohexanoic Acid, 6-Aminocaproic Acid IP)	1 Kg 5 Kg	32000 150000
19302 [7784-27-2]	Aluminium Nitrate Nonahydrate ACS, 98.5%	500 Gms	800	99093 [60-32-2]	Aminocaproic Acid BP, 98.5-101% (6-Aminohexanoic Acid, 6-Aminocaproic Acid BP)	1 Kg 5 Kg	32000 150000
58095 [24304-00-5]	Aluminium Nitride (AlN) pure, 98%, ~635 mesh	5 Gms 50 Gms 250 Gms	3000 4080 19200	50445 [60-32-2]	Aminocaproic Acid USP, 98.5-101% (6-Aminohexanoic Acid, 6-Aminocaproic Acid USP)	1 Kg 5 Kg	36000 160000
66289 [1344-28-1]	Aluminium Oxide Activated (Acidic) (Alumina)	500 Gms 5 Kg 25 Kg	540 5150 24720	78719 [1336-21-6]	Ammonia Solution extrapure AR, 25% (Ammonium Hydroxide 25%)	500 ml 2500 ml 25 Ltr	210 640 6000
71461 [1344-28-1]	Aluminium Oxide Activated (Acidic) (Alumina) ExiPlus, Multi-Compendial meets compendial specs of USP, BP	500 Gms 5 Kg	560 5460	14388 [1336-21-6]	Ammonia Solution extrapure AR, 30% (Ammonium Hydroxide 30%)	500 ml 2500 ml 25 Ltr	250 710 6500
34321 [1344-28-1]	Aluminium Oxide Activated (Basic) (Alumina)	500 Gms 5 Kg 25 Kg	430 4010 18920	44683 [631-61-8]	Ammonium Acetate extrapure AR, 98%	500 Gms	310
61492 [1344-28-1]	Aluminium Oxide Activated (Basic) (Alumina) ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	500 Gms 5 Kg	460 4150	62778 [631-61-8]	Ammonium Acetate ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP, Ph.Eur	500 Gms	340
39882 [1344-28-1]	Aluminium Oxide activated (Neutral) (Alumina)	500 Gms 5 Kg 25 Kg	450 4230 20170	78844 [631-61-8]	Ammonium Acetate for HPLC, 99%	500 Gms	630
62690 [1344-28-1]	Aluminium Oxide G (Neutral) (Alumina G)	500 Gms 5 Kg	600 5670	37829 [631-61-8]	Ammonium Acetate for molecular biology, 98%	100 Gms 500 Gms	310 870
34641 [7784-24-9]	Aluminium Potassium Sulphate Dodecahydrate extrapure, 99% (Potash Alum, Potassium Aluminium Sulphate)	500 Gms 2.5 Kg	240 1020	26757 [1066-33-7]	Ammonium Bicarbonate extrapure AR (Ammonium Hydrogen Carbonate), 99%	500 Gms 5 Kg	280 2700
42889 [7784-24-9]	Aluminium Potassium Sulphate Dodecahydrate ACS, 99.5% (Potash Alum, Potassium Aluminium Sulphate)	500 Gms 2.5 Kg	280 1320	38586 [7789-09-5]	Ammonium Dichromate pure, 98% (Ammonium Bichromate)	500 Gms 5 Kg	880 8500
42550 [7784-24-9]	Aluminium Potassium Sulphate Dodecahydrate ACS, ExiPlus, Multi-Compendial, 99.5% (Potash Alum, Potassium Aluminium Sulphate) meets compendial specs of USP, BP	500 Gms 2.5 Kg	325 1600	67077 [7789-09-5]	Ammonium Dichromate extrapure AR, ACS, 99.5% (Ammonium Bichromate)	500 Gms 5 Kg	960 9250
53016 [7784-31-8]	Aluminium Sulphate Octadecahydrate extrapure, 98%	500 Gms	220	13664 [1341-49-7]	Ammonium Bifluoride pure, 98%	500 Gms 5 Kg	650 5500
				95407 [31886-41-6]	Ammonium Bismuth Citrate extrapure AR, 43-46% Bi	100 Gms 500 Gms	700 2800
				46813 [12124-97-9]	Ammonium Bromide pure, 99%	500 Gms 5 Kg	1100 10500



Code	Name	Packing	Price	Code	Name	Packing	Price
40553 [16774-21-3]	Ammonium Ceric Nitrate extrapure AR, 99% (Ammonium Cerium (IV) Nitrate, Ceric Ammonium Nitrate)	100 Gms	1100	27858 [540-69-2]	Ammonium Formate extrapure AR, 98% (Formic Acid Ammonium Salt)	500 Gms	370
		250 Gms	2430			5 Kg	3200
42077 [16774-21-3]	Ammonium Ceric Nitrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ammonium Cerium (IV) Nitrate, Ceric Ammonium Nitrate) meets compendial specs of BP	100 Gms	1460	50504 [540-69-2]	Ammonium Formate extrapure AR, ExiPlus, Multi-Compendial, 98% (Formic Acid Ammonium Salt) meets compendial specs of BP, Ph.Eur	500 Gms	410
		250 Gms	3030			5 Kg	3500
42725 [16774-21-3]	Ammonium Ceric Nitrate 0.05N Solution	500 ml	370	14969 [16941-11-0]	Ammonium Hexafluorophosphate extrapure, 95% (Ammonium Hexafluorophosphate V, Ammonium Phosphorus Hexafluoride)	5 Gms	1800
23757 [10378-47-9]	Ammonium Ceric Sulphate Dihydrate ACS, 99% (Ammonium Cerium (IV) Sulphate Dihydrate)	100 Gms	1610			25 Gms	6000
25103 [12125-02-9]	Ammonium Chloride ACS, 99.5%	500 Gms	290	51775 [12027-06-4]	Ammonium Iodide extrapure, 99%	100 Gms	3700
		5 Kg	2700			250 Gms	8500
		25 Kg	12980				
96452 [12125-02-9]	Ammonium Chloride ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	340	23185 [7803-55-6]	Ammonium Metavanadate extrapure, 98%	100 Gms	900
16992 [12125-02-9]	Ammonium Chloride for molecular biology, 99.5%	500 Gms	660	15068 [7803-55-6]	Ammonium Metavanadate extrapure AR, 99%	100 Gms	1050
35309 [12125-02-9]	Ammonium Chloride for tissue culture, 99.5%	500 Gms	320			500 Gms	3500
11505 [3458-72-8]	Ammonium Citrate Tribasic (Triammonium Hydrogen Citrate) extrapure AR, 98.5%	500 Gms	750	94314 [7803-55-6]	Ammonium Metavanadate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	100 Gms	1160
		5 Kg	7000			500 Gms	3700
35442 [1185-57-5]	Ammonium Ferric Citrate pure, 16.5-22.5% (Ammonium Iron (III) Citrate)	500 Gms	600	69429 [12054-85-2]	Ammonium Molybdate Tetrahydrate pure, 98% (Ammonium Heptamolybdate)	100 Gms	1600
		5 Kg	5750			250 Gms	3950
63571 [7783-83-7]	Ammonium Ferric Sulphate Dodecahydrate extrapure, 98% (Ammonium Iron (III) Sulphate Dodecahydrate, Ferric Alum)	500 Gms	310	500 Gms	6200	10299 [12054-85-2]	Ammonium Molybdate Tetrahydrate extrapure AR, 99% (Ammonium Heptamolybdate)
				100 Gms	1800		
29168 [7783-83-7]	Ammonium Ferric Sulphate Dodecahydrate extrapure AR, ACS, 99% (Ammonium Iron (III) Sulphate Dodecahydrate, Ferric Alum)	500 Gms	370	82615 [12054-85-2]	Ammonium Molybdate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ammonium Heptamolybdate) meets compendial specs of USP, BP, Ph.Eur	250 Gms	4300
						500 Gms	6900
89944 [7783-85-9]	Ammonium Ferrous Sulphate Hexahydrate extrapure, 98% (Diammonium Iron (II) Sulphate Hexahydrate)	500 Gms	220	32910 [27546-07-2]	Ammonium Dimolybdate extrapure, 99%, 56.5% Mo	100 Gms	2000
		1 Kg	390			250 Gms	5000
		5 Kg	1840				
61732 [7783-85-9]	Ammonium Ferrous Sulphate Hexahydrate extrapure AR, ACS, 99% (Diammonium Iron (II) Sulphate Hexahydrate)	500 Gms	330	85044 [7785-20-8]	Ammonium Nickel Sulphate Hexahydrate pure, 98% (Diammonium Nickel (II) Sulphate Hexahydrate)	500 Gms	1600
		5 Kg	3030			500 Gms	2400
11605 [13826-83-0]	Ammonium Fluoroborate pure, 98% (Ammonium fluoroborate, Ammonium tetrafluoroborate)	100 Gms	500	55517 [7785-20-8]	Ammonium Nickel Sulphate Hexahydrate extrapure AR, 98% (di-Ammonium nickel (II) sulphate hexahydrate)	500 Gms	350
		500 Gms	1400			500 Gms	380
49813 [12125-01-8]	Ammonium Fluoride pure, 98%	500 Gms	950	85084 [6009-70-7]	Ammonium Oxalate Monohydrate extrapure, 98%	500 Gms	350
38431 [12125-01-8]	Ammonium Fluoride ACS, 98%	500 Gms	1100			72913 [6009-70-7]	Ammonium Oxalate Monohydrate extrapure AR, 99%
25142 [540-69-2]	Ammonium Formate pure, 98% (Formic Acid Ammonium Salt)	500 Gms	345	53621 [6009-70-7]	Ammonium Oxalate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	440
		5 Kg	3000				
				82381 [7727-54-0]	Ammonium Persulphate (APS) pure, 98% (Ammonium Peroxodisulphate)	500 Gms	380
						5 Kg	3470



Code	Name	Packing	Price	Code	Name	Packing	Price		
84569 [7727-54-0]	Ammonium Persulphate (APS) extrapure AR, 99% (Ammonium Peroxodisulphate)	500 Gms	420	82126 [7783-20-2]	Ammonium Sulphate for molecular biology, 99.5% (Ammonium Sulfate)	250 Gms	720		
		5 Kg	3570			500 Gms	1410		
29534 [7727-54-0]	Ammonium Persulphate (APS) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ammonium Peroxodisulphate) meets compendial specs of BP, Ph.Eur	500 Gms	450	95876 [3164-29-2]	Ammonium Tartrate Dibasic pure, 99%	500 Gms	2400		
		5 Kg	4350			500 Gms	1700		
28575 [7727-54-0]	Ammonium Persulphate (APS) for electrophoresis, 99% (Ammonium Peroxodisulphate)	25 Gms	220	56357 [3164-29-2]	Ammonium Tartrate Dibasic extrapure AR, 99%	250 Gms	1700		
		100 Gms	680			500 Gms	3000		
65553 [7727-54-0]	Ammonium Persulphate (APS) for molecular biology, 99% (Ammonium peroxodisulphate)	25 Gms	240	81016 [1762-95-4]	Ammonium Thiocyanate ACS, 99%	500 Gms	690		
		100 Gms	600			70158 [1762-95-4]	Ammonium Thiocyanate ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	720
		500 Gms	1950					500 Gms	720
30468 [7783-28-0]	Ammonium Phosphate Dibasic extrapure ACS, 98% (Diammonium Hydrogen Orthophosphate)	500 Gms	520	67550 [123-92-2]	Amyl Acetate pure, 98% (Isoamyl Acetate)	500 ml	560		
		5 Kg	5000			2500 ml	1920		
65984 [7783-28-0]	Ammonium Phosphate Dibasic extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% (Diammonium Hydrogen Orthophosphate) meets compendial specs of USP, Ph.Eur	500 Gms	590	28605 [71-41-0]	n-Amyl Alcohol (1-Pentanol) pure, 99%	500 ml	850		
		5 Kg	5700			2500 ml	3800		
61563 [7722-76-1]	Ammonium Phosphate Monobasic extrapure AR, 99% (Ammonium Dihydrogen Orthophosphate)	500 Gms	500	31906 [71-41-0]	n-Amyl Alcohol (1-Pentanol) extrapure AR, ACS, 99%	500 ml	1100		
		5 Kg	4850			2500 ml	4300		
58611 [7722-76-1]	Ammonium Phosphate Monobasic extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ammonium Dihydrogen Orthophosphate) meets compendial specs of USP	500 Gms	570	83344 [28983-56-4]	Aniline Blue (water soluble) (Methyl Blue) (Acid Blue 93)	25 Gms	700		
		5 Kg	5500			100 Gms	2430		
24678 [7722-76-1]	Ammonium Phosphate Monobasic for HPLC, 99%	500 Gms	1200	22285 [62-53-3]	Aniline extrapure AR, 99.5%	500 ml	560		
		500 Gms	1200			2500 ml	2560		
96648 [5108-96-3]	Ammonium Pyrrolidine Dithiocarbamate (APDC) extrapure, 98.5% (1-Pyrrolidinecarbodithioic Acid Ammonium Salt, Ammonium pyrrolidinecarbodithioate, PDC)	10 Gms	2300	46774 [142-04-1]	Aniline Hydrochloride pure, 99%	250 Gms	710		
		25 Gms	5100			500 Gms	1260		
50012 [7773-06-0]	Ammonium Sulphamate (High Purity) ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	100 Gms	500	69980 [542-16-5]	Aniline Sulphate pure, 98% (Aminobenzene, Phenylamine, Benzenamine)	250 Gms	780		
		500 Gms	2410			500 Gms	1450		
62419 [7773-06-0]	Ammonium Sulphamate (High Purity) extrapure AR, 99.5%	100 Gms	650	36381 [104-94-9]	p-Anisidine pure, 98% (4-Aminoanisole, 4-Methoxyaniline)	100 Gms	250		
		500 Gms	2970			500 Gms	900		
88064 [7783-20-2]	Ammonium Sulphate ACS, 99.5% (Ammonium Sulfate)	500 Gms	250	41010 [120-12-7]	Anthracene extrapure, 99%	25 Gms	840		
		5 Kg	1950			100 Gms	2640		
88004 [7783-20-2]	Ammonium Sulphate for tissue culture, 99.5%	500 Gms	260	500 Gms	12350	25 Gms	1550		
		5 Kg	1950					100 Gms	5800
26339 [7783-20-2]	Ammonium Sulphate ACS, ExiPlus, Multi-Compendial, 99.5% (Ammonium Sulfate) meets compendial specs of USP, IP ,BP, Ph.	500 Gms	270	61273 [120-12-7]	Anthracene (High Purity) scintillation grade, 99.7% (Anthracene extrapure scintillation grade)	250 Gms	14210		
		5 Kg	2160			250 Gms	14210		
88064 [7783-20-2]	Ammonium Sulphate ACS, 99.5% (Ammonium Sulfate)	500 Gms	250	78531 [84-65-1]	Anthraquinone pure, 98% (9,10-Anthraquinone, Anthradione)	25 Gms	340		
		5 Kg	1950			500 Gms	1000		
		25 Kg	9630			500 Gms	1000		
88004 [7783-20-2]	Ammonium Sulphate for tissue culture, 99.5%	500 Gms	260	97400	Antimony AAS Standard Solution in 2N HCl (Traceable to NIST)	100 ml	1600		
		5 Kg	1950			250 ml	2600		
26339 [7783-20-2]	Ammonium Sulphate ACS, ExiPlus, Multi-Compendial, 99.5% (Ammonium Sulfate) meets compendial specs of USP, IP ,BP, Ph.	500 Gms	270	66105 [7440-36-0]	Antimony Metal Lumps, 98%	100 Gms	900		
		5 Kg	2160			100 Gms	900		
88064 [7783-20-2]	Ammonium Sulphate ACS, 99.5% (Ammonium Sulfate)	500 Gms	250	12042 [7440-36-0]	Antimony Metal Powder extrapure, 99%, -200 mesh	250 Gms	2390		
		5 Kg	1950			250 Gms	2390		
		25 Kg	9630			250 Gms	2390		
88004 [7783-20-2]	Ammonium Sulphate for tissue culture, 99.5%	500 Gms	260	67577 [7440-36-0]	Antimony Metal Ingots ultrapure, 99.999%	10 Gms	5570		
		5 Kg	1950			25 Gms	11450		
26339 [7783-20-2]	Ammonium Sulphate ACS, ExiPlus, Multi-Compendial, 99.5% (Ammonium Sulfate) meets compendial specs of USP, IP ,BP, Ph.	500 Gms	270	47448 [28300-74-5]	Antimony Potassium Tartrate Hemihydrate pure, 98%	250 Gms	1240		
		5 Kg	2160			500 Gms	2310		
88064 [7783-20-2]	Ammonium Sulphate ACS, 99.5% (Ammonium Sulfate)	500 Gms	250	83896 [28300-74-5]	Antimony Potassium Tartrate Hemihydrate extrapure AR, 99.5%	100 Gms	620		
		5 Kg	1950			500 Gms	2540		



Code	Name	Packing	Price	Code	Name	Packing	Price		
60274 [10025-91-9]	Antimony Trichloride pure, 98%	100 Gms	750	84025 [56-84-8]	L-Aspartic Acid extrapure CHR, 99%	100 Gms	400		
		500 Gms	3400			500 Gms	1500		
63365 [10025-91-9]	Antimony Trichloride extrapure AR, 99%	100 Gms	820			1 Kg	2400		
		500 Gms	3550			5 Kg	11000		
97628 [10025-91-9]	Antimony Trichloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	1060	81245 [56-84-8]	L-Aspartic Acid ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	100 Gms	460		
		500 Gms	3800			1 Kg	2700		
37157 [1309-64-4]	Antimony Trioxide extrapure, 99%	100 Gms	700	78087 [2465-27-2]	Auramine O (C.I. No. 41000, Basic Yellow 2)	25 Gms	170		
		500 Gms	2500			100 Gms	440		
98063 [1309-64-4]	Antimony Trioxide extrapure AR, 99%	100 Gms	800			500 Gms	1620		
		500 Gms	2800						
82829 [1345-04-6]	Antimony Trisulfide pure, 98%	500 Gms	3670	41574 [25641-18-3]	Azocarmine G (C.I. 50085) for histology (Acid Red 101, Rosinduline)	5 Gms	600		
24766 [68425-36-5]	Arachis Oil pure (Peanut Oil)	250 ml	1280			25 Gms	1700		
		500 ml	2040						
66637 [74-79-3]	L-Arginine (free base) extrapure CHR, 99%	100 Gms	600	16411 [67-52-7]	Barbituric Acid extrapure, 99% (2,4,6-Trihydroxypyrimidine, Malonylurea)	100 Gms	800		
		1 Kg	5000			500 Gms	3000		
		5 Kg	23500						
16178 [74-79-3]	L-Arginine for tissue culture, 99%	100 Gms	720	21154 [67-52-7]	Barbituric Acid extrapure AR, 99% (2,4,6-Trihydroxypyrimidine, Malonylurea)	25 Gms	340		
		1 Kg	5330			100 Gms	1350		
17863 [74-79-3]	L-Arginine (free base) ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	25 Gms	300	10013 [543-80-6]	Barium Acetate extrapure, 98%	500 Gms	1000		
		100 Gms	880					5 Kg	9000
		1 Kg	6000			16985 [543-80-6]	Barium Acetate ACS, 99%	500 Gms	1300
		5 Kg	27500						
55453 [1119-34-2]	L-Arginine Hydrochloride extrapure CHR, 99%	100 Gms	600	45569 [543-80-6]	Barium Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	500 Gms	1500		
		1 Kg	4800						
		5 Kg	21000			56009	Barium AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	100 ml	1600
23006 [50-81-7]	L-Ascorbic Acid extrapure AR, 99.7% (Vitamin C)	100 Gms	200			250 ml	2600		
		500 Gms	600	32005 [7791-28-8]	Barium Bromide Dihydrate extrapure, 98%	500 Gms	1900		
		5 Kg	5600						
40704 [50-81-7]	L-Ascorbic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7% (Vitamin C) meets compendial specs of BP	100 Gms	250			35145 [513-77-9]	Barium Carbonate pure, 98.5%	500 Gms	750
		500 Gms	700					5 Kg	7250
		5 Kg	6600	58434 [513-77-9]	Barium Carbonate extrapure AR, 99%			500 Gms	900
14116 [50-81-7]	L-Ascorbic Acid for molecular biology, 99.7% (Vitamin C)	100 Gms	240			66323 [513-77-9]	Barium Carbonate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	500 Gms	1050
		100 Gms	450						
		500 Gms	900	78118 [10326-27-9]	Barium Chloride Dihydrate pure, 99%			500 Gms	300
32488 [50-81-7]	L-Ascorbic Acid for tissue culture, 99.7% (Vitamin C)	100 Gms	450					5 Kg	2600
		500 Gms	1250			68554 [10326-27-9]	Barium Chloride Dihydrate ACS, 99%	500 Gms	380
		12535 [5743-28-2]	L-Ascorbic Acid Calcium Salt Dihydrate extrapure, 99% (Calcium-L-Ascorbate Dihydrate)	100 Gms	900				
500 Gms	3500			92996 [10326-27-9]	Barium Chloride Dihydrate ACS, Exiplus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur			500 Gms	420
65265 [134-03-2]	L-Ascorbic Acid Sodium Salt extrapure, 99% (Sodium-L-Ascorbate, Vitamin C Sodium Salt)					100 Gms	380		
		500 Gms	1850			49669 [10294-40-3]	Barium Chromate extrapure, 98%	500 Gms	750
		64848 [617-45-8]	DL-Aspartic Acid extrapure CHR, 99%	100 Gms	560			86732 [7787-32-8]	Barium Fluoride pure, 97%
500 Gms	2600			85499 [12230-71-6]	Barium Hydroxide Octahydrate pure, 98%				
1 Kg	4500								
		43469 [12230-71-6]	Barium Hydroxide Octahydrate extrapure AR, 98%			500 Gms	430		



Code	Name	Packing	Price	Code	Name	Packing	Price
84482 [12230-71-6]	Barium Hydroxide Octahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP, Ph.Eur	500 Gms	580	31332 [1076-43-3]	Benzene-d6 for NMR spectroscopy, 99.5 Atom %D	10 ml	9500
10290 [10022-31-8]	Barium Nitrate extrapure, 98%	500 Gms 5 Kg	600 5600	27094 [121-54-0]	Benzethonium Chloride extrapure, 98% (Hyamine 1622, (Diisobutylphenoxyethoxyethyl)dimethyl benzylammonium Chloride, Phemerol Chloride)	25 Gms 100 Gms 250 Gms	800 2400 5000
88030 [10022-31-8]	Barium Nitrate ACS, 99%	500 Gms	850	36805 [65-85-0]	Benzoic Acid pure, 99%	500 Gms 5 Kg	440 3500
80355 [7727-43-7]	Barium Sulphate extrapure, 97%	500 Gms 5 Kg	270 2400	64239 [65-85-0]	Benzoic Acid ACS, 99.5%	500 Gms 5 Kg	720 6800
90115 [7727-43-7]	Barium Sulphate extrapure AR, 98%	500 Gms 5 Kg	410 3900	10105 [65-85-0]	Benzoic Acid ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 Gms 5 Kg	1400 12000
40251 [7727-43-7]	Barium Sulphate extrapure AR, ExiPlus, Multi-Compendial, 98% meets compendial specs of Ph.Eur	500 Gms 5 Kg	480 4500	56626 [93-97-0]	Benzoic Anhydride pure, 98%	100 Gms 500 Gms	1800 7500
24031 [8012-89-3]	Bees Wax pure	500 Gms	800	56518 [119-53-9]	Benzoin extrapure, 99%	100 Gms 250 Gms	500 770
82949	Benedict's Reagent Quantitative	500 ml 2500 ml	380 1750	51448 [119-61-9]	Benzophenone extrapure, 99% (Diphenylketone)	500 Gms 5 Kg	600 5800
35003	Benedict's Reagent Qualitative	500 ml 2500 ml	280 750	42810 [119-61-9]	Benzophenone ExiPlus, Multi-Compendial, 99% (Diphenylketone) meets compendial specs of USP, BP, Ph.Eur	500 Gms	700
92118 [13022-78-9]	Bentonite pure (Aluminium Silicate Hydrate)	500 Gms 5 Kg	220 2080	98101 [95-14-7]	Benzotriazole pure, 97%	100 Gms 250 Gms 1 Kg	450 900 3000
37278 [100-52-7]	Benzaldehyde pure, 99%	500 ml 2500 ml 25 Ltr	500 2200 18000	92300 [100-51-6]	Benzyl Alcohol extrapure, 99%	500 ml 1000 ml 2500 ml 25 Ltr	500 900 2000 19000
34087 [100-52-7]	Benzaldehyde extrapure AR, 99%	500 ml 2500 ml	620 2500	97005 [100-51-6]	Benzyl Alcohol extrapure AR, 99%	500 ml 1000 ml 2500 ml	620 1050 2200
82149 [100-52-7]	Benzaldehyde extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	500 ml 2500 ml	750 2800	84758 ⓘ [100-51-6]	Benzyl Alcohol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7%, aldehyde 100ppm meets compendial specs of USP, Ph.Eur	500 ml 2500 ml	1040 4000
43648 [68391-01-5]	Benzalkonium Chloride (BKC), 50% soln in water	500 ml 5 Ltr	420 3200	84199 [120-51-4]	Benzyl Benzoate pure, 99%	500 ml 2500 ml	700 3200
87688 [55-21-0]	Benzamide pure, 98%	100 Gms 500 Gms	300 1200	28482 [100-44-7]	Benzyl Chloride extrapure, 99%	500 ml 2500 ml	470 1890
99515 [71-43-2]	Benzene extrapure (Sulphur free), 99%	500 ml 2500 ml 25 Ltr	210 850 8200	41322 [5892-10-4]	Bismuth (III) Carbonate Basic pure, 80% (Bismuth Subcarbonate)	100 Gms	1130
16410 [71-43-2]	Benzene ACS, 99.5%	500 ml 2500 ml	250 1020	51451 [7787-60-2]	Bismuth (III) Chloride pure, 99% (Bismuth Trichloride)	100 Gms 500 Gms	1870 4200
58857 [71-43-2]	Benzene ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml 2500 ml	280 1180	82797 [99-26-3]	Bismuth (III) Gallate Basic ExiPlus, Multi-Compendial, 52-57% (Bismuth Subgallate, Gallic Acid Bismuth Basic Salt) meets compendial specs of USP	100 Gms 500 Gms	1400 6000
95582 [71-43-2]	Benzene GC-HS, 99.9%	500 ml 1000 ml	500 950				
36823 [71-43-2]	Benzene for HPLC & UV Spectroscopy, 99.8%	500 ml 1000 ml	380 700				
69981 [71-43-2]	Benzene Dried, 99.7%, water 0.005%	1000 ml	770				



Code	Name	Packing	Price	Code	Name	Packing	Price
80053 [7440-69-9]	Bismuth Metal Lumps, 99.5%	100 Gms 500 Gms	650 2500	82076 ✓	Bouins Picro Formal Fixing Solution (Bouins Fluid & Reagent)	100 ml 500 ml	240 620
24008 [7440-69-9]	Bismuth Metal Ingots ultrapure, 99.99%	10 Gms 50 Gms	1800 6000	98188 [3844-45-9]	Brilliant Blue FCF (Erioglaucine Disodium Salt) (C.I. No. 42090, Acid Blue 9, Alphazurine FG)	25 Gms 100 Gms 500 Gms	500 1800 6000
72217 [7440-69-9]	Bismuth Metal Powder extrapure, 99%, -325 mesh	100 Gms 500 Gms	1600 6000	49617 [633-03-4]	Brilliant Green (CI No. 42040)	25 Gms 100 Gms 1 Kg	240 700 5990
29444	Bismuth AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	100 ml 250 ml	1600 2600	93883 [9002-92-0]	Brij-30® (Polyethylene Glycol Dodecyl Ether, Brij-L4)	500 ml 1000 ml	1250 2300
72918 [10035-06-0]	Bismuth (III) Nitrate Pentahydrate extrapure, 98% (Bismuth Trinitrate Pentahydrate)	100 Gms 500 Gms	530 2300	89429 [9002-92-0]	Brij-35® (Main Component) (Polyoxyethylene Lauryl Ether, Brij-L23)	250 Gms 500 Gms	750 1300
19737 [10035-06-0]	Bismuth (III) Nitrate Pentahydrate extrapure AR, 98.5% (Bismuth Trinitrate Pentahydrate)	100 Gms 500 Gms	650 2900	97698 [9002-92-0]	Brij-35® (30% Aq. solution) (Polyoxyethylene Lauryl Ether, Brij-L23)	100 ml 500 ml	610 970
84869 [10035-06-0]	Bismuth (III) Nitrate Pentahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 98.5% (Bismuth Trinitrate Pentahydrate) meets compendial specs of BP, Ph.Eur	100 Gms 500 Gms	720 3200	43808 [9004-95-9]	Brij-58® (Polyethylene Glycol Cetyl Ether, Cetomacrogol 1000, C16H20)	500 Gms	1200
89049 [1304-76-3]	Bismuth (III) Oxide extrapure, 99% (Dibismuth Trioxide)	100 Gms 500 Gms	700 2500	64062 [76-60-8]	Bromocresol Green (BCG) extrapure AR	5 Gms 25 Gms 100 Gms 500 Gms	760 3000 10000 45000
32915 [1304-85-4]	Bismuth (III) Nitrate Basic extrapure AR, 79% BiNO3 (Bismuth (III) Subnitrate, Bismuth (III) Oxynitrate)	100 Gms 500 Gms	1050 4200	52512 [76-60-8]	Bromocresol Green (BCG) ACS, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	5 Gms 25 Gms 100 Gms 500 Gms	820 3300 11000 48000
18473 [7787-68-0]	Bismuth (III) Sulphate pure, 90% (Bismuth Trisulphate)	100 Gms 500 Gms	750 3200	11456 [62625-32-5]	Bromocresol Green Sodium Salt (water soluble) ACS (3',3'',5',5''-Tetrabromo-m-Cresolsulfonp hthalein Sodium Salt)	5 Gms 25 Gms	700 2940
17798 [108-19-0]	Biuret extrapure AR, 97% (Allophanic Acid Amide, Carbamoylurea)	25 Gms 100 Gms	1150 4100	17375 [115-40-2]	Bromocresol Purple	5 Gms 25 Gms	300 1020
18952 [10043-35-3]	Boric Acid extrapure, 99.5%	500 Gms 5 Kg	350 3300	24836 [62625-30-3]	Bromocresol Purple Sodium Salt for molecular biology (5,5-Dibromo-o-Cresolsulfonphthalein Sodium Salt)	5 Gms 25 Gms	300 750
80266 [10043-35-3]	Boric Acid extrapure AR, 99.5%	500 Gms 5 Kg	500 4420	55551 [115-40-2]	Bromocresol Purple ACS, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	5 Gms 25 Gms	390 1150
61871 [10043-35-3]	Boric Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms 5 Kg	550 5000	77644 [75-25-2]	Bromoform extrapure, 98% (Tribromomethane)	250 ml	7000
22311 [10043-35-3]	Boric Acid for molecular biology, 99.5%	250 Gms 500 Gms 1 Kg	590 980 1820	44669 [75-25-2]	Bromoform Specially Purified extrapure, 99% (Tribromomethane)	250 ml	7500
64765	Boron AAS Standard Solution in H2O (Traceable to NIST)	100 ml 250 ml	1600 2600	11458 [115-39-9]	Bromophenol Blue extrapure AR	5 Gms 25 Gms 100 Gms 500 Gms	220 810 2400 11000
52519 ⚠ [109-63-7]	Boron Trifluoride Diethyl Etherate pure, 45-50% BF3 (Boron Trifluoride Ethyl Etherate)	250 ml 500 ml 2500 ml	1100 1800 8500	93676 [115-39-9]	Bromophenol Blue ACS, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	5 Gms 25 Gms 100 Gms	280 980 2600
25529 [1303-86-2]	Boron Trioxide Anhydrous (Boric Anhydride) extrapure AR, 98.5% (di-Boron Trioxide, Boric Oxide)	100 Gms 250 Gms 1 Kg	1800 3500 12000				
24167 [1303-86-2]	Boron Trioxide Anhydrous Granular (Boric Anhydride) extrapure, 97%, -60 mesh (di-Boron Trioxide, Boric Oxide)	100 Gms 250 Gms 500 Gms	1550 2800 5200				



Code	Name	Packing	Price	Code	Name	Packing	Price
42888 [16574-43-9]	Bromopyrogallol Red extrapure AR (Dibromopyrogallolsulfonphthaleine)	1 Gms	820	83903 [71-36-3]	n-Butyl Alcohol (1-butanol, n-butanol) GC-HS, 99.9%	250 ml	400
		5 Gms	3200			1000 ml	1100
		10 Gms	6130				
48214 [76-59-5]	Bromothymol Blue	5 Gms	350	43706 [71-36-3]	n-Butyl Alcohol (1-butanol, n-butanol) for HPLC & UV Spectroscopy, 99.9%	500 ml	500
		25 Gms	1150			1000 ml	950
		100 Gms	4100	95725 [78-92-2]	sec-Butyl Alcohol extrapure, 99% (2-Butanol, sec-Butanol)	500 ml	450
		500 Gms	19000			2500 ml	1750
72752 [76-59-5]	Bromothymol Blue ACS, ExiPlus, Multi-Compendial	5 Gms	400	58308 [78-92-2]	sec-Butyl Alcohol extrapure AR, 99.5% (2-Butanol, sec-Butanol)	25 Ltr	16350
		25 Gms	1250			500 ml	500
		100 Gms	4400	2500 ml	1970		
	meets compendial specs of BP, Ph.Eur			99336 [78-92-2]	Sec-Butyl Alcohol extrapure AR, ExiPlus, Multi-Compendial, 99.5% (2-Butanol, sec-Butanol) meets compendial specs of BP, Ph.Eur	500 ml	550
44798 [76-59-5]	Bromothymol Blue Solution	100 ml	140			2500 ml	2180
		500 ml	420				
45899	Buffer solution pH 4	500 ml	350	21835 [75-65-0]	tert-Butyl Alcohol extrapure, 99% (2-Methyl-2-Propanol Trimethyl Carbinol)	500 ml	260
97409	Buffer solution pH 7	500 ml	350			2500 ml	1100
						25 Ltr	10000
52031	Buffer solution pH 9.2	500 ml	350	70816 [75-65-0]	tert-Butyl Alcohol extrapure AR, 99.5% (2-Methyl-2-Propanol Trimethyl Carbinol)	500 ml	300
						2500 ml	1200
74887 [2386-54-1]	Butane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	1200	41609 [75-65-0]	Tert-Butyl Alcohol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (2-Methyl-2-Propanol Trimethyl Carbinol) meets compendial specs of USP	500 ml	340
		100 Gms	4360			2500 ml	1400
		250 Gms	10690				
99919 [2386-54-1]	Butane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms	1200	90248 [75-65-0]	tert-Butyl Alcohol for HPLC, 99.7%	250 ml	550
		100 Gms	4360			1000 ml	1100
		250 Gms	10690				
28118 [123-86-4]	Butyl Acetate pure, 99%	500 ml	350	76035 [109-73-9]	n-Butylamine pure, 99%	500 ml	450
		2500 ml	1400			2500 ml	2000
		25 Ltr	13000				
80870 [123-86-4]	Butyl Acetate extrapure AR, 99.5%	500 ml	450	54997 [109-73-9]	n-Butylamine extrapure AR, 99%	500 ml	580
		2500 ml	1700			2500 ml	2500
30389 [123-86-4]	Butyl Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	520	12302 [75-64-9]	tert-Butylamine pure, 99%	500 ml	600
		2500 ml	1950			2500 ml	2700
	meets compendial specs of USP, BP, Ph.Eur			55005 [75-64-9]	tert-Butylamine extrapure AR, 99.5%	500 ml	700
78487 [123-86-4]	Butyl Acetate GC-HS, 99.9%	250 ml	700			2500 ml	3200
		500 ml	1250	60004 ✓ [25013-16-5]	Butylated Hydroxyanisole (BHA) ExiPlus, Multi-Compendial, 98% (2-tert-Butyl-4-Methoxyphenol) meets compendial specs of USP, BP	100 Gms	850
		1000 ml	2200			500 Gms	2620
47364 [141-32-2]	n-Butyl Acrylate pure, 99%	500 ml	550	32227 [109-69-3]	n-Butyl Chloride (1-Chlorobutane) extrapure, 99%	500 ml	800
		2500 ml	2500			2500 ml	3900
90527 [540-88-5]	tert-Butyl Acetate (TBAC) extrapure, 99%	500 ml	1200	95594 [109-69-3]	n-Butyl Chloride (1-Chlorobutane) for HPLC & UV Spectroscopy, 99.5%	500 ml	2800
		2500 ml	4950			2500 ml	5200
19147 [71-36-3]	n-Butyl Alcohol (1-butanol, n-butanol) pure, 99%	500 ml	220			38033 [128-37-0]	Butylated Hydroxytoluene (BHT) pure, 99% (2,6-di-tert-Butyl-p-Cresol)
		2500 ml	1100			5 Kg	8940
		25 Ltr	10000	82010 [128-37-0]	Butylated Hydroxytoluene (BHT) ExiPlus, Multi-Compendial, 99% (2,6-di-tert-Butyl-p-Cresol) meets compendial specs of BP	500 Gms	1010
72768 [71-36-3]	n-Butyl Alcohol (1-butanol, n-butanol) extrapure AR, 99.5%	500 ml	280			5 Kg	9810
		2500 ml	1300				
15612 [71-36-3]	n-Butyl Alcohol (1-butanol, n-butanol) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	330	32701 [1948-33-0]	tert-Butyl Hydroquinone (TBHQ) extrapure AR, 98%	250 Gms	1370
		2500 ml	1550			2.5 Kg	13080
	meets compendial specs of BP, Ph.Eur						



Code	Name	Packing	Price	Code	Name	Packing	Price
79927 [1634-04-4]	tert-Butyl Methyl Ether pure, 98%	500 ml	340	98002 [1306-23-6]	Cadmium Sulphide Orange extrapure, 99%	100 Gms	500
		2500 ml	1400			500 Gms	1600
		25 Ltr	12000				
19465 [1634-04-4]	tert-Butyl Methyl Ether extrapure AR, 99.5%	500 ml	400	22905 [1306-23-6]	Cadmium Sulphide Orange ultrapure, 99.995%	5 Gms	4000
		2500 ml	1700			25 Gms	9000
65701 [1634-04-4]	tert-Butyl Methyl Ether extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	500 ml	480	19267 [58-08-2]	Caffeine anhydrous pure, 98%	100 Gms	780
		2500 ml	2050			250 Gms	1500
						500 Gms	2500
91087 [1634-04-4]	tert-Butyl Methyl Ether for HPLC, 99.5%	1000 ml	1050	47633 [58-08-2]	Caffeine Anhydrous ExiPlus, Multi-Compendial, 98.5% meets compendial specs of BP, Ph.Eur, USP	5 Kg	23000
		2500 ml	2400			100 Gms	900
						250 Gms	1600
63952 [590-01-2]	Butyl Propionate extrapure, 99% (Propionic Acid Butyl Ester)	500 ml	1500			2.5 Kg	12500
		2500 ml	7200				
81503 [107-92-6]	n-Butyric Acid extrapure, C4-99% (GC)	500 ml	530	44509 [8011-96-9]	Calamine pure, 98%	500 Gms	650
		2500 ml	2150			1 Kg	1230
55964 [107-92-6]	n-Butyric Acid extrapure AR, C4-99.5% (GC)	250 ml	320	28162 [8011-96-9]	Calamine ExiPlus, Multi-Compendial, 98% meets compendial specs of BP, USP	500 Gms	910
		1000 ml	990				
82749 [5743-04-4]	Cadmium Acetate Dihydrate pure, 98%	100 Gms	450	70214 [5743-26-0]	Calcium Acetate Monohydrate extrapure AR, 99%	500 Gms	1200
		500 Gms	1700				
84627 [5743-04-4]	Cadmium Acetate Dihydrate extrapure AR, 99%	100 Gms	530	21606 [5743-26-0]	Calcium Acetate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	500 Gms	1300
		500 Gms	1980				
98469	Cadmium AAS Standard Solution in 0.5N HNO ₃ (Traceable to NIST)	100 ml	1600	58056 [114460-21-8]	Calcium Acetate Hydrate extrapure AR, 99%	500 Gms	420
		250 ml	2600			5 Kg	4000
25442 [513-78-0]	Cadmium Carbonate pure, 97%	100 Gms	600	60934 [114460-21-8]	Calcium Acetate Hydrate ultrapure, 99.9965%	5 Gms	5000
		500 Gms	2400				
15411 [10108-64-2]	Cadmium Chloride Dried Anhydrous pure, 97%	100 Gms	1500	96493 [9005-35-0]	Calcium Alginate ex. Brown Algae pure, 15% moisture (Alginic Acid Calcium Salt)	100 Gms	350
		500 Gms	6500			500 Gms	1300
99643 [10108-64-2]	Cadmium Chloride Dried Anhydrous ACS, 99%	100 Gms	2000			5 Kg	11000
		500 Gms	8000				
48076 [35658-65-2]	Cadmium Chloride Monohydrate extrapure, 99%	100 Gms	510	36920	Calcium AAS Standard Solution in 0.5N HNO ₃ (Traceable to NIST)	100 ml	1600
		500 Gms	2280			250 ml	2600
87355 [7790-80-9]	Cadmium Iodide pure, 99%	25 Gms	1200	67162 [471-34-1]	Calcium Carbonate extrapure, 98%	500 Gms	200
		100 Gms	4350			5 Kg	1460
		500 Gms	21000			25 Kg	7000
48392 [7440-43-9]	Cadmium Metal Rods, 99%	100 Gms	550	87293 [471-34-1]	Calcium Carbonate extrapure AR, 99.5%	500 Gms	250
						5 Kg	1690
						25 Kg	7020
85545 [7440-43-9]	Cadmium Metal Powder extrapure, 99.5%, -200 mesh	25 Gms	1200	37683 [471-34-1]	Calcium Carbonate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	500
		100 Gms	4000			5 Kg	3930
70434 [10022-68-1]	Cadmium Nitrate Tetrahydrate extrapure AR, ACS, 99%	500 Gms	1300	70650 [10035-04-8]	Calcium Chloride Dihydrate extrapure AR, 99.5%	500 Gms	360
						5 Kg	2800
29996 [1306-19-0]	Cadmium Oxide pure, 99%	100 Gms	430	31944 [10035-04-8]	Calcium Chloride Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	560
		250 Gms	900			5 Kg	4400
		500 Gms	1400				
39818 [1306-19-0]	Cadmium Oxide extrapure AR, 99.7%	100 Gms	600	97080 [10035-04-8]	Calcium Chloride Dihydrate for molecular biology, 99.5%	100 Gms	310
		250 Gms	1100			500 Gms	1420
15806 [7790-84-3]	Cadmium Sulphate 8/3Hydrate pure, 98%	100 Gms	520	56949 [10035-04-8]	Calcium Chloride Dihydrate for tissue culture, 99.5%	500 Gms	460
		500 Gms	2100			5 Kg	4200
43019 [7790-84-3]	Cadmium Sulphate 8/3Hydrate ACS, 98%	100 Gms	660				
		500 Gms	2500				



Code	Name	Packing	Price	Code	Name	Packing	Price
84336 [10043-52-4]	Calcium Chloride Fused pure, 90-95%	500 Gms 5 Kg	210 1500	23764 [334-48-5]	Capric Acid (n-Decanoic Acid) pure, C10-99% (n-Capric Acid, n-Decoic Acid)	250 ml 500 ml 2500 ml	700 1300 6000
77838 [5785-44-4]	Calcium Citrate Tribasic Tetrahydrate pure, 98%	500 Gms	400	51840 [110-42-9]	Capric Acid Methyl Ester (Methyl Decanoate) extrapure, 99% (Methyl Caprate)	250 ml 1000 ml	1820 5830
97388 [5785-44-4]	Calcium Citrate Tribasic Tetrahydrate ExiPlus, Multi-Compendial, 98% meets compendial specs of USP	500 Gms	500	89028 [142-62-1]	Caproic Acid extrapure, C6-99% (n-Hexanoic Acid)	100 ml 500 ml 2500 ml	300 950 4000
57055 [7789-75-5]	Calcium Fluoride extrapure, 97% (Fluorite, Fluorospar)	100 Gms 500 Gms	310 1140	88889 [124-07-2]	Caprylic Acid pure, C8-99% (GC)	500 ml 2500 ml	650 3000
52434 [544-17-2]	Calcium Formate pure, 98% (Formic Acid Calcium Salt)	500 Gms	570	15343 [67-56-1]	Carbinol pure, 99%	500 ml 2500 ml 25 Ltr	250 670 5750
85610 [1305-62-0]	Calcium Hydroxide extrapure AR, 96%	500 Gms 5 Kg	530 4150	82911 [67-56-1]	Carbinol extrapure AR, 99.8%	500 ml 1000 ml 2500 ml	270 520 730
74471 [1305-62-0]	Calcium Hydroxide extrapure AR, ACS, ExiPlus, Multi-Compendial, 96% meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	750 5560	85902 [67-56-1]	Carbinol GC-HS, 99.9%	500 ml 1000 ml	730 1400
31549 [7789-80-2]	Calcium Iodate Anhydrous (Lautarite) pure, 98%	100 Gms 250 Gms	2300 4800	63713 [67-56-1]	Carbinol for HPLC & UV Spectroscopy, 99.8%	500 ml 1000 ml 2500 ml	370 500 970
96342 [7440-70-2]	Calcium Metal Granular extrapure, 98%, 10-20 mesh	100 Gms 500 Gms	400 1900	68990 [67-56-1]	Carbinol electronic grade, 99.8%	2500 ml	1190
94212 [10102-68-8]	Calcium Iodide Tetrahydrate pure, 98%	10 Gms 25 Gms	3000 4000	12903 [67-56-1]	Carbinol Dried extrapure AR, 99.8%	500 ml 1000 ml	360 500
56571 [71626-98-7]	Calcium Iodide Hydrate pure, 98%	25 Gms 100 Gms	3200 8300	34883 [67-56-1]	Carbinol for molecular biology, 99.5%	500 ml 1000 ml 2500 ml	910 1640 3510
79225 [13477-34-4]	Calcium Nitrate Tetrahydrate extrapure AR, ACS, 99%	500 Gms	310	39058 [4197-24-4]	Carbol Fuchsin	25 Gms 100 Gms	380 1020
16807 [1305-78-8]	Calcium Oxide Powder pure, 95%	500 Gms 5 Kg	240 1690	93049 [9003-01-4]	Carbopol 934 (Carboxy Vinyl Polymer 934) extrapure	500 Gms 1 Kg 5 Kg	1250 2400 11000
51007 [10031-30-8]	Calcium Phosphate Monobasic Monohydrate extrapure, 95% (Calcium Tetrahydrogen Diorthophosphate Monohydrate)	500 Gms 5 Kg	500 4500	51159 [9003-01-4]	Carbopol 940 (Carboxy Vinyl Polymer 940) extrapure	500 Gms 1 Kg 5 Kg	1250 2400 11000
93239 [7757-93-9]	Calcium Phosphate Dibasic Anhydrous extrapure, 98% (Calcium Hydrogen Phosphate Anhydrous, di-Calcium Phosphate Anhydrous)	500 Gms 5 Kg	350 2500	93797 [9004-32-4]	Carboxymethyl Cellulose Sodium Salt (CMC Sodium), Medium Viscosity 250-350CPS (Carmellose Sodium)	500 Gms 5 Kg	750 6500
77793 [7789-77-7]	Calcium Phosphate Dibasic Dihydrate extrapure, 98% (Calcium Hydrogen Phosphate Dihydrate, di-Calcium Phosphate Dihydrate)	500 Gms 5 Kg	425 4000	59938 [9004-32-4]	Carboxymethyl Cellulose Sodium Salt (CMC Sodium), High Viscosity 400-800 CPS (Carmellose Sodium)	500 Gms 5 Kg	800 7500
34878 [7758-87-4]	Calcium Phosphate Tribasic, 90% (Tricalcium Phosphate)	500 Gms 5 Kg	530 4950	35298 [9004-32-4]	Carboxymethyl Cellulose Sodium Salt (CMC Sodium), High Viscosity 1100-1900 CPS (Carmellose Sodium)	500 Gms 5 Kg	980 9200
59781 [4075-81-4]	Calcium Propionate pure, 97%	500 Gms	490	97048 [1390-65-4]	Carmin (C.I. No. 75470)	5 Gms 25 Gms	750 3530
94044 [10101-41-4]	Calcium Sulphate Dihydrate pure, 98%	500 Gms 5 Kg	310 2800				
69095 [10101-41-4]	Calcium Sulphate Dihydrate extrapure AR, ACS, 99%	500 Gms 5 Kg	440 4100				
64813 [76-22-2]	Camphor pure, 96%	100 Gms 500 Gms	560 2730				



Code	Name	Packing	Price	Code	Name	Packing	Price
32385 [11114-20-8]	Carrageenan (Kappa) Refined ex. Eucheuma Cottonii (k-Carrageenan, Irish Moss)	25 Gms	1300	64905 [7080-50-4]	Chloramine-T Trihydrate extrapure AR, 98% (N-Chloro-p-Toluenesulphonamide Sodium Salt)	100 Gms	450
		100 Gms	2600			250 Gms	900
		500 Gms	8100			500 Gms	1750
16145 [8001-79-4]	Castor Oil pure	500 ml	680	29611 [95-51-2]	o-Chloroaniline extrapure, 99% (2-Chloroaniline)	2.5 Kg	8000
		2500 ml	3200			500 ml	710
26080 [120-80-9]	Catechol (Pyrocatechol) extrapure, 99%	100 Gms	450	89370 [108-90-7]	Chlorobenzene (MCB) extrapure, 99% (Monochlorobenzene)	2500 ml	3400
		500 Gms	1080			500 ml	440
31018 [8000-27-9]	Cedarwood Oil Natural for microscopy (Immersion Oil)	30 ml	730	46364 [108-90-7]	Chlorobenzene (MCB) extrapure AR, 99.5% (Monochlorobenzene)	25 Ltr	16500
		125 ml	1980			500 ml	600
		500 ml	3950			2500 ml	2100
60705 [1562-90-9]	Celestine Blue B, 98%-102% (Mordant Blue 14, C.I. 51050)	5 Gms	4300	10124 [108-90-7]	Chlorobenzene (MCB) extrapure AR, ACS, ExiPlus, Multi-Compdial, 99.5% (Monochlorobenzene) meets compendial specs of USP, BP	500 ml	660
		25 Gms	20500			2500 ml	2500
82523 [91053-39-3]	Celite 545, size 20-40 micrometer	500 Gms	500	35680 [3114-55-4]	Chlorobenzene-d5 for NMR spectroscopy, 99 Atom %D	1 ml	4300
		1 Kg	940			5 ml	18000
61767 [477243-06-4]	Ceramide ex. Chicken Egg 99% (C16 Ceramide, N-(Hexadecanoyl)-Sphing-4-Enine), n-Hexadecanoyl-d-Erythro-Sphingosine	5 Mg	5600	33023 [59-50-7]	p-Chloro-m-Cresol (PCMC) pure, 98%	250 Gms	1090
		25 Mg	28000			500 Gms	1820
23505 [1306-38-3]	Ceric Oxide extrapure AR, 99.9% (Cerium (IV) Oxide)	100 Gms	1125	80908 [88-04-0]	4-Chloro-3,5-Dimethylphenol (PCMX) extrapure, 99% (4-Chloro-3,5-Xylenol, Chloroxylenol, p-Chloro-m-Xylenol)	100 Gms	880
		500 Gms	4000			500 Gms	3060
92425 [10294-42-5]	Ceric Sulphate Tetrahydrate extrapure AR, 80% (Ceric (IV) Sulfate Tetrahydrate, Cerium Disulfate Tetrahydrate)	25 Gms	550	96712 [67-66-3]	Chloroform extrapure, 99%	500 ml	300
		100 Gms	1300			2500 ml	980
		500 Gms	5200			25 Ltr	7500
10731 [10294-42-5]	Ceric Sulphate Tetrahydrate specially purified, 98% (Ceric (IV) Sulfate Tetrahydrate, Cerium Disulfate Tetrahydrate)	25 Gms	7800	84155 [67-66-3]	Chloroform extrapure AR, 99.5%	500 ml	340
		100 Gms	24000			2500 ml	1100
61414 [13590-82-4]	Ceric Sulphate 0.1N Solution	500 ml	620	32022 [67-66-3]	Chloroform extrapure AR, ACS, ExiPlus, Multi-Compdial, 99.8% meets compendial specs of USP, BP, Ph.Eur	500 ml	400
66676 [18618-55-8]	Cerous Chloride Heptahydrate extrapure AR, 99% (Cerium (III) Chloride Heptahydrate)	25 Gms	690			2500 ml	1200
		100 Gms	1700	96764 [67-66-3]	Chloroform for molecular biology, 99.8%	100 ml	450
		500 Gms	6000			500 ml	1800
57320 [10294-41-4]	Cerous Nitrate Hexahydrate extrapure AR, 99.9% (Cerium (III) Nitrate Hexahydrate, Cerium Trinitrate Hexahydrate)	100 Gms	1400	30792 [67-66-3]	Chloroform for HPLC & UV Spectroscopy, 99.8%	500 ml	450
		500 Gms	5500			1000 ml	650
81586 [1119-97-7]	Cetrimide extrapure AR (Tetradecyltrimethyl ammonium bromide), 99% (Tetradecyltrimethyl Ammonium Bromide)	100 Gms	680			2500 ml	1400
		500 Gms	2100	14423 [67-66-3]	Chloroform GC-HS, 99.9%	250 ml	550
		5 Kg	18000			500 ml	900
33001 [8005-44-5]	Cetostearyl Alcohol pure	500 Gms	820	1000 ml	1500		
		5 Kg	8000	51126 [67-66-3]	Chloroform Dried, 99.5%, water 0.005%	500 ml	500
40629 [36653-82-4]	Cetyl Alcohol pure, 98% (1-Hexadecanol)	500 Gms	500			1000 ml	970
		5 Kg	4500			2500 ml	2180
83438 [7440-44-0]	Charcoal Activated (280) extrapure AR, ACS, ExiPlus, Multi-Compdial (Activated Carbon) meets compendial specs of USP, BP, Ph.Eur	100 Gms	240	90603 [865-49-6]	Chloroform-d (w/o TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 ml	8800
		500 Gms	510			20996 [865-49-6]	Chloroform-d (with 1% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D
		5 Kg	4360	57034 [865-49-6]	Chloroform-d (with 0.03% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D		



Code	Name	Packing	Price	Code	Name	Packing	Price
22288 [865-49-6]	Chloroform-d (w/o TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 Gms	7500	16842 [77-92-9]	Citric Acid Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur, USP	500 Gms 5 Kg	290 1900
98718 [865-49-6]	Chloroform-d (with 0.03% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 Gms	8000	49897 [5949-29-1]	Citric Acid Monohydrate extrapure, 99.5%	500 Gms 5 Kg 25 Kg	240 1600 7000
72017 [865-49-6]	Chloroform-d (with 1% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 Gms	8400	43667 [5949-29-1]	Citric Acid Monohydrate ACS, 99.7%	500 Gms 5 Kg 25 Kg	260 1750 8000
39657 [937-14-4]	3-Chloroperoxybenzoic Acid (mCPBA) pure, 55-75%	25 Gms 100 Gms 500 Gms	425 1300 5200	53884 [5949-29-1]	Citric Acid Monohydrate ACS, ExiPlus, Multi-Compendial, 99.7% meets compendial specs of BP, Ph.Eur, USP	500 Gms 5 Kg	300 2000
59271 [128-09-6]	N-Chlorosuccinimide extrapure, 98%	100 Gms 250 Gms 1 Kg	400 750 2800	49393 [6147-53-1]	Cobalt (II) Acetate Tetrahydrate extrapure AR, 99% (Cobaltous Acetate Tetrahydrate)	100 Gms 250 Gms 500 Gms	1100 2400 4000
47048 [1667-99-8]	Chromeazurol S (Chromazurol S) (Mordant Blue 29)	10 Gms 25 Gms	1460 2470	75141 [6147-53-1]	Cobalt (II) Acetate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Cobaltous Acetate Tetrahydrate) meets compendial specs of BP	100 Gms 250 Gms 500 Gms	1200 2700 4600
86183	Chromium AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	100 ml 250 ml	1600 2600	66112	Cobalt AAS Standard Solution in 0.5N HCl (Traceable to NIST)	100 ml 250 ml	2100 3700
72232 [10060-12-5]	Chromium (III) Chloride Hexahydrate extrapure AR, 98% (Chromic Chloride, Chromium Trichloride)	500 Gms 5 Kg	700 6500	37917 [12602-23-2]	Cobalt (II) Carbonate Basic pure, 45-50% Co (Cobaltous Carbonate)	100 Gms 250 Gms 500 Gms	1400 3200 6000
74767 [7789-02-8]	Chromium (III) Nitrate Nonahydrate pure, 96% (Chromic Nitrate Nonahydrate)	500 Gms 5 Kg	1200 11000	99412 [7791-13-1]	Cobalt (II) Chloride Hexahydrate pure, 99% (Cobaltous Chloride Hexahydrate)	100 Gms 500 Gms	1080 5040
21295 [39380-78-4]	Chromium (III) Sulphate Basic extrapure, 22.5% Cr (Chromosal B, Basic Chromic Sulphate)	500 Gms 2.5 Kg	380 1750	36018 [7791-13-1]	Cobalt (II) Chloride Hexahydrate extrapure AR, 99% (Cobaltous Chloride Hexahydrate)	100 Gms 500 Gms	1140 5280
57555 [7440-47-3]	Chromium Powder, 99% -100 mesh	100 Gms 500 Gms	900 3500	88282 [7791-13-1]	Cobalt (II) Chloride Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Cobaltous Chloride Hexahydrate) meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	1260 5460
21817 [1333-82-0]	Chromium (VI) Oxide (Chromium Trioxide) pure, 99% (Chromic Acid, Chromic Anhydride)	500 Gms 1 Kg	850 1600	14386 [7440-48-4]	Cobalt Metal Powder, 99.5%, -325mesh	100 Gms 250 Gms	2800 6000
61365 [1333-82-0]	Chromium (VI) Oxide (Chromium Trioxide) ACS, ExiPlus, Multi-Compendial, 99% (Chromic Acid, Chromic Anhydride) meets compendial specs of USP, Ph.Eur	500 Gms 1 Kg	900 1750	14941 [10026-22-9]	Cobalt (II) Nitrate Hexahydrate extrapure, 97% (Cobaltous Nitrate Hexahydrate)	100 Gms 500 Gms	800 3000
36505 [4438-16-8]	Chrysoidine R (Basic Orange 1, Methylchrysoidine) (C.I. No. 11320)	25 Gms 100 Gms	210 590	85942 [10026-22-9]	Cobalt (II) Nitrate Hexahydrate extrapure AR, ACS, 99% (Cobaltous Nitrate Hexahydrate)	100 Gms 250 Gms 500 Gms	950 2200 3700
31126 [532-82-1]	Chrysoidine Y (4-Phenylazo-m-Phenylenediamine Monohydrochloride, Basic Orange 2, Chrysoidine G)(C.I. No. 11270)	25 Gms 100 Gms	210 590	21722 [1308-06-1]	Cobalt (II,III) Oxide pure, 99% (Tricobalt Tetraoxide)	100 Gms 250 Gms 500 Gms	2800 4000 7000
29955 [140-10-3]	Cinnamic Acid extrapure, 99%	250 Gms 1 Kg	870 3150	25710 [10026-24-1]	Cobalt (II) Sulphate Heptahydrate pure, 98% (Cobaltous Sulphate Heptahydrate)	100 Gms 500 Gms	700 3000
23277 [140-10-3]	Cinnamic Acid extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	250 Gms 1 Kg	1400 3500				
78213 [77-92-9]	Citric Acid Anhydrous extrapure, 99%	500 Gms 5 Kg 25 Kg	260 1700 7500				
36890 [77-92-9]	Citric Acid Anhydrous for tissue culture, 99%	500 Gms 5 Kg	320 2100				



Code	Name	Packing	Price	Code	Name	Packing	Price
42752 [10026-24-1]	Cobalt (II) Sulphate Heptahydrate extrapure AR, 99% (Cobaltous Sulphate Heptahydrate)	100 Gms	800	57060 [6046-93-1]	Cupric Acetate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Copper (II) Acetate Monohydrate) meets compendial specs of BP, Ph.Eur	250 Gms	1900
		500 Gms	3700			250 Gms	1890
46069	Cocktail 'O' scintillation grade	1000 ml	910	11204 [7789-45-9]	Cupric Bromide pure, 99% (Copper (II) Bromide)	100 Gms	1380
		2500 ml	1820			500 Gms	5870
48656	Cocktail 'T' scintillation grade	1000 ml	850	13945 [12069-69-1]	Cupric Carbonate Basic pure, 95% (Copper (II) Carbonate Basic, Copper (II) Hydroxide Carbonate)	500 Gms	1560
		2500 ml	1760			5 Kg	14400
38087	Cocktail 'W' scintillation grade	1000 ml	1860	92315 [7447-39-4]	Cupric Chloride pure, 98% (Copper (II) Chloride)	500 Gms	1100
		2500 ml	4340			1 Kg	2100
36672	Collodion Flexible pure	500 ml	2020	89797 [10125-13-0]	Cupric Chloride Dihydrate ACS, ExiPlus, Multi-Compendial, 99% (Copper (II) Chloride Dihydrate) meets compendial specs of USP	500 Gms	980
						1 Kg	1950
57380	Copper AAS Standard Solution in 1N HNO3 (Traceable to NIST)	100 ml	1600	92272 [10125-13-0]	Cupric Chloride 0.3M Solution	500 ml	700
		250 ml	2600			1000 ml	1250
72033 [7440-50-8]	Copper Metal powder extrapure, 99.5%, -200 mesh	500 Gms	2180	87367 [10031-43-3]	Cupric Nitrate Trihydrate extrapure, 98% (Copper (II) Nitrate Trihydrate)	250 Gms	550
42577 [7440-50-8]	Copper Metal Turnings, 99.5%, 40-100 mesh	100 Gms	500			500 Gms	980
28007 [95-48-7]	o-Cresol pure, 98%	500 ml	550	46704 [10031-43-3]	Cupric Nitrate Trihydrate ACS, 99.5% (Copper (II) Nitrate Trihydrate)	500 Gms	1150
		2500 ml	2500				
77744 [108-39-4]	m-Cresol pure, 98% (3-Methylphenol)	500 ml	1400	51120 [1317-38-0]	Cupric Oxide pure, 79% Cu (Copper (II) Oxide)	100 Gms	420
		2500 ml	6300			500 Gms	1700
48620 [108-39-4]	m-Cresol extrapure AR, 99% (3-Methylphenol)	500 ml	1800			5 Kg	16000
63997 [106-44-5]	p-Cresol pure, 98.5%	500 ml	950	35119 [7758-98-7]	Cupric Sulphate Anhydrous extrapure, 99% (Copper (II) Sulphate Anhydrous)	100 Gms	550
		2500 ml	4400			500 Gms	1800
89599 [1733-12-6]	Cresol Red	5 Gms	230	61103 [7758-98-7]	Cupric Sulphate Anhydrous extrapure AR, 99% (Copper (II) Sulphate Anhydrous)	100 Gms	700
		25 Gms	600			500 Gms	2000
		100 Gms	2200				
21442 [10510-54-0]	Cresyl Violet Acetate, 70%	1 Gms	680	58352 [7758-98-7]	Cupric Sulphate Anhydrous ExiPlus, Multi-Compendial, 99% (Copper (II) Sulphate Anhydrous) meets compendial specs of USP, Eu Ph	100 Gms	1200
		5 Gms	3000			500 Gms	2600
28376 [548-62-9]	Crystal Violet (Gentian Violet) (Methyl Violet 10B, C.I. No. 42555)	25 Gms	660	38869 [7758-99-8]	Cupric Sulphate Pentahydrate pure, 99% (Copper (II) Sulphate Pentahydrate)	500 Gms	700
		100 Gms	2510			5 Kg	6500
		500 Gms	11990				
17610 [548-62-9]	Crystal Violet (Gentian Violet) ACS, ExiPlus, Multi-Compendial (Methyl Violet 10B, C.I. No. 42555) meets compendial specs of BP, Ph.Eur	25 Gms	770	61298 [7758-99-8]	Cupric Sulphate Pentahydrate extrapure AR, 99.5% (Copper (II) Sulphate Pentahydrate)	500 Gms	760
		100 Gms	2840			5 Kg	7300
		500 Gms	13630				
94666 [17455-13-9]	18-Crown-6-Ether pure, 98%	25 Gms	800	71244 [7758-99-8]	Cupric Sulphate Pentahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Copper (II) Sulphate Pentahydrate) meets compendial specs of BP, Ph.Eur	500 Gms	800
		100 Gms	2500			5 Kg	7600
		500 Gms	11000				
74472 [8014-13-9]	Cumin Seed Oil extrapure, aldehyde 28%	100 ml	1600	90445 [7758-99-8]	Cupric Sulphate 0.1M Solution	1000 ml	530
		500 ml	6000				
87431 [6046-93-1]	Cupric Acetate Monohydrate pure, 98% (Copper (II) Acetate Monohydrate)	100 Gms	360	29497 [7787-70-4]	Cuprous Bromide pure, 98.5% (Copper (I) Bromide)	100 Gms	670
		500 Gms	1590			500 Gms	3200
67912 [6046-93-1]	Cupric Acetate Monohydrate extrapure AR, 99% (Copper (II) Acetate Monohydrate)	250 Gms	1370	26375 [7758-89-6]	Cuprous Chloride pure, 97% (Copper (I) Chloride, Copper Monochloride)	500 Gms	1100
						5 Kg	12500
				21136 [7758-89-6]	Cuprous Chloride ACS, 97% (Copper (I) Chloride, Copper Monochloride)	250 Gms	1400



Code	Name	Packing	Price	Code	Name	Packing	Price		
93095 [7681-65-4]	Cuprous Iodide extrapure AR, 99% (Copper (I) Iodide)	25 Gms	700	35751 [56-89-3]	L-Cystine extrapure CHR, 99%	25 Gms	450		
		100 Gms	2500			100 Gms	1100		
		500 Gms	12000			1 Kg	8500		
						5 Kg	40000		
83086 [1317-39-1]	Cuprous Oxide pure, 86% Cu (Copper (I) Oxide)	100 Gms	660	83172 [56-89-3]	L-Cystine for tissue culture, 99%	25 Gms	520		
		500 Gms	2520			100 Gms	1190		
						500 Gms	5340		
97461 [458-37-7]	Curcumin (Turmeric Yellow)	5 Gms	350	38779 [56-89-3]	L-Cystine ExiPlus, Multi-Compendial, 99%	250 Gms	3000		
		10 Gms	650			1 Kg	10200		
		25 Gms	980			5 Kg	48000		
		100 Gms	3250			Meets compendial specs of USP			
20259 [110-82-7]	Cyclohexane extrapure, 99%	500 ml	260	10323 [71-30-7]	Cytosine ExiPlus, Multi-Compendial, 99%	25 Gms	700		
		2500 ml	980			100 Gms	2500		
		25 Ltr	9200			500 Gms	8000		
				meets compendial specs of BP, Ph.Eur					
46616 [110-82-7]	Cyclohexane ACS, 99.5%	500 ml	300	56096 [13419-61-9]	Decane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	1200		
		2500 ml	1080			100 Gms	4360		
						250 Gms	10690		
23292 [110-82-7]	Cyclohexane GC-HS, 99.9%	250 ml	500	71801 [13419-61-9]	Decane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms	1200		
		1000 ml	900			100 Gms	4360		
						250 Gms	10690		
46300 [110-82-7]	Cyclohexane for HPLC & UV Spectroscopy, 99.9%	500 ml	450	93995 [8049-11-4]	Devardas Alloy (45% Al, 50% Cu, 5% Zn) extrapure	100 Gms	590		
		1000 ml	700			500 Gms	2360		
		2500 ml	1500						
92604 [110-82-7]	Cyclohexane Dried, 99.5%, water 0.005%	500 ml	400	37163 [8049-11-4]	Devardas Alloy (45% Al, 50% Cu, 5% Zn) extrapure AR, ACS	100 Gms	790		
		1000 ml	750			250 Gms	1690		
34781 [110-82-7]	Cyclohexane ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	340	61500 [9004-53-9]	Dextrin (White) practical	500 Gms	300		
		2500 ml	1150			5 Kg	2800		
	meets compendial specs of USP, BP, Ph.Eur								
31726 [108-94-1]	Cyclohexanone extrapure, 99%	500 ml	350	42738 [50-99-7]	Dextrose extrapure (D-Glucose)	500 Gms	290		
		2500 ml	1600			5 Kg	2370		
89635 [108-94-1]	Cyclohexanone extrapure AR, 99.5%	500 ml	420	51758 [50-99-7]	Dextrose ACS (D-Glucose)	500 Gms	310		
		2500 ml	2000			5 Kg	2850		
						25 Kg	12370		
12183 [108-91-8]	Cyclohexylamine pure, 99% (Aminocyclohexane)	500 ml	400	16191 [14431-43-7]	Dextrose Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (D-Glucose Monohydrate)	500 Gms	270		
		2500 ml	1800			5 Kg	2490		
						25 Kg	10890		
	meets compendial specs of USP, BP								
45658 [108-91-8]	Cyclohexylamine extrapure AR, 99.5% (Aminocyclohexane)	500 ml	430	40799 [3012-65-5]	Diammonium Hydrogen Citrate Anhydrous (Ammonium Citrate Dibasic) ACS, 98%	500 Gms	750		
		2500 ml	2100			25 Kg	34560		
		85606 [91771-62-9]	Cypriol Oil extrapure, 99% (Cyperus Root Oil (Cyperus Scariosus), Nagarmotha Oil)	100 ml	8000	81434 [84-74-2]	Dibutyl Phthalate pure, 98%	500 ml	400
								2500 ml	1800
95322 [52-90-4]	L-Cysteine extrapure CHR, 99%	25 Gms	410	12088 [79-43-6]	Dichloroacetic Acid pure, 99%	100 ml	2360		
		100 Gms	1360			500 ml	6050		
		500 Gms	5800			2500 ml	27000		
		5 Kg	54000						
25961 [52-90-4]	L-Cysteine for tissue culture, 99%	25 Gms	600	52153 [95-50-1]	1,2-Dichlorobenzene pure, 99% (o-Dichlorobenzene)	500 ml	400		
		100 Gms	1400			1000 ml	750		
		500 Gms	6500			2500 ml	1750		
69029 [7048-04-6]	L-Cysteine Hydrochloride Monohydrate ExiPlus, Multi-Compendial, 99%	100 Gms	950	61012 [95-50-1]	1,2-Dichlorobenzene extrapure AR, 99% (o-Dichlorobenzene)	250 ml	320		
		500 Gms	3570			2500 ml	2000		
		1 Kg	6250						
		5 Kg	30000						
			meets compendial specs of USP						



Code	Name	Packing	Price	Code	Name	Packing	Price
79510 [107-06-2]	1,2-Dichloroethane extrapure, 99% (Ethylene Dichloride)	500 ml	300	71164 [111-42-2]	Diethanolamine pure, 98%	500 ml	350
		2500 ml	900			2500 ml	1400
69566 [107-06-2]	1,2-Dichloroethane extrapure AR, 99.5% (Ethylene Dichloride)	500 ml	330	47001 [111-42-2]	Diethanolamine ACS, ExiPlus, Multi-Compendial, 98.5% meets compendial specs of BP, Ph.Eur	500 ml	450
		2500 ml	1020			2500 ml	1800
87988 [107-06-2]	1,2-Dichloroethane for HPLC & UV Spectroscopy, 99.9% (Ethylene Dichloride)	500 ml	620	59161	5M Diethanolamine Substrate Buffer(5M DEA w/ 2.5mM MgCl2) for phosphatase	100 ml	2250
		1000 ml	1100				
63462 [107-06-2]	1,2-Dichloroethane Dried, 99.5%, water 0.005% (Ethylene Dichloride)	1000 ml	950	31255 [109-89-7]	Diethylamine pure, 99%	500 ml	350
						2500 ml	1500
79126 [76-54-0]	2,7-Dichlorofluorescein (DCF) extrapure AR, ACS, 90%	5 Gms	600	64912 [109-89-7]	Diethylamine extrapure AR, 99.5%	500 ml	380
		25 Gms	2500			2500 ml	1800
56825 [75-09-2]	Dichloromethane (DCM) pure, 99% (Methylene Chloride)	500 ml	240	28298 [109-89-7]	Diethylamine for HPLC, 99.5%	1000 ml	1600
		2500 ml	900				
		25 Ltr	6500				
24532 [75-09-2]	Dichloromethane (DCM) extrapure AR, 99.5% (Methylene Chloride)	500 ml	270	77141 [100-37-8]	2-Diethylaminoethanol (DEAE) extrapure, 99%	500 ml	580
		2500 ml	1020			2500 ml	2800
		25 Ltr	7200				
45368 [75-09-2]	Dichloromethane (DCM) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Methylene Chloride) meets compendial specs of USP, BP	500 ml	300	59351 [91-66-7]	N,N-Diethylaniline pure, 98%	500 ml	800
		2500 ml	1150			2500 ml	3700
29103 [75-09-2]	Dichloromethane (DCM) GC-HS, 99.9% (Methylene Chloride)	250 ml	430	44369 [91-66-7]	N,N-Diethylaniline extrapure AR, 99%	500 ml	1000
		500 ml	700			2500 ml	4600
		1000 ml	1100				
58628 [75-09-2]	Dichloromethane (DCM) for HPLC & UV Spectroscopy, 99.9%	500 ml	410	36303 [105-58-8]	Diethyl Carbonate extrapure, 99%	500 ml	500
		1000 ml	600			2500 ml	2300
		2500 ml	1300				
43551 [75-09-2]	Dichloromethane (DCM) Dried, 99.5%, water 0.005% (Methylene Chloride)	500 ml	340	83040 [111-46-6]	Diethylene Glycol (Digol) pure, 98%	500 ml	300
		1000 ml	680			2500 ml	1000
41512 [75-09-2]	Dichloromethane (DCM) for molecular biology, 99.9% (Methylene Chloride)	250 ml	470	68811 [111-46-6]	Diethylene Glycol (Digol) extrapure AR, 99%	25 Ltr	8800
		500 ml	800			500 ml	350
93075 [1665-00-5]	Dichloromethane-d2 (DCM-d2) for NMR spectroscopy, 99.5 Atom %D (Methylene Chloride)	10 ml	17990	2500 ml	1100		
55287 [620-45-1]	2,6-Dichlorophenol Indophenol Sodium Salt extrapure AR, 98%	1 Gms	310	93616 [112-36-7]	Diethylene Glycol Diethyl Ether (Ethyl Diglyme, DEGDEE) pure, 99% (2-Ethoxy Ethyl Ether)	100 ml	750
		5 Gms	1200			500 ml	3200
		25 Gms	4910				
35551 [620-45-1]	2,6-Dichlorophenol Indophenol Sodium Salt ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP	1 Gms	330	44284 [111-96-6]	Diethylene Glycol Dimethyl Ether (Diglyme, DEGDME) pure, 99% (2-Methoxy Ethyl Ether)	500 ml	900
		5 Gms	1340			2500 ml	4000
		25 Gms	5240			25 Ltr	38000
31499 [94-75-7]	2,4-Dichlorophenoxyacetic Acid (2,4-D) for tissue culture, 98%	25 Gms	680	20882 [111-90-0]	Diethylene Glycol Monoethyl Ether (DGME) pure, 98% (Carbitol, Ethyldiglycol)	500 ml	440
		100 Gms	1250			2500 ml	1900
		500 Gms	5060				
77833 [461-58-5]	Dicyandiamide pure, 98% (1-Cyanoguanidine, Dicyanodiamide)	500 Gms	750	53422 [96-22-0]	Diethyl Ketone (3-Pentanone) extrapure, 99%	500 ml	1200
61335 [77-73-6]	Dicyclopentadiene extrapure (Stabilized with BHT), 93%	100 ml	240	98389 [105-53-3]	Diethyl Malonate extrapure, 99%	500 ml	600
		500 ml	900			2500 ml	2800
		2500 ml	3800			500 ml	700
				2500 ml	3300		
77833 [461-58-5]	Dicyandiamide pure, 98% (1-Cyanoguanidine, Dicyanodiamide)	500 Gms	750	39378 [105-53-3]	Diethyl Malonate extrapure AR, 99.5%	500 ml	700
						2500 ml	3300
61335 [77-73-6]	Dicyclopentadiene extrapure (Stabilized with BHT), 93%	100 ml	240	61252 [95-92-1]	Diethyl Oxalate pure, 99%	500 ml	600
		500 ml	900			2500 ml	2700
		2500 ml	3800				
77833 [461-58-5]	Dicyandiamide pure, 98% (1-Cyanoguanidine, Dicyanodiamide)	500 Gms	750	75995 [6283-63-2]	N,N-Diethyl-p-Phenylenediamine Sulphate Salt (DEPPDA Sulphate) extrapure, 98% (4-Amino-N,N-Diethylaniline Sulfate Salt)	25 Gms	2200
						100 Gms	8400
61335 [77-73-6]	Dicyclopentadiene extrapure (Stabilized with BHT), 93%	100 ml	240	16150 [84-66-2]	Diethyl Phthalate pure, 99%	500 ml	360
		500 ml	900			2500 ml	1700
		2500 ml	3800				



Code	Name	Packing	Price	Code	Name	Packing	Price
78652 [64-67-5]	Diethyl Sulphate extrapure, 99%	500 ml 2500 ml	400 1800	12566 [121-69-7]	N,N-Dimethylaniline pure, 98%	500 ml 2500 ml	530 2500
15979 ① [75-11-6]	Diiodomethane extrapure (Stabilized with copper wire), 99% (Methylene iodide) For Separation of minerals	25 Gms 100 Gms 250 Gms	2500 4800 9000	20364 [121-69-7]	N,N-Dimethylaniline extrapure AR, 99.5%	500 ml 2500 ml	580 2700
77205 [108-18-9]	Diisopropylamine pure, 98%	500 ml 2500 ml 25 Ltr	900 4200 40000	16616 [68-12-2]	N,N-Dimethylformamide (DMF) extrapure, 99%	500 ml 2500 ml 25 Ltr	280 1050 9500
24465 [110-97-4]	Diisopropanolamine (DIPOA) extrapure AR, 98% (Bis(2-hydroxypropyl)amine, 1,1'-Iminod i-2-propanol, Iminodipropanol)	500 ml 1000 ml	800 1380	21974 [68-12-2]	N,N-Dimethylformamide (DMF) extrapure AR, 99.5%	500 ml 2500 ml	320 1200
67519 [108-20-3]	Diisopropylether pure, 98%	500 ml 2500 ml 25 Ltr	420 1800 16500	79121 [68-12-2]	N,N-Dimethylformamide (DMF) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8% meets compendial specs of BP	500 ml 2500 ml	350 1350
63282 [108-20-3]	Diisopropylether extrapure AR, 99%	500 ml 2500 ml	460 2100	50591 [68-12-2]	N,N-Dimethylformamide (DMF) for HPLC & UV Spectroscopy, 99.9%	500 ml 1000 ml	440 750
89299 [108-20-3]	Diisopropylether Dried, 99%, water 0.0025%	500 ml 1000 ml	800 1500	46165 [68-12-2]	N,N-Dimethylformamide (DMF) GC-HS, 99.9%	250 ml 500 ml 1000 ml	350 550 980
91837 [7087-68-5]	N,N-Diisopropylethylamine (DIPEA) extrapure, 98% (Ethylene Diisopropylamine, N,N-Ethyl-diisopropylamine, DIEA)	100 ml 250 ml 1000 ml	350 800 3060	93186 [68-12-2]	N,N-Dimethylformamide (DMF) Dried, 99.5%, water 0.005%	500 ml 1000 ml	500 900
61125 [110-71-4]	1,2-Dimethoxyethane (Monoglyme, EGDME) extrapure, 99% (Ethylene Glycol Dimethyl Ether)	500 ml 2500 ml 25 Ltr	720 3350 32000	24017 [68-12-2]	N,N-Dimethylformamide (DMF) for molecular biology, 99.9%	100 ml 500 ml	450 850
94378 [110-71-4]	1,2-Dimethoxyethane (Monoglyme, EGDME) extrapure AR, 99.5% (Ethylene Glycol Dimethyl Ether)	500 ml 2500 ml	820 3700	52794 [4637-24-5]	N,N-Dimethylformamide Dimethylacetal extrapure, 95% (1,1-Dimethoxy-N,N-Dimethylmethyamine)	100 ml 500 ml	560 1800
80675 [127-19-5]	N,N-Dimethylacetamide (DMA) extrapure, 99%	500 ml 2500 ml 25 Ltr	400 1650 15000	81890 [95-45-4]	Dimethylglyoxime extrapure AR, 99% (2,3-Butanedione Dioxime)	100 Gms 500 Gms	650 2900
60991 [127-19-5]	N,N-Dimethylacetamide (DMA) extrapure AR, 99.5%	500 ml 2500 ml	490 1900	19711 [95-45-4]	Dimethylglyoxime extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (2,3-Butanedione Dioxime) meets compendial specs of BP, Ph.Eur	100 Gms 500 Gms	750 3200
79220 [127-19-5]	N,N-Dimethylacetamide (DMA) extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 ml 2500 ml	550 2100	92574 [75006-64-3]	Dimethylglyoxime Disodium Salt Octahydrate extrapure AR, 99%	250 Gms	1060
70926 [127-19-5]	N,N-Dimethylacetamide (DMA) GC-HS, 99.9%	250 ml 500 ml 1000 ml	500 850 1500	33158 [80-73-9]	1,3-Dimethyl-2-Imidazolidinone (DMI) pure, 99%	100 ml 500 ml 2500 ml	1190 5030 24670
98189 [127-19-5]	N,N-Dimethylacetamide (DMA) for HPLC, 99.8%	500 ml 1000 ml	700 1200	35161 [80-73-9]	1,3-Dimethyl-2-Imidazolidinone (DMI) GC-HS, 99.9%	100 ml 500 ml	1390 5300
10652 [124-40-3]	Dimethylamine 40% Aq. Solution	500 ml 2500 ml	260 1000	60496 [80-73-9]	1,3-Dimethyl-2-Imidazolidinone (DMI) ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	100 ml 500 ml	1580 5450
14003 [100-10-7]	p-Dimethylaminobenzaldehyde (DMAB) extrapure AR, 99% (Ehrlich's reagent)	100 Gms 1 Kg	1590 14830	43404 [67-68-5]	Dimethyl Sulphoxide (DMSO) extrapure, 99%	500 ml 2500 ml 25 Ltr	1050 4800 45000
77086 [100-10-7]	p-Dimethylaminobenzaldehyde (DMAB) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ehrlich's reagent) meets compendial specs of USP, BP, Ph.Eur	100 Gms 1 Kg	1750 15810	28580 [67-68-5]	Dimethyl Sulphoxide (DMSO) ACS, 99.9%	500 ml 2500 ml 25 Ltr	1150 5000 47000



Code	Name	Packing	Price	Code	Name	Packing	Price
66444 [67-68-5]	Dimethyl Sulphoxide (DMSO) ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of Ph.Eur, USP	500 ml	1300	98342 [122-39-4]	Diphenylamine extrapure AR, 99%	100 Gms	260
		2500 ml	5400			500 Gms	800
12767 [67-68-5]	Dimethyl Sulphoxide (DMSO) GC-HS, 99.9%	250 ml	950	41149 [122-39-4]	Diphenylamine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	320
		500 ml	1800			500 Gms	900
		1000 ml	3200				
30239 [67-68-5]	Dimethyl Sulphoxide (DMSO) for HPLC & UV Spectroscopy, 99.8%	500 ml	1700	62567 [538-62-5]	1,5-Diphenylcarbazone (mixture with Diphenylcarbazide) extrapure AR, ACS (Phenylazoformic Acid-2-Phenylhydrazide)	5 Gms	550
		1000 ml	3000			25 Gms	2420
71545 [67-68-5]	Dimethyl Sulphoxide (DMSO) ULSI Semiconductor Grade, 99.9%	1000 ml	9000			100 Gms	8770
		2500 ml	18000				
66120 [67-68-5]	Dimethyl Sulphoxide (DMSO) Dried, 99.5%, water 0.005%	500 ml	1860	75522 [92-71-7]	2,5-Diphenyloxazole scintillation grade (PPO), 99%	25 Gms	1700
24075 [67-68-5]	Dimethyl Sulphoxide (DMSO) for molecular biology, 99.8%	100 ml	650			100 Gms	6200
		250 ml	1300			500 Gms	26000
		500 ml	2300				
47809 [2206-27-1]	Dimethyl Sulphoxide-d6 (DMSO-d6) for NMR spectroscopy, 99.8 Atom %D	10 Gms	6300	89595 [92-71-7]	2,5-Diphenyloxazole scintillation grade (PPO) ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	100 Gms	7250
		25 Gms	12000			500 Gms	34500
69545 [2206-27-1]	Dimethyl Sulphoxide-d6 (with 0.03% TMS) (DMSO-d6 w/ 0.03% TMS) for NMR spectroscopy, 99.8 Atom %D	10 Gms	6700	94777 [108-65-6]	Propylene Glycol Monomethyl Ether 2-Acetate (MPA) extrapure, 98% (1-Methoxy-2-Propyl Acetate, PGMEA, 2-Acetoxy-1-Methoxypropane 1,2-Propanediol 1-Monomethyl Ether 2-	500 ml	1200
		25 Gms	13200			2500 ml	5800
42009 [96-31-1]	N,N-Dimethylurea (1,3-Dimethylurea) extrapure, 99%	500 Gms	400	43478 [34590-94-8]	Dipropylene Glycol Monomethyl Ether (Mixture of Isomers) extrapure, 99% (DPM, Dowanol)	500 ml	450
		5 Kg	3500			2500 ml	2000
		25 Kg	16000				
43981 [117-81-7]	Diocetyl Phthalate pure, 98%	500 ml	460	88738 [6106-24-7]	Disodium Tartrate Dihydrate extrapure, 99%	500 Gms	800
		2500 ml	2000				
56353 [577-11-7]	Diocetyl Sodium Sulfosuccinate (DOSS) ExiPlus, Multi-Compendial, 98% (Aerosol OT, Ducosate Sodium) meets compendial specs of USP, BP	500 Gms	1900	16261 [6106-24-7]	Disodium Tartrate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	250 Gms	600
		5 Kg	18000			500 Gms	1000
43324 [123-91-1]	1,4-Dioxane pure, 99%	500 ml	420	12852 [6106-24-7]	Disodium Tartrate Dihydrate Calibration Standard (For Karl Fischer Titration), 99.5%	100 Gms	5790
		2500 ml	1800				
		25 Ltr	17000				
88797 [123-91-1]	1,4-Dioxane extrapure AR, 99.5%	500 ml	500	88283 [112-40-3]	Dodecane extrapure, 99% (n-Dodecane)	100 ml	1300
		2500 ml	2000			500 ml	5500
95536 [123-91-1]	1,4-Dioxane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	500 ml	600	25821 [2386-53-0]	Dodecane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99% (Sodium 1-Dodecanesulfonate)	5 Gms	820
		2500 ml	2400			25 Gms	2080
						100 Gms	7090
29469 [123-91-1]	1,4-Dioxane Dried, 99.5%, water 0.005%	500 ml	630	56085 [112-53-8]	1-Dodecanol (Dodecyl Alcohol, Lauryl Alcohol) pure, 98%	500 ml	670
79218 [123-91-1]	1,4-Dioxane GC-HS, 99.9%	250 ml	610	93498 [112-53-8]	1-Dodecanol (Dodecyl Alcohol, Lauryl Alcohol) ACS, ExiPlus, Multi-Compendial, 98% (Lauryl Alcohol) meets compendial specs of USP, BP	2500 ml	3060
		1000 ml	2190				
43294 [123-91-1]	1,4-Dioxane for HPLC & UV Spectroscopy, 99.9%	500 ml	1100	88147	DPX Mountant for histology	250 ml	380
		1000 ml	1680			500 ml	720
						1000 ml	1240
65679 [123-91-1]	1,4-Dioxane scintillation grade, 99.5%	500 ml	670	85675	Dragendorff's Reagent	125 ml	1700
		1000 ml	1280				
		2500 ml	2910				
82736 [646-06-0]	1,3-Dioxolane extrapure AR, 99%	500 ml	940	71867 [67762-27-0]	Emulsifying Wax pure	500 Gms	450
		2500 ml	4200			5 Kg	4200



Code	Name	Packing	Price	Code	Name	Packing	Price
56605 [548-24-3]	Eosin Blue (C.I. No. 45400), 85%	25 Gms	800	26614 [141-78-6]	Ethyl Acetate for HPLC & UV Spectroscopy, 99.9%	500 ml	440
		100 Gms	2950			1000 ml	650
29391 [17372-87-1]	Eosin Yellow (water soluble)	25 Gms	300	22636 [141-97-9]	Ethyl Acetoacetate pure, 99%	500 ml	450
		100 Gms	860			2500 ml	2100
		500 Gms	4190				
22115 [106-89-8]	Epichlorohydrin pure, 98% (1-Chloro-2,3-Epoxypropane)	500 ml	350	33123 [75-04-7]	Ethylamine Solution 70% in water pure	500 ml	500
		2500 ml	1600			2500 ml	2200
73317 [106-89-8]	Epichlorohydrin extrapure AR, 99% (1-Chloro-2,3-Epoxypropane)	500 ml	400	37810 [74-96-4]	Ethyl Bromide extrapure, 99%	250 ml	1150
		2500 ml	1800			500 ml	2200
40876 [1787-61-7]	Eriochrome Black T extrapure AR	25 Gms	350	87095 [110-80-5]	Ethyl Cellosolve pure, 99% (Ethylene Glycol Monoethyl Ether)	500 ml	380
		100 Gms	1040			2500 ml	1500
		500 Gms	4000				
76512 [3564-18-9]	Eriochrome Cyanine R	10 Gms	650	30166 [1678-91-7]	Ethylcyclohexane extrapure, 99%	500 ml	420
		25 Gms	1450			2500 ml	2000
		100 Gms	5200				
69059 [16423-68-0]	Erythrosin B, 90%	25 Gms	900	65428 [107-15-3]	Ethylene Diamine pure, 99% (1,2-Diaminoethane)	500 ml	600
		100 Gms	3380			2500 ml	2700
73961 [8007-09-8]	Eschka's Mixture extrapure AR, 38%	250 Gms	6070	70790 [107-15-3]	Ethylene Diamine extrapure AR, 99.5% (1,2-Diaminoethane)	500 ml	630
		1 Kg	23040			2500 ml	2900
40942 [141-43-5]	Ethanolamine (MEA, Monoethanolamine, 2-Aminoethanol) extrapure, 99%	500 ml	350	40648 [60-00-4]	EDTA Free Acid extrapure, 99% (Ethylenediaminetetraacetic Acid Free Acid)	100 Gms	230
		2500 ml	1600			500 Gms	550
57100 [141-43-5]	Ethanolamine (MEA, Monoethanolamine, 2-Aminoethanol) extrapure AR, 99%	500 ml	400	18240 [60-00-4]	EDTA Free Acid extrapure AR, 99.4% (Ethylenediaminetetraacetic Acid Free Acid)	5 Kg	5000
		2500 ml	1800			100 Gms	250
74683 [141-43-5]	Ethanolamine (MEA, Monoethanolamine, 2-Aminoethanol) extrapure AR, ACS, ExiPlus, Multi-Compdial, 9 meets compendial specs of BP, USP	500 ml	480	73816 [60-00-4]	EDTA Free Acid extrapure AR, ACS, ExiPlus, Multi-Compdial, 99.4% (Ethylenediaminetetraacetic Acid Free Acid) meets compendial specs of BP, USP, Ph.	500 Gms	650
		2500 ml	2100			5 Kg	5800
17220 [1239-45-8]	Ethidium Bromide extrapure, 95% (Homidium Bromide)	1 Gms	620	44478 [25102-12-9]	EDTA Dipotassium Salt pure, 98% (Ethylenediaminetetraacetic Acid Dipotassium Salt)	100 Gms	220
		5 Gms	2690			500 Gms	580
93079 [1239-45-8]	Ethidium Bromide for molecular biology, 95% (Homidium Bromide)	1 Gms	670	62196 [25102-12-9]	EDTA Dipotassium Salt extrapure AR, 99% (Ethylenediaminetetraacetic Acid Dipotassium Salt)	5 Kg	5400
		5 Gms	2940			100 Gms	245
16201	Ethidium Bromide Solution (10mg/ml)	10 ml	800	12070 [6381-92-6]	EDTA Disodium Salt Dihydrate pure, 98% (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	500 Gms	650
		50 ml	2000			5 Kg	5800
89362 [141-78-6]	Ethyl Acetate pure, 99%	500 ml	280	40088 [6381-92-6]	EDTA Disodium Salt Dihydrate extrapure AR, 99.5% (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	100 Gms	220
		2500 ml	1250			500 Gms	520
		25 Ltr	11000			5 Kg	4500
66183 [141-78-6]	Ethyl Acetate extrapure AR, 99.5%	500 ml	340	50027 [6381-92-6]	EDTA Disodium Salt Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compdial, 99.5% (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate) meets compendial specs of USP	100 Gms	270
		2500 ml	1400			500 Gms	620
62952 [141-78-6]	Ethyl Acetate extrapure AR, ACS, ExiPlus, Multi-Compdial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml	380	43272 [6381-92-6]	EDTA Disodium Salt Dihydrate for molecular biology, 99.5% (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	5 Kg	5300
		2500 ml	1600			100 Gms	330
72598 [141-78-6]	Ethyl Acetate Dried, 99.5%, water 0.005%	500 ml	400			500 Gms	1150
		1000 ml	770			1 Kg	2100
73106 [141-78-6]	Ethyl Acetate GC-HS, 99.9%	500 ml	520			5 Kg	9800
		1000 ml	900				



Code	Name	Packing	Price	Code	Name	Packing	Price
35108 [6381-92-6]	EDTA Disodium Salt Dihydrate for tissue culture, 99.5% (Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	100 Gms 500 Gms	310 1100	83416 [60-29-7]	Ethyl Ether extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Diethyl ether) meets compendial specs of BP	500 ml 2500 ml	550 2120
96540 [6381-92-6]	EDTA Disodium Salt 0.1M Solution	500 ml 1000 ml	370 670	83131 [60-29-7]	Ethyl Ether Dried, 99.5%, water 0.005% (Diethyl Ether)	500 ml 1000 ml 2500 ml	540 1030 2250
48960 [6381-92-6]	EDTA Disodium Salt 0.01M Solution	500 ml 1000 ml	350 640	68329 [60-29-7]	Ethyl Ether for HPLC & UV Spectroscopy, 99.9%	500 ml 1000 ml	2300 4120
35888 [6381-92-6]	EDTA Disodium Salt 0.5M Solution	500 ml 1000 ml	500 950	87796 [60-29-7]	Ethyl Ether GC-HS, 99.9%	500 ml 1000 ml	2310 4360
73557 [6381-92-6]	EDTA Disodium Salt 0.05M Solution	500 ml 1000 ml	250 450	36979 [109-94-4]	Ethyl Formate pure, 98%	500 ml 2500 ml 25 Ltr	500 2200 20000
59389 [15708-41-5]	EDTA Ferric Monosodium Salt extrapure, 12-14% Fe (Ethylenediaminetetraacetic Acid Ferric Monosodium Salt)	100 Gms 500 Gms	220 600	50371 [2390-59-2]	Ethyl Violet (C.I. No. 42600) for microscopy	25 Gms	880
41000 [14402-88-1]	EDTA Magnesium Disodium Complex (EDTA Mg) pure (Ethylenediaminetetraacetic Acid Magnesium Disodium Complex)	100 Gms 500 Gms	200 600	89474	Fehling`s solution A	500 ml	400
15078 [10378-23-1]	EDTA Tetrasodium Salt Dihydrate extrapure, 98% (Ethylenediaminetetraacetic Acid Tetrasodium Salt Dihydrate)	100 Gms 500 Gms	220 600	12603	Fehling`s solution B	500 ml	600
78036 [10378-23-1]	EDTA Tetrasodium Salt Dihydrate extrapure AR, 99% (Ethylenediaminetetraacetic Acid Tetrasodium Salt Dihydrate)	100 Gms 500 Gms	380 1500	25106 [13268-42-3]	Ferric Ammonium Oxalate Trihydrate pure, 98% (Ammonium Iron Oxalate Trihydrate, Ammonium Iron (III) Oxalate Trihydrate)	100 Gms 500 Gms	900 3000
45247 [10378-23-1]	EDTA Tetrasodium Salt Dihydrate for molecular biology, 99.5% (Ethylenediaminetetraacetic Acid Tetrasodium Salt Dihydrate)	100 Gms 500 Gms	500 2100	72287 [7705-08-0]	Ferric Chloride Anhydrous pure, 98% (Iron (III) Chloride)	500 Gms 5 Kg 25 Kg	280 2330 8750
24377 [13235-36-4]	EDTA Tetrasodium Salt Tetrahydrate extrapure, 99% (Ethylenediaminetetraacetic Acid Tetrasodium Salt Tetrahydrate)	100 Gms 500 Gms	300 800	66492 [7705-08-0]	Ferric Chloride Anhydrous ExiPlus, Multi-Compendial, 98% (Iron (III) Chloride) Meets compendial specs of BP	500 Gms 5 Kg	410 3500
19950 [85715-60-2]	EDTA Trisodium Salt Hydrate extrapure, 95% (Ethylenediaminetetraacetic Acid Trisodium Hydrate)	100 Gms 500 Gms 5 Kg	520 1800 17000	18831 [3522-50-7]	Ferric Citrate Trihydrate pure, 18-20% Fe (Iron (III) Citrate Trihydrate)	500 Gms	980
47471 [107-21-1]	Ethylene Glycol (MEG, Monoethylene Glycol) pure, 98% (Ethanediol)	500 ml 2500 ml 25 Ltr	250 1000 8500	92273 [3522-50-7]	Ferric Citrate Trihydrate for tissue culture, 18-20% Fe (Iron (III) Citrate Trihydrate)	500 Gms	1030
95361 [107-21-1]	Ethylene Glycol (MEG, Monoethylene Glycol) extrapure AR, 99%	500 ml 2500 ml	250 1100	72655 [10025-77-1]	Ferric Chloride Hexahydrate ACS, 97% (Iron (III) chloride Hexahydrate)	500 Gms 5 Kg	680 6300
27466 [122-99-6]	Ethylene Glycol Monophenylether pure, 99% (Phenyl cellosolve, 2-Phenoxyethanol)	500 ml 2500 ml	460 2300	87144 [7782-61-8]	Ferric Nitrate Nonahydrate ACS, 98% (Iron (III) Nitrate Nonahydrate)	500 Gms	500
82832 [2807-30-9]	Propyl Cellosolve (Ethylene Glycol Monopropyl Ether) extrapure, 99% (2-Propoxyethanol, Propyl glycol)	500 ml 2500 ml	1100 4500	28454 ✓ [10045-86-0]	Ferric Phosphate pure, 97% (Iron(III) Phosphate)	500 Gms	800
25049 [60-29-7]	Ethyl Ether pure, 99% (Diethyl ether)	500 ml 2500 ml 25 Ltr	440 1760 14900	69325 [1309-37-1]	Ferric Oxide Red extrapure, 95% (Iron (III) Oxide Red)	500 Gms	440
64665 [60-29-7]	Ethyl Ether extrapure AR, 99.5% (Diethyl ether)	500 ml 2500 ml	500 2050	39102 [15244-10-7]	Ferric Sulphate Hydrate pure, 19-21% Fe (Iron (III) Sulphate Hydrate)	500 Gms 5 Kg	280 2700
				14621 [15244-10-7]	Ferric Sulphate Hydrate extrapure AR, 19-21% Fe (Iron (III) Sulphate Hydrate)	500 Gms 5 Kg	320 3000
				74871 [15244-10-7]	Ferric Sulphate Hydrate for tissue culture, 19-21% Fe (Iron (III) Sulphate Hydrate)	500 Gms 5 Kg	420 4000
				57888 [14634-91-4]	Ferroun solution AR	100 ml	940



Code	Name	Packing	Price	Code	Name	Packing	Price
37323 [14634-91-4]	Ferroin Solution AR, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	100 ml	970	13142 [5995-86-8]	Gallic Acid pure, 98% (3,4,5-Trihydroxy Benzoic Acid)	100 Gms 500 Gms	850 3000
82984 [13478-10-9]	Ferrous Chloride Tetrahydrate extrapure, 98% (Iron (II) Chloride Tetrahydrate)	500 Gms 5 Kg	600 5450	42306 [5995-86-8]	Gallic Acid ACS, ExiPlus, Multi-Compendial, 98% (3,4,5-Trihydroxy Benzoic Acid) meets compendial specs of BP	100 Gms 500 Gms	1100 3400
94185 [1317-37-9]	Ferrous Sulphide Fused Sticks, 23-27% S (Iron(II) Sulfide, Ferrous Sulfide)	1 Kg 5 Kg	800 3850	83740 [9000-70-8]	Gelatin Powder ex. Porcine (Type B), 120g Bloom	500 Gms 5 Kg	1500 13000
93668 [7782-63-0]	Ferrous Sulphate Heptahydrate for tissue culture, 99.5% (Iron (II) Sulphate Heptahydrate)	500 Gms	410	95110 [77-06-5]	Gibberellic Acid (GA3), 90%	1 Gms 10 Gms 100 Gms	140 1330 10520
31929 [7782-63-0]	Ferrous Sulphate Heptahydrate pure, 98% (Iron (II) Sulphate Heptahydrate)	500 Gms 5 Kg 25 Kg	230 1400 6000	24367 [468-44-0, 510-75-8]	Gibberellic Acid (GA4+7), 90%	1 Gms 5 Gms 25 Gms	800 2600 11000
97868 [7782-63-0]	Ferrous Sulphate Heptahydrate extrapure ACS, 99% (Iron (II) Sulphate Heptahydrate)	500 Gms 5 Kg	290 2620	94857 [77-06-5]	Gibberellic Acid (GA3) for tissue culture, 90%	1 Gms 10 Gms 100 Gms	160 1490 11280
53072 [75-12-7]	Formamide pure, 98.5% (Methanamide)	500 ml 2500 ml 25 Ltr	440 2100 19000	45881 [51811-82-6]	Giemsa Stain	25 Gms 100 Gms 500 Gms	600 2290 11000
71714 [75-12-7]	Formamide extrapure AR, 99.5% (Methanamide)	500 ml 2500 ml	580 2500	72402 ✓	Giemsa Stain Solution (Giemsa Azur-Eosin-Methylene Blue Solution)	100 ml 250 ml 500 ml	310 610 1100
74841 [75-12-7]	Formamide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	500 ml 2500 ml	650 2800	20149 [56-86-0]	L-Glutamic Acid extrapure CHR, 99%	250 Gms 1 Kg 5 Kg	650 2100 9000
30349 [75-12-7]	Formamide for molecular biology, 99.5% (Methanamide)	500 ml 1000 ml	850 1400	50277 [56-86-0]	L-Glutamic Acid for tissue culture, 99%	100 Gms 500 Gms	450 1500
83256 [75-12-7]	Formamide for UV Spectroscopy, 99% (Methanamide)	500 ml 1000 ml	1200 2100	18376 [56-86-0]	L-Glutamic Acid ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	100 Gms 250 Gms 1 Kg	380 750 2800
62673 [64-18-6]	Formic Acid extrapure AR, 98%	500 ml	500	23229 [6106-04-3]	L-Glutamic Acid Monosodium Salt Monohydrate (MSG) extrapure, 99% (Monosodium Glutamate, Monosodium L-Glutamate)	500 Gms 5 Kg 25 Kg	470 4360 19620
42868 [57-48-7]	D-Fructose extrapure (D Fructose, D (-) Fructose)	500 Gms 5 Kg 25 Kg	550 5200 25000	42595 [56-81-5]	Glycerol (Glycerine) Anhydrous pure, 99%	500 ml 2500 ml 25 Ltr	260 1100 10000
68823 [57-48-7]	D-Fructose for tissue culture (D Fructose, D (-) Fructose)	500 Gms	950	77453 [56-81-5]	Glycerol (Glycerine) Anhydrous ACS, 99.5%	500 ml 2500 ml	290 1200
86364 [110-17-8]	Fumaric Acid pure, 99%	500 Gms 5 Kg 25 Kg	400 3800 15000	59991 [56-81-5]	Glycerol (Glycerine) Anhydrous ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 ml 2500 ml	330 1350
79503 [110-17-8]	Fumaric Acid extrapure AR, 99%	500 Gms 5 Kg	600 5700	62417 [56-81-5]	Glycerol (Glycerine) for molecular biology, 99.5%	100 ml 500 ml	300 1050
97328 [110-17-8]	Fumaric Acid extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	500 Gms 5 Kg	800 7500	85916 [60-01-5]	Glycerol Tributryrate (Tributytrin) pure, 97%	100 ml 500 ml	1200 5000
14277 [632-99-5]	Fuchsin Basic (Basic Fuchsin) (C.I. No. 42510)	25 Gms 100 Gms 500 Gms	280 770 3400				
62967	Fusion Mixture extrapure	500 Gms	430				
24016	Fusion Mixture extrapure AR	500 Gms	540				



Code	Name	Packing	Price	Code	Name	Packing	Price		
25853 [56-40-6]	Glycine pure, 99%	500 Gms	580	19123 [7782-42-5]	Graphite Synthetic (Type 2) pure, 97% C, 100mesh	500 Gms	450		
		5 Kg	5500			2.5 Kg	2100		
		25 Kg	26500						
66327 [56-40-6]	Glycine extrapure AR, 99.5%	500 Gms	650	26870 [7782-42-5]	Graphite Synthetic (Type 3) pure, 96% C, 325mesh	500 Gms	550		
		5 Kg	6200			2.5 Kg	2500		
		25 Kg	29000						
64072 [56-40-6]	Glycine for molecular biology, 99.5%	100 Gms	240	86601 [593-85-1]	Guanidine Carbonate extrapure, 99%	100 Gms	420		
		500 Gms	1100			500 Gms	1250		
		1 Kg	2000			5 Kg	11000		
		5 Kg	8200						
72938 [56-40-6]	Glycine for tissue culture, 99.5%	500 Gms	800	54542 [50-01-1]	Guanidine Hydrochloride (GHC) pure, 99%	100 Gms	440		
		5 Kg	7400			500 Gms	1420		
			1 Kg			2730			
			5 Kg			13080			
52574 [56-40-6]	Glycine for electrophoresis, 99.5%	100 Gms	1400	45539 [50-01-1]	Guanidine Hydrochloride (GHC) for molecular biology, 99.5%	100 Gms	700		
		500 Gms	6000			500 Gms	2800		
			1 Kg			4600			
			5 Kg			22000			
69422 [56-40-6]	Glycine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 Gms	720	80272 [593-84-0]	Guanidine Thiocyanate (GTC) for molecular biology, 99%	100 Gms	800		
		5 Kg	6800			500 Gms	3200		
			1 Kg			5400			
			5 Kg			26000			
40682 [56-40-6]	Glycine IP	1 Kg	1200	68413 [50-01-1]	Guanidine Hydrochloride (GHC) ExiPlus, Multi-Compendial, 99% Meets compendial specs of BP, USP	250 Gms	1500		
		5 Kg	5000			1 Kg	4300		
		25 Kg	22500			5 Kg	20000		
74072 [56-40-6]	Glycine BP	1 Kg	1200	20222 [9000-30-0]	Guar Gum extrapure	500 Gms	420		
		5 Kg	5000			5 Kg	3500		
		25 Kg	22500						
37449 [56-40-6]	Glycine USP	1 Kg	1400	90970 [9000-01-5]	Acacia (Gum Acacia) extrapure (Gum Arabic)	500 Gms	560		
		5 Kg	6250			5 Kg	4830		
		25 Kg	30000			25 Kg	23580		
38063 [79-14-1]	Glycolic Acid extrapure, 70% soln in water	500 ml	950	90938 [9000-01-5]	Acacia (Gum Acacia) (enzyme free) extrapure AR (Gum Arabic)	500 Gms	850		
		2500 ml	4300						
27194	Gold AAS Standard Solution in 0.5N HCl (Traceable to NIST)	100 ml	4200	39758	Hematoxylin solution (Delafield`s) for microscopy	125 ml	490		
		250 ml	7900			78631	Hematoxylin solution (Ehrlich) for microscopy	125 ml	490
59611 [16961-25-4]	Gold Chloride Hydrate (Tetrachloroauric Acid) ultrapure, 99.99%, ~49% Au	500 Mg	10360	40362	Hematoxylin solution (Harris) for microscopy	125 ml	650		
		1 Gms	17870			48441	Hematoxylin solution (Mayer`s) for microscopy	100 ml	270
		5 Gms	80000						
12023 [16961-25-4]	Gold Chloride Trihydrate (Tetrachloroauric Acid) pure, ~49% Au	500 Mg	8460	19241 [142-82-5]	n-Heptane extrapure, 99%	500 ml	360		
		1 Gms	16000			2500 ml	1500		
		5 Gms	70000			25 Ltr	14000		
81173 [13874-02-7]	Gold Chloride Sodium	1 Gms	14000	94979 [142-82-5]	n-Heptane extrapure AR, 99%	500 ml	430		
		5 Gms	62000			2500 ml	1800		
						25 Ltr	17000		
84763 [16903-35-8]	Gold Chloride Solution 30% in HCl, 17% Au	5 ml	23000	96979 [142-82-5]	n-Heptane extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 ml	460		
		10 ml	40000			2500 ml	2100		
93281 [13682-61-6]	Gold Potassium Chloride (Potassium Tetrachloroaurate (III)) extrapure, 99.99% (Gold Potassium Chloride)	500 Mg	9920	90731 [142-82-5]	n-Heptane for HPLC & UV Spectroscopy, 99.5%	500 ml	600		
		1 Gms	19000			1000 ml	1100		
10436	Gram`s Iodine, 33% I	5 Gms	330						
		25 Gms	900						
		100 Gms	3500						
		500 Gms	16500						
59538 [7782-42-5]	Graphite Synthetic (Type 1) pure, 98% C, 50mesh	500 Gms	350						
		2.5 Kg	1500						



Code	Name	Packing	Price	Code	Name	Packing	Price
94373 [22767-50-6]	Heptane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	1200	70389 [107-41-5]	Hexylene Glycol pure, 99%	500 ml	800
		100 Gms	4360			2500 ml	3700
		250 Gms	10690			25 Ltr	35000
55272 [207300-90-1]	Heptane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms	1200	38885 [351-50-8]	D-Histidine extrapure, 99%	5 Gms	3030
		100 Gms	4360			25 Gms	8000
		250 Gms	10690				
55120 [111-70-6]	1-Heptanol extrapure, 98% (n-Heptanol, n-Heptyl Alcohol)	500 ml	1400	94495 [71-00-1]	L-Histidine (base) extrapure CHR, 99%	25 Gms	800
		2500 ml	6500			100 Gms	2800
60805 [67-72-1]	Hexachloroethane pure, 99%	500 Gms	650			500 Gms	13000
		5 Kg	6000			1 Kg	24500
36027 [18497-13-7]	Hexachloroplatinic Acid Hexahydrate (Platinum Chloride Hexahydrate) ACS, 38-40% Pt (Platinic Chloride Hexahydrate)	250 Mg	2500	42437 [71-00-1]	L-Histidine ExiPlus, Multi-Compendial, 99%	25 Gms	1000
		1 Gms	5800			100 Gms	3390
		5 Gms	26000			1 Kg	26000
		25 Gms	120000				
							meets compendial specs of USP, BP, Ph.Eur
37465 [629-73-2]	1-Hexadecene (Cetene) extrapure, 95%	250 ml	2850	28061 [5934-29-2]	L-Histidine Hydrochloride Monohydrate extrapure CHR, 99%	25 Gms	710
		500 ml	4500			100 Gms	2200
81451 [100-97-0]	Hexamine pure, 99% (Hexamethylenetetramine, HMTA)	500 Gms	300			500 Gms	8000
		5 Kg	2600			1 Kg	14200
92391 [100-97-0]	Hexamine extrapure AR, 99.5%	500 Gms	350			5 Kg	68000
		5 Kg	3000				
91454 [110-54-3]	n-Hexane pure, 95%	500 ml	500	51565 [4998-57-6]	DL-Histidine extrapure, 99%	5 Gms	2000
		2500 ml	2300			25 Gms	8000
		25 Ltr	19000			100 Gms	30000
65764 [110-54-3]	n-Hexane for HPLC, 95%	500 ml	620	40599 [12055-62-8]	Holmium (III) Oxide ultrapure, 99.9%	5 Gms	2000
		1000 ml	1200			10 Gms	3500
		2500 ml	2800			25 Gms	7500
77045 [110-54-3]	n-Hexane pure, 99%	500 ml	600	59764 [68514-28-3]	Humic Acid Potassium Salt (Potassium Humate) pure, 70% Humic, 15% Fulvic	500 Gms	380
		2500 ml	2600			5 Kg	3500
		25 Ltr	24000				
12534 [110-54-3]	n-Hexane extrapure AR, 99%	500 ml	680	53931 [7803-57-8]	Hydrazine Hydrate extrapure, 80% (Hydrazinium Hydroxide)	500 ml	900
		2500 ml	2800			2500 ml	4000
						25 Ltr	37500
27226 [110-54-3]	n-Hexane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	500 ml	740	99313 [10034-93-2]	Hydrazine Sulphate extrapure, 99%	100 Gms	440
		2500 ml	3000			500 Gms	1950
							meets compendial specs of USP, BP, Ph.Eur
33823 [110-54-3]	n-Hexane for HPLC, 99%	500 ml	800	33243 [10034-93-2]	Hydrazine Sulphate extrapure AR, 99.5%	100 Gms	550
		1000 ml	1500			500 Gms	2300
		2500 ml	3500				
40501 [110-54-3]	n-Hexane GC-HS, 99.9%	250 ml	820	78110 [10034-93-2]	Hydrazine Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	100 Gms	710
		1000 ml	2700			500 Gms	2610
							meets compendial specs of USP, BP, Ph.Eur
29114 [110-54-3]	n-Hexane Dried, 99%, water 0.005%	500 ml	1050	21435 [10035-10-6]	Hydrobromic Acid pure, 48-49% in water	500 ml	950
		1000 ml	2000			2500 ml	4400
49346 [2832-45-3]	Hexane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	1200	30106 [10035-10-6]	Hydrobromic Acid, 31-34% in Glacial Acetic Acid	500 ml	1050
		100 Gms	4360			2500 ml	5200
		250 Gms	10690				
78597 [207300-91-2]	Hexane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms	1200	99790 [7647-01-0]	Hydrochloric Acid 0.1N Aq. Solution	500 ml	160
		100 Gms	4360			1000 ml	290
		250 Gms	10690				
				62889 [7647-01-0]	Hydrochloric Acid 1N Aq. Solution	500 ml	300
						1000 ml	550
				30988 [7647-01-0]	Hydrochloric Acid 0.5N Aq. Solution	500 ml	180
						1000 ml	330



Code	Name	Packing	Price	Code	Name	Packing	Price
87039 [7647-01-0]	Hydrochloric Acid 2N Aq. Solution	500 ml	330	65712 [288-32-4]	Imidazole pure, 99%	100 Gms	370
		1000 ml	620			500 Gms	1460
80096 [7647-01-0]	Hydrochloric Acid 3N Aq. Solution	500 ml	360			5 Kg	12000
		1000 ml	660			25 Kg	50000
65955 [7647-01-0]	Hydrochloric Acid 4N Aq. Solution	500 ml	390	32822 [288-32-4]	Imidazole extrapure AR, 99%	100 Gms	650
		1000 ml	730			500 Gms	2070
72775 [7647-01-0]	Hydrochloric Acid 4M Solution in Dioxane	1000 ml	1400			5 Kg	19000
		2500 ml	3460			25 Kg	84880
34472 [7647-01-0]	Hydrochloric Acid 5N Aq. Solution	500 ml	420	78496 [288-32-4]	Imidazole extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	100 Gms	670
		1000 ml	770			500 Gms	2330
17560 [7647-01-0]	Hydrochloric Acid 6N Aq. Solution	500 ml	440			meets compendial specs of USP, BP, Ph.Eur	
		1000 ml	810				
79661 [7647-01-0]	Hydrochloric Acid 0.05N Aq. Solution	500 ml	200	61510 [288-32-4]	Imidazole for molecular biology, 99.5%	25 Gms	500
		1000 ml	360			100 Gms	1400
40918 [7647-01-0]	Hydrochloric Acid 0.01M Aq. Solution	500 ml	200			500 Gms	5200
		1000 ml	360	10722 [288-32-4]	Imidazole for tissue culture, 99.5%	100 Gms	800
56059 [5470-11-1]	Hydroxylamine Hydrochloride pure, 98%	100 Gms	250	73017 [8000-27-9]	Immersion Oil Synthetic for microscopy (Cedarwood Oil Synthetic, Immersion Oil Thickened)	30 ml	320
		500 Gms	750			125 ml	730
66164 [5470-11-1]	Hydroxylamine Hydrochloride extrapure AR, 99%	100 Gms	350			500 ml	2000
		500 Gms	1100			5 Ltr	18500
65508 [5470-11-1]	Hydroxylamine Hydrochloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur, USP	100 Gms	400	63214	Indium AAS Standard Solution in 1N HCl (Traceable to NIST)	100 ml	1600
		500 Gms	1250			250 ml	2600
47748 [7803-49-8]	Hydroxylamine 50% Soln. in Water	50 ml	2000	88318 [87-51-4]	Indole-3-Acetic Acid (IAA) pure, 98%	5 Gms	430
		100 ml	3500			25 Gms	1390
		500 ml	13000			100 Gms	4900
13877 [10039-54-0]	Hydroxylamine Sulphate pure, 99%	100 Gms	230	96788 [87-51-4]	Indole-3-Acetic Acid (IAA) for tissue culture, 98%	5 Gms	650
		500 Gms	650			25 Gms	2400
83032 [10039-54-0]	Hydroxylamine Sulphate extrapure AR, ACS, 99%	100 Gms	260			100 Gms	7200
		500 Gms	830	18676 [771-51-7]	Indole-3-Acetonitrile pure, 98%	5 Gms	1590
44439 [622-40-2]	4-(2-Hydroxyethyl)morpholine (4-HEM) extrapure, 99% (2-Morpholinoethanol, 4-Morpholineethanol)	100 ml	390			25 Gms	5940
		500 ml	1420	40407 [133-32-4]	Indole-3-Butyric Acid (IBA) pure, 98%	5 Gms	520
91113 [148-24-3]	8-Hydroxyquinoline (8-Quinololinol) extrapure, 99.5%	100 Gms	900			25 Gms	1760
		500 Gms	3500			100 Gms	5530
23264 [148-24-3]	8-Hydroxyquinoline (8-Quinololinol) extrapure AR, ACS, 99.5%	100 Gms	980	60289 [133-32-4]	Indole-3-Butyric Acid (IBA) for tissue culture, 98%	5 Gms	750
		500 Gms	4000			25 Gms	2620
26356 [6303-21-5]	Hypophosphorous Acid pure, 30-32% in water (Phosphinic Acid)	500 ml	1200			100 Gms	8180
				35095 [771-50-6]	Indole-3-Carboxylic Acid pure, 99%	5 Gms	1260
92379 [6303-21-5]	Hypophosphorous Acid extrapure AR, 50% in water (Phosphinic Acid)	500 ml	1400			25 Gms	5030
				67892 [7790-99-0]	Iodine Monochloride extrapure, 98%	25 Gms	890
64556 [8029-68-3]	Ichthammol pure, 50%	500 Gms	5000			100 Gms	2800
		1 Kg	9000			250 Gms	6500
				66098 [7790-99-0]	Iodine Monochloride Solution (1M in Acetic Acid) (Wij` s Solution) extrapure (Chloroiodide Solution)	250 ml	1600
						500 ml	3000
				40415 [12029-98-0]	Iodine Pentoxide (Iodopentoxide) extrapure AR, 99%	25 Gms	1400
						100 Gms	4600
				52539 [7553-56-2]	Iodine Resublimed AR, 99.8%	100 Gms	3200
						500 Gms	15500



Code	Name	Packing	Price	Code	Name	Packing	Price
37524 [7553-56-2]	Iodine Resublimed AR, ACS, ExiPlus, Multi-Compendial, 99.8% meets compendial specs of USP, BP, Ph.Eur	100 Gms	3400	52497 [110-19-0]	Isobutyl Acetate extrapure, 98% (Acetic Acid Isobutyl Ester)	500 ml	550
		500 Gms	16500			2500 ml	2500
68017 [7553-56-2]	Iodine 0.01N Solution	500 ml	550	41867 [78-84-2]	Isobutyraldehyde extrapure, 99% (2-Methylpropionaldehyde)	500 ml	440
		1000 ml	1030			2500 ml	1950
59802 [7553-56-2]	Iodine 1N Solution	500 ml	2200	53502 [540-84-1]	Isooctane extrapure, 99%	500 ml	870
12445 [7553-56-2]	Iodine 0.1N Solution	500 ml	1000			2500 ml	4120
84644 [865-44-1]	Iodine Trichloride extrapure, 97%	25 Gms	3100	57075 [540-84-1]	Isooctane extrapure AR, 99.5%	500 ml	1080
						2500 ml	4720
36388 [75-47-8]	Iodoform pure, 99%	25 Gms	1600	81399 [540-84-1]	Isooctane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 ml	1130
		100 Gms	5400			2500 ml	5090
		250 Gms	13000				
58593	Iodophor, 1.60% I	1000 ml	1200	68930 [540-84-1]	Isooctane for HPLC & UV Spectroscopy, 99.5%	500 ml	1370
		5 Ltr	5500			1000 ml	2420
70031 [516-12-1]	N-Iodosuccinimide extrapure, 99% (1-Iodo-2,5-Pyrrolidinedione)	5 Gms	400			2500 ml	5300
		25 Gms	1300				
		100 Gms	5000				
22157 [7439-88-5]	Iridium Metal Powder extrapure, 99.9%	100 Mg	7500	67959 [540-84-1]	Isooctane Fuel Grade for HPLC & UV Spectroscopy, 99.9% (2,2,4 -Trimethylpentane)	500 ml	2100
		500 Mg	34000			2500 ml	8800
		1 Gms	65000				
50716 [14996-61-3]	Iridium Trichloride Hydrate extrapure, 99%	250 Mg	9500	15485 [540-84-1]	Isooctane GC-HS, 99.9% (2,2,4 -Trimethylpentane)	500 ml	3800
		1 Gms	40000				
		5 Gms	180000				
84425	Iron AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	100 ml	1600	98605 [540-84-1]	Isooctane Dried, 99.5%, water 0.005% (2,2,4 -Trimethylpentane)	1000 ml	2060
		250 ml	2600				
64857 [7439-89-6]	Iron Metal Powder (Electrolytic), 99.5%, mesh ~200	500 Gms	710	67800 [67-63-0]	Isopropanol (IPA) pure, 99% (Isopropyl alcohol, 2-Propanol)	500 ml	280
		1 Kg	1000			2500 ml	1300
		5 Kg	4540		25 Ltr	12000	
90354 [91-56-5]	Isatin extrapure AR, 99% (2,3-Indolinedione)	25 Gms	1030	62986 [67-63-0]	Isopropanol (IPA) ACS, 99.5% (Isopropyl alcohol, 2-Propanol)	500 ml	300
		100 Gms	3540			2500 ml	1450
57020 [123-51-3]	Isoamyl Alcohol (Isopentyl Alcohol) pure, 99%	500 ml	340	11768 [67-63-0]	Isopropanol (IPA) ACS, ExiPlus, Multi-Compendial, 99.5% (Isopropyl alcohol, 2-Propanol) meets compendial specs of USP, BP, Ph.Eur	500 ml	330
		2500 ml	1600			2500 ml	1600
69931 [123-51-3]	Isoamyl Alcohol (Isopentyl Alcohol) extrapure AR, 99%	500 ml	380	38445 [67-63-0]	Isopropanol (IPA) for molecular biology, 99.8% (Isopropyl alcohol, 2-Propanol)	100 ml	250
		2500 ml	1750			500 ml	700
88719 [123-51-3]	Isoamyl Alcohol (Isopentyl Alcohol) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 ml	440	1000 ml	1350		
		2500 ml	2000				
69412 [78-83-1]	Isobutanol pure, 99%	500 ml	360	10140 [67-63-0]	Isopropanol (IPA) GC-HS, 99.9% (Isopropyl alcohol, 2-Propanol)	250 ml	320
		2500 ml	1460			500 ml	580
		25 Ltr	12320	1000 ml	1100		
98646 [78-83-1]	Isobutanol extrapure AR, 99.5%	500 ml	450	16666 [67-63-0]	Isopropanol (IPA) Dried, 99.5%, water 0.005% (Isopropyl alcohol, 2-Propanol)	500 ml	650
		2500 ml	1760			1000 ml	1200
34159 [78-83-1]	Isobutanol GC-HS, 99.9%	250 ml	560	44036 [67-63-0]	Isopropanol (IPA) for HPLC & UV Spectroscopy, 99.8% (Isopropyl alcohol, 2-Propanol)	500 ml	480
		500 ml	1010			1000 ml	850
		1000 ml	1770	2500 ml	1800		
				48906 [67-63-0]	Isopropanol (IPA) electronic grade, 99.8% (Isopropyl alcohol, 2-Propanol)	2500 ml	2400
				62616 [67-63-0]	Isopropanol (IPA) VLSI Semiconductor Grade, 99.8% (Isopropyl alcohol, 2-Propanol)	1000 ml	6000
						2500 ml	13500



Code	Name	Packing	Price	Code	Name	Packing	Price
13627 [108-22-5]	Isopropenyl Acetate extrapure, 99%	100 ml 500 ml	750 3100	19459	Lanthanum AAS Standard Solution in 2N HNO₃ (Traceable to NIST)	100 ml 250 ml	1900 2900
35858 [75-31-0]	Isopropylamine (MIPA) extrapure, 99% (Monoisopropylamine)	500 ml 2500 ml	520 2180	70514 [143-07-7]	Lauric Acid pure, C12-99% (Dodecanoic Acid)	500 Gms 5 Kg	450 4200
73716 [110-27-0]	Isopropyl Myristate pure, 90%	500 ml 2500 ml	860 3940	90346 [1335-32-6]	Lead Subacetate extrapure, Pb content 33% (Lead (II) Acetate Basic, Lead Hydroxide Acetate, Horne's Compound)	500 Gms 2.5 Kg 5 Kg	930 4530 8720
32009 [110-27-0]	Isopropyl Myristate ExiPlus, Multi-Compendial, 90% meets compendial specs of USP, Ph.Eur	500 ml 2500 ml	960 4240	72518 [6080-56-4]	Lead (II) Acetate Trihydrate pure, 99% (Plumbous Acetate Trihydrate, Lead Diacetate)	500 Gms 5 Kg	530 5000
42822 [110-27-0]	Isopropyl Myristate extrapure AR (0.2um filtered), 98%	500 ml 2500 ml	1820 7890	69586 [10099-74-8]	Lead AAS Standard Solution in 0.5N HNO₃ (Traceable to NIST)	100 ml 250 ml	1600 2600
36494 [9002-13-5]	Jack Bean Meal ex. Urease extrapure (Crude Urease)	100 Gms 500 Gms	270 1220	69789 [7758-95-4]	Lead (II) Chloride Anhydrous extrapure, 98%	500 Gms	700
20489 [2869-83-2]	Janus Green B (JG-B), 65% (Diazin Green, Union Green B)	5 Gms 25 Gms	760 3040	87373 [1309-60-0]	Lead Dioxide (Lead Peroxide) extrapure, 95%	100 Gms 500 Gms	490 2000
86543 [62851-42-7]	Jenners Stain (Eosin-methylene blue)	25 Gms 100 Gms	630 2390	60843 [7783-46-2]	Lead (II) Fluoride pure, 98% (Plumbous Fluoride)	500 Gms	1200
57080 [1332-58-7]	Kaolin Light extrapure	500 Gms 5 Kg	200 900	64972 [10099-74-8]	Lead (II) Nitrate extrapure, 99% (Plumbous Nitrate, Lead Dinitrate)	500 Gms 5 Kg	600 5500
34469	Karl Fischer Reagent (Pyridine free, Single Solution)	500 ml 2 x250 ml	3240 3240	68030 [10099-74-8]	Lead (II) Nitrate ACS, 99% (Plumbous nitrate, lead dinitrate)	500 Gms 5 Kg	750 7200
62878 [79-33-4]	L-Lactic Acid for tissue culture, 88% (L-(+)-Lactic Acid)	100 ml	600	50314 [1317-36-8]	Lead (II) Oxide (Lead Monoxide, Litharge) pure, 99%	500 Gms 1 Kg 5 Kg	600 1100 5000
93762 [79-33-4]	L-Lactic Acid pure, 88% (L-(+)-Lactic Acid)	500 ml 2500 ml	660 2800	60795 [7446-14-2]	Lead (II) Sulphate extrapure, 98% (Anglesite)	500 Gms	800
41242 [79-33-4]	L-Lactic Acid extrapure AR, 88% (L-(+)-Lactic Acid)	500 ml 2500 ml	700 3000	18279 [1317-36-8]	Lead (II) Oxide (Lead Monoxide, Litharge) extrapure AR, ACS, 99%	100 Gms 250 Gms	450 950
21206 [79-33-4]	L-Lactic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 88% (L-(+)-Lactic Acid) meets compendial specs of BP, Ph.Eur	500 ml 2500 ml	750 3300	68015	Leishman Staining Solution	250 ml	300
54492 [79-33-4]	L-Lactic Acid 0.1N Solution	500 ml 1000 ml	250 470	82184 [12627-53-1]	Leishman Stain	25 Gms 100 Gms 500 Gms	660 2200 9800
41158 [79-33-4]	L-Lactic Acid 1N Solution	500 ml 1000 ml	420 780	63007 [61-90-5]	L-Leucine extrapure CHR, 99%	100 Gms 500 Gms 1 Kg 5 Kg	650 3000 5500 25000
97513	Lacto Fuchsin Staining Solution	100 ml	440	59178 [61-90-5]	L-Leucine extrapure, ExiPlus, Multi-Compendial, 99%	500 Gms 1 Kg 5 Kg	3800 7000 31000
92598	Lactophenol Cotton Blue Solution	500 ml	300	75333 [1305-62-0]	Lime Water Saturated Solution	500 ml	280
20863	Lactophenol Mountant Solution	500 ml	330	75105	Lithium AAS Standard Solution in 0.5N HNO₃ (Traceable to NIST)	100 ml 250 ml	1600 2600
25957 [10039-26-6, 64044-51-5]	Lactose Monohydrate ACS	500 Gms 5 Kg	650 6100	31665 [7550-35-8]	Lithium Bromide Anhydrous extrapure, 99%	100 Gms 500 Gms	1000 4200
33525 [10039-26-6, 64044-51-5]	Lactose Monohydrate for tissue culture	500 Gms 5 Kg	700 6330	33662 [7550-35-8]	Lithium Bromide Anhydrous ultrapure, 99.999% , -10mesh	5 Gms 25 Gms	5760 19200
67091 [10039-26-6, 64044-51-5]	Lactose Monohydrate ACS, ExiPlus, Multi-Compendial meets compendial specs of USP, BP & Ph Eur	500 Gms 5 Kg	750 6700				



Code	Name	Packing	Price	Code	Name	Packing	Price
73154 [554-13-2]	Lithium Carbonate pure, 98%	100 Gms	1800	42603	Lugols Iodine 5% Solution (Conc)	125 ml	1600
		250 Gms	3900			500 ml	4800
		500 Gms	7500				
19558 [554-13-2]	Lithium Carbonate extrapure AR, 99%	100 Gms	2000	72349 [7274-88-6]	D-Lysine Monohydrochloride extrapure, 99%	5 Gms	3400
		250 Gms	4200			25 Gms	13000
74884 [554-13-2]	Lithium Carbonate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	250 Gms	4500	30163 [56-87-1]	L-Lysine (free base) Anhydrous extrapure, 98%	10 Gms	1360
						25 Gms	3200
		100 Gms	9000			100 Gms	9000
		500 Gms	35000			500 Gms	35000
39692 [7447-41-8]	Lithium Chloride Anhydrous pure, 99%	100 Gms	2250	22527 [56-87-1]	L-Lysine (free base) Anhydrous for tissue culture, 98%	10 Gms	1590
		250 Gms	5400			25 Gms	3500
		500 Gms	10500				
76359 [7447-41-8]	Lithium Chloride Anhydrous ACS, 99%	100 Gms	2400	15942 [56-87-1]	L-Lysine (free base) Anhydrous ExiPlus, Multi-Compendial, 98%	10 Gms	1600
		250 Gms	5700			100 Gms	10500
26341 [7447-41-8]	Lithium Chloride 1M Solution in Acetic Acid	250 ml	1150	85187 [39665-12-8]	L-Lysine Monohydrate extrapure, 99%	25 Gms	1970
						100 Gms	7030
						500 Gms	32000
20003 [7447-41-8]	Lithium Chloride 1M Solution in Ethanol	250 ml	1350	76199 [39665-12-8]	L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99%	25 Gms	2110
						100 Gms	7790
						500 Gms	34000
81034 [7789-24-4]	Lithium Fluoride pure, 98.5%	25 Gms	800				
		100 Gms	2800				
		500 Gms	12000				
44318 [1310-65-2]	Lithium Hydroxide Anhydrous extrapure, 98%	25 Gms	1550				
		100 Gms	3900				
		500 Gms	18500				
52019 [1310-66-3]	Lithium Hydroxide Monohydrate pure, 99%	100 Gms	1900	45976 [39665-12-8]	L-Lysine Monohydrate for molecular biology, 99%	25 Gms	5500
		500 Gms	8000				
48204 [1310-66-3]	Lithium Hydroxide Monohydrate ACS, 99%	100 Gms	2100	89361 [657-27-2]	L-Lysine Monohydrochloride extrapure CHR, 99%	100 Gms	250
		500 Gms	9000			500 Gms	1070
89966 [1310-66-3]	Lithium Hydroxide Monohydrate ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP,	100 Gms	2300	77872 [657-27-2]	L-Lysine Monohydrochloride ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	380
		500 Gms	10250			500 Gms	1310
82712 [7790-69-4]	Lithium Nitrate (High Purity) extrapure AR, 99.5%	100 Gms	3000	35443 [16674-78-5]	Magnesium Acetate Tetrahydrate extrapure, 98%	500 Gms	670
		500 Gms	14200			5 Kg	5800
17864 [7790-69-4]	Lithium Nitrate (High Purity) extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	100 Gms	3300	53888 [16674-78-5]	Magnesium Acetate Tetrahydrate extrapure AR, 99%	500 Gms	800
		500 Gms	15600			5 Kg	7000
88181 [10102-25-7]	Lithium Sulphate Monohydrate ACS, 99%	100 Gms	1800	64328 [16674-78-5]	Magnesium Acetate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	400
		250 Gms	3000			500 Gms	1200
		500 Gms	5500				
39478 [10102-25-7]	Lithium Sulphate Monohydrate ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	2000	50488 [16674-78-5]	Magnesium Acetate Tetrahydrate for molecular biology, 99%	100 Gms	400
		250 Gms	3400			500 Gms	1200
		500 Gms	6200				
11373 [12007-60-2]	Lithium Tetraborate extrapure AR, 98% (di-Lithium Tetraborate)	25 Gms	1300	52917	Magnesium AAS Standard Solution in 0.5N HNO₃ (Traceable to NIST)	100 ml	1600
		100 Gms	4500			250 ml	2600
		500 Gms	20000				
78724	Lugols Iodine 1% Solution (Conc) (Iodine-Potassium iodide Solution)	125 ml	380	28935 [13446-53-2]	Magnesium Bromide Hexahydrate pure, 98%	500 Gms	2000
		500 ml	1300				
				63818 [39409-82-0]	Magnesium Carbonate Basic Light, 40-45% MgO (Magnesium Carbonate Light)	500 Gms	430
			5 Kg			4100	
				31196 [7786-30-3]	Magnesium Chloride Anhydrous extrapure, 98%	100 Gms	840
						500 Gms	1320
						5 Kg	8940
				39750 [7786-30-3]	Magnesium Chloride Anhydrous for tissue culture, 98%	100 Gms	1220
						500 Gms	2920



Code	Name	Packing	Price	Code	Name	Packing	Price
69396 [7791-18-6]	Magnesium Chloride Hexahydrate ACS, 99%	500 Gms 5 Kg	240 1900	78222 [557-04-0]	Magnesium Stearate ExiPlus, Multi-Compendial (Stearic Acid Magnesium Salt) meets compendial specs of USP, BP, Ph.Eur	500 Gms 1 Kg	450 750
54269 [7791-18-6]	Magnesium Chloride Hexahydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP	500 Gms 5 Kg	290 2200	85850 [1309-48-4]	Magnesium Oxide Heavy extrapure, 98%	500 Gms 5 Kg	850 8000
91417 [7791-18-6]	Magnesium Chloride Hexahydrate for molecular biology, 99.5%	250 Gms 500 Gms 5 Kg	650 900 8000	15547 [1309-48-4]	Magnesium Oxide Light extrapure, 98%	500 Gms 5 Kg	1380 12650
16203 [7791-18-6]	Magnesium Chloride Hexahydrate for tissue culture, 99.5%	500 Gms 5 Kg	720 6500	64741 [2437-29-8]	Malachite Green Oxalate	100 Gms 500 Gms	530 2200
28577 [7791-18-6]	Magnesium Chloride 0.5M Solution	500 ml 1000 ml	180 350	97890 [110-16-7]	Maleic Acid extrapure AR, 99.5%	100 Gms 500 Gms 2.5 Kg	230 550 2400
23772 [7791-18-6]	Magnesium Chloride 1M Solution	500 ml 1000 ml	200 380	68589 [110-16-7]	Maleic Acid extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP IP,EP	100 Gms 500 Gms	250 680
58742 [153531-96-5]	Magnesium Citrate Nonahydrate pure, 97%	500 Gms	700	17289 [123-33-1]	Maleic Hydrazide extrapure, 98% (1,2-Dihydro-3,6-pyridazinedione, 3,6-Dihydroxypyridazine, Maleic Acid Hydrazide, 3,6-Pyridazinediol)	100 Gms 1 Kg	1050 9000
25349 [7783-40-6]	Magnesium Fluoride pure, 95%	500 Gms	810	24226 [6915-15-7]	DL-Malic Acid pure, 99%	500 Gms 5 Kg	520 4800
45149 [7439-95-4]	Magnesium Metal coarse powder, 99.8%, -36 mesh	100 Gms 500 Gms	350 1200	73638 ✓ [9050-36-6]	Maltodextrin ExiPlus, Multi-Compendial meets compendial specs of BP	500 Gms 5 Kg 25 Kg	310 2500 11000
19684 [7439-95-4]	Magnesium Metal Ribbon extrapure AR, 99.5%	25 Gms	340	90827 ✓ [9050-36-6]	Maltodextrin for tissue culture, 16.5-19.5% De	500 Gms 5 Kg	220 2000
94410 [7439-95-4]	Magnesium Metal Turnings, 99.8%	250 Gms 500 Gms 2.5 Kg	925 1450 7100	59338 [6363-53-7]	D-Maltose Monohydrate for bacteriology and biochemistry	100 Gms 500 Gms 5 Kg	270 1080 10500
77697 [13446-18-9]	Magnesium Nitrate Hexahydrate ACS, 98%	500 Gms	420	42844 [6363-53-7]	D-Maltose Monohydrate for tissue culture	100 Gms 500 Gms 5 Kg	330 1350 12500
50014 [7487-88-9]	Magnesium Sulphate Dried extrapure AR, 62-70% MgSO₄, 99%	500 Gms 2.5 Kg	520 2400	17451 [6363-53-7]	D-Maltose Monohydrate ExiPlus, Multi-Compendial, 92% Meets compendial specs of USP	500 Gms 5 Kg	1300 12000
64187 [7487-88-9]	Magnesium Sulphate Dried extrapure AR, ExiPlus, Multi-Compendial, 62-70% MgSO₄, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms 2.5 Kg	560 2600	97526 [6156-78-1]	Manganese (II) Acetate Tetrahydrate pure, 97% (Manganous Acetate Tetrahydrate)	500 Gms	430
85611 [10034-99-8]	Magnesium Sulphate Heptahydrate extrapure AR, 99%	500 Gms 1 Kg 5 Kg	260 470 2300	78017 [6156-78-1]	Manganese (II) Acetate Tetrahydrate extrapure AR, 99% (Manganous Acetate Tetrahydrate)	500 Gms	500
26129 [10034-99-8]	Magnesium Sulphate Heptahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP	500 Gms 5 Kg	280 2500	94486	Manganese AAS Standard Solution in 0.5N HCl (Traceable to NIST)	100 ml 250 ml	1600 2600
74440 [10034-99-8]	Magnesium Sulphate Heptahydrate for molecular biology, 99.5%	500 Gms 1 Kg	900 1600	45757 [598-62-9]	Manganese (II) Carbonate pure, Mn content 42-46% (Manganous Carbonate)	500 Gms	520
83890 [10034-99-8]	Magnesium Sulphate Heptahydrate for tissue culture, 99.5%	500 Gms 5 Kg	450 4300	75113 [13446-34-9]	Manganese (II) Chloride Tetrahydrate extrapure, 97% (Manganous Chloride Tetrahydrate)	500 Gms 5 Kg	590 5400
90046 [10034-99-8]	Magnesium Sulphate 0.1M Solution	500 ml 1000 ml	270 490				
10301 [10034-99-8]	Magnesium Sulphate 0.5M Solution	500 ml 1000 ml	290 530				
29811 [10034-99-8]	Magnesium Sulphate 1M Solution	500 ml 1000 ml	310 560				



Code	Name	Packing	Price	Code	Name	Packing	Price
12551 [13446-34-9]	Manganese (II) Chloride Tetrahydrate extrapure ACS, 98% (Manganous Chloride Tetrahydrate)	500 Gms 5 Kg	720 6600	25699 [7487-94-7]	Mercuric Chloride extrapure, 98% (Mercury (II) Chloride)	25 Gms 100 Gms 250 Gms 500 Gms	950 3600 8500 16000
73970 [7439-96-5]	Manganese Metal Powder pure, 99%, ~325 mesh	250 Gms	600	29828 [7487-94-7]	Mercuric Chloride extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% (Mercury (II) Chloride) meets compendial specs of USP	25 Gms 100 Gms 250 Gms 500 Gms	1100 3750 9000 17250
58011 [10034-96-5]	Manganese (II) Sulphate Monohydrate pure, 98% (Manganous Sulphate Monohydrate)	500 Gms 5 Kg	300 2800	98926 [7774-29-0]	Mercuric Iodide Red pure, 99% (Mercury (II) Iodide)	25 Gms 100 Gms 250 Gms	1300 4800 11500
12386 [10034-96-5]	Manganese (II) Sulphate Monohydrate extrapure AR, 99% (Manganous Sulphate Monohydrate)	500 Gms 5 Kg	700 6400	36881 [7774-29-0]	Mercuric Iodide Red extrapure AR, 99% (Mercury (II) Iodide)	25 Gms 100 Gms 250 Gms	1400 5200 12500
78822 [10034-96-5]	Manganese (II) Sulphate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Manganous Sulphate Monohydrate) meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	840 7550	93383 [7774-29-0]	Mercuric Iodide Red extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Mercury (II) Iodide) meets compendial specs of USP, Ph.Eur	25 Gms 100 Gms 250 Gms	1500 5500 13500
38593 [1313-13-9]	Manganese (IV) Oxide pure, 80% (Manganese Dioxide)	500 Gms 5 Kg	400 3500	68434 [7783-34-8]	Mercuric Nitrate Monohydrate extrapure, 98% (Mercury (II) Nitrate Monohydrate)	25 Gms 100 Gms 250 Gms	1350 5000 11500
24248 [69-65-8]	D-Mannitol extrapure, 98.5%	500 Gms 1 Kg 5 Kg 25 Kg	940 1800 8700 42500	89168 [7783-34-8]	Mercuric Nitrate Monohydrate extrapure AR, ACS, 98.5% (Mercury (II) Nitrate Monohydrate)	25 Gms 100 Gms 250 Gms	1500 5400 12500
79887 [69-65-8]	D-Mannitol ACS, 99%	250 Gms 500 Gms 5 Kg	520 1020 9100	62847 [21908-53-2]	Mercuric Oxide Red extrapure, 99% (Mercury (II) Oxide)	25 Gms 100 Gms 250 Gms	1300 5000 12000
21304 [69-65-8]	D-Mannitol ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, USP and EP	500 Gms 5 Kg	1160 10920	60178 [21908-53-2]	Mercuric Oxide Red ACS, ExiPlus, Multi-Compendial, 99% (Mercury (II) Oxide) meets compendial specs of Ph.Eur	25 Gms 100 Gms 250 Gms	1600 6000 14000
23495 [108-78-1]	Melamine extrapure, 98% (2,4,6-Triamino-1,3,5-Triazine Monomer, sym-Triaminotriazine)	500 Gms	800	86666 [21908-53-2]	Mercuric Oxide Yellow extrapure, 99% (Mercury (II) Oxide)	25 Gms 100 Gms 250 Gms 500 Gms	1500 5500 13000 24000
64370 [2216-51-5]	Menthol Synthetic pure	100 Gms 250 Gms 1 Kg	950 2000 9000	37053 [21908-53-2]	Mercuric Oxide Yellow extrapure AR, ACS, 99.3% (Mercury (II) Oxide)	25 Gms 100 Gms 250 Gms 500 Gms	1600 5900 14000 26000
69892 [60-24-2]	2-Mercaptoethanol pure, 99%	100 ml 500 ml	370 1300	32543 [7783-35-9]	Mercuric Sulphate pure, 99% (Mercury (II) Sulphate)	25 Gms 100 Gms 250 Gms 500 Gms	1020 3900 9480 17400
83759 [60-24-2]	2-Mercaptoethanol for molecular biology, 99%	100 ml 250 ml 500 ml	600 1200 1700	20846 [7783-35-9]	Mercuric Sulphate ACS, 99% (Mercury (II) Sulphate)	25 Gms 100 Gms 250 Gms	1080 4020 9840
79306 [1600-27-7]	Mercuric Acetate pure, 98% (Mercury (II) Acetate)	25 Gms 100 Gms 250 Gms	1180 4560 10800				
80243 [1600-27-7]	Mercuric Acetate ACS, ExiPlus, Multi-Compendial, 98% (Mercury (II) Acetate) meets compendial specs of Ph.Eur	25 Gms 100 Gms 250 Gms	1280 4860 11160				
58263 [7789-47-1]	Mercuric Bromide extrapure AR, ACS, 99% (Mercury (II) Bromide)	25 Gms 100 Gms 250 Gms	1100 3800 9000				

Code	Name	Packing	Price	Code	Name	Packing	Price
43302 [7783-35-9]	Mercuric Sulphate ACS, ExiPlus, Multi-Compendial, 99% (Mercury (II) Sulphate)	25 Gms	1440	59029 [67-56-1]	Methanol pure, 99%	500 ml	250
		100 Gms	4260			2500 ml	670
		250 Gms	10200			25 Ltr	5750
	meets compendial specs of USP, Ph.Eur						
48274 [592-85-8]	Mercuric Thiocyanate extrapure, 98% (Mercury (II) Thiocyanate)	25 Gms	1300	65524 [67-56-1]	Methanol extrapure AR, 99.8%	500 ml	270
		100 Gms	4300			1000 ml	520
		250 Gms	10000			2500 ml	730
93119 [592-85-8]	Mercuric Thiocyanate extrapure AR, ExiPlus, Multi-Compendial, 98% (Mercury (II) Thiocyanate)	25 Gms	1550	37152 [67-56-1]	Methanol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8%	500 ml	320
		100 Gms	5200			1000 ml	540
		250 Gms	11500			2500 ml	820
	meets compendial specs of Ph.Eur				meets compendial specs of USP, BP, Ph.Eur		
47184 [10112-91-1]	Mercurous Chloride pure, 98% (Mercury (I) Chloride, Calomel)	25 Gms	1500	87655 [67-56-1]	Methanol GC-HS, 99.9%	500 ml	700
		100 Gms	5500			1000 ml	1230
		250 Gms	13000				
		500 Gms	24000				
37921 [10112-91-1]	Mercurous Chloride extrapure AR, ACS, 99.5% (Mercury (I) Chloride, Calomel)	25 Gms	1600	79345 [67-56-1]	Methanol for HPLC & UV Spectroscopy, 99.8%	500 ml	370
		100 Gms	5900			1000 ml	500
		250 Gms	14000			2500 ml	970
		500 Gms	26000				
36004 [14836-60-3]	Mercurous Nitrate Dihydrate extrapure, 97% (Mercury (I) Nitrate Dihydrate)	25 Gms	1320	10036 [67-56-1]	Methanol electronic grade, 99.8%	2500 ml	1190
		100 Gms	4300				
		250 Gms	10000				
44682 [14836-60-3]	Mercurous Nitrate Dihydrate extrapure AR, ACS, 98% (Mercury (I) Nitrate Dihydrate)	25 Gms	1440	62456 [67-56-1]	Methanol Dried extrapure AR, 99.8%, water 0.02%	500 ml	360
		100 Gms	5520			1000 ml	500
		250 Gms	13500			2500 ml	1100
84229	Mercury AAS Standard Solution in 0.5N HNO₃ (Traceable to NIST)	100 ml	2700	96446 [67-56-1]	Methanol for molecular biology, 99.5%	500 ml	910
		250 ml	4000			1000 ml	1640
83568 [10124-48-8]	Mercury (II) Amidochloride extrapure, 98% (Ammoniated Mercury)	25 Gms	1300	21944 [811-98-3]	Methanol-d₄ for NMR spectroscopy, 99.8 atom%D	10 Gms	9500
		100 Gms	5200				
		500 Gms	22000				
43665 [108-67-8]	Mesitylene extrapure, 98% (1,3,5-Trimethyl Benzene)	500 ml	1010	19305 [63-68-3]	L-Methionine extrapure CHR, 99%	25 Gms	330
		1000 ml	1800			100 Gms	700
		2500 ml	4000			1 Kg	5800
53383 ✓ [7439-97-6]	Mercury Metal extrapure, 99%	250 Gms	12000	65167 [109-86-4]	Methyl Cellosolve extrapure, 99%	500 ml	380
		500 Gms	23000			2500 ml	1800
86556 [79-41-4]	Methacrylic Acid extrapure, 99%	500 ml	540	38200 [109-86-4]	Methyl Cellosolve extrapure AR, 99.5%	500 ml	420
		2500 ml	2600			2500 ml	2000
87726 [75-75-2]	Methanesulphonic Acid (MSA) pure, 99%	100 ml	220	60451 [108-87-2]	Methyl Cyclohexane extrapure, 99%	500 ml	550
		500 ml	770			2500 ml	2080
		2500 ml	3500				
		25 Ltr	34000				
46989 [124-63-0]	Methanesulphonyl Chloride (MSCl) pure, 98%	100 ml	220	46985 [845-10-3]	Methyl Red Sodium Salt (water soluble) ACS, 95% (C.I. No. 13020) (Acid Red 2)	25 Gms	270
		500 ml	700			500 Gms	4790
		2500 ml	3200				
		25 Ltr	30000				
46644 [124-63-0]	Methanesulphonyl Chloride (MSCl) extrapure, 99%	100 ml	250	38862 [110-26-9]	N,N-Methylene Bisacrylamide (bis-Acrylamide) pure, 98%	100 Gms	1040
		500 ml	750			500 Gms	2910
		2500 ml	3300			5 Kg	22000
		25 Ltr	31500				
46989 [124-63-0]	Methanesulphonyl Chloride (MSCl) pure, 98%	100 ml	220	38516 [110-26-9]	N,N-Methylene Bisacrylamide (bis-Acrylamide) 3x cryst. extrapure AR, 99.5%	25 Gms	540
		500 ml	700			100 Gms	1700
		2500 ml	3200			500 Gms	7020
		25 Ltr	30000				
46644 [124-63-0]	Methanesulphonyl Chloride (MSCl) extrapure, 99%	100 ml	250	67320 [110-26-9]	N,N-Methylene Bisacrylamide 3x cryst. for molecular biology, 99.5% (Bis-Acrylamide)	25 Gms	580
		500 ml	750			100 Gms	1820
		2500 ml	3300			250 Gms	4480
		25 Ltr	31500			500 Gms	8590
46989 [124-63-0]	Methanesulphonyl Chloride (MSCl) pure, 98%	100 ml	220	58779 [110-26-9]	N,N'-Methylene Bisacrylamide 2% aq. solution for molecular biology	25 ml	1800
		500 ml	700			100 ml	5250



Code	Name	Packing	Price	Code	Name	Packing	Price
60363 [7220-79-3]	Methylene Blue Trihydrate	25 Gms	440	49449 [493-52-7]	Methyl Red extrapure AR	25 Gms	250
		100 Gms	1640			100 Gms	950
		500 Gms	8000			1 Kg	9000
97866	Methylene Blue 1% aq. Solution	125 ml	150	40431 [493-52-7]	Methyl Red ACS, ExiPlus, Multi-Compendial	25 Gms	460
		250 ml	250			100 Gms	1090
						1 Kg	9800
77248 [74-88-4]	Methyl Iodide (Iodomethane) extrapure, 99%	100 ml	6670		meets compendial specs of BP, Ph.Eur		
		250 ml	14380	99983 [96-47-9]	2-Methyl Tetrahydrofuran pure, 98%	100 ml	250
64889 [108-11-2]	Methyl Isobutyl Carbinol extrapure, 98%	500 ml	1040			500 ml	1050
15926 [108-10-1]	Methyl Isobutyl Ketone (MIBK) pure, 98%	500 ml	330			2500 ml	4400
		2500 ml	1400			25 Ltr	41000
		25 Ltr	13000				
61929 [108-10-1]	Methyl Isobutyl Ketone (MIBK) extrapure AR, 99.5%	500 ml	390	37689 [8004-87-3]	Methyl Violet	25 Gms	220
		2500 ml	1700			100 Gms	520
		25 Ltr	15000	90121 [55-55-0]	Metol extrapure, 99% (4-Methylaminophenol Sulphate)	100 Gms	980
				500 Gms	4200		
10416 [108-10-1]	Methyl Isobutyl Ketone (MIBK) for UV spectroscopy, 99.5%	500 ml	1220	32198 [1319-77-3]	Mixed Cresol (Mixture of Ortho, Meta & Para Cresol)	500 ml	750
13077 [563-80-4]	Methyl Isopropyl Ketone (MIPK) pure, 98% (3-Methyl-2-Butanone, Isopropyl Methyl Ketone, Methyl Isopropyl Ketone)	250 ml	1850			2500 ml	3500
		1000 ml	7200	98254 [308080-99-1]	Molecular Sieve 3A (0.3nm) (1.6-3mm Beads)	250 Gms	550
						1 Kg	1530
						5 Kg	6110
72387 [109-02-4]	4-Methyl Morpholine pure, 99% (N-Methyl Morpholine)	250 ml	500	72866 [70955-01-0]	Molecular Sieve 4A (0.4nm) (1.6-3mm Beads)	250 Gms	550
		500 ml	880			1 Kg	1530
70280 [547-58-0]	Methyl Orange	25 Gms	210			5 Kg	6110
		100 Gms	570	75690 [70955-01-0]	Molecular Sieve 5A (0.5nm) (1.6-3mm Beads)	250 Gms	600
		1 Kg	4800			1 Kg	1640
						5 Kg	6540
51369 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) extrapure, 99.5%	500 ml	800	27764 [63231-69-6]	Molecular Sieve 13X (2-4mm Beads)	250 Gms	550
		2500 ml	3400			1 Kg	1530
86263 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) extrapure AR, 99.5%	500 ml	850			5 Kg	6110
		2500 ml	3600	38717	Molybdenum AAS Standard Solution in 0.5N H2SO4 (Traceable to NIST)	100 ml	1600
11118 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	900			250 ml	2600
		2500 ml	3700	31444 [1313-27-5]	Molybdenum Trioxide extrapure, 99.5%	100 Gms	2100
						250 Gms	5000
25903 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) GC-HS, 99.9%	250 ml	900			500 Gms	9800
		500 ml	1200	72615 [1313-27-5]	Molybdenum Trioxide extrapure AR, ACS, 99.5%	100 Gms	2300
		1000 ml	2200			250 Gms	5250
						500 Gms	10300
10331 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) for HPLC, 99.5%	1000 ml	2000	49664 [7782-91-4]	Molybdic Acid pure, 85%	100 Gms	1620
90214 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) VLSI Semiconductor Grade, 99.5%	1000 ml	7500			250 Gms	3900
		2500 ml	15500			500 Gms	7500
89975 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) for molecular biology, 99.5%	250 ml	760	98466 [7782-91-4]	Molybdic Acid extrapure AR, 85%	100 Gms	1750
44055 [99-76-3]	Methyl-4-Hydroxybenzoate (Methyl Paraben) ExiPlus, Multi-Compendial, 98-102%	500 Gms	1300			250 Gms	4200
		5 Kg	12000			500 Gms	8000
				71772 [7782-91-4]	Molybdic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 85%	100 Gms	2020
60905 [5026-62-0]	Methyl-4-Hydroxybenzoate Sodium Salt (Methyl Paraben Sodium) ExiPlus, Multi-Compendial, 95-102%	500 Gms	1190			250 Gms	4350
		5 Kg	11520			500 Gms	8500



Code	Name	Packing	Price	Code	Name	Packing	Price
44630 [110-91-8]	Morpholine extrapure, 99%	500 ml	620	86079	Neissers Stain A (Methylene Blue)	125 ml	200
		2500 ml	2910			125 ml	210
		25 Ltr	22070			125 ml	200
96740 [110-91-8]	Morpholine extrapure AR, 99.5%	250 ml	370	36248 [553-24-2]	Neutral Red (High Purity), 85%	10 Gms	950
		500 ml	710			25 Gms	2150
11287 [110-91-8]	Morpholine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml	1090			100 Gms	8200
98293 [3051-09-0]	Murexide (Ammonium Purpurate) extrapure AR, 98%	5 Gms	260	90691 [553-24-2]	Neutral Red extrapure AR, 60% (C.I. No. 50040)	10 Gms	500
		25 Gms	980			25 Gms	1100
		100 Gms	3730			100 Gms	3600
		500 Gms	16490				
99571 [3051-09-0]	Murexide (Ammonium Purpurate) extrapure AR, ACS, ExiPlus, Multi-Compendial, 98%	5 Gms	310	18559 [553-24-2]	Neutral Red (High Purity) ACS, ExiPlus, Multi-Compendial, 85% meets compendial specs of BP	10 Gms	1000
		25 Gms	1090			25 Gms	2300
		100 Gms	3910	73342 [12635-27-7]	Nickel Aluminium Alloy powder, 50% Ni, 50% Al	100 Gms	750
		500 Gms	18070			500 Gms	3000
13280 [91-20-3]	Naphthalene extrapure AR, ExiPlus, Multi-Compendial, 99.5%	500 Gms	420	48615	Nickel AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	100 ml	1600
		1 Kg	700			250 ml	2600
26320 [91-20-3]	Naphthalene scintillation grade, 99%	500 Gms	550	42591 [6018-89-9]	Nickel (II) Acetate Tetrahydrate pure, 98% (Nickelous Acetate Tetrahydrate)	100 Gms	740
		1 Kg	900			500 Gms	3000
89740 [86-87-3]	Naphthalene-1-Acetic Acid (NAA) extrapure, 99% (1-Naphthylacetic Acid)	25 Gms	210	66489 [958638-02-3]	Nickel (II) Carbonate Basic Hydrate extrapure, 44-47% Ni (Nickelous Carbonate Hydroxide Hydrate, Nickel Hydroxide Carbonate Hydrate)	500 Gms	4940
		100 Gms	640				
		500 Gms	2830				
75928 [86-87-3]	Naphthalene-1-Acetic Acid (NAA) for tissue culture, 99% (1-Naphthylacetic Acid)	25 Gms	260	58481 [12607-70-4, 39430-27-8]	Nickel (II) Carbonate Basic Tetrahydrate extrapure, 44-47% Ni (Nickelous Carbonate Hydroxide Tetrahydrate, Nickel Hydroxide Carbonate Tetrahydrate)	500 Gms	2880
		100 Gms	700			5 Kg	26700
		500 Gms	3270				
84226 [90-15-3]	a-Naphthol pure, 99%	100 Gms	300	84421 [7791-20-0]	Nickel (II) Chloride Hexahydrate pure, 98% (Nickelous Chloride Hexahydrate)	500 Gms	2100
		500 Gms	1100			5 Kg	19900
36309 [90-15-3]	a-Naphthol extrapure AR, 99.5%	25 Gms	210	27303 [7791-20-0]	Nickel (II) Chloride Hexahydrate extrapure AR, 99% (Nickelous Chloride Hexahydrate)	100 Gms	500
		100 Gms	520			500 Gms	2200
		500 Gms	2000				
30585 [90-15-3]	a-Naphthol extrapure AR, ExiPlus, Multi-Compendial, 99.5%	100 Gms	620	10081 [7791-20-0]	Nickel (II) Chloride Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Nickelous Chloride Hexahydrate) meets compendial specs of BP	100 Gms	580
		500 Gms	2200			500 Gms	2500
	meets compendial specs of USP, BP, Ph.Eur						
76018 [135-19-3]	b-Naphthol pure, 99%	500 Gms	500	75546 [7440-02-0]	Nickel Metal powder extrapure, 99.5%, ~100 mesh	100 Gms	1210
						500 Gms	4680
74770 [135-19-3]	β-Naphthol extrapure AR, 99%	100 Gms	320	57709 [13478-00-7]	Nickel (II) Nitrate Hexahydrate pure, 98% (Nickelous Nitrate Hexahydrate)	500 Gms	1600
		500 Gms	1200				
19261 [135-19-3]	b-Naphthol extrapure AR, ExiPlus, Multi-Compendial, 99%	100 Gms	370	30795 [13478-00-7]	Nickel (II) Nitrate Hexahydrate extrapure AR, 99% (Nickelous Nitrate Hexahydrate)	250 Gms	1020
		500 Gms	1400			500 Gms	1850
	meets compendial specs of USP, BP, Ph.Eur			33568 [13478-00-7]	Nickel (II) Nitrate Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Nickelous Nitrate Hexahydrate) meets compendial specs of Ph. Eur	250 Gms	1150
						500 Gms	2000
77807 [145-50-6]	1-Naphtholbenzein extrapure (a-Naphtholbenzein, p-naphtholbenzein, 4,4'-(a-Hydroxybenzylidene)di-1-naphthol)	5 Gms	850	49487 [1313-99-1]	Nickel (II) Oxide pure, 77% Ni (Nickel Monoxide)	100 Gms	1800
		25 Gms	3800			500 Gms	8000



Code	Name	Packing	Price	Code	Name	Packing	Price
12125 [10101-98-1]	Nickel (II) Sulphate Heptahydrate pure, 98% (Nickelous Sulphate Heptahydrate)	500 Gms 5 Kg	1150 11000	75010 [98-95-3]	Nitrobenzene extrapure AR, 99%	500 ml 2500 ml	380 1700
93377 [10101-98-1]	Nickel (II) Sulphate Heptahydrate extrapure AR, 99% (Nickelous Sulphate Heptahydrate)	500 Gms 5 Kg	1250 12000	40208 [98-95-3]	Nitrobenzene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 ml 2500 ml	440 1900
48105 [10101-98-1]	Nickel (II) Sulphate Heptahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Nickelous Sulphate Heptahydrate) meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	780 1350	20509 [75-52-5]	Nitromethane ACS, 98% (Nitrocarbol, Nitroparaffin)	500 ml 1000 ml 2500 ml	1060 1870 4360
61397 [10101-97-0]	Nickel (II) Sulphate Hexahydrate ACS, 99% (Nickelous Sulphate Heptahydrate)	100 Gms 500 Gms 5 Kg	800 3500 34000	50337 [100-02-7]	p-Nitrophenol pure, 98% (4-Nitrophenol)	100 Gms 500 Gms	290 950
86097 [59-67-6]	Nicotinic Acid (Pyridine-3-Carboxylic Acid) pure, 99% (3-Picolinic Acid, Niacin, Vitamin B3)	100 Gms 500 Gms	420 1250	25170 [100-02-7]	p-Nitrophenol (High Purity) extrapure AR, 99.5%	25 Gms 100 Gms 500 Gms	420 1190 5240
67066 [8005-03-6]	Nigrosin (water soluble)	100 Gms 500 Gms	520 2400	59687 [100-02-7]	p-Nitrophenol (High Purity) extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	25 Gms 100 Gms	480 1310
75529 [11099-03-9]	Nigrosin (alcohol soluble)	100 Gms 500 Gms	530 2500	49301 [100-02-7]	p-Nitrophenol for Spectrophotometry, 99.5% (4-Nitrophenol)	5 Gms 25 Gms	1870 4740
71131	Nigrosin 10% w/v Solution	100 ml	200	54373 [35192-74-6]	Nonane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 98% (Sodium 1-Nonanesulfonate)	5 Gms 25 Gms	2500 11000
36317 [2381-85-3]	Nile Blue Chloride	25 Gms 100 Gms	1100 5000	67956 [5324-84-5]	Octane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms 100 Gms 250 Gms	1200 4360 10690
62887 [3625-57-8]	Nile Blue Sulphate	10 Gms 25 Gms 100 Gms	810 1640 6000	72554 [207596-29-0]	Octane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms 100 Gms 250 Gms	1200 4360 10690
47353 [7385-67-3]	Nile Red (Nile Blue A Oxazone)	100 Mg 1 Gms 5 Gms	3000 16000 30000	38732 [111-87-5]	1-Octanol (1-Octyl Alcohol) pure, 99% (n-Octanol, n-Octyl Alcohol)	500 ml 2500 ml	750 3500
55058 [485-47-2]	Ninhydrin extrapure AR, 99%	10 Gms 25 Gms 100 Gms	700 1600 6200	40334 [111-87-5]	1-Octanol (1-Octyl Alcohol) for HPLC & UV Spectroscopy, 99% (n-Octanol, n-Octyl Alcohol)	500 ml 1000 ml	2000 3800
93940 [485-47-2]	Ninhydrin extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	10 Gms 25 Gms 100 Gms	740 1700 6500	52761 [142-31-4]	Octyl Sulphate Sodium Salt for HPLC, 99% (Sodium Octyl Sulphate, SOS)	5 Gms 25 Gms	2330 9880
48081 [139-13-9]	Nitilotriacetic Acid (NTA) extrapure AR, ACS, 99% (N,N-Bis(carboxymethyl)glycine, Tris(carboxymethyl)amine)	100 Gms 500 Gms	300 1100	87572 [112-80-1]	Oleic Acid pure, 65% (cis-9-Octadecenoic acid, Elainic acid)	500 ml 2500 ml	490 1990
15319 [88-74-4]	o-Nitroaniline extrapure, 99%	250 Gms	740	28460 [112-80-1]	Oleic Acid Reference Standard, 99%(GC)	1 Gms 5 Gms 25 Gms	1200 3000 11000
34003 [99-09-2]	m-Nitroaniline extrapure, 99%	250 Gms	1750	55081 [112-80-1]	Oleic Acid extrapure, 98% (cis-9-Octadecenoic acid, Elainic acid)	25 ml 100 ml	3000 5500
99409 [100-01-6]	p-Nitroaniline extrapure, 98%	250 Gms	670	87519 [112-90-3]	Oleylamine pure, 95% (cis-9-Octadecenylamine)	250 ml 1000 ml 2500 ml	390 1450 3300
69114 [100-01-6]	p-Nitroaniline (High Purity) extrapure AR, 99.5%	25 Gms 100 Gms	340 880	79576 [8001-25-0]	Olive Oil	100 ml 250 ml 500 ml	500 900 1500
55410 [98-95-3]	Nitrobenzene pure, 98%	500 ml 2500 ml	340 1500				



Code	Name	Packing	Price	Code	Name	Packing	Price
13756 [1936-15-8]	Orange G	25 Gms 100 Gms	260 810	92345 [7440-05-3]	Palladium 5% On Asbestos	1 Gms 10 Gms	2640 12000
66366 [504-15-4]	Orcinol Anhydrous extrapure (3,5-dihydroxytoluene), 99%	5 Gms 25 Gms 100 Gms	1640 4120 10280	57033 [7440-05-3]	Palladium 10% On Asbestos	1 Gms 10 Gms	3360 21600
49330 [6153-39-5]	Orcinol Monohydrate extrapure (3,5-dihydroxytoluene monohydrate), 99%	10 Gms 25 Gms 100 Gms	970 2300 7140	44002 [7440-05-3]	Palladium 5% On Activated Carbon	1 Gms 10 Gms 50 Gms	2000 9500 38000
36916 [6153-39-5]	Orcinol Monohydrate ExiPlus, Multi-Compendial (3,5-dihydroxytoluene monohydrate), 99% meets compendial specs of USP, BP	10 Gms 25 Gms 100 Gms	1190 2670 7620	45685 [7440-05-3]	Palladium 5% On Activated Carbon (50% wet)	1 Gms 10 Gms 50 Gms	1100 4750 19000
36678 [7664-38-2]	Orthophosphoric Acid extrapure, 85% (Phosphoric Acid)	500 ml 2500 ml 20 Ltr	500 2000 15000	52944 [7440-05-3]	Palladium 10% On Activated Carbon	1 Gms 10 Gms 50 Gms	2500 18000 75000
50056 [7664-38-2]	Orthophosphoric Acid extrapure AR, ACS, 85% (Phosphoric Acid)	500 ml 2500 ml	570 2300	46494 [7440-05-3]	Palladium 10% On Activated Carbon (50% wet)	1 Gms 10 Gms 50 Gms	1450 9000 37500
38048 [7664-38-2]	Orthophosphoric Acid for HPLC & UV Spectroscopy, 85%	250 ml 500 ml 1000 ml	1350 2400 4400	40822 [7440-05-3]	Palladium 10% on Calcium Carbonate	1 Gms 5 Gms	2400 8000
83577 [20816-12-0]	Osmic Acid extrapure, 99%	1 Gms	7000	32049 [1314-08-5]	Palladium (II) Oxide pure, 85% Pd (Palladium Monoxide)	250 Mg 1 Gms	4500 16000
40510 [6153-56-6]	Oxalic Acid extrapure AR, 99.5%	500 Gms 5 Kg	380 3500	81249 [13566-03-5]	Palladium (II) Sulphate extrapure, 99%	250 Mg 1 Gms	2600 8500
72425 [6153-56-6]	Oxalic Acid Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	430 4000	18211 [8012-95-1, 8042-47-5]	Paraffin Liquid Light (Mineral Oil Light) extrapure, 25-80mPas	500 ml 2500 ml 25 Ltr	270 1150 10500
64056 [3375-31-3]	Palladium (II) Acetate (Palladium Diacetate) extrapure, 99%, 47% Pd	250 Mg 1 Gms 5 Gms 25 Gms	3600 8500 42000 200000	79167 [8012-95-1, 8042-47-5]	Paraffin Liquid Heavy (Mineral Oil Heavy) extrapure, 110-230mPas	500 ml 2500 ml 25 Ltr	300 1300 12500
59548 [14024-61-4]	Palladium (II) Acetylacetonate (Pd(acac)₂) extrapure, 34.7% Pd (Bis(2,4-Pentanedionato) Palladium(II), Bis(Acetylacetonato) Palladium(II))	250 Mg 1 Gms 5 Gms	3000 10200 45000	86715 [8002-74-2]	Paraffin Wax Cubes (Type 1 - 56-58) extrapure	500 Gms 1 Kg	430 790
69263	Palladium AAS Standard Solution in 0.5N HCl (Traceable to NIST)	100 ml 250 ml	3200 5300	47994 [8002-74-2]	Paraffin Wax Pellets (Type 2 - 58-60) extrapure	500 Gms 1 Kg	430 790
33080 [7647-10-1]	Palladium (II) Chloride pure, 99%, 59-60% Pd (Palladium Dichloride)	250 Mg 1 Gms 5 Gms 25 Gms	3500 8500 38000 160000	84381 [8002-74-2]	Paraffin Wax Pellets (Type 3 - 60-62) extrapure	500 Gms 1 Kg	430 790
96917 [7647-10-1]	Palladium (II) Chloride ACS, ExiPlus, Multi-Compendial, 99%, 59-60% Pd (Palladium Dichloride) meets compendial specs of USP, BP	250 Mg 1 Gms 5 Gms 25 Gms	3800 9250 40000 172000	74193 [8002-74-2]	Paraffin Wax White Soft pure (Petroleum Jelly White)	100 Gms 500 Gms	180 440
19694 [32916-07-7]	Palladium (II) Nitrate Dihydrate extrapure, 99%, 40% Pd (Palladium Dinitrate Dihydrate)	250 Mg 1 Gms 5 Gms	2300 7500 34000	66400 [8002-74-2]	Paraffin Wax w/ Ceresin Blocks, 58-60°C	500 Gms 1 Kg 2 Kg	700 1300 2500
				60536 [8002-74-2]	Paraffin Yellow pure	500 Gms	620
				45057 [9000-69-5]	Pectin pure (Poly-D-Galacturonic Acid Methyl Ester)	100 Gms 500 Gms 1 Kg	820 3300 5600
				96096 [109-66-0]	n-Pentane extrapure, 99%	500 ml 2500 ml 25 Ltr	700 3200 29000
				41730 [109-66-0]	n-Pentane extrapure AR, 99%	500 ml 2500 ml	800 3500



Code	Name	Packing	Price	Code	Name	Packing	Price
94510 [109-66-0]	n-Pentane extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 ml	900	14892 [108-95-2]	✓ Phenol Crystalline extrapure AR, 99.5% (Hydroxybenzene, Carboic Acid)	500 Gms	650
		2500 ml	3700			2.5 Kg	2880
49135 [109-66-0]	n-Pentane for HPLC & UV Spectroscopy, 99%	500 ml	1200	97745 [108-95-2]	✓ Phenol Crystalline extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Hydroxybenzene, Carboic Acid) meets compendial specs of USP, BP	500 Gms	720
		1000 ml	2200			2.5 Kg	3110
47040 [5343-92-0]	1,2-Pentanediol pure, 98% (1,2-Dihydroxypentane)	25 ml	1300	17286 [108-95-2]	ⓘ Phenol Crystalline for molecular biology, 99.5% (Hydroxybenzene, Carboic Acid)	100 Gms	460
		250 ml	7500			500 Gms	1730
18486 [22767-49-3]	Pentane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	1200	47484 [108-95-2]	ⓘ Phenol Equilibrated with 0.1M Citrate Buffer pH 4.5 for molecular biology w/ Stabilizer	100 ml	1080
		100 Gms	4360			500 ml	4350
		250 Gms	10690				
90760 [207605-40-1]	Pentane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms	1200	12692 [108-95-2]	ⓘ Phenol Tris Equilibrated for molecular biology w/ Stabilizer (Hydroxybenzene, Carboic Acid)	60 ml	1400
		100 Gms	4360			100 ml	1900
		250 Gms	10690			500 ml	5000
23283 [7601-90-3]	Perchloric Acid ACS, for Diamond Industry, 70% Suitable fo Diamond Industry	500 ml	2500	78348 [108-95-2]	ⓘ Phenol Tris Equilibrated for molecular biology w/o Stabilizer	100 ml	1900
26312 [10450-60-9]	Periodic Acid extrapure, 99%	25 Gms	950	83275 [108-95-2]	ⓘ Phenol Saturated w/ 10% water for molecular biology (Phenol Liquid w/ 10% water), 90%	100 ml	900
		100 Gms	3200			500 ml	2900
11778 [8032-32-4]	Petroleum Ether 40-60 extrapure	500 ml	400	90179 [77-09-8]	Phenolphthalein extrapure AR, 99%	50 Gms	390
		2500 ml	1600			100 Gms	590
26440 [8032-32-4]	Petroleum Ether 40-60 extrapure AR	500 ml	500	74785 [77-09-8]	Phenolphthalein extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	500 Gms	2830
		2500 ml	1900			100 Gms	710
58415 [8032-32-4]	Petroleum Ether 60-80 pure	500 ml	280	79563 [77-09-8]	Phenolphthalein Indicator 1% Soln in Ethanol	125 ml	200
		2500 ml	950			500 ml	480
		25 Ltr	9000				
36651 [8032-32-4]	Petroleum Ether 60-80 extrapure AR	500 ml	300	90817 [143-74-8]	Phenol Red	25 Gms	620
		2500 ml	1050			100 Gms	2400
15340 [8032-32-4]	Petroleum Ether 60-80 for HPLC & UV Spectroscopy	500 ml	640			500 Gms	11000
		1000 ml	1150				
		2500 ml	2300				
15590 [8032-32-4]	Petroleum Ether 80-100 pure	500 ml	420	68313 [143-74-8]	Phenol Red ACS, ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	25 Gms	700
		2500 ml	1690			100 Gms	2600
		25 Ltr	15500			500 Gms	12000
52226 [8032-32-4]	Petroleum Ether 100-120 extrapure	500 ml	440	59462 [34487-61-1]	Phenol Red Sodium Salt ACS (water soluble), 95% (Phenolsulfonephthalein Sodium Salt)	5 Gms	230
		2500 ml	1600			25 Gms	650
69031 [136112-00-0]	ⓘ Phenol:Chloroform:Isoamyl Alcohol (25:24:1) pH 8.0 for molecular biology	100 ml	1400	40919 [673-06-3]	D-Phenylalanine extrapure CHR, 99%	100 Gms	2480
		250 ml	3200			5 Gms	440
		500 ml	4300			25 Gms	1750
17080	ⓘ Phenol:Chloroform:Isoamyl Alcohol (125:24:1) pH 4.5 for molecular biology	100 ml	2600			100 Gms	6540
		500 ml	8700				
79030	ⓘ Phenol:Chloroform:Isoamyl Alcohol (49.5:49.5:1) pH 6.7 for molecular biology	100 ml	2700	67602 [150-30-1]	DL-Phenylalanine extrapure CHR, 99%	25 Gms	710
		500 ml	9100			100 Gms	2410
36976	ⓘ Phenol:Chloroform: Isoamyl Alcohol (49.5:49.5:1) pH 8.0 for molecular biology	100 ml	2800	85081 [63-91-2]	L-Phenylalanine extrapure CHR, 99%	100 Gms	500
		500 ml	9800			500 Gms	2200
						1 Kg	3800
28104 [108-95-2]	✓ Phenol Crystalline pure, 99% (Hydroxybenzene, Carboic Acid)	500 Gms	580	40170 [63-91-2]	L-Phenylalanine ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	100 Gms	650
		2.5 Kg	2650			500 Gms	2500
		25 Kg	21740			1 Kg	4600



Code	Name	Packing	Price	Code	Name	Packing	Price
64975 [100-63-0]	Phenylhydrazine pure, 98%	100 ml 500 ml 2500 ml	600 2600 13500	41175 [9000-55-9]	Podophyllum Resin pure, 50%	25 Gms 100 Gms	4600 16000
31804 [100-63-0]	Phenylhydrazine extrapure AR, 99%	100 ml 500 ml	1100 5200	79133 [25322-68-3]	Polyethylene Glycol 400 (PEG 400) (Carbowax 400)	500 Gms	500
40555 [59-88-1]	Phenylhydrazine Hydrochloride pure, 99%	100 Gms 250 Gms	760 1710	87919 [25322-68-3]	Polyethylene Glycol 400 (PEG 400) ExiPlus, Multi-Compendial (Carbowax 400) meets compendial specs of BP	500 Gms	590
12109 [59-88-1]	Phenylhydrazine Hydrochloride extrapure AR, 99%	100 Gms 250 Gms	1010 2400	61213 [25322-68-3]	Polyethylene Glycol 3350 (PEG 3350) ExiPlus, Multi-Compendial	500 Gms	820
26892 [59-88-1]	Phenylhydrazine Hydrochloride extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms 250 Gms	1330 3100	30970 [25322-68-3]	Polyethylene Glycol 4000 (PEG 4000)	500 Gms 5 Kg 25 Kg	500 4860 23040
64732 [59-88-1]	Phenylhydrazine Hydrochloride Superior extrapure AR, 99%	5 Gms 100 Gms	900 2360	76937 [25322-68-3]	Polyethylene Glycol 4000 (PEG 4000) ExiPlus, Multi-Compendial meets compendial specs of USP	500 Gms 5 Kg	600 5620
28022 [138-24-9]	Phenyltrimethyl Ammonium Chloride (PTMAC) pure, 97%	100 Gms 500 Gms	620 2810	67429 [25322-68-3]	Polyethylene Glycol 6000 (PEG 6000)	500 Gms 5 Kg	550 4800
82322 [51429-74-4]	Phosphomolybdic Acid extrapure AR, ACS, 99%	25 Gms 100 Gms 500 Gms	1200 3840 16000	26029 [25322-68-3]	Polyethylene Glycol 6000 (PEG 6000) ExiPlus, Multi-Compendial meets compendial specs of USP	500 Gms 5 Kg	650 5670
78861 [13598-36-2]	Phosphorous Acid Crystals (Phosphonic Acid) extrapure, 98% (Orthophosphorous Acid)	500 Gms 2.5 Kg	840 4100	54866 [25322-68-3]	Polyethylene Glycol 8000 (PEG 8000) for molecular biology (Carbowax 8000)	500 Gms 5 Kg	1750 15810
72656 [7723-14-0]	Phosphorus Red pure 97%	500 Gms	2360	94701 [25322-68-3]	Polyethylene Glycol 8000 (PEG 8000) ExiPlus, Multi-Compendial (Carbowax 8000)	500 Gms 5 Kg	760 7130
80653 [12501-23-4]	Phosphotungstic Acid Hydrate extrapure (Tungstophosphoric Acid)	25 Gms 100 Gms 500 Gms	740 2470 10500	64651 [25322-68-3]	Polyethylene Glycol 9000 (PEG 9000) (Carbowax 9000)	500 Gms	1210
57855 [12501-23-4]	Phosphotungstic Acid Hydrate extrapure AR	25 Gms 100 Gms 500 Gms	900 3100 12000	46505 [25322-68-3]	Polyethylene Glycol 9000 (PEG 9000) ExiPlus, Multi-Compendial (Carbowax 9000)	500 Gms	1460
67397 [88-99-3]	Phthalic Acid pure, 99%	500 Gms	750	39569 [25322-68-3]	Polyethylene Glycol 10000 (PEG 10000) (Polyethylene glycol 10000, Polyethylene oxide, Polyoxy ethylene, Carbowax)	500 Gms 5 Kg	2400 22000
32624 [85-44-9]	Phthalic Anhydride pure, 97%	500 Gms 5 Kg	300 2800	75727 [25322-68-3]	Polyethylene Glycol 20000 (PEG 20000)	100 Gms 500 Gms 1 Kg 5 Kg	1500 5000 8500 18000
93665 [85-44-9]	Phthalic Anhydride ACS, 99%	500 Gms 5 Kg	700 6500	33817 [25322-68-3]	Polyethylene Glycol 20000 (PEG 20000) ExiPlus, Multi-Compendial meets compendial specs of USP, BP	100 Gms 500 Gms 1 Kg	1800 5600 9800
44745 [17211-15-3]	Phytic Acid Sodium Salt Hydrate (InsP6) extrapure, 70% (Inositol hexaphosphoric acid dodecasodium salt, myo-Inositol hexakis(dihydrogen phosphate) dodecaco)	5 Gms 25 Gms	3530 15850	41098 [8017-16-1]	Polyphosphoric Acid extrapure, 83-87% P2O5	500 ml 2500 ml	1590 7420
94847 [88-89-1]	Picric Acid moistened with ~30% water extrapure, 99%	100 Gms 500 Gms	370 900	28599 [9005-64-5]	Polysorbate 20 (Tween 20) extrapure	500 Gms 2.5 Kg 5 Kg 25 Kg	850 3710 7000 33350
47998 [88-89-1]	Picric Acid moistened with ~30% water extrapure AR, 99.8%	100 Gms 500 Gms	440 1100	33712 [9005-64-5]	Polysorbate 20 (Tween 20) for tissue culture	500 Gms	1160
16462 [52785-06-5]	Platinum (IV) Oxide Hydrate extrapure, 76-80% Pt Platinum Dioxide Hydrate, Adam's Catalyst	1 Gms 250 Mg	11000 3300				



Code	Name	Packing	Price	Code	Name	Packing	Price
23610 [9005-64-5]	Polysorbate 20 (Tween 20) ExiPlus, Multi-Compendial meets compendial specs of BP	500 Gms	1040	99644 [7758-01-2]	Potassium Bromate pure, 99.5%	500 Gms 5 Kg	1050 10200
65296 [9005-64-5]	Polysorbate 20 (Tween 20) for molecular biology	100 Gms 500 Gms	1580 2550	80823 [7758-02-3]	Potassium Bromide pure, 98.5%	500 Gms 5 Kg	1100 10200
31453 [9005-66-7]	Polysorbate 40 (Tween 40) extrapure	250 Gms 5 Kg	610 9500	66453 [7758-02-3]	Potassium Bromide extrapure AR, 99.5%	500 Gms 5 Kg	1600 15000
62539 [9005-66-7]	Polysorbate 40 (Tween 40) ExiPlus, Multi-Compendial meets compendial specs of USP, BP, Ph.Eur	250 Gms 5 Kg	1090 12500	25707 [7758-02-3]	Potassium Bromide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms 5 Kg	1800 17000
12502 [9005-67-8]	Polysorbate 60 (Tween 60) extrapure	100 Gms 500 Gms 5 Kg	480 1060 8000	13873 [7758-02-3]	Potassium Bromide Powder for IR & FTIR spectroscopy, 99.5%	25 Gms 100 Gms 500 Gms	1200 4270 18000
86878 [9005-67-8]	Polysorbate 60 (Tween 60) ExiPlus, Multi-Compendial meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	1210 9000	87005	Potassium AAS Standard Solution in 0.5N HCl (Traceable to NIST)	100 ml 250 ml	1600 2600
28940 [9005-65-6]	Polysorbate 80 (Tween 80) extrapure	500 Gms 5 Kg 25 Kg	910 6670 30320	93649 [7758-02-3]	Potassium Bromide 0.1M Solution	500 ml 1000 ml	310 560
95188 [9005-65-6]	Polysorbate 80 (Tween 80) ExiPlus, Multi-Compendial meets compendial specs of BP	500 Gms 5 Kg 25 Kg	1050 7890 37590	79982 [7758-02-3]	Potassium Bromide 0.5M Solution	500 ml 1000 ml	330 610
81613 [9003-39-8]	Polyvinylpyrrolidone K25 (Povidone, PVP K-25)	100 Gms 500 Gms 5 Kg	750 2850 24000	29988 [7758-02-3]	Potassium Bromide 1M Solution	500 ml 1000 ml	360 640
41030 [9003-39-8]	Polyvinylpyrrolidone K30 (Povidone, PVP K-30)	100 Gms 500 Gms 5 Kg 25 Kg	650 2300 21000 95000	24794 [298-14-6]	Potassium Bicarbonate extrapure, 99% (Potassium Hydrogen Carbonate)	500 Gms	430
65155 [9003-39-8]	Polyvinylpyrrolidone K30 (Povidone, PVP K-30) ExiPlus, Multi-Compendial meets compendial specs of BP	100 Gms 500 Gms 5 Kg	750 3000 28000	57674 [298-14-6]	Potassium Bicarbonate AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Potassium Hydrogen Carbonate) meets compendial specs of BP	500 Gms	470
24564 [9003-39-8]	Polyvinylpyrrolidone K90 (Povidone, PVP K-90)	100 Gms 500 Gms 5 Kg	1200 3700 28500	87272 [584-08-7]	Potassium Carbonate anhydrous extrapure, 99%	500 Gms 5 Kg	390 3400
44333 [127-08-2]	Potassium Acetate pure, 99%	500 Gms 5 Kg	600 5500	83342 [584-08-7]	Potassium Carbonate anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	500 Gms 5 Kg	450 3890
79156 [127-08-2]	Potassium Acetate extrapure AR, 99%	500 Gms 5 Kg	680 6400	38630 [7447-40-7]	Potassium Chloride ACS, 99.5%	500 Gms 5 Kg 25 Kg	310 2290 10690
40480 [127-08-2]	Potassium Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP	500 Gms 5 Kg	730 6900	50016 [7447-40-7]	Potassium Chloride ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur, USP	500 Gms 5 Kg	340 2620
96248 [127-08-2]	Potassium Acetate for molecular biology, 99.5%	100 Gms 500 Gms	400 1200	84984 [7447-40-7]	Potassium Chloride for molecular biology, 99.5%	500 Gms 1 Kg	900 1370
81955 [127-08-2]	Potassium Acetate for tissue culture, 99.5%	100 Gms 500 Gms	300 900	71088 [7447-40-7]	Potassium Chloride for tissue culture, 99.5%	250 Gms	770
				84390 [7789-00-6]	Potassium Chromate pure, 99%	500 Gms 5 Kg	920 8400
				93448 [7789-00-6]	Potassium Chromate extrapure AR, 99.5%	500 Gms 5 Kg	1000 9000



Code	Name	Packing	Price	Code	Name	Packing	Price
31751 [7789-00-6]	Potassium Chromate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	1110	12914 [14459-95-1]	Potassium Ferrocyanide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, Ph.Eur	500 Gms 5 Kg	950 9000
49890 [6100-05-6]	Potassium Citrate Tribasic Monohydrate extrapure AR, 99%	500 Gms 5 Kg	550 5250	97535 [7789-23-3]	Potassium Fluoride Anhydrous pure, 97%	500 Gms	800
74176 [6100-05-6]	Potassium Citrate Tribasic Monohydrate extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	500 Gms 5 Kg	650 6250	91489 [16921-30-5]	Potassium Hexachloroplatinate (IV) pure, 40% Pt (Platinum Potassium Chloride, Potassium Chloroplatinate)	250 Mg 1 Gms 5 Gms 25 Gms	3000 7000 30000 140000
13250 [7778-50-9]	Potassium Dichromate pure, 99.5%	500 Gms 5 Kg	950 8600	42414 [17084-13-8]	Potassium Hexafluorophosphate extrapure, 99%	25 Gms 100 Gms 500 Gms	800 2000 7000
80233 [7778-50-9]	Potassium Dichromate extrapure AR, 99.9%	500 Gms 5 Kg	1050 9100	40180 [16919-27-0]	Potassium Hexafluorotitanate pure, 98% (Potassium Fluotitanate, Potassium Titanium Fluoride, Dipotassium hexafluorotitanate, Titanium potas)	100 Gms 500 Gms 5 Kg	600 1500 8000
55353 [7778-50-9]	Potassium Dichromate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	1200 9800	37466 [16923-95-8]	Potassium Hexafluorozirconate pure, 97%	100 Gms 500 Gms	1070 2500
52403 [7778-77-0]	Potassium Dihydrogen Orthophosphate pure, 99%	500 Gms 5 Kg 25 Kg	520 4800 22000	39535 [16905-14-9]	Potassium Hexaiodoplatinate (IV) pure, 18-19% Pt	250 Mg 1 Gms	2250 5750
50451 [7778-77-0]	Potassium Dihydrogen Orthophosphate extrapure AR, 99.5%	500 Gms 1 Kg 5 Kg	640 1200 5300	80633 [877-24-7]	Potassium Hydrogen Phthalate extrapure AR, 99.9%	500 Gms	720
78297 [7778-77-0]	Potassium Dihydrogen Orthophosphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 Gms 1 Kg 5 Kg	700 1350 5700	29467 [877-24-7]	Potassium Hydrogen Phthalate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of BP, Ph.Eur	500 Gms	820
54358 [7778-77-0]	Potassium Dihydrogen Orthophosphate for molecular biology, 99.5% (Potassium Phosphate Monobasic)	250 Gms 500 Gms 5 Kg	600 1150 11000	49017 [877-24-7]	Potassium Hydrogen Phthalate for HPLC & UV Spectroscopy, 99.9%	500 Gms	980
30955 [7778-77-0]	Potassium Dihydrogen Orthophosphate for HPLC & UV Spectroscopy, 99.5%	500 Gms 5 Kg	980 9500	65031 [7646-93-7]	Potassium Hydrogen Sulphate (Potassium Bisulphate) pure, 99%	500 Gms 5 Kg	600 5800
32360 [7778-77-0]	Potassium Dihydrogen Orthophosphate for tissue culture, 99.5% (Potassium Phosphate Monobasic)	500 Gms 1 Kg 5 Kg	750 1450 6000	10942 [7646-93-7]	Potassium Hydrogen Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Potassium Bisulphate) meets compendial specs of BP, Ph.Eur	500 Gms	720
77012 [140-89-6]	Potassium Ethyl Xanthate (PEX) extrapure, 98% (O-Ethyl Xanthic Acid Potassium Salt)	100 Gms 500 Gms	1400 5800	76131 [868-14-4]	Potassium Hydrogen Tartrate (Potassium Bitartrate) pure, 99% (Potassium L-Tartrate Monobasic)	500 Gms 5 Kg	850 7900
15766 [13746-66-2]	Potassium Ferricyanide extrapure, 98%	100 Gms 500 Gms 5 Kg	450 1950 18000	84749 [1310-58-3]	Potassium Hydroxide pellets extrapure, 85%	500 Gms 1 Kg 5 Kg	480 850 4100
59558 [13746-66-2]	Potassium Ferricyanide ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, Ph.Eur	250 Gms 500 Gms 5 Kg	1150 2130 19840	78269 [1310-58-3]	Potassium Hydroxide Pellets ACS, 85%	500 Gms 1 Kg 5 Kg	520 1000 4400
32294 [14459-95-1]	Potassium Ferrocyanide extrapure AR, 99%	500 Gms 5 Kg	900 8500	18543 [1310-58-3]	Potassium Hydroxide Pellets ExiPlus, Multi-Compendial, 85% meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	560 4800
				26035 [1310-58-3]	Potassium Hydroxide Powder extrapure, 85%, 80-100 mesh	500 Gms 1 Kg 5 Kg	500 950 4200



Code	Name	Packing	Price	Code	Name	Packing	Price
67864 [7758-05-6]	Potassium Iodate pure, 99.5%	100 Gms	1900	10322 [7727-21-1]	Potassium Persulphate extrapure, 97%	500 Gms	520
		250 Gms	4600			500 Gms	600
		500 Gms	8800			500 Gms	660
11041 [7758-05-6]	Potassium Iodate extrapure AR, 99.9%	100 Gms	2000	48319 [7727-21-1]	Potassium Persulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	660
		250 Gms	4800			500 Gms	600
		500 Gms	9100			500 Gms	600
10809 [7758-05-6]	Potassium Iodate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP, Ph.Eur	100 Gms	2150	90654 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous pure, 99%	500 Gms	600
		250 Gms	5100			5 Kg	5000
		500 Gms	9800			500 Gms	650
78240 [7681-11-0]	Potassium Iodide pure, 99%	25 Gms	650	27387 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous extrapure AR, 99.5%	500 Gms	650
		100 Gms	2450			5 Kg	5500
		250 Gms	5900			500 Gms	700
		500 Gms	11500			5 Kg	6000
27874 [7681-11-0]	Potassium Iodide ACS, 99.8%	25 Gms	700	31964 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	500 Gms	1200
		100 Gms	2550			500 Gms	670
		250 Gms	6200			5 Kg	5700
		500 Gms	12250			500 Gms	1200
97028 [7681-11-0]	Potassium Iodide ExiPlus, Multi-Compendial, 99.8% meets compendial specs of USP, BP	25 Gms	725	41295 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous for HPLC, 99.5%	500 Gms	1200
		100 Gms	2750			500 Gms	670
		250 Gms	6700			5 Kg	5700
		500 Gms	13000			500 Gms	1200
11677 [7681-11-0]	Potassium Iodide 0.1M Solution	500 ml	500	15914 [7778-53-2]	Potassium Phosphate Tribasic Anhydrous extrapure AR, ACS, 98% (Tripotassium Phosphate)	100 Gms	660
		1000 ml	900			500 Gms	3000
74567 [7681-11-0]	Potassium Iodide 1M Solution	500 ml	2000	37423 [12208-13-8]	Potassium Pyroantimonate extrapure, 98% (Potassium Hexahydroxoantimonate(V), Potassium Antimonate Trihydrate)	100 Gms	800
		1000 ml	3900			500 Gms	3500
26645 [7681-11-0]	Potassium Iodide 3M Solution	500 ml	6000	94527 [12208-13-8]	Potassium Pyroantimonate extrapure AR, 99% (Potassium Hexahydroxoantimonate(V), Potassium Antimonate Trihydrate)	500 Gms	950
		1000 ml	11500			500 Gms	950
93842 [4429-42-9]	Potassium Metabisulphite pure, 95%	500 Gms	450	50862 [7320-34-5]	Potassium Pyrophosphate extrapure, 98% Tetra Potassium Pyrophosphate, Potassium diphosphate tetrabasic, Tetrapotassium diphosphate, Potassi	500 Gms	1800
		5 Kg	4250			500 Gms	6500
13413 [7790-21-8]	Potassium Periodate extrapure AR, 99.8%	100 Gms	2420	53158 [7790-62-7]	Potassium Pyrosulphate (Potassium Disulfate) extrapure, 97.5%	100 Gms	1800
		500 Gms	11500			500 Gms	6500
86742 [7790-21-8]	Potassium Periodate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8% meets compendial specs of USP, BP, Ph.Eur	100 Gms	2650	86344 [7492-30-0]	Potassium Ricinoleate extrapure (Ricinoleic Acid Potassium Salt, Potassium Ricinolate)	500 Gms	950
		500 Gms	12650			5 Kg	9000
77407 [6487-48-5]	Potassium Oxalate Monohydrate pure, 99%	500 Gms	640	44277 [7778-80-5]	Potassium Sulphate extrapure, 99%	500 Gms	420
		5 Kg	6000			5 Kg	3400
40707 [6487-48-5]	Potassium Oxalate Monohydrate extrapure AR, ACS, 99.5%	500 Gms	740	52182 [7778-80-5]	Potassium Sulphate for tissue culture, 99%	500 Gms	550
		5 Kg	7000			500 Gms	460
36903 [7722-64-7]	Potassium Permanganate extrapure, 99%	500 Gms	670	26253 [7778-80-5]	Potassium Sulphate extrapure AR, 99.5%	500 Gms	4200
		5 Kg	5240			5 Kg	4200
51470 [7722-64-7]	Potassium Permanganate extrapure AR, 99.5%	500 Gms	730	73900 [7778-80-5]	Potassium Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	500
		5 Kg	6330			5 Kg	4500
26500 [7722-64-7]	Potassium Permanganate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	790	66691 [7790-58-1]	Potassium Tellurite Anhydrous extrapure, 98% (Dipotassium Tellurite, Potassium Tellurate, Potassium Tellurium Oxide)	10 Gms	1800
		5 Kg	6540			25 Gms	3600
		500 Gms	6540			100 Gms	14500



Code	Name	Packing	Price	Code	Name	Packing	Price		
35889 [123333-66-4]	Potassium Tellurite Monohydrate extrapure, 90% (Potassium Tellurate (IV) Hydrate, Dipotassium Tellurite Monohydrate)	10 Gms	1400	85994 [71-23-8]	n-Propanol Dried, 99.5%, 0.005% water (1-Propanol)	1000 ml	1200		
		25 Gms	2600			52111 [123-38-6]	Propionaldehyde (Propanal) pure, 97%	500 ml	390
		100 Gms	9000					2500 ml	2000
16273 [10025-99-7]	Potassium Tetrachloroplatinate (II) pure, 47% Pt (Potassium Platinum (II) Chloride)	250 Mg	3120	12931 [79-09-4]	Propionic Acid extrapure, C3-99% (GC)	500 ml	340		
		1 Gms	9600			2500 ml	1600		
		5 Gms	45600	43883 [79-09-4]	Propionic Acid extrapure AR, C3-99.5% (GC)	500 ml	380		
500 Gms	900	2500 ml	1800						
34570 [14484-69-6]	Potassium Tetrafluoroaluminate pure, 98% (Potassium Aluminium Fluoride, PAF)	5 Kg	7200	42263 [79-09-4]	Propionic Acid extrapure AR, ACS, ExiPlus, Multi-Compndial, C3-99.5% (GC) meets compendial specs of USP, BP, Ph.Eur	500 ml	410		
		250 Gms	250			2500 ml	2000		
99928 [14075-53-7]	Potassium Tetrafluoroborate pure, 98% (Potassium Fluoroborate, Potassium Fluoborate, Potassium Borofluoride)	1 Kg	900	52810 [123-62-6]	Propionic Anhydride extrapure, 98%	500 ml	900		
		250 Gms	250			2500 ml	4250		
48218 [333-20-0]	Potassium Thiocyanate pure, 97%	500 Gms	780	21587 [79-03-8]	Propionyl Chloride extrapure, 99%	100 ml	280		
		500 Gms	920			500 ml	820		
41027 [333-20-0]	Potassium Thiocyanate extrapure AR, 99%	500 Gms	1150	85159 [79-03-8]	Propionyl Chloride extrapure AR (Specially purified), 99.5%	500 ml	1200		
		500 Gms	360			28849 [107-10-8]	n-Propylamine pure, 99%	500 ml	550
59115 [333-20-0]	Potassium Thiocyanate extrapure AR, ACS, ExiPlus, Multi-Compndial, 99% meets compendial specs of USP, Ph.Eur	500 Gms	3150	30754 [57-55-6]	Propylene Glycol (1,2-Propanediol) pure, 99%			500 ml	400
		500 Gms	4840			2500 ml	1850		
69285 [9005-25-8]	Potato Starch pure	5 Kg	3150	25 Ltr	17000	53054 [57-55-6]	Propylene Glycol (1,2-Propanediol) extrapure AR, 99.5%		
		500 Gms	360	500 ml	460				
95365 [344-25-2]	D-Proline extrapure CHR, 99%	5 Gms	1500	95961 [57-55-6]	Propylene Glycol (1,2-Propanediol) extrapure AR, ACS, ExiPlus, Multi-Compndial, 99.5% meets compendial specs of USP, BP, Ph.Eur	2500 ml	2100		
		25 Gms	4840			500 ml	500		
35139 [147-85-3]	L-Proline extrapure CHR, 99%	25 Gms	300	40011 [121-79-9]	Propyl Gallate extrapure, 98%	100 Gms	1090		
		100 Gms	750			500 Gms	4260		
		1 Kg	6500			47638 [121-79-9]	Propyl Gallate IP	1 Kg	8000
		5 Kg	30000					5 Kg	37500
56073 [147-85-3]	L-Proline for tissue culture, 99%	25 Gms	350	14086 [121-79-9]	Propyl Gallate BP	1 Kg	8000		
		100 Gms	900			5 Kg	37500		
96877 [147-85-3]	L-Proline ExiPlus, Multi-Compndial, 99% meets compendial specs of BP, Ph.Eur	1 Kg	8000	16067 [121-79-9]	Propyl Gallate NF	1 Kg	9200		
		5 Kg	36420			5 Kg	42500		
61988 [147-85-3]	Proline BP (L-Proline BP)	1 Kg	8000	53898 [94-13-3]	Propyl-4-Hydroxybenzoate (Propyl Paraben) ExiPlus, Multi-Compndial, 98-102% meets compendial specs of USP, BP	500 Gms	1340		
		5 Kg	37500			5 Kg	11890		
		25 Kg	175000			52950 [35285-69-9]	Propyl-4-Hydroxybenzoate Sodium Salt (Propyl Paraben Sodium) ExiPlus, Multi-Compndial, 94-102% meets compendial specs of USP, BP	500 Gms	1400
68128 [147-85-3]	L-Proline USP	1 Kg	9200	5 Kg	12500				
		5 Kg	42500	39236 [71-23-8]	n-Propanol pure, 99%	2500 ml	1200		
25 Kg	200000	500 ml	330						
24501 [71-23-8]	n-Propanol extrapure AR, 99.5%	500 ml	330	53790 [71-23-8]	n-Propanol extrapure AR, ACS, ExiPlus, Multi-Compndial, 99.5% meets compendial specs of BP, Ph.Eur	500 ml	360		
		2500 ml	1300			2500 ml	1500		
42328 [71-23-8]	n-Propanol GC-HS (1-propanol), 99.9%	250 ml	420	45909 [71-23-8]	n-Propanol for HPLC, 99.8%	1000 ml	1400		
		1000 ml	1400			1000 ml	1600		



Code	Name	Packing	Price	Code	Name	Packing	Price
61808 [110-86-1]	Pyridine extrapure, 99%	250 ml	450	62657 [69-72-7]	Salicylic Acid ACS, 99.9%	500 Gms	850
		500 ml	850			2.5 Kg	4100
		2500 ml	4000				
51952 [110-86-1]	Pyridine Dried, 99.5%, water 0.01%	500 ml	1300	16448 [69-72-7]	Salicylic Acid ACS, ExiPlus, Multi-Compendial, 99.9%	500 Gms	900
83329 [110-86-1]	Pyridine for HPLC & UV Spectroscopy, 99.5%	500 ml	1200	27769	Selenium AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	5 Kg	4500
		1000 ml	2180			100 ml	1600
75453 [110-86-1]	Pyridine (For Karl Fischer Titration), 99.5%	500 ml	1050	52228	Seralite SRA-400, Strong Basic Anion Exchange Resin (equivalent to Amberlite IRA-400, Indion FFIP Anion Resin)	250 ml	2600
92665 [110-86-1]	Pyridine AR, ACS, ExiPlus, Multi-Compendial, 99.5%	250 ml	520			500 Gms	850
		500 ml	970	5 Kg	7800		
		2500 ml	4300				
	meets compendial specs of USP, BP, Ph.Eur			14891	Seralite SRC-120, Strong Acid Cation Exchange Resin (equivalent to Amberlite IRC-120, Indion 225H Cation Resin)	500 Gms	550
48918 [26299-14-9]	Pyridinium Chlorochromate (PCC) extrapure, 98%	25 Gms	500	89830	Seralite Resin WRC-50, Weak Acid Cation Exchange Resin (equivalent to Amberlite IRC-50, Indion 236 Resin)	5 Kg	5000
		100 Gms	1350			500 Gms	700
		500 Gms	5990			5 Kg	6500
13584 [20039-37-6]	Pyridinium Dichromate (Cornforth Reagent, PDC) extrapure, 98%	25 Gms	740	53457 [312-84-5]	D-Serine extrapure, 99%	25 Gms	800
		100 Gms	2020			100 Gms	3000
		500 Gms	8860			500 Gms	10000
71646 [87-66-1]	Pyrogallol extrapure AR, 99%	100 Gms	1500	24425 [302-84-1]	DL-Serine extrapure CHR, 99%	25 Gms	600
		500 Gms	6500			100 Gms	2000
						500 Gms	9000
30205 [87-66-1]	Pyrogallol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	100 Gms	1650	84131 [56-45-1]	L-Serine extrapure CHR, 99%	25 Gms	500
		500 Gms	6800			100 Gms	1500
	meets compendial specs of USP, BP, Ph.Eur					500 Gms	6500
58050 [81-88-9]	Rhodamine B (Tetraethylrhodamine, Violet 10)	25 Gms	240	63503 [56-45-1]	L-Serine for tissue culture, 99%	25 Gms	600
		100 Gms	870			100 Gms	1600
						500 Gms	7200
20707 [7791-11-9]	Rubidium (I) Chloride ultrapure, 99.5%	5 Gms	3600	84494 [56-45-1]	L-Serine ExiPlus, Multi-Compendial, 99%	25 Gms	820
		25 Gms	17000			100 Gms	2400
						1 Kg	16000
75420 [7440-18-8]	Ruthenium Metal Powder, 99.9%	1 Gms	9530		meets compendial specs of BP		
60633 [11103-72-3]	Ruthenium Red Tetrahydrate	1 Gms	5760	85148 [112926-00-8]	Silica Gel Blue (Self Indicating) (Coarse), 5-8 mesh	500 Gms	530
		5 Gms	27600			5 Kg	4990
75268 [14898-67-0]	Ruthenium (III) Trichloride Hydrate pure, 38-40% Ru	1 Gms	4500	84210 [112945-52-5]	Silica Gel Fumed 200 (Hydrophilic) (Silicon Dioxide amorphous, Aerosil 200)	100 Gms	470
		5 Gms	20000			250 Gms	990
						2.5 Kg	6600
77862 [90-02-8]	Salicylaldehyde pure, 99% (2-Hydroxybenzaldehyde, o-Hydroxybenzaldehyde)	100 ml	730	71548 [112926-00-8]	Silica Gel Orange (Self Indicating), 2-5mm	500 Gms	600
		250 ml	1640			5 Kg	5800
		1000 ml	6000				
24922 [90-02-8]	Salicylaldehyde extrapure AR, 99.5% (2-Hydroxybenzaldehyde, o-Hydroxybenzaldehyde)	100 ml	1070	65856 [112926-00-8]	Silica Gel 60-120 mesh	500 Gms	470
		500 ml	3600			5 Kg	4380
						25 Kg	20580
63504 [90-02-8]	Salicylaldehyde extrapure AR, ExiPlus, Multi-Compendial, 99.5% (2-Hydroxybenzaldehyde, o-Hydroxybenzaldehyde)	100 ml	990	40449 [112926-00-8]	Silica Gel 60-200 mesh	500 Gms	560
		250 ml	2080			5 Kg	5010
		500 ml	4150				
	meets compendial specs of Ph.Eur			95178 [112926-00-8]	Silica Gel 100-200 mesh	500 Gms	470
11453 [69-72-7]	Salicylic Acid pure, 99%	500 Gms	650			5 Kg	4380
		5 Kg	6200			25 Kg	20580
		25 Kg	30000				
				63025 [112926-00-8]	Silica Gel 200-400 mesh	500 Gms	560
						5 Kg	5230
						25 Kg	25030



Code	Name	Packing	Price	Code	Name	Packing	Price		
96671 [112926-00-8]	Silica Gel 230-400 mesh	500 Gms	620	91233 [7761-88-8]	Silver Nitrate for tissue culture, 99.5%	10 Gms	2400		
		5 Kg	5900			25 Gms	5600		
		25 Kg	27810						
36834 [112926-00-8]	Silica Gel 400-700 mesh	500 Gms	790	94118 [7761-88-8]	Silver Nitrate ACS, 99.9%	10 Gms	2100		
		1 Kg	1460			25 Gms	4900		
51849 [112926-00-8]	Silica Gel G for TLC, 325mesh, w/ CaSO ₄	500 Gms	540			100 Gms	19500		
		5 Kg	4900			500 Gms	95000		
		25 Kg	23370						
52797 [112926-00-8]	Silica Gel H for TLC, 325mesh, w/o CaSO ₄	500 Gms	540	96045 [7761-88-8]	Silver Nitrate ExiPlus, Multi-Compendial, 99.9%	25 Gms	5200		
		5 Kg	4900			100 Gms	20500		
		25 Kg	23370			500 Gms	99000		
38062 [112926-00-8]	Silica Gel GF254 for TLC, 325mesh, w/ Fluorescent Indicator w/ CaSO ₄	500 Gms	3900	meets compendial specs of USP, BP					
		5 Kg	38000	51535 [7761-88-8]	Silver Nitrate 0.1N Solution	500 ml	2200		
				1000 ml	4000				
29774 [112926-00-8]	Silica Gel HF254 for TLC, 325mesh, w/ Fluorescent Indicator w/o CaSO ₄	500 Gms	3900	2500 ml	8500	54023 [7761-88-8]	Silver Nitrate 0.02N Solution	500 ml	970
		5 Kg	38000	1000 ml	1780				
81618	Silicon Antifoaming Agent 30% (Non-ionic)	100 ml	350	47262 [7761-88-8]	Silver Nitrate 0.05N Solution	500 ml	1250		
		500 ml	950			1000 ml	2310		
		1000 ml	1700						
72243 [63148-62-9]	Silicone Oil 100 CPS	250 ml	850	49430 [7761-88-8]	Silver Nitrate 1N Solution	100 ml	5800		
		1000 ml	3000			500 ml	27680		
		2500 ml	6800						
82045 [63148-62-9]	Silicone Oil 330-370 CPS	250 ml	750	69668 [20667-12-3]	Silver Oxide pure, 99%	10 Gms	3250		
		1000 ml	2600			25 Gms	7600		
		2500 ml	6200			100 Gms	29000		
85160 [563-63-3]	Silver Acetate pure, 98%	10 Gms	2600	76610 [20667-12-3]	Silver Oxide extrapure AR, 99%	10 Gms	3600		
		25 Gms	6000			25 Gms	8500		
		100 Gms	21800						
32737	Silver AAS Standard Solution in 0.5N HNO ₃ (Traceable to NIST)	100 ml	2100	63976 [7784-09-0]	Silver Phosphate extrapure, 98% (Silver Orthophosphate, Trisilver Phosphate)	5 Gms	1600		
		250 ml	4600			25 Gms	6700		
77701 [7785-23-1]	Silver Bromide extrapure, 98%	10 Gms	2600			86887 [7784-09-0]	Silver Phosphate extrapure AR, 99% (Silver Orthophosphate, Trisilver Phosphate)	5 Gms	2000
		25 Gms	6000	25 Gms	7200				
		100 Gms	20700						
90097 [534-16-7]	Silver Carbonate pure, 99%	25 Gms	7130	60112 [22199-08-2]	Silver Sulfadiazine ExiPlus, Multi-Compendial, 98% (Silver (I) Sulfadiazine, Sulfadiazine Silver)	5 Gms	1400		
		100 Gms	27600			25 Gms	4000		
100 Gms	20700	100 Gms	13500						
80647 [7783-90-6]	Silver Chloride extrapure AR, 99%	25 Gms	7130	meets compendial specs of USP					
		100 Gms	27600	17929 [10294-26-5]	Silver Sulphate pure, 98.5%	10 Gms	2760		
14417 [1470-61-7]	Silver Diethyldithiocarbamate ACS	5 Gms	1810	25 Gms	5930	59940 [10294-26-5]	Silver Sulphate extrapure AR, ACS, 99%	10 Gms	2880
		25 Gms	7040	100 Gms	23000		25 Gms	6100	
		100 Gms	21000	100 Gms	24150				
86633 [7783-97-3]	Silver Iodate extrapure, 99%	10 Gms	2200	38119 [8006-28-8]	Soda Lime Granules with Indicator extrapure AR, 2-5mm, CO ₂ abs. capacity 27%	500 Gms	550		
		25 Gms	4800			5 Kg	5410		
		100 Gms	18000						
24607 [7783-96-2]	Silver Iodide extrapure AR, 99%	10 Gms	2500	31378 [127-09-3]	Sodium Acetate Anhydrous pure, 98%	500 Gms	280		
		25 Gms	5900			5 Kg	2600		
		100 Gms	21000	74537 [127-09-3]	Sodium Acetate Anhydrous ACS, 99%	500 Gms	410		
		5 Kg	3300						
32814 [7761-88-8]	Silver Nitrate extrapure, 99.5%	10 Gms	2000	51483 [127-09-3]	Sodium Acetate Anhydrous ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	500		
		25 Gms	4700						
		100 Gms	18500						
		500 Gms	90000						



Code	Name	Packing	Price	Code	Name	Packing	Price
22342 [127-09-3]	Sodium Acetate Anhydrous for molecular biology, 99%	250 Gms 500 Gms	520 900	93982 [16940-66-2]	Sodium Borohydride (powder) extrapure AR, ACS, 98% (Sodium Tetrahydridoborate)	25 Gms 100 Gms 500 Gms 5 Kg	450 1050 4800 40620
70509 [127-09-3]	Sodium Acetate Anhydrous for HPLC & UV Spectroscopy, 99%	500 Gms	1310	43471 [16940-66-2]	Sodium Borohydride (crystals) extrapure, 98% (Sodium Tetrahydridoborate)	25 Gms 100 Gms 500 Gms 5 Kg	500 1100 5200 44000
54966 [6131-90-4]	Sodium Acetate Trihydrate extrapure AR, 99.5%	500 Gms 5 Kg	290 2600	32769 [7789-38-0]	Sodium Bromate extrapure AR, 99%	100 Gms 500 Gms	270 900
44981 [6131-90-4]	Sodium Acetate Trihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 Gms 5 Kg	320 3000	43327 [7647-15-6]	Sodium Bromide extrapure, 99%	500 Gms 5 Kg	720 7000
88035 [6131-90-4]	Sodium Acetate Trihydrate for molecular biology, 99.5%	250 Gms 500 Gms	340 650	84486 [6131-99-3]	Sodium Cacodylate Trihydrate extrapure, 98% (Dimethyl Arsenic Acid Sodium Salt Trihydrate)	10 Gms 25 Gms 100 Gms	3400 8250 32000
84658 [6131-90-4]	Sodium Acetate Trihydrate for tissue culture, 99.5%	500 Gms	850	42215 [1984-06-1]	Sodium Caprylate extrapure, 99% (Caprylic Acid Sodium Salt)	100 Gms 250 Gms 500 Gms	740 1400 2500
56315 [6131-90-4]	Sodium Acetate Trihydrate for HPLC, 99.5%	500 Gms	1500	50090 [1984-06-1]	Sodium Caprylate BP, 99-101%	1 Kg 5 Kg	9000 43000
21636 [7758-16-9]	Sodium Acid Pyrophosphate (SAPP) extrapure, 95% (Sodium Pyrophosphate Dibasic, Disodium Diphosphate Dibasic, Disodium Dihydrogen Diphosphate)	500 Gms	460	81340 [1984-06-1]	Sodium Caprylate NF, 99-101%	1 Kg 5 Kg	9200 42500
80726 [9005-38-3]	Sodium Alginate LV extrapure, 4-12cps, 30mesh	500 Gms 5 Kg	2500 23500	89382 [497-19-8]	Sodium Carbonate Anhydrous pure, 99.5%	500 Gms 5 Kg 25 Kg	240 2100 10000
52775 [9005-38-3]	Sodium Alginate HV extrapure, 1000cps, 100mesh (Alginic Acid Sodium Salt)	500 Gms 5 Kg	3400 32000	51938 [497-19-8]	Sodium Carbonate Anhydrous ACS, 99%, 80-100mesh	500 Gms 5 Kg	330 3000
75063	Sodium AAS Standard Solution in 0.5N HCl (Traceable to NIST)	100 ml 250 ml	1600 2600	64079 [497-19-8]	Sodium Carbonate Anhydrous ACS, 99.9%	500 Gms 5 Kg 25 Kg	310 2670 12740
84070 [26628-22-8]	Sodium Azide extrapure AR, ACS, 99%	100 Gms 500 Gms 5 Kg	650 2700 24000	93857 [497-19-8]	Sodium Carbonate Anhydrous ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	350 3160
17782 [26628-22-8]	Sodium Azide for molecular biology, 99%	100 Gms 500 Gms	720 3100	41721 [7647-14-5]	Sodium Chloride ACS, 99.9%	500 Gms 1 Kg 5 Kg 25 Kg	210 400 1300 6010
65171 [532-32-1]	Sodium Benzoate pure, 99%	500 Gms 5 Kg	440 4000	76945 [7647-14-5]	Sodium Chloride ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP	500 Gms 1 Kg 5 Kg	220 430 1350
11114 [532-32-1]	Sodium Benzoate Exiplus, Multicompendial, 99% meets compendial specs of USP, BP & Ph.Eur	500 Gms 5 Kg	580 4950	33205 [7647-14-5]	Sodium Chloride for molecular biology, 99.9%	500 Gms 1 Kg 5 Kg	660 1200 5560
56398 [144-55-8]	Sodium Bicarbonate extrapure, 99%	500 Gms 5 Kg 25 Kg	240 1900 9000	26416 [7647-14-5]	Sodium Chloride for tissue culture, 99.9%	500 Gms 1 Kg	700 1200
45437 [144-55-8]	Sodium Bicarbonate ACS, 99.7%	500 Gms 5 Kg 25 Kg	280 2200 9500	76154 [7647-14-5]	Sodium Chloride for HPLC, 99.9%	500 Gms	480
89399 [144-55-8]	Sodium Bicarbonate ACS, ExiPlus, Multi-Compendial, 99.7%	500 Gms 5 Kg	310 2400				
36328 [144-55-8]	Sodium Bicarbonate for molecular biology, 99.7%	500 Gms	800				
92957 [144-55-8]	Sodium Bicarbonate for tissue culture, 99.7%	500 Gms 5 Kg	700 6000				



Code	Name	Packing	Price	Code	Name	Packing	Price
21522 [6132-05-4]	Sodium Citrate Dibasic Sesquihydrate extrapure, 99% (Citric Acid Disodium Salt Sesquihydrate, Disodium Hydrogen Citrate Sesquihydrate)	100 Gms 500 Gms	600 1200	86307 [141-53-7]	Sodium Formate pure, 98%	500 Gms 5 Kg	180 1500
83407 [6132-04-3]	Sodium Citrate Tribasic Dihydrate extrapure, 98% (Trisodium Citrate Dihydrate)	500 Gms 1 Kg 5 Kg	300 550 2400	39728 [141-53-7]	Sodium Formate extrapure AR, ACS	500 Gms	400
85919 [6132-04-3]	Sodium Citrate Tribasic Dihydrate extrapure AR, 99%	500 Gms 5 Kg	320 2600	84439 ✓ [149-44-0]	Sodium Formaldehyde Sulfoxylate Hydrate (Rongalite) pure, 95% (Monosodium Hydroxymethanesulfinate)	500 Gms	570
94968 [6132-04-3]	Sodium Citrate Tribasic Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	500 Gms	450	11407 ✓ [149-44-0]	Sodium Formaldehyde Sulfoxylate Hydrate (Rongalite) ExiPlus, Multi-Compendial, 95% (Monosodium Hydroxymethanesulfinate)	500 Gms	690
67331 [6132-04-3]	Sodium Citrate Tribasic Dihydrate for molecular biology, 99%	250 Gms 1 Kg	550 950	54762 [16893-85-9]	Sodium Hexafluorosilicate pure, 99% (Sodium Fluorosilicate, Sodium Silicofluoride)	1 Kg 5 Kg	520 2430
43819 [13600-98-1]	Sodium Cobaltinitrite extrapure AR, ACS (Sodium Hexanitrocobaltate III)	25 Gms 100 Gms 500 Gms	900 1900 6500	32537 [68915-31-1]	Sodium Hexametaphosphate extrapure AR, 65-70% (SHMP, Calgon, Sodium Polyphosphate)	500 Gms 5 Kg	650 6000
12680 [25895-60-7]	Sodium Cyanoborohydride pure, 95% (Sodium Cyanotrihydridoborate, Sodium Borocyanohydride)	5 Gms 25 Gms 100 Gms 500 Gms	820 2560 8000 34000	98060 [10034-88-5]	Sodium Hydrogen Sulphate (Sodium Bisulphate Monohydrate) extrapure AR, 99%	500 Gms	440
94963 [7789-12-0]	Sodium Dichromate Dihydrate pure, 98%	500 Gms 5 Kg	720 6300	73082 [1310-73-2]	Sodium Hydroxide Flakes extrapure, 97%	500 Gms 1 Kg 5 Kg 25 Kg	270 490 1750 8250
54750 [7789-12-0]	Sodium Dichromate Dihydrate extrapure AR, 99.5%	500 Gms 5 Kg	800 7400	96311 [1310-73-2]	Sodium Hydroxide Pellets purified, 97%	500 Gms 5 Kg 25 Kg	290 1820 8670
11996 [7789-12-0]	Sodium Dichromate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	500 Gms 5 Kg	900 8500	68151 [1310-73-2]	Sodium Hydroxide Pellets ACS, 98%	500 Gms 5 Kg	310 2240
11226 [20624-25-3]	Sodium Diethyldithiocarbamate Trihydrate ACS, 99 %	100 Gms 500 Gms	610 2530	13913 [1310-73-2]	Sodium Hydroxide Pellets ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP	500 Gms 5 Kg	330 2610
22607 [20624-25-3]	Sodium Diethyldithiocarbamate Trihydrate ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	100 Gms 500 Gms	700 3100	39700 [1310-73-2]	Sodium Hydroxide Powder extrapure, 96%, 80-100 mesh	500 Gms 1 Kg 5 Kg	310 560 2060
49653 [7775-14-6]	Sodium Dithionite extrapure, 85% (Sodium Hypodisulphite, Sodium Hydrosulfite)	500 Gms	400	13994 [1310-73-2]	Sodium Hydroxide 0.1N Solution	500 ml 1000 ml	160 280
10961 [14434-22-1]	Sodium Ferrocyanide Decahydrate extrapure AR, 99% (Sodium Hexacyanoferrate(II), Tetrasodium Hexacyanoferrate Decahydrate)	500 Gms 5 Kg	450 4000	27382 [1310-73-2]	Sodium Hydroxide 0.2N Solution	500 ml 1000 ml	160 290
57010 [7681-49-4]	Sodium Fluoride pure, 98%	500 Gms 5 Kg	880 8400	69978 [1310-73-2]	Sodium Hydroxide 1N Solution	500 ml 1000 ml 2500 ml	170 310 750
29821 [7681-49-4]	Sodium Fluoride extrapure AR, 99%	500 Gms 5 Kg	940 9000	25366 [7681-52-9]	Sodium Hypochlorite Solution, 4-7% Cl (Soda Bleach, Liquid Bleach)	500 ml 1000 ml 5 Ltr	180 320 740
40544 [7681-49-4]	Sodium Fluoride extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP	500 Gms 5 Kg	990 9600	98760 [7681-55-2]	Sodium Iodate extrapure, 99%	25 Gms 100 Gms 500 Gms	800 2400 10200



Code	Name	Packing	Price	Code	Name	Packing	Price
71964 [7681-55-2]	Sodium Iodate extrapure AR, 99.5%	25 Gms	950	23621 [7790-28-5]	Sodium Metaperiodate (Sodium Periodate) extrapure AR, 99.5%	100 Gms	2050
		100 Gms	2600			500 Gms	9200
		500 Gms	10800				
77758 [7681-82-5]	Sodium Iodide pure, 99%	25 Gms	720	30037 [7790-28-5]	Sodium Metaperiodate (Sodium Periodate) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	2200
		100 Gms	2750			500 Gms	9400
		250 Gms	6250	94601 [10213-79-3]	Sodium Metasilicate Pentahydrate (Sodium Silicate Hydrated) extrapure	500 Gms	250
		1 Kg	24000			1 Kg	420
21704 ✓	Sodium Iodide 1M Solution	100 ml	750	5 Kg	2000		
		500 ml	2500				
11004 [9004-82-4]	Sodium Lauryl Ether Sulphate (SLES, AES), 28-30% (Sodium Laureth Sulfate)	1000 ml	730	20660 [13517-24-3]	Sodium Metasilicate Nonahydrate (Sodium Silicate Hydrated) extrapure	500 Gms	250
		5 Ltr	1950			1 Kg	420
						5 Kg	2000
46821 [151-21-3]	Sodium Lauryl Sulphate (SLS, SDS) (Needle-shaped) extrapure, 90% (Sodium Dodecyl Sulphate)	500 Gms	610	41670 ✓ [124-41-4]	Sodium Methoxide Powder pure, 98%	500 Gms	730
		5 Kg	5370				
14374 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) ExiPlus, Multi-Compendial, 85% (Sodium Dodecyl Sulphate) meets compendial specs of USP, BP, Ph.Eur	500 Gms	620	13547 [10102-40-6]	Sodium Molybdate Dihydrate pure, 98%	100 Gms	1250
		5 Kg	5640			250 Gms	2500
						500 Gms	4800
54468 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) extrapure AR, ACS, 99% (Sodium Dodecyl Sulphate)	100 Gms	1340	18108 [10102-40-6]	Sodium Molybdate Dihydrate extrapure AR, 99%	100 Gms	1400
		250 Gms	2920			250 Gms	2950
		500 Gms	5340			500 Gms	5200
		1 Kg	10310				
99671 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) for HPLC, 99% (Sodium Dodecyl Sulphate)	25 Gms	1610	70851 [10102-40-6]	Sodium Molybdate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	1500
		100 Gms	4410			250 Gms	3200
		250 Gms	9100			500 Gms	5500
		1 Kg	22440				
32096 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) for molecular biology, 99% (Sodium Dodecyl Sulphate)	25 Gms	590	44618 [7631-99-4]	Sodium Nitrate extrapure AR, ACS, 99%	500 Gms	450
		100 Gms	1820			5 Kg	4000
		500 Gms	6010	28182 [13755-38-9]	Sodium Nitroprusside Dihydrate pure, 98% (Sodium Nitroferricyanide)	100 Gms	1100
		1 Kg	11400			500 Gms	5000
35825 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) High Purity, 99.5% (Sodium Dodecyl Sulphate)	25 Gms	810	71750 [13755-38-9]	Sodium Nitroprusside Dihydrate extrapure AR, 99%	100 Gms	1200
		100 Gms	2100			500 Gms	5200
85369	Sodium Lauryl Sulphate (SDS, SLS) 10% Solution (10% SDS Solution)	100 ml	400	58403 [13755-38-9]	Sodium Nitroprusside Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	100 Gms	1300
						500 Gms	5500
87547	Sodium Lauryl Sulphate (SDS, SLS) 20% Solution (20% SDS Solution)	250 ml	550	62381 [10101-89-0]	tri-Sodium Orthophosphate Dodecahydrate pure, 98% (Sodium Phosphate Tribasic Dodecahydrate (Trisodium Phosphate Dodecahydrate))	500 Gms	370
						5 Kg	3360
34378 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) BP, 85% (Sodium Dodecyl Sulphate)	1 Kg	1800	73670 [10101-89-0]	tri-Sodium Orthophosphate Dodecahydrate extrapure AR, 99% (Sodium Phosphate Tribasic Dodecahydrate, Trisodium Phosphate Dodecahydrate)	500 Gms	450
		5 Kg	8200			5 Kg	4340
		25 Kg	36000				
21705 [7681-57-4]	Sodium Metabisulphite extrapure AR, 98%	500 Gms	300	69199 [10101-89-0]	tri-Sodium Orthophosphate Dodecahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Sodium Phosphate Tribasic Dodecahydrate, Trisodium Phosphate Dodecahydrate) meets compendial specs of USP	500 Gms	540
		5 Kg	2850			5 Kg	4970
		25 Kg	13500				
52693 [7681-57-4]	Sodium Metabisulphite extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP	500 Gms	330	36176 [62-76-0]	Sodium Oxalate pure, 99%	500 Gms	480
		5 Kg	3150			5 Kg	4600
51153 [7790-28-5]	Sodium Metaperiodate (Sodium Periodate) pure 99%	100 Gms	1850				
		500 Gms	8800				



Code	Name	Packing	Price	Code	Name	Packing	Price
57554 [62-76-0]	Sodium Oxalate extrapure AR, 99.9%	500 Gms 5 Kg	510 4900	22249 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous extrapure AR, 99%	500 Gms 5 Kg	600 5000
36984 [62-76-0]	Sodium Oxalate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP, Ph.Eur	500 Gms	600	98336 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous for HPLC, 99% (Sodium Dihydrogen Orthophosphate Anhydrous)	500 Gms	1125
39815 [15630-89-4]	Sodium Percarbonate 13% Active Oxygen (Sodium carbonate hydrogen peroxide)	500 Gms 5 Kg	350 3200	59443 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous for molecular biology, 99%	250 Gms 500 Gms	980 1400
57548 [15630-89-4]	Sodium Percarbonate 20-30% Active Oxygen	500 Gms 1 Kg	380 3400	91826 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous for tissue culture, 99%	250 Gms 1 Kg	400 1300
53388 [1313-60-6]	Sodium Peroxide ACS, 93% (Sodium Superoxide)	100 Gms 250 Gms 500 Gms	4400 10500 22000	27092 [13472-35-0]	Sodium Phosphate Monobasic Dihydrate extrapure, 99%	500 Gms 5 Kg	435 4000
97295 [7775-27-1]	Sodium Persulphate pure, 98% (Sodium Peroxodisulfate)	500 Gms	490	40597 [13472-35-0]	Sodium Phosphate Monobasic Dihydrate extrapure AR, 99%	500 Gms 5 Kg	490 4400
53046 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous extrapure, 99%	500 Gms 5 Kg	520 4800	79088 [13472-35-0]	Sodium Phosphate Monobasic Dihydrate extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	500 Gms 5 Kg	550 4800
66273 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous ACS, 99%	500 Gms 1 Kg 5 Kg	600 1100 5300	93494 [13472-35-0]	Sodium Phosphate Monobasic Dihydrate for molecular biology, 99% (Sodium Hydrogen Phosphate Dihydrate)	500 Gms 5 Kg	825 7200
45932 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	500 Gms 1 Kg 5 Kg	680 1200 5700	61707 [10049-21-5]	Sodium Phosphate Monobasic Monohydrate extrapure AR, 99% (Sodium Dihydrogen Orthophosphate Monohydrate, Monosodium phosphate, Sodium dihydrogen phosphate mon)	500 Gms 5 Kg	600 5350
21669 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous for molecular biology, 99.5%	250 Gms 500 Gms 5 Kg	830 1550 14000	97768 [10049-21-5]	Sodium Phosphate Monobasic Monohydrate for HPLC, 99% (Sodium Dihydrogen Orthophosphate Monohydrate, Monosodium phosphate, Sodium dihydrogen phosphate mon)	500 Gms	980
32080 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate extrapure, 99%	500 Gms 5 Kg	400 3500	78535 [7601-54-9]	Sodium Phosphate Tribasic Anhydrous extrapure, 96% (Sodium Orthophosphate, Trisodium Phosphate)	500 Gms 5 Kg	650 5900
87258 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate extrapure AR, 99.5%	500 Gms 5 Kg	480 4000	63059 [6381-59-5]	Sodium Potassium Tartrate Tetrahydrate pure, 99%	500 Gms 5 Kg	620 6000
52234 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, USP & Ph Eur	500 Gms 5 Kg	780 6200	18241 [6381-59-5]	Sodium Potassium Tartrate Tetrahydrate extrapure AR, 99%	500 Gms 5 Kg	660 6300
87027 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate for molecular biology, 99.5%	250 Gms 500 Gms 5 Kg	450 860 7800	88662 [6381-59-5]	Sodium Potassium Tartrate Tetrahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of Ph.Eur	500 Gms 5 Kg	710 6600
86858 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate for HPLC, 99.5%	500 Gms	1050	33650 [137-40-6]	Sodium Propionate pure, 99%	500 Gms 5 Kg	600 5500
57085 [10039-32-4]	Sodium Phosphate Dibasic Dodecahydrate extrapure, 98.5% (Sodium Hydrogen Phosphate Dodecahydrate)	500 Gms 5 Kg	450 3500	58568 [5323-95-5]	Sodium Ricinoleate extrapure, 45% solids (Ricinoleic Acid Sodium Salt, Sodium Ricinoleate)	500 Gms 1 Kg	340 620
83417 [10039-32-4]	Sodium Phosphate Dibasic Dodecahydrate extrapure AR, 99% (Sodium Hydrogen Phosphate Dodecahydrate)	500 Gms 5 Kg	500 4600	43874 [54-21-7]	Sodium Salicylate extrapure, 99% (Salicylic Acid Sodium Salt, 2-Hydrobenzoic Acid Sodium Salt, Sodium-2-Hydrobenzoate)	500 Gms	800
18134 [7782-85-6]	Sodium Phosphate Dibasic Heptahydrate ACS, 98-102% (Disodium Hydrogen Phosphate Heptahydrate, Disodium Phosphate)	100 Gms 500 Gms 2.5 Kg	800 2200 10200				



Code	Name	Packing	Price	Code	Name	Packing	Price
36590 [54-21-7]	Sodium Salicylate extrapure AR, 99.5% (Salicylic Acid Sodium Salt, 2-Hydrobenzoic Acid Sodium Salt, Sodium-2-Hydrobenzoate)	250 Gms	800	54285 [143-66-8]	Sodium Tetraphenyl Borate (Kalignost) extrapure AR, 99.5% (Sodium Tetraphenyl Boron)	10 Gms	950
		500 Gms	1400			25 Gms	2200
62399 [13410-01-0]	Sodium Selenate Anhydrous extrapure AR, 99%	25 Gms	500	30888 [143-66-8]	Sodium Tetraphenyl Borate (Kalignost) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Sodium Tetraphenyl Boron) meets compendial specs of BP, Ph.Eur	10 Gms	1100
		100 Gms	1500			100 Gms	8400
		500 Gms	6000			1 Kg	62000
83627 [9063-38-1]	Sodium Starch Glycolate ex. Maize (SSG) ExiPlus, Multi-Compendial meets compendial specs of USP	500 Gms	480	94408 [540-72-7]	Sodium Thiocyanate pure, 98%	500 Gms	480
		5 Kg	4600				
36313 [6106-21-4]	Sodium Succinate Hexahydrate Dibasic extrapure, 99%	100 Gms	190	21444 [540-72-7]	Sodium Thiocyanate extrapure AR, ACS, 98%	500 Gms	600
		500 Gms	690				
87578 [6106-21-4]	Sodium Succinate Hexahydrate Dibasic extrapure AR, 99%	100 Gms	240	89728 [7772-98-7]	Sodium Thiosulphate Anhydrous extrapure AR, 99.5%	500 Gms	520
		500 Gms	950			5 Kg	5000
59977 [7757-82-6]	Sodium Sulphate Anhydrous extrapure AR, 99.5%	500 Gms	230	52304 [10102-17-7]	Sodium Thiosulphate Pentahydrate extrapure, 99%	500 Gms	220
		1 Kg	390			5 Kg	2000
		5 Kg	1700			25 Kg	9000
74725 [7757-82-6]	Sodium Sulphate Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	280	49479 [10102-17-7]	Sodium Thiosulphate Pentahydrate ACS, 99.5%	500 Gms	270
		5 Kg	2000			5 Kg	2500
						25 Kg	12000
25365 [27610-45-3]	Sodium Sulphide Flakes extrapure, 60%	500 Gms	280	62148 [10102-17-7]	Sodium Thiosulphate Pentahydrate ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 Gms	290
						5 Kg	2750
32246 [7757-83-7]	Sodium Sulphite Anhydrous extrapure AR, 98%	500 Gms	350	33737 [7772-98-7]	Sodium Thiosulphate 0.1N Solution	500 ml	190
		5 Kg	2800			1000 ml	330
29814 [7757-83-7]	Sodium Sulphite Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP	500 Gms	400	40023 [7785-84-4]	Sodium Trimetaphosphate (STMP) extrapure AR, 95% (Trisodium Trimetaphosphate, Sodium Cyclotriphosphate)	100 Gms	3040
		5 Kg	3300			500 Gms	2800
56580 [1330-43-4]	Sodium Tetraborate (Borax Anhydrous) extrapure AR, 99% (Disodium Tetraborate)	100 Gms	850	85124 [7758-29-4]	Sodium Tripolyphosphate Anhydrous (STPP) extrapure, 57-59% as P₂O₅ (Pentasodium Tripolyphosphate, Sodium Triphosphate Pentabasic)	1 Kg	620
		500 Gms	2500			5 Kg	2940
		2.5 Kg	9910				
38631 [1303-96-4]	Sodium Tetraborate Decahydrate (Borax Decahydrate) extrapure, 99% (Disodium Tetraborate Decahydrate)	500 Gms	320	81499 [10213-10-2]	Sodium Tungstate Dihydrate extrapure, 98%	100 Gms	1140
		5 Kg	2600			250 Gms	2640
			2.5 Kg			25300	
19486 [1303-96-4]	Sodium Tetraborate Decahydrate (Borax Decahydrate) extrapure AR, 99.5% (Disodium Tetraborate Decahydrate)	500 Gms	510	49110 [10213-10-2]	Sodium Tungstate Dihydrate extrapure AR, 99%	100 Gms	1200
		5 Kg	4250			250 Gms	2940
77668 [1303-96-4]	Sodium Tetraborate Decahydrate (Borax Decahydrate) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Disodium Tetraborate Decahydrate) meets compendial specs of BP, Ph.Eur	500 Gms	550	46215 [10213-10-2]	Sodium Tungstate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	1310
		5 Kg	5000			250 Gms	3200
29701 [12179-04-3]	Sodium Tetraborate Pentahydrate (Borax Pentahydrate) extrapure AR, 99.5% (Disodium tetraborate pentahydrate)	500 Gms	420	85446 [2538-85-4]	Solochrom Dark Blue (Calcon), 50%	5 Gms	340
		5 Kg	4000			25 Gms	990
			100 Gms			2550	
58581 [13755-29-8]	Sodium Tetrafluoroborate pure, 98.5% (Sodium Fluoroborate, Sodium Fluoborate)	500 Gms	880	59985 [110-44-1]	Sorbic Acid pure, 98%	500 Gms	1400
				62016 [1338-39-2]	Sorbitan Monolaurate (SPAN 20®) extrapure	100 ml	2000
			500 ml			6000	
			2500 ml			28000	



Code	Name	Packing	Price	Code	Name	Packing	Price
78338 [1338-43-8]	Sorbitan Monooleate (SPAN 80®) extrapure	500 ml	890	76601 [9005-84-9]	Starch Soluble extrapure AR, ACS, ExiPlus, Multi-Compendial meets compendial specs of USP	500 Gms	1340
		2500 ml	4200			5 Kg	12800
36179 [1338-41-6]	Sorbitan Monostearate (SPAN 60®) extrapure	500 Gms	750	91944	Strontium AAS Standard Solution in 0.5N HCl (Traceable to NIST)	100 ml	1600
14281 [50-70-4]	D-Sorbitol Powder extrapure, 98%	500 Gms	530	66731 [10476-81-0]	Strontium Bromide (Strontium Dibromide) extrapure, 99%	250 ml	2600
		1 Kg	1040			5 Gms	2000
		5 Kg	5000			25 Gms	5000
33320 [50-70-4]	D-Sorbitol Powder for tissue culture, 98%	500 Gms	610	67911 [1633-05-2]	Strontium Carbonate extrapure, 98%	100 Gms	12000
		1 Kg	1100			500 Gms	650
63443 [50-70-4]	D-Sorbitol Powder ExiPlus, Multi-Compendial, 98% meets compendial specs of BP	500 Gms	620	61832 [10025-70-4]	Strontium Chloride Hexahydrate extrapure, 98%	250 Gms	390
		1 Kg	1200			500 Gms	760
		5 Kg	5340			5 Kg	6500
99103 [50-70-4]	D-Sorbitol Powder for molecular biology, 98%	500 Gms	1510	29563 [10042-76-9]	Strontium Nitrate Anhydrous extrapure, 98%	500 Gms	600
		1 Kg	2890	96330 [1110-15-6]	Succinic Acid extrapure, 99%	500 Gms	570
		5 Kg	9670			5 Kg	5200
47886 [23647-14-5]	SPADNS extrapure AR, ACS	1 Gms	400	85752 [1110-15-6]	Succinic Acid extrapure AR, 99.5%	100 Gms	420
		5 Gms	1300			500 Gms	800
		25 Gms	4000			5 Kg	7500
30467 [7646-78-8]	Stannic Chloride anhydrous extrapure, 99% (Tin (IV) Chloride, Tin Tetrachloride)	100 ml	2080	62321 [1110-15-6]	Succinic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	100 Gms	460
		500 ml	9270			500 Gms	950
79862 [7646-78-8]	Stannic Chloride 1M in Dichloromethane (Tin (IV) Chloride/Tin Tetrachloride in 1M MDC)	100 ml	1240	10917 [123-56-8]	Succinimide (Butanimide) extrapure AR, 99%	100 Gms	480
		500 ml	4500	500 Gms	1750		
60006 [7646-78-8]	Stannic Chloride 1M in Heptane (Tin (IV) Chloride/Tin Tetrachloride in 1M Heptane)	100 ml	2590	84973 [57-50-1]	Sucrose pure	500 Gms	290
98017 [7646-78-8]	Stannic Chloride 1M in Toluene (Tin (IV) Chloride/Tin Tetrachloride in 1M Toluene)	100 ml	2590	90701 [57-50-1]	Sucrose extrapure AR, ACS	5 Kg	1860
						25 Kg	8720
500 Gms	4470	500 Gms	440				
91068 [10025-69-1]	Stannous Chloride Dihydrate pure, 97% (Tin (II) Chloride Dihydrate)	100 Gms	960	1 Kg	820		
		250 Gms	2350	5 Kg	3930		
		500 Gms	4470	25 Kg	17440		
23329 [10025-69-1]	Stannous Chloride Dihydrate extrapure AR, 99% (Tin (II) Chloride Dihydrate)	100 Gms	1070	27580 [57-50-1]	Sucrose for molecular biology	500 Gms	600
		250 Gms	2460			1 Kg	1190
		500 Gms	4690			5 Kg	4520
89673 [10025-69-1]	Stannous Chloride Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Tin (II) Chloride Dihydrate) meets compendial specs of USP, Ph.Eur	100 Gms	1150	92696 [57-50-1]	Sucrose for tissue culture	500 Gms	440
		250 Gms	2620			1 Kg	770
		500 Gms	4800			5 Kg	3270
58254 [9005-25-8]	Starch Corn pure	500 Gms	220	82958 [57-50-1]	Sucrose IP (Non-Parenteral Use)	1 Kg	770
		5 Kg	2000			5 Kg	3750
25 Kg	18000						
86106 [9005-84-9]	Starch Hydrolysed extrapure	100 Gms	1030	38142 [57-50-1]	Sucrose BP (Non-Parenteral Use)	1 Kg	770
		500 Gms	4860			5 Kg	3750
25 Kg	18000						
14418 [9005-84-9]	Starch Soluble extrapure	500 Gms	1150	56799 [57-50-1]	Sucrose NF (USP) (Non-Parenteral Use)	1 Kg	1200
		5 Kg	10800			5 Kg	5500
25 Kg	25000						
64698 [9005-84-9]	Starch Soluble extrapure AR	500 Gms	1250	57335 [85-83-6]	Sudan IV for microscopy (C.I. No. 26105), 95%	25 Gms	240
		5 Kg	11800			100 Gms	600



Code	Name	Packing	Price	Code	Name	Packing	Price
47256 [4197-25-5]	Sudan Black	10 Gms	600	54423 [1643-19-2]	Tetrabutylammonium Bromide (TBAB) for HPLC, 99.5%	25 Gms	1400
		25 Gms	1200			100 Gms	5200
		100 Gms	4000				
24073 [5329-14-6]	Sulphamic Acid pure, 99% (Amido Sulphonic Acid)	500 Gms	300	37256 [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate (TBADP) extrapure AR, 98% (Tetrabutylammonium Phosphate Monobasic)	5 Gms	3300
		5 Kg	2490			25 Gms	12000
42773 [5329-14-6]	Sulphamic Acid extrapure AR, 99.5% (Amido Sulphonic Acid)	100 Gms	400	78262 [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate (TBADP) for HPLC, 99% (Tetrabutylammonium phosphate monobasic)	5 Gms	4580
		500 Gms	1800			25 Gms	15590
81645 [5329-14-6]	Sulphamic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Amido Sulphonic Acid) meets compendial specs of BP, Ph.Eur	100 Gms	500	84444 [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate, 0.1M in HPLC Water (Tetrabutylammonium Phosphate Monobasic 0.1M in HPLC Water)	100 ml	5200
		500 Gms	2200			500 ml	25000
89762 [63-74-1]	Sulphanilamide pure, 99% (p-Aminobenzenesulphonamide)	100 Gms	800	57968 [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate, 0.5M in HPLC Water (Tetrabutylammonium Phosphate Monobasic 0.5M in HPLC Water)	10 ml	2000
		500 Gms	3000			100 ml	8000
		5 Kg	28000			500 ml	30000
65404 [63-74-1]	Sulphanilamide extrapure AR, 99% (p-Aminobenzenesulphonamide)	100 Gms	900	53856 [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate, 1M in HPLC Water (Tetrabutylammonium Phosphate Monobasic 1M in HPLC Water)	50 ml	7500
		500 Gms	4090			100 ml	12000
19689 [63-74-1]	Sulphanilamide extrapure AR, ExiPlus, Multi-Compendial, 99% (p-Aminobenzenesulphonamide) meets compendial specs of USP, BP, Ph.Eur	100 Gms	1070	50283 [87749-50-6]	Tetrabutylammonium Fluoride Trihydrate extrapure, 98%	500 ml	33000
		500 Gms	4470			25 Gms	1300
15354 [121-57-3]	Sulphanilic Acid pure, 99% (p-Aminobenzenesulphonamide)	100 Gms	200	30315 [429-41-4]	Tetrabutylammonium Fluoride (TBAF) 1M Soln. in THF (N,N,N-Tributyl-1-butanaminium Fluoride)	100 Gms	3800
		500 Gms	700			100 ml	1450
93360 [121-57-3]	Sulphanilic Acid (High Purity) extrapure AR, 99.5%	100 Gms	330	91958 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) pure, 98%	500 ml	5000
		500 Gms	1310			100 Gms	620
97979 [121-57-3]	Sulphanilic Acid (High Purity) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	100 Gms	470	83955 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) extrapure AR, 99%	250 Gms	1190
		500 Gms	1750			500 Gms	2100
44445 [5965-83-3]	5-Sulphosalicylic Acid extrapure, 99%	250 Gms	560	10778 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	25 Gms	570
		500 Gms	850			100 Gms	1640
		5 Kg	8000			500 Gms	7630
92635 [14807-96-6]	Talc Powder Fine ExiPlus, Multi-Compendial, -325 mesh (Hydrous Magnesium Silicate, Talcum Powder, Soapstone) meets compendial specs of BP USP & Ph.Eur	500 Gms	170	88383 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) for HPLC, 99.5%	100 Gms	1970
		5 Kg	1310			25 Gms	660
92101 [1401-55-4]	Tannic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial (Gallotannin, Tannin) meets compendial specs of BP	100 Gms	1210	52162 [2052-49-5]	Tetrabutylammonium Hydroxide 0.1N aq. solution extrapure AR	100 Gms	1800
		250 Gms	2360			500 Gms	8720
		500 Gms	4240			500 ml	1760
52931 [1934-21-0]	Tartrazine, 87%	100 Gms	380	28342 [2052-49-5]	Tetrabutylammonium Hydroxide 0.1N in Isopropanol extrapure AR	500 ml	1900
		1 Kg	3000			100 ml	2300
20428 [100-21-0]	Terephthalic Acid pure, 98%	500 Gms	380	94836 [2052-49-5]	Tetrabutylammonium Hydroxide 1M aq. solution	500 ml	10500
		5 Kg	3500			100 ml	1250
20669 [1643-19-2]	Tetrabutylammonium Bromide (TBAB) pure, 98%	100 Gms	400	41728 [2052-49-5]	Tetrabutylammonium Hydroxide 10% aq. solution extrapure	500 ml	5200
		250 Gms	820			100 ml	1350
		500 Gms	1480			100 ml	1800
57594 [1643-19-2]	Tetrabutylammonium Bromide (TBAB) extrapure AR, ACS, 99%	25 Gms	500	41715 [2052-49-5]	Tetrabutylammonium Hydroxide 20% aq. solution extrapure	100 ml	1800
		100 Gms	1600			500 ml	7000
		500 Gms	7500			100 ml	1900
				54722 [2052-49-5]	Tetrabutylammonium Hydroxide 25% aq. solution extrapure	500 ml	8200



Code	Name	Packing	Price	Code	Name	Packing	Price
68032 [2052-49-5]	Tetrabutylammonium Hydroxide 40% aq solution pure	100 ml	3100	93314 [78-10-4]	Tetraethyl Orthosilicate (TEOS) extrapure, 98%, 28-28.8% SiO₂ (Silicon Tetraethoxide, Tetraethoxysilane, Tetraethyl Silicate)	100 ml	900
		250 ml	7500			500 ml	1600
		500 ml	14000			2500 ml	6200
		1000 ml	24000				
30064 [2052-49-5]	Tetrabutylammonium Hydroxide 54-56% aq. solution extrapure AR	100 ml	7500	21957 [4368-51-8]	Tetraheptyl Ammonium Bromide (THAB) extrapure, 99%	5 Gms	2370
		500 ml	30000			25 Gms	8830
						100 Gms	31990
13656 [2052-49-5]	Tetrabutylammonium Hydroxide 25% in Methanol extrapure	100 ml	1900	46986 [4368-51-8]	Tetraheptyl Ammonium Bromide (THAB) for HPLC, 99%	5 Gms	3400
		250 ml	4300			25 Gms	12000
		500 ml	8200			100 Gms	42000
74212 [2052-49-5]	Tetrabutylammonium Hydroxide 40% in Methanol extrapure	100 ml	3100	82863 [109-99-9]	Tetrahydrofuran (THF) (Stabilized) pure, 99.5%	500 ml	500
		250 ml	7500			2500 ml	2200
		500 ml	14000			25 Ltr	20000
40878 [2052-49-5]	Tetrabutylammonium Hydroxide 0.1N in Methanol for non-aqueous titration extrapure AR	500 ml	1700	74497 [109-99-9]	Tetrahydrofuran (THF) (Stabilized) extrapure AR, 99.5%	500 ml	550
						2500 ml	2500
45205 [2052-49-5]	Tetrabutylammonium Hydroxide 0.1N in Methanol/Toluene extrapure AR	500 ml	1520	83642 [109-99-9]	Tetrahydrofuran (THF) (Stabilized) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml	600
						2500 ml	2750
44991 [2052-49-5]	Tetrabutylammonium Hydroxide 20% in Methanol/Toluene extrapure	100 ml	2000	32661 [109-99-9]	Tetrahydrofuran (THF) GC-HS, 99.9%	250 ml	500
28051 [311-28-4]	Tetrabutylammonium Iodide (TBAI) extrapure AR, 99%	25 Gms	1500			1000 ml	1700
		100 Gms	5300				
62390 [311-28-4]	Tetrabutylammonium Iodide (TBAI) extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	25 Gms	1700	94842 [109-99-9]	Tetrahydrofuran (THF) for HPLC & UV Spectroscopy, 99.9%	500 ml	880
		100 Gms	5600			1000 ml	1500
						2500 ml	3400
26158 [5593-70-4]	Tetra-N-Butyl Orthotitanate (TNBT) extrapure, 23-24% TiO₂ (Tetrabutyl Orthotitanate, Titanium(IV) n-Butoxide, Tetrabutyl Titanate, Orthotitanic Acid Tetrabutyl	100 ml	900	59167 [109-99-9]	Tetrahydrofuran (THF) Dried, 99.5%, 0.005% water	500 ml	800
		500 ml	2400			1000 ml	1400
		2500 ml	7000				
69105 [127-18-4]	Tetrachloroethylene pure, 99% (Perchloroethylene)	500 ml	600	92562 [109-99-9]	Tetrahydrofuran (THF) for molecular biology, 99.8%	250 ml	480
		2500 ml	2600			500 ml	860
25058 [127-18-4]	Tetrachloroethylene extrapure AR, 99.5% (Perchloroethylene)	500 ml	760	22698 [1693-74-9]	Tetrahydrofuran-d8 (THF-d8) for NMR spectroscopy, 99.5 Atom %D	5 ml	19500
		2500 ml	3300				
74438 [127-18-4]	Tetrachloroethylene for UV spectroscopy, 99.5% (Perchloroethylene)	500 ml	850	11088 [119-64-2]	1,2,3,4-Tetrahydronaphthalene (Tetralin) pure, 98%	500 ml	1250
		1000 ml	1550			2500 ml	5200
48448 [127-18-4]	Tetrachloroethylene GC-HS, 99.9%	250 ml	700	91496 [75-59-2]	Tetramethylammonium Hydroxide 10% aq. solution pure	50 ml	810
		1000 ml	1900			250 ml	3100
70427 [14937-42-9]	Tetradecylammonium Bromide (TDAB) extrapure AR, 99% (Tetrakis(decyl) Ammonium Bromide)	5 Gms	2700	94620 [75-59-2]	Tetramethylammonium Hydroxide 25% aqueous solution pure	100 ml	2800
		25 Gms	10200			250 ml	5300
		100 Gms	34000			500 ml	9500
59256 [14937-42-9]	Tetradecylammonium Bromide (TDAB) for HPLC, 99% (Tetrakis(decyl) Ammonium Bromide)	5 Gms	3200	21371 [75-59-2]	Tetramethylammonium Hydroxide 25% in methanol pure	100 ml	3000
		25 Gms	12500			250 ml	5000
						500 ml	8500
67902 [71-91-0]	Tetraethylammonium Bromide (TEAB) pure, 98%	100 Gms	490	38342 [75-59-2]	Tetramethylammonium Hydroxide 25% aqueous solution, VLSI Semiconductor Grade	1000 ml	21000
		250 Gms	900			2500 ml	38500
		500 Gms	1775	42209 [75-59-2]	Tetramethylammonium Hydroxide 0.1N in isopropanol/ methanol extrapure	100 ml	1400
		1 Kg	3450			500 ml	3100
64674 [16873-13-5]	Tetraethylammonium Hydrogen Sulphate (TEAHS) extrapure, 99%	10 Gms	2080	56874 [75-59-2]	Tetramethylammonium Hydroxide 1M aq. solution ACS	100 ml	1100
		25 Gms	4500			250 ml	2600
				29740 [10424-65-4]	Tetramethylammonium Hydroxide Pentahydrate extrapure, 98%	5 Gms	830
						25 Gms	1460
						100 Gms	4920



Code	Name	Packing	Price	Code	Name	Packing	Price
84666 [110-18-9]	N,N,N,N-Tetramethyl Ethylenediamine (TEMED) extrapure AR, 99%	100 ml	840	58658 [79-19-6]	Thiosemicarbazide extrapure AR, 99%	25 Gms	520
		250 ml	1390			100 Gms	1500
		500 ml	2280				
84198 [110-18-9]	N,N,N,N-Tetramethyl Ethylenediamine (TEMED) extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of Ph.Eur	100 ml	960	88196 [62-56-6]	Thiourea pure, 98%	500 Gms	600
		500 ml	2520			5 Kg	5000
52145 [110-18-9]	N,N,N,N-Tetramethyl Ethylenediamine (TEMED) for molecular biology, 99.5%	25 ml	550	16994 [62-56-6]	Thiourea Superior extrapure AR, 99%	100 Gms	610
		100 ml	1110			250 Gms	1200
						500 Gms	2300
80909 [5810-42-4]	Tetrapropylammonium Chloride extrapure, 98%	10 Gms	4000	20491 [62-56-6]	Thiourea Superior extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, Ph.Eur	500 Gms	2600
		50 Gms	17100			5 Kg	24000
70177 [7722-88-5]	Tetrasodium Pyrophosphate Anhydrous (TSPP anhy) extrapure, 98% (Sodium Diphosphate Tetrabasic, Sodium Pyrophosphate Tetrabasic)	500 Gms	750	27179 [76-61-9]	Thymol Blue	5 Gms	220
		5 Kg	6800			25 Gms	1010
49473 [13472-36-1]	Tetrasodium Pyrophosphate Decahydrate (TSPP Decahyd) extrapure AR, 99% (Sodium Diphosphate Tetrabasic, Sodium Pyrophosphate Tetrabasic)	500 Gms	1800	79617 [76-61-9]	Thymol Blue ACS, ExiPlus, Multi-Compendial	5 Gms	280
		2.5 Kg	8200			25 Gms	1210
56135 [58-55-9]	Theophylline anhydrous pure, 99%	25 Gms	300				
		100 Gms	900				
		500 Gms	1700				
17942 [62-55-5]	Thioacetamide extrapure AR, 99%	25 Gms	500				
		100 Gms	1700				
		500 Gms	7500				
48979 [62-55-5]	Thioacetamide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	25 Gms	580	19710	Tin AAS Standard Solution in 2N HCl (Traceable to NIST)	100 ml	1600
		100 Gms	1900			250 ml	2600
		500 Gms	8700				
42174 [100-68-5]	Thioanisole extrapure, 99% (Methyl Phenyl Sulfide Methylthiobenzene)	25 ml	950	56283 [7440-31-5]	Tin Metal Granular extrapure, 99.5%	100 Gms	1700
		100 ml	2500			250 Gms	3850
		500 ml	9100			500 Gms	7500
75241 [504-17-6]	2-Thiobarbituric Acid (TBA) extrapure AR, 99% (4,6-Dihydroxy-2-Mercaptopyrimidine, 4,6-Dihydroxypyrimidine-2-Thiol)	25 Gms	1100	24737 [7440-31-5]	Tin Metal Granular extrapure AR, 99.7%	100 Gms	1850
		100 Gms	3800			250 Gms	4300
						500 Gms	8200
75493 [2390-54-7]	Thioflavin T for microscopy (C.I. No. 49005), 90% (Basic Yellow 1)	5 Gms	1500	42780 [7440-31-5]	Tin Metal Powder extrapure AR, 99.9%, ~325 mesh	100 Gms	1550
		25 Gms	3270			250 Gms	3600
35357 [68-11-1]	Thioglycolic Acid pure, 80%	500 ml	1800	60001 ⓘ [149-45-1]	Tiron Monohydrate extrapure, 98% (Catechol-3,5-Disulfonic Acid Disodium Salt Monohydrate)	5 Gms	600
		2500 ml	8500			25 Gms	2200
						100 Gms	8000
74118 [68-11-1]	Thioglycolic Acid ExiPlus, Multi-Compendial, 80% meets compendial specs of USP	500 ml	2100	37139 ⓘ [31011-57-1]	Titanium (IV) Chloride THF Complex (Tetrachlorobis(Tetrahydrofuran) Titanium)	5 Gms	2790
		2500 ml	9000			25 Gms	10800
80599 [78338-22-4]	Thionin Acetate, 90%	5 Gms	2390	55788 [13463-67-7]	Titanium Dioxide extrapure, 98% (Titanium (IV) Oxide)	500 Gms	540
		25 Gms	9940			1 Kg	1010
						5 Kg	4240
74681 [79-19-6]	Thiosemicarbazide pure, 98%	25 Gms	330	91482 [3087-36-3]	Titanium Ethoxide (ET) extrapure, 33-35% TiO2 (Tetraethyl Titanate, Titanium (IV) Ethoxide, Tetraethyl Orthotitanate)	100 ml	1600
		100 Gms	1000			250 ml	2200
		500 Gms	4400				
				56993 [546-68-9]	Titanium Isopropoxide (TTIP) extrapure, 27.8-28.6% TiO2 (Tetraisopropyl Orthotitanate, Titanium (IV) Isopropoxide, Titanium Tetraisopropoxide)	100 ml	610
						500 ml	1180
						2500 ml	5510



Code	Name	Packing	Price	Code	Name	Packing	Price
70472 [1829-00-1]	Titan Yellow, 65%	25 Gms 50 Gms 250 Gms	750 1400 6000	21559 [102-82-9]	Tributylamine extrapure, 99%	250 ml 1000 ml	230 800
47556 [108-88-3]	Toluene pure, 99%	500 ml 2500 ml 25 Ltr	285 1100 9500	74315 [126-73-8]	Tributylphosphate extrapure, 99%	500 ml 2500 ml	1800 8400
39984 [108-88-3]	Toluene (Sulphur free) extrapure, 99.5%	500 ml 2500 ml 25 Ltr	300 1200 9900	91094 [6138-23-4]	D-Trehalose Dihydrate extrapure CHR	5 Gms 25 Gms 100 Gms 1 Kg	370 1280 4250 12500
85577 [108-88-3]	Toluene extrapure AR, 99.5%	500 ml 2500 ml 25 Ltr	350 1300 10800	15886 [6138-23-4]	D-Trehalose Dihydrate for tissue culture	5 Gms 25 Gms 100 Gms	550 1950 4730
95227 [108-88-3]	Toluene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	500 ml 2500 ml	400 1500	90544 ✓ [76-03-9]	Trichloroacetic Acid extrapure, 99%	100 Gms 500 Gms	200 650
17213 [108-88-3]	Toluene Dried, 99.5%, 0.005% water	500 ml 1000 ml 2500 ml	390 740 1400	60677 ✓ [76-03-9]	Trichloroacetic Acid extrapure AR, ACS, 99.5%	100 Gms 500 Gms	290 720
80156 [108-88-3]	Toluene Dried Special (Low Benzene, 25ppm), 99.5%, 0.005% water	250 ml 1000 ml	450 1100	31445 [76-03-9]	Trichloroacetic Acid 10% solution	100 ml 500 ml	200 430
83662 [108-88-3]	Toluene GC-HS, 99.9%	500 ml 1000 ml	750 1350	54290 [76-03-9]	Trichloroacetic Acid 20% solution	500 ml	450
29490 [108-88-3]	Toluene for HPLC & UV Spectroscopy, 99.8%	500 ml 1000 ml 2500 ml	470 820 1450	15106 [79-01-6]	Trichloroethylene extrapure, 99%	500 ml 2500 ml 25 Ltr	350 1500 14000
85590 [2037-26-5]	Toluene-d8 for NMR spectroscopy, 99.5 Atom %D	10 ml	13630	92390 [79-01-6]	Trichloroethylene extrapure AR, 99.5%	500 ml 2500 ml 25 Ltr	390 1650 15500
33635 [108-44-1]	m-Toluidine extrapure, 99% (3-Methylaniline, m-Aminotoluene)	500 ml 2500 ml	570 2250	86976 [79-01-6]	Trichloroethylene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur	500 ml 2500 ml	440 1800
82225 [70-55-3]	p-Toluenesulfonamide (PTSamide) pure, 98% (4-Toluenesulfonamide)	100 Gms 500 Gms	310 1200	76338 [79-01-6]	Trichloroethylene electronic grade, 99.5%	500 ml 2500 ml	750 2800
29423 [6192-52-5]	p-Toluenesulphonic Acid Monohydrate pure, 98% (Toluene-4-Sulphonic Acid, PTSA)	500 Gms 5 Kg	520 3940	97681 [79-01-6]	Trichloroethylene for UV spectroscopy, 99.5%	500 ml 1000 ml	720 1300
77948 [6192-52-5]	p-Toluenesulphonic Acid Monohydrate extrapure AR, ACS, 99% (Toluene-4-Sulphonic Acid, PTSA)	100 Gms 500 Gms	320 1280	42943 [79-01-6]	Trichloroethylene Dried, 99.5%, 0.005% water	500 ml	1000
55580 [6192-52-5]	p-Toluenesulphonic Acid Monohydrate (High Purity) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% (Toluene-4-Sulphonic Acid, PTSA) meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	620 2240	20779 [102-71-6]	Triethanolamine pure, 98%	500 ml 2500 ml	400 1600
86763 [657-84-1]	p-Toluenesulphonic Acid Sodium Salt pure, 98% (Sodium p-Toluenesulfonate, PTSA Sodium)	500 Gms	1850	29306 [121-44-8]	Triethylamine pure, 98%	500 ml 2500 ml 25 Ltr	380 1650 15000
73222 [102-76-1]	Triacetin pure, 99%	500 ml 2500 ml	810 3930	75198 [121-44-8]	Triethylamine extrapure AR, 99.5%	500 ml 2500 ml	430 1800
				95205 [121-44-8]	Triethylamine extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	1000 ml 2500 ml	1025 1950
				67352 [121-44-8]	Triethylamine for HPLC, 99.5%	250 ml 500 ml 1000 ml	460 850 1300
				55221 [121-44-8]	Triethylamine for molecular biology, 99.5%	500 ml	600



Code	Name	Packing	Price	Code	Name	Packing	Price
12475 [77-93-0]	Triethyl Citrate extrapure, 99% (Citric Acid Triethyl Ester, Ethyl Citrate)	250 ml	600	99438 [1185-53-1]	Tris Hydrochloride (Tris HCl) extrapure AR, 99% (Tris (Hydroxymethyl) Aminomethane Hydrochloride)	100 Gms	1090
		1000 ml	2200			500 Gms	5240
		2500 ml	5200			5 Kg	49050
37817 [112-27-6]	Triethylene Glycol extrapure, 99%	500 ml	400	89781 [1185-53-1]	Tris Hydrochloride (Tris HCl) for molecular biology, 99% (Tris (Hydroxymethyl) Aminomethane Hydrochloride)	100 Gms	1370
		2500 ml	1700			500 Gms	6000
96475 [112-27-6]	Triethylene Glycol extrapure AR, 99%	500 ml	520	30190 [9002-93-1]	Triton X-100 extrapure for scintillation	1 Kg	9810
		2500 ml	2000			500 ml	660
86570 [112-24-3]	Triethylenetetramine (mix. of isomers) pure, 97%	500 ml	930	64518 [9002-93-1]	Triton X-100 for molecular biology	2500 ml	3170
		2500 ml	3930			100 ml	880
81085 [122-51-0]	Triethyl Orthoformate extrapure, 99%	500 ml	600	55219 [9036-19-5]	Triton X-405 (70% solution) extrapure (Octylphenoethoxylate, Polyethyleneglycol t-Octylphenylether, Polyoxyethylene(40)i sooctylphenylether)	500 ml	2200
		2500 ml	2900			1000 ml	3600
78984 [76-05-1]	Trifluoroacetic Acid (TFA) pure, 99%	100 ml	650	64315 [547-57-9]	Tropaeolin O Sodium Salt (Acid Orange 6, Chrysoin)	2500 ml	8000
		500 ml	2500			25 Gms	640
		2500 ml	12000			100 Gms	2290
65415 [76-05-1]	Trifluoroacetic Acid (TFA) extrapure AR, 99.5%	100 ml	900	10233 [54-12-6]	DL-Tryptophan extrapure CHR, 99%	250 ml	1800
		500 ml	2800			5 Gms	490
		500 ml	2800			25 Gms	1500
67869 [76-05-1]	Trifluoroacetic Acid (TFA) extrapure AR, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur	100 ml	1050	10263 [73-22-3]	L-Tryptophan extrapure CHR, 99%	100 Gms	5800
		500 ml	3200			100 Gms	750
82818 [76-05-1]	Trifluoroacetic Acid (TFA) for HPLC & UV Spectroscopy, 99.9%	25 ml	840	49102 [73-22-3]	L-Tryptophan for tissue culture, 99%	1 Kg	6200
		100 ml	1400			5 Kg	30000
		500 ml	4200			25 Gms	800
40801 [76-05-1]	Trifluoroacetic Acid (TFA) for molecular biology, 99.9%	100 ml	1700	48288 [73-22-3]	L-Tryptophan ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	100 Gms	2200
		500 ml	5000			100 Gms	900
23947 [76-05-1]	Trifluoroacetic Acid (TFA) for HPLC & Sequencing, 99.9%	10 x1 ml	18000	26579 [153-94-6]	D-Tryptophan (base) extrapure, 99%	1 Kg	6700
78716 [599-00-8]	Trifluoroacetic Acid-d (TFA-d1) for NMR spectroscopy, 99.5 Atom %D	10 ml	8510			10 Gms	2800
		100 Gms	1500			25 Gms	5800
82395 [4574-04-3]	Trimethyltetradecylammonium Chloride extrapure, 99%	25 Gms	1500	100 Gms	15000		
		100 Gms	4200	10726	Tungsten AAS Standard Solution in H2O (Traceable to NIST)	100 ml	1600
38476 [519-73-3]	Triphenylmethane pure, 98%	100 Gms	1210			250 ml	2600
		500 Gms	4960	71290 [12027-43-9]	Tungstosilicic Acid Hydrate extrapure AR (Silicotungstic Acid Hydrate)	25 Gms	1080
71033 [77-86-1]	Tris Buffer AR, ACS for molecular biology, 99.9% (Tris (Hydroxymethyl) Aminomethane, Tromethamine)	100 Gms	880			67134 [12027-43-9]	Tungstosilicic Acid Hydrate extrapure AR, ExiPlus, Multi-Compendial (Silicotungstic Acid Hydrate) meets compendial specs of BP, Ph.Eur
		500 Gms	4150	25 Gms	1200		
		5 Kg	34880	100 Gms	3200		
79420 [77-86-1]	Tris Buffer Superior extrapure AR, ACS, 99.9% (Tris (Hydroxymethyl) Aminomethane, Tromethamine)	100 Gms	1040	70600 [556-02-5]	D-Tyrosine extrapure, 98%	5 Gms	2000
		500 Gms	4580			25 Gms	7000
		5 Kg	39240	10342 [556-03-6]	DL-Tyrosine extrapure CHR, 99%	5 Gms	1500
37969 [77-86-1]	Tris Buffer Superior for molecular biology, 99.9% (Tris (Hydroxymethyl) Aminomethane, Tromethamine)	100 Gms	1110			25 Gms	3240
		500 Gms	5240	100 Gms	12000		
5 Kg	44690	56995 [77-86-1]	Tris Buffer for HPLC, 99.9% (Tris (Hydroxymethyl) Aminomethane, Tromethamine)	25 Gms	350		
100 Gms	1530			100 Gms	850		
16622 [77-86-1]	Tris Buffer USP, 99-101% (Non Injectable Use) (Tris (Hydroxymethyl) Aminomethane, Tromethamine)	1 Kg	8000	16796 [60-18-4]	L-Tyrosine extrapure CHR, 99%	500 Gms	4000
		5 Kg	37500			1 Kg	7000



Code	Name	Packing	Price	Code	Name	Packing	Price
18917 [60-18-4]	L-Tyrosine for tissue culture, 99%	25 Gms	500	76911 ✓ [79-81-2]	Vitamin A Palmitate (Retinyl Palmitate) for tissue culture, 1.615-1.860MIU/g	5 Gms	850
		100 Gms	1400			25 Gms	3640
		500 Gms	5000				
91772 [60-18-4]	L-Tyrosine ExiPlus, Multi-Compendial, 99%	25 Gms	400	92605 [7732-18-5]	Water for HPLC	1000 ml	400
		100 Gms	1050			2500 ml	900
		500 Gms	4300				
	meets compendial specs of BP, Ph.Eur						
62762 [57-13-6]	Urea extrapure, 99%	500 Gms	350	58348 [7732-18-5]	Water Distilled	5 Ltr	500
		5 Kg	3350				
69120 [57-13-6]	Urea extrapure AR, 99.5%	500 Gms	620	64236 [11138-66-2]	Xanthan Gum ExiPlus, Multi-Compendial	100 Gms	430
		5 Kg	5800			500 Gms	1500
		25 Kg	27000			meets compendial specs of USP, BP, Ph.Eur	
86854 [57-13-6]	Urea extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms	720	23749 [95-47-6]	o-Xylene pure, 98% (1,2-Dimethylbenzene)	500 ml	420
		5 Kg	6200			2500 ml	1580
	meets compendial specs of USP, BP						
21113 [57-13-6]	Urea for molecular biology, 99.5%	500 Gms	950	62231 [95-47-6]	o-Xylene extrapure AR, 99% (1,2-Dimethylbenzene)	500 ml	650
		1 Kg	1700			2500 ml	3100
		5 Kg	7890				
44255 [57-13-6]	Urea for tissue culture, 99.5%	500 Gms	800	29280 [108-38-3]	m-Xylene pure, 98% (1,3-Dimethylbenzene)	500 ml	620
		1 Kg	1500				
12859 [72-18-4]	L-Valine extrapure CHR, 99%	25 Gms	300	24923 [106-42-3]	p-Xylene pure, 99% (1,4-Dimethylbenzene)	500 ml	640
		100 Gms	700			2500 ml	2790
		1 Kg	4300				
55269 [72-18-4]	L-Valine for tissue culture, 99%	5 Gms	410	54717 [1330-20-7]	Xylene pure, 99%	500 ml	360
		100 Gms	1250			2500 ml	1480
		500 Gms	4980			25 Ltr	10850
42749	Vanadium AAS Standard Solution in 2N H2SO4 (Traceable to NIST)	100 ml	1600	63797 [2650-17-1]	Xylene Cyanol FF (Acid Blue 147, C.I. No. 42135)	5 Gms	1300
		250 ml	2600			25 Gms	5200
76132 [1314-62-1]	Vanadium Pentoxide extrapure AR, 99.5%	25 Gms	350	75122 [2650-17-1]	Xylene Cyanol FF extrapure AR, ExiPlus, Multi-Compendial (Acid Blue 147, C.I. No. 42135)	100 Gms	17690
		100 Gms	1150			5 Gms	1500
		500 Gms	5400			25 Gms	5600
	meets compendial specs of USP						
83822 [1314-62-1]	Vanadium Pentoxide extrapure AR, ExiPlus, Multi-Compendial, 99.5%	25 Gms	400	49672 [125-31-5]	p-Xylenol Blue extrapure AR, 95% (p-Xylenosulphonaphthalein)	1 Gms	550
		100 Gms	1280			5 Gms	2550
		500 Gms	5650				
	meets compendial specs of USP						
83080 [121-34-6]	Vanillic Acid extrapure, 99% (4-Hydroxy-3-Methoxybenzoic Acid)	25 Gms	1280	49992 [3618-43-7]	Xylenol Orange Tetrasodium Salt ACS	5 Gms	520
		100 Gms	4370			10 Gms	900
98842 [121-33-5]	Vanillin pure, 99% (4-hydroxy-3-Methoxybenzaldehyde)	25 Gms	320	31557 [3618-43-7]	Xylenol Orange Tetrasodium Salt ACS, ExiPlus, Multi-Compendial	10 Gms	1100
		100 Gms	600			25 Gms	2600
		500 Gms	2300			meets compendial specs of BP, Ph.Eur	
20563 [121-33-5]	Vanillin extrapure AR, 99% (4-hydroxy-3-Methoxybenzaldehyde)	25 Gms	340	96240 [1330-20-7]	Xylene Sulphur Free extrapure, 99%	500 ml	380
		100 Gms	650			2500 ml	1520
		500 Gms	2500			25 Ltr	11210
49456 [121-33-5]	Vanillin extrapure AR, ExiPlus, Multi-Compendial, 99% (4-hydroxy-3-Methoxybenzaldehyde)	25 Gms	360	90998 [1330-20-7]	Xylene extrapure AR, 99.5%	500 ml	450
		100 Gms	750			2500 ml	1640
		500 Gms	2700			meets compendial specs of USP	
	meets compendial specs of BP						
14553 ✓ [127-47-9]	Vitamin A Acetate (Retinyl Acetate) for tissue culture (Retinol Acetate)	5 Gms	650	89159 [1330-20-7]	Xylene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	500
		25 Gms	2200			2500 ml	1880
		100 Gms	6000			meets compendial specs of USP	
45122 [1330-20-7]	Xylene for molecular biology, 99.5%	250 ml	410	85471 [1330-20-7]	Xylene Dried, 99.5%, 0.005% water	1000 ml	710
		500 ml	730				
		2500 ml	2180				
46561 [1314-36-9]	Yttrium (III) Oxide extrapure AR, 99.9%	10 Gms	530				
		25 Gms	1240				



Code	Name	Packing	Price	Code	Name	Packing	Price
76192 [5970-45-6]	Zinc Acetate Dihydrate extrapure, 98.5%	500 Gms	800	76455 [7446-20-0]	Zinc Sulphate Heptahydrate pure, 99%	500 Gms 1 Kg 5 Kg	290 530 2550
76205 [5970-45-6]	Zinc Acetate Dihydrate ACS, 99.5%	500 Gms	870	78494 [13597-44-9]	Zinc Sulphite Anhydrous extrapure, 80%	500 Gms	1380
53174 [5970-45-6]	Zinc Acetate Dihydrate ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.	500 Gms	970	62294 [7488-52-0]	Zinc Sulphite Dihydrate extrapure, 98%	500 Gms	1330
43758	Zinc AAS Standard Solution in 1N HNO3 (Traceable to NIST)	100 ml 250 ml	1600 2600	47482 [1314-98-3]	Zinc Sulphide extrapure, 98%	100 Gms 500 Gms	720 2400
97765 [5263-02-5, 51839-25-9]	Zinc Carbonate Basic pure, 58% Zn (Zinc Hydroxide Carbonate, Carbonic Acid Zinc Salt Basic)	500 Gms	900	75738 [7446-20-0]	Zinc Sulphate Heptahydrate ACS, 99.5%	500 Gms 5 Kg	340 3100
99367 [5990-32-9]	Zinc Citrate Dihydrate pure, 98% (Citric Acid Zinc Salt)	500 Gms	800	35243 [7446-20-0]	Zinc Sulphate Heptahydrate ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 Gms 5 Kg	430 3900
87288 [7646-85-7]	Zinc Chloride pure, 97%	500 Gms 5 Kg	400 3800	12077 [13520-92-8]	Zirconium Oxychloride Octahydrate extrapure, 99.5%	100 Gms 250 Gms 500 Gms	500 900 1650
80004 [7646-85-7]	Zinc Chloride ACS, 98%	500 Gms 5 Kg	800 7500	22047 [13520-92-8]	Zirconium Oxychloride Octahydrate ACS, 99.5%	100 Gms 250 Gms	1050 1800
67514 [7646-85-7]	Zinc Chloride for tissue culture, 98%	500 Gms	1870	38028 [14644-61-2]	Zirconium Sulphate extrapure, 99.5%	100 Gms	2140
86783 [7783-49-5]	Zinc Fluoride pure, 98%	100 Gms 500 Gms	300 840	47985 [13826-66-9]	Zirconyl Nitrate Hydrate ExiPlus, Multi-Compendial, 99.5% (Zirconium Oxynitrate) meets compendial specs of USP, Ph.Eur	100 Gms 500 Gms	1050 4300
46621 [7440-66-6]	Zinc Metal Dust pure, 95%, -325 mesh	500 Gms 2.5 Kg	900 4200				
27008 [7440-66-6]	Zinc Metal Dust pure, 99%, -325 mesh	500 Gms 2.5 Kg	1080 5280				
20050 [7440-66-6]	Zinc Metal Dust extrapure AR, 99.5%, -325 mesh	500 Gms 2.5 Kg	1260 5940				
73932 [7440-66-6]	Zinc Metal Dust extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%, -325 mesh meets compendial specs of Ph.Eur	500 Gms 2.5 Kg	1380 6300				
91229 [7440-66-6]	Zinc Metal Granules, 99%, 3-8 mm	500 Gms	1200				
60357 [7440-66-6]	Zinc Metal Granules, 99.5%, 10-12mm	500 Gms	1350				
75001 [10196-18-6]	✓ Zinc Nitrate Hexahydrate extrapure, 98%	500 Gms	600				
24693 [10196-18-6]	✓ Zinc Nitrate Hexahydrate extrapure AR, 98%	500 Gms	700				
87531 [1314-13-2]	Zinc Oxide extrapure, 99%	500 Gms 5 Kg	580 5200				
67062 [1314-13-2]	Zinc Oxide ACS, 99.5%	500 Gms 5 Kg	650 5800				
51508 [1314-13-2]	Zinc Oxide ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of BP	500 Gms 5 Kg	690 6100				
13439 [557-05-1]	Zinc Stearate extrapure, 10-15% ZnO (Stearic acid zinc salt)	500 Gms 1 Kg	600 1100				
67106 [7446-20-0]	Zinc Sulphate Heptahydrate for tissue culture, 99%	500 Gms 1 Kg	570 1010				



Sodium Lauryl Sulphate

A highly versatile product for Drug Dissolution Testing, Quality Control, Research and Electrophoresis applications.

For Drug Dissolution Testing Studies

Sodium Lauryl Sulphate (Sodium Dodecyl Sulphate, SLS, SDS) is a strong component of the media used for Dissolution Testing in In Vitro methods for water-soluble and slightly-water-soluble drugs. It's importance as a simulated gastric/intestinal media ingredient makes it's quality a critical factor in the accuracy of results.

Principally used as a QC Test, Dissolution Testing, SDS of AR & High Purity grades are the most prevalent reagents in use due to constant production improvements, testing and stability studies. SRL is one of the first developers of the High Purity SLS (99.5%) which is fast-becoming the industry standard across the Pharma QC Testing, with many scientists now adopting the newer improved grade as a Protocol standard.

Our Premier Product, Sodium Lauryl Sulphate High Purity (99.5%) (35825) can,

- Eliminate further purification by the customer by foaming & other processes, demonstrate exceptionally lower lauryl alcohol (LA) impurities
- Improve testing accuracy and confirm lot-to-lot bioequivalence
- Ensure consistent and reliable results in In Vitro Testing and Intrinsic Dissolution Rate (IDR) studies
- Secure accurate Dissolution profiles (suitable to fast-release and slow-release drugs)
- Assist in detection of relevant product changes so as to ensure the quality and consistent performance of final products



For SDS Polyacrylamide Gel Electrophoresis (SDS-PAGE) Studies

Primarily used in the denaturing of proteins, Sodium Lauryl Sulphate of high purity and molecular biology grades play a critical role in PAGE electrophoresis techniques as well as SDS Gradient Gel Electrophoresis to,

- Unfold normally buried polypeptide chains while retaining their normal (native) structure
- Bind to difficult regions (hydrophobic regions) within the protein chains
- Induce a predominant negative charge for the subsequent electrophoresis
- Ensure a electrophoretic separation for a large number (and types) of proteins

Types of Sodium Lauryl Sulphate we offer:

Product code	Product Name	Assay	Pack Size
54468	Sodium Lauryl Sulphate extrapure AR, ACS	(C12) min. 99% (GC)	100g, 250g, 500g, 1kg
99671	Sodium Lauryl Sulphate for HPLC	(C12) min. 99% (GC)	10g, 25g, 100g, 1kg
32096	Sodium Lauryl Sulphate for molecular biology	(C12) min. 99.5% (GC)	25g, 100g, 500g
35825	Sodium Lauryl Sulphate High Purity	(C12) min. 99.5% (GC)	25g, 100g, 500g
85369	Sodium Lauryl Sulphate (10%) solution	10%	100ml
87545	Sodium Lauryl Sulphate (20%) solution	20%	250ml
34378	Sodium Lauryl Sulphate BP	min. 85%	1kg
93117	Sodium Lauryl Sulphate IP	min. 85%	1kg
14374	Sodium Lauryl Sulphate pure	min. 85% (dry basis)	500g, 5kg


Larger pack sizes 1kg, 5kg, 25kg available on request

Part B

Bioreagents, Biochemicals & Speciality Fine Chemicals



Linkers & Cross-Linkers for Protein Chemistry



Cross-linking is the process of chemically joining two or more molecules by a covalent bond. **SRL** introduced linking and cross-linking reagents are important reagents used in protein chemistry applications. Typically, they are commonly used reagents to modify nucleic acids, drugs and solid surfaces. Areas of research where these products find application are bio-conjugation, immobilization, surface modification and bio-molecule labeling. These reagents contain reactive ends to specific functional groups, such as primary amines and sulfhydryls, on proteins or other molecules. The availability of several chemical groups in proteins and peptides make them targets for conjugation and for study using cross-linking methods. Some common applications of cross-linkers is for the identification of near-neighbor protein relationships and for ligand-receptor interactions.

- 3-(Acetamidomethylthio)propanoic Acid (MPA(Acm))
- 3-(Benzylthio)-Propionic Acid
- DABCYL-N-Succinimidyl Ester
- DHP Linker (3,4-Dihydro-2H-Pyran-2-Methanol)
- 5-(Ethylthio)-1H-Tetrazole (ETT)
- HMBA Linker (4-(Hydroxymethyl)benzoic Acid)
- HMPA Linker
- Ramage Linker
- Rink Amide Linker (Knorr Linker)
- Sieber Linker
- Weinreb Linker

Compounds for Peptide Synthesis

Peptide synthesis is characterized as the formation of a peptide bond between two amino acids. While the definition of a peptide is not definitive, it usually refers to chains of up to 30-50 amino acids. Peptide synthesis today is a common approach in even high-throughput biological research and product and drug development, although it is a technique about 100 years old. We offer various types of peptide reagents that can be used for biological production and research work.

Amino Acids and Derivatives

- BOC
- Fmoc
- L/D/DL
- Z/CBZ

N,N'-Dicyclohexylcarbodiimide DCC

Diisopropylcarbodiimide DIPC

1-(3 Dimethylaminopropyl)-3- Carbodiimide Hydrochloride (EDC.HCl), EDAC.HCl)

1,4 Dithioerythritol (DTE)

DL-Dithiothreitol (DTT)

EEDQ

1,2 Ethanedithiol (EDT)

9-Fluorenylmethanol

9-Fluorenylmethyl-N-succinimidyl Carbonate

1-Fluoro-2,4 Dinitrobenzene

HABU

HOAT

HOBT

Hydrobromic Acid

2-Hydroxypyridine-N-oxide (1-Hydroxy-2-pyridone) (HOPO)

N-Hydroxysuccinamide

Di-(n-succinimidyl) Carbonate

TBTU

TNTU

Trifluoroacetic Acid

Wang Resin (100-200 mesh)

Z-OSU

For more details, please feel free to mail us at marketing@srlchem.com



Code	Name	Packing	Price	Code	Name	Packing	Price		
66308 [21293-29-8]	■ (+)-Abscisic Acid Natural (S-ABA) for tissue culture, 98% (Dormin, Abscissin II)	25 Mg	1470	24168 [66-23-9]	■ Acetylcholine Bromide extrapure, 98%	5 Gms	2760		
		100 Mg	4100			25 Gms	9200		
		500 Mg	18900						
31240 [14375-45-2]	■ (+/-)-Abscisic Acid Synthetic (ABA) for tissue culture, 98% (Dormin, Abscissin II)	25 Mg	1680	17884 [97-69-8]	⚡ N-Acetyl-L-Alanine extrapure, 99%	5 Gms	1250		
		100 Mg	4310			25 Gms	5040		
40157 [30931-67-0]	● ABTS extrapure AR (2,2-Azino-bis (3-ethylbenzothiazoline-6-sulfonic acid) Diammonium Salt), 98.5%	100 Mg	2800	70538 [997-55-7]	⚡ N-Acetyl-L-Aspartic Acid extrapure, 98%	5 Gms	2000		
		500 Mg	8500			25 Gms	8500		
28042 [30931-67-0]	● ABTS extrapure (2,2-Azino-bis (3-ethylbenzothiazoline-6-sulfonic acid) Diammonium Salt), 98%	500 Mg	4600	23157 [6974-32-9]	⚡ 1-O-Acetyl-2,3,5-Tri-O-Benzoyl-b-D-Ribofuranose extrapure, 98% (b-D-Ribofuranose 1-Acetate 2,3,5-Tribenzoate)	5 Gms	2500		
		1 Gms	7000			25 Gms	8000		
		5 Gms	26980						
83088	ABTS Peroxidase Stop Solution (5% SDS solution) suitable for molecular biology	25 ml	1630	23598 [3080-30-6]	⚡ 1-O-Acetyl-2,3,5-Tri-O-Benzoyl-b-L-Ribofuranose extrapure, 98% (b-L-Ribofuranose 1-Acetate 2,3,5-Tribenzoate)	1 Gms	12210		
		100 ml	4480			5 Gms	39540		
33108	⚡ ABTS Substrate Solution (Single Solution)	25 ml	1630	41439 [14215-97-5]	⚡ 1-O-Acetyl-2,3,5-Tri-O-Benzoyl-D-Ri bofuranose extrapure, 98% (D-Ribofuranose 1-Acetate 2,3,5-Tribenzoate)	5 Gms	2450		
		100 ml	3470			25 Gms	11050		
65457 [56180-94-0]	Acarbose extrapure, 95%	1 Gms	6000	72981 [91110-24-6]	⚡ 1-O-Acetyl-2,3,5-Tri-O-Benzyl-b-D-R ibofuranose extrapure, 95%	50 Mg	22680		
		5 Gms	20000			200 Mg	50000		
66822 [7365-82-4]	ACES Buffer extrapure, 99% (2-[(2-Amino-2-Oxoethylamino)Ethane] Sulphonic Acid)	25 Gms	1900	32993 [58381-23-0]	⚡ 1-O-Acetyl-2,3,5-Tri-O-Benzyl-D-Rib ofuranose extrapure, 98%	50 Mg	22680		
		100 Gms	7400			200 Mg	50000		
		250 Gms	18000						
27907 [7365-82-4]	ACES Buffer for molecular biology, 99.5%	5 Gms	720	62929 [60-31-1]	⚡ Acetylcholine Chloride extrapure, 99%	25 Gms	5710		
		25 Gms	2700			71332 [2260-50-6]	⚡ Acetylcholine Iodide extrapure, 99%	5 Gms	2520
		100 Gms	9200					25 Gms	9000
62316 [540-92-1]	Acetone Sodium Bisulfite pure, 98% (2-Hydroxy-2-Propanesulfonic Acid Monosodium Salt)	100 Gms	3980	26904 [75520-41-1]	■ Acetyl Coenzyme A Trilithium Salt extrapure, 90%	5 Mg	2950		
		250 Gms	9000			25 Mg	11610		
89561 [127-06-0]	Acetoxime (Acetone Oxime) extrapure, 98%	25 Gms	1260	47866 [616-91-1]	⚡ N-Acetyl-L-Cysteine ExiPlus, Multi-Compendial, 99%	10 Gms	400		
		100 Gms	2840			25 Gms	840		
		250 Gms	6830			100 Gms	2630		
						500 Gms	8400		
							meets compendial specs of BP		
89204 [30827-99-7]	■ AEBSF Hydrochloride extrapure AR, 98% (4-(2-Aminoethyl)benzenesulfonylfluoride Hydrochloride)	25 Mg	1150	99328 [14215-68-0]	⚡ N-Acetyl-D-Galactosamine extrapure, 98%	100 Mg	2520		
		100 Mg	3550			1 Gms	7550		
		500 Mg	16870						
59750 [132489-69-1]	■ PUGNAc extrapure, 95% (O-(2-Acetamido-2-Deoxy-D-Glucopyrano sylidenamino) N-Phenylcarbamate)	5 Mg	16230	59012 [7512-17-6]	⚡ N-Acetyl-D-Glucosamine extrapure AR, 99%	10 Gms	940		
						50 Gms	2620		
			100 Gms			4600			
			500 Gms			20940			
20140 [52574-08-0]	● 3-(Acetamidomethylthio)propanoic Acid (MPA(Acm)) extrapure, 98%	1 Gms	5260	50241 [1188-37-0]	⚡ N-Acetyl-L-Glutamic Acid extrapure, 99%	10 Gms	500		
12052 [14691-89-5]	⚡ 4-Acetamido-2,2,6,6-Tetramethylpip eridine-1-Oxyl (Acetamido TEMPO) pure, 97%	1 Gms	1950	68761 [2490-97-3]	⚡ N-Acetyl-L-Glutamine extrapure, 99%	25 Gms	1550		
		5 Gms	4330			100 Gms	4880		
		25 Gms	10280						
34437 [572-09-8]	■ Acetobromo-D-Glucose Stab. 1% CaCO ₃ extrapure, 98%	10 Gms	5200	56115 [543-24-8]	⚡ N-Acetylglycine extrapure, 99% (Acetamidoacetic Acid, Aceturic Acid)	25 Gms	1030		
		25 Gms	12000			100 Gms	2800		
						500 Gms	6600		
28590 [3068-32-4]	■ Acetobromo-D-Galactose w/ 2% Calcium Carbonate extrapure, 98%	5 Gms	6500	76097 [1188-21-2]	⚡ N-Acetyl-L-Leucine extrapure, 99%	5 Gms	450		
43717 [941-98-0]	1-Acetonaphthone pure, 98% (Acetylnaphthalene, Naphthyl Ketone)	100 ml	1370			25 Gms	1800		
		250 ml	2660			100 Gms	5200		
21009 [93-08-3]	2-Acetonaphthone pure, 98% (Acetylnaphthalene, Methyl-2-Naphthyl Ketone)	100 Gms	1300	26124 [65-82-7]	⚡ N-Acetyl-L-Methionine extrapure, 99%	5 Gms	810		
		250 Gms	3000			25 Gms	3380		
						100 Gms	11820		



Code	Name	Packing	Price	Code	Name	Packing	Price
90430 N-Acetyl-L-Proline extrapure, 98% [68-95-1]		5 Gms	1560	35188 [8063-24-9]	Acriflavine Hydrochloride for molecular biology, 98.5%-105% (3,6-Diamino-10-Methylacridinium Chloride Hydrochloride, Euflavine)	5 Gms	540
		25 Gms	5880			25 Gms	2400
		100 Gms	15640				
81977 N-Acetylimidazole extrapure AR, 98% [2466-76-4]		25 Gms	1970	39309 Actin extrapure, 99% [51005-14-2]		1 Mg	32560
		100 Gms	6020				
32414 N-Acetyl-DL-Methionine extrapure, 99% [1115-47-5]		10 Gms	780	28269 Actinomycin D (AMD) extrapure, 98% [50-76-0]		2 Mg	5630
		100 Gms	1750			5 Mg	13200
86419 N-Acetylneuraminic Acid extrapure (NANA), 98% [131-48-6]		100 Mg	1200	44597 Acylase 1 (ACY1) ex. Porcine Kidney, 1000U/mg [9012-37-7]		50 Mg	2750
		1 Gms	3000			250 Mg	9620
		5 Gms	5500			1 Gms	30220
10197 2-Acetyl Pyridine extrapure, 99% [1122-62-9]		25 ml	1850	37690 ADA Buffer extrapure, 98% [26239-55-4] (N-(2-Acetamido)Iminodiacetic Acid)		25 Gms	2450
		100 ml	6600			100 Gms	3000
						500 Gms	7400
14507 3-Acetyl Pyridine pure, 99% [350-03-8]		25 ml	1600	83468 ADA Monosodium Salt Buffer extrapure, 98% [7415-22-7]		5 Gms	4660
		100 ml	4000			25 Gms	9310
38998 S-Acetylthiocholine Iodide extrapure AR, 99% [1866-15-5]		1 Gms	2220	35609 ADA Disodium Salt Buffer extrapure, 98% [41689-31-0]		25 Gms	3800
		5 Gms	8800				
99703 2-Acetyl Thiophene pure, 99% [88-15-3]		100 ml	1100	50300 Adenine extrapure, 98% [73-24-5]		5 Gms	320
		500 ml	4500			25 Gms	1290
11644 N-Acetyl-L-Tryptophan extrapure, 99% [1218-34-4]		5 Gms	1420	87583 Adenine Sulphate extrapure, 99% [321-30-2]		10 Gms	550
		25 Gms	6120			25 Gms	1320
						100 Gms	4940
48861 N-Acetyl-L-Tryptophan ExiPlus, Multi-Compendial, 99% [1218-34-4] meets compendial specs of BP, Ph.Eur		5 Gms	1630	81951 Adenine Sulphate for tissue culture, 99% [321-30-2]		10 Gms	870
		25 Gms	6050			25 Gms	2100
						100 Gms	7350
51031 N-Acetyl-DL-Tryptophan extrapure, 99% [87-32-1]		25 Gms	2050	56603 Adenine Sulphate ExiPlus, Multi-Compendial, 99% [321-30-2] meets compendial specs of USP		25 Gms	2520
		100 Gms	7980			100 Gms	8400
		1 Kg	75600				
98070 N-Acetyl-L-Tyrosine extrapure, 98% [537-55-3]		5 Gms	2080	54865 Adenosine extrapure, 99% [58-61-7]		5 Gms	350
		25 Gms	7940			25 Gms	1340
16756 N-Acetyl-L-Tyrosine Ethyl Ester (ATEE) extrapure, 99% [36546-50-6]		5 Gms	5870	94149 Adenosine ExiPlus, Multi-Compendial, 99% [58-61-7] meets compendial specs of USP, BP, Ph.Eur		25 Gms	1870
		10 Gms	10990				
61942 N-Acetyl-L-Valine extrapure, 99% [96-81-1]		1 Gms	2700	84910 Adenosine-2',3' Cyclic Monophosphate Sodium Salt extrapure, 98% [37063-35-7]		25 Mg	3510
97412 Acridine Orange hemi (Zinc Chloride) Salt [10127-02-3] (C.I. No. 46005)		5 Gms	1100			100 Mg	10730
		10 Gms	1850				
		25 Gms	4190	98333 Adenosine-3',5'-Cyclic-Monophosphoric Acid extrapure, 98% [60-92-4]		100 Mg	2000
37751 Acridine Orange hemi(Zinc Chloride) Salt for molecular biology [10127-02-3]		5 Gms	1650			500 Mg	6000
		10 Gms	2800				
		25 Gms	5500	43801 Adenosine-5-Diphosphate Disodium Salt (ADP.Na2) extrapure, 98% [16178-48-6]		500 Mg	750
62255 Acridine Orange hemi(Zinc Chloride) Salt for tissue culture [10127-02-3]		5 Gms	1580			1 Gms	1400
		25 Gms	4800			5 Gms	5000
82407 Acridine Orange Hydrochloride Hydrate for molecular biology, 99% [65-61-2] (3,6-Bis(dimethylamino)Acridine Hydrochloride)		1 Gms	1410	99118 Adenosine-5-Diphosphate Monopotassium Salt Dihydrate (ADP-K) extrapure, 97% [72696-48-1]		500 Mg	1760
		5 Gms	6140			1 Gms	3000
						5 Gms	9000
42070 Acridine Yellow G [135-49-9] (Basic Yellow K, 3,6-Diamino-2,7-Dimethylacridine Hydrochloride)		5 Gms	1570	90697 Adenosine-5-Monophosphate Disodium Salt (AMP.Na2) extrapure, 95% [4578-31-8]		5 Gms	840
		25 Gms	5410			25 Gms	2000
42428 Acriflavine Neutral for molecular biology, 98% [8048-52-0] (3,6-Diamino-10-Methylacridinium Chloride, Acriflavine Base)		5 Gms	420			100 Gms	7000
		25 Gms	1800			500 Gms	32000
		100 Gms	4900				



Code	Name	Packing	Price	Code	Name	Packing	Price
84878	■ Adenosine-5'-Triphosphate	5 Gms	900	12375	Agarose TBE mix 2.0%	100 Gms	8530
[34369-07-8]	Disodium Salt (ATP-Na ₂) extrapure vanadium free, 98%	25 Gms	3200				
		100 Gms	12000				
46600	■ S-(5-Adenosyl)-L-Homocysteine extrapure, 99%	10 Mg	37210				
[979-92-0]	5-Deoxy-S-adenosyl-L-homocysteine						
85934	■ (S)Adenosyl-L-Methionine	500 Mg	1840				
[97540-22-2]	Disulphate Tosylate, 98%	1 Gms	3470				
40257	■ Adipic Acid Dihydrazide (ADH) extrapure, 98%	25 Gms	3000				
[1071-93-8]	(Hexanedioic Acid Dihydrazide)	100 Gms	4700				
		250 Gms	7200				
75101	Adonitol (Ribitol) extrapure, 99%	5 Gms	1800				
[488-81-3]		25 Gms	7550				
37575	⚡ Adrenaline Bitartrate (Epinephrine Bitartrate) extrapure, 98%	1 Gms	2300				
[51-42-3]	(L-Adrenaline Hydrogen Bitartrate, L-Epinephrine Hydrogen Bitartrate)	5 Gms	8500				
59783	⚡ L-Adrenaline (L-Epinephrine) extrapure, 98%	1 Gms	3000				
[51-43-4]		5 Gms	14000				
60645	Agarose High EEO for molecular biology	25 Gms	1840				
[9012-36-6]		100 Gms	6610				
		500 Gms	31820				
36601	Agarose Low EEO for molecular biology	10 Gms	680				
[9012-36-6]		25 Gms	1350				
		100 Gms	4290				
		500 Gms	19580				
		1 Kg	38550				
23287	Agarose Low EEO Superior Grade for molecular biology	10 Gms	800				
[9012-36-6]		25 Gms	1720				
		100 Gms	5020				
		500 Gms	22640				
		1 Kg	42830				
10423	Agarose Medium EEO for molecular biology	10 Gms	900				
[9012-36-6]		25 Gms	2200				
		100 Gms	5800				
		500 Gms	25700				
27813	Agarose UltraPhor for molecular biology	10 Gms	6200				
[9012-36-6]		25 Gms	11000				
		100 Gms	40000				
		500 Gms	185000				
32417	Agarose Low Melting for molecular biology	5 Gms	3000				
[9012-36-6]		10 Gms	3500				
		25 Gms	8000				
		100 Gms	30000				
		250 Gms	70000				
93419	Agarose TAE mix 1.0%	100 Gms	8530				
67900	Agarose TAE mix 2.0%	100 Gms	8530				
76171	Agarose TBE mix 1.0%	100 Gms	8530				
19339	⚡ Ajmalicine (Raubasine) extrapure, 98%	10 Mg	1500				
[483-04-5]		50 Mg	6000				
		1 Gms	11200				
52821	⚡ Ajmaline pure, 98%	50 Mg	8000				
[4360-12-7]	(Ritmos)	1 Gms	15800				
74590	L-Alaninamide Hydrochloride extrapure, 97%	5 Gms	2400				
[33208-99-0]	(L-Alanineamide Hydrochloride)	25 Gms	9300				
64422	D-Alanine extrapure CHR, 99%	5 Gms	420				
[338-69-2]		25 Gms	1750				
		100 Gms	6000				
96244	DL-Alanine extrapure CHR, 99%	100 Gms	610				
[302-72-7]		500 Gms	1650				
		1 Kg	3000				
32344	■ D-Alanine-7-Amido-4-Methylcoumarin in Free Base extrapure, 97%	10 Mg	11420				
[77471-41-1]	(D-Alanine-7-Amido-4-Methylcoumarin)	25 Mg	20760				
11180	■ β-Alanine-7-Amido-4-Methylcoumarin in Trifluoroacetate Salt extrapure, 99%	10 Mg	12340				
[201847-54-3]	(β-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt, β-Alanine-AMC.TFA salt)	25 Mg	25220				
28760	■ D-Alanine-7-Amido-4-Methylcoumarin in Trifluoroacetate Salt extrapure, 99%	10 Mg	8880				
[201847-52-1]	(D-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt, D-Alanine-AMC.TFA salt)	25 Mg	17260				
25696	■ L-Alanine-7-Amido-4-Methylcoumarin in Trifluoroacetate Salt extrapure, 98%	25 Mg	5910				
[96594-10-4]	(L-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt, L-Alanine-AMC.TFA salt)	100 Mg	16870				
94518	■ L-Alanine Benzyl Ester p-Toluene Sulfonate extrapure, 98%	25 Gms	6230				
[42854-62-6]							
17737	■ L-Alanine Benzyl Ester Hydrochloride extrapure, 98%	25 Gms	5410				
[5557-83-5]							
64048	■ L-Alanine-β-Naphthylamide Hydrobromide extrapure, 98%	100 Mg	6360				
[3513-56-2]							
94349	⚡ L-Alanyl-L-Alanine extrapure, 99%	100 Mg	4030				
[1948-31-8]		500 Mg	19340				
31622	⚡ L-Alanyl-L-Glutamine extrapure, 99%	1 Gms	840				
[39537-23-0]		5 Gms	2520				
46620	⚡ L-Alanyl Glycine extrapure, 99%	1 Gms	3730				
[687-69-4]		5 Gms	17660				
73721	⚡ L-Alanyl-L-Leucine extrapure, 99%	500 Mg	9320				
[3303-34-2]							
31550	● L-Alanyl-L-Leucine-L-Phenylalanine extrapure	100 Mg	8000				
97088	■ L-Alanyl Methyl Ester Hydrochloride extrapure, 99%	5 Gms	1790				
[2491-20-5]		25 Gms	6830				
41859	■ L-Alanyl-L-Tyrosine extrapure, 99%	100 Mg	3180				
[3061-88-9]							



Code	Name	Packing	Price	Code	Name	Packing	Price
38211	Alar extrapure AR, 99% [1596-84-5]	1 Gms 5 Gms 25 Gms	400 1400 6000	46822	Alcian Blue for tissue culture [33864-99-2] (C.I. No. 74240, Alcian Blue 8 GX)	5 Gms 25 Gms	3800 17380
97350	Albumin Bovine (pH 5.2) fraction V [9048-46-8] (Bovine Serum Albumin, BSA), 98%	5 Gms 50 Gms 100 Gms 250 Gms	830 7800 15250 35000	90008	Alcohol Dehydrogenase (ALD) ex. Bakers Yeast, 300U/mg protein [9031-72-5]	7500 Units	4660
83803	Albumin Bovine (pH 7) fraction V [9048-46-8] (Bovine Serum Albumin, BSA), 98%	5 Gms 25 Gms 100 Gms 250 Gms	800 3800 14500 34000	67482	Alexidine Dihydrochloride extrapure, 96% [1715-30-6] (1,1-Hexamethylene-bis(5-[2-Ethylhexyl]biguanide))	250 Mg	5510
85171	Albumin Bovine (pH 7) fraction V for molecular biology (Bovine Serum Albumin, BSA), 98% [9048-46-8]	5 Gms 25 Gms 100 Gms 500 Gms	900 4000 15800 72000	86220	Alginate Acid ex. Brown Algae, 19-25% [9005-32-7]	100 Gms 250 Gms 500 Gms	400 940 1780
14438	Albumin Bovine (pH 7) fraction V Lipid Enhanced (Bovine Serum Albumin, BSA), 98% [9048-46-8]	25 Gms 100 Gms	7960 24230	84554	N-Allylthiourea extrapure, 98% [109-57-9] (1-Allyl-2-thiourea, Thiosinamine)	25 Gms 100 Gms	1350 4800
32257	Albumin Bovine (pH 7) fraction V for tissue culture (Bovine Serum Albumin, BSA), 98% [9048-46-8]	5 Gms 25 Gms	2330 8820	29186	Alizarin Red S [130-22-3] (C.I. No. 58005)	25 Gms 100 Gms 500 Gms	750 2700 13000
65186	Albumin Bovine (pH 7) fraction V Reagent Grade (Bovine Serum Albumin, BSA), 99% [9048-46-8]	10 Gms 25 Gms 100 Gms	5120 9270 20110	60352	Alizarin Red S for tissue culture [130-22-3] (C.I. No. 58005)	25 Gms 100 Gms	950 3200
93630	Albumin Bovine (pH 7) fraction V Cohn Analog (Bovine Serum Albumin, BSA), 96% [9048-46-8]	10 Gms 25 Gms 100 Gms	5120 9270 20110	95786	Alizarin Yellow GG, 90% [584-42-9] (Metachrome Yellow, Mordant Yellow 1, Salicyl Yellow) (C.I. No. 14025)	5 Gms 25 Gms	660 1320
19007	Albumin Bovine Solution (20mg/ml) [9048-46-8]	1 ml 5 x1 ml	1200 2400	12151	Alkaline Phosphatase (ALP, AP, CIP) ex. Calf Intestine Mucosa, 20 DEA U/mg solids [9001-78-9]	100 Mg 500 Mg 1 Gms	6490 12000 21000
77761	Albumin Bovine Solution 10% Diluent Solution in PBS (BSA 10% Diluent/Blocking Solution in PBS) [9048-46-8]	10 ml	3300	97534	Alkalophilic Proteinase ex. Streptomyces Sp., 20U/mg [315-30-0]	100 Units 200 Units	36050 67440
45017	Albumin Egg Powder extrapure, 78% [9006-59-1]	100 Gms 500 Gms	750 3500	58020	Allopurinol extrapure, 98% [315-30-0]	5 Gms 25 Gms	600 2200
56587	Albumin Egg Flakes extrapure, 85% [9006-59-1]	100 Gms 500 Gms	1700 7760	46287	β-D-Allose extrapure, 98% [7283-09-2]	100 Mg	7740
21840	Albumin Human Serum (Lipid Enhanced), 95% [70024-90-7]	100 Mg 1 Gms 5 Gms	3970 10210 19280	35401	L-Allose extrapure, 97% [7635-11-2]	25 Mg 50 Mg	12670 21810
80879	r-Albumin Human - Type Standard ACF ex. Plants, 97% [70024-90-7] (Human Serum Albumin Recombinant, rHSA)	100 Mg 1 Gms	4000 30000	73583	L-Alpha Glycerophosphate Oxidase (GPO) ex. Microorganism, 15U/mg [9046-28-0]	500 Units	5260
55955	r-Albumin Human - Type EG ex. Yeast, 99% [70024-90-7] (Human Serum Albumin, rHSA)	100 Mg 1 Gms	4500 35000	61973	D-Aitrose extrapure [1990-29-0]	25 Mg 100 Mg 200 Mg	14710 56280 125470
83428	r-Albumin Human - Type LE ex. Yeast, 98% [70024-90-7] (Human Serum Albumin Recombinant, rHSA)	100 Mg 1 Gms	5500 39000	74880	7-Amino-4-Methylcoumarin (7-AMC) extrapure, 99% [26093-31-2]	1 Gms	3030
48261	Alcian Blue [33864-99-2] (C.I. No. 74240, Alcian Blue 8 GX)	5 Gms 10 Gms	1960 3680	81396	Amikacin (AMK) free base, 98% [37517-28-5]	50 Mg 250 Mg	6000 25000
				18036	Amikacin Sulphate (AMKS) [39831-55-5]	1 Gms 5 Gms	2310 9890
				98062	p-Aminoacetanilide pure, 98% [122-80-5]	100 Gms 500 Gms	510 1820
				40182	p-Aminoacetophenone extrapure AR, 99% [99-92-3]	25 Gms 100 Gms	850 3020
				62360	D-a-Amino Adipic Acid extrapure, 98% [7620-28-2]	250 Mg 1 Gms	2200 6000
				35418	L-a-Amino Adipic Acid extrapure, 98% [1118-90-7]	250 Mg 1 Gms	2400 7000



Code	Name	Packing	Price	Code	Name	Packing	Price
46832	Amino Acids Kit	1 Kit	3730	51812	2-Amino-2-Methyl-1,3-Propanediol (AMPD Buffer) extrapure, 99% (Ammediol)	25 Gms 100 Gms	3800 13500
86936	L-Amino Acids Kit	1 Kit	4430	91085	5-Aminonaphthalene-1-Sulphonic Acid pure, 90% (1-Naphthylamine-5-Sulfonic Acid, Laurents Acid)	25 Gms 100 Gms	2630 9450
68384	D-Amino Acid Oxidase (DAA, DAO, DAMOX) ex. Porcine Kidney, 6000U/g	50 Units 100 Units	11260 19700	98372	5-Aminonaphthalene-2-Sulphonic Acid pure, 98%	25 Gms 100 Gms	2940 9980
98437	p-Aminoazobenzene pure, 98%	100 Gms 500 Gms	620 2400	79911	1-Amino-2-Naphthol-4-Sulphonic Acid (1,2,4-Acid) , ACS, 90% (1-Amino-2-Hydroxy-4-Naphthalenesulfonic acid)	25 Gms 100 Gms	520 1740
79793	m-Aminobenzoic Acid pure, 98%	100 Gms 500 Gms	700 2600	21407	2-Amino-5-Nitrobenzophenone extrapure, 98%	25 Gms 100 Gms	2940 9670
74004	m-Aminobenzoic Acid extrapure AR, 99%	25 Gms 100 Gms	800 2500	58513	2-Aminophenyl-Acetonitrile pure, 97%	250 Mg 1 Gms	5980 15230
99839	p-Aminobenzoic Acid pure, 99% (PABA)	100 Gms 250 Gms 500 Gms	600 1250 2400	33993	(3-Aminopropyl)triethoxysilane (APTES) extrapure, 98% (3-(Triethoxysilyl)Propylamine)	100 ml 500 ml	1200 3400
19196	p-Aminobenzoic Acid ExiPlus, Multi-Compendial, 99% (PABA) meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	720 2700	17081	2-Aminopurine extrapure, 98%	100 Mg 250 Mg 1 Gms	3220 6910 23300
56960	2-Aminobenzophenone pure, 98%	5 Gms 25 Gms	1800 4640	65377	2-Aminopyridine pure, 98%	100 Gms 250 Gms 500 Gms	500 1200 2200
26345	4-Aminobutyric Acid extrapure CHR, 99%	10 Gms 25 Gms	360 890	29786	3-Aminopyridine pure, 98%	25 Gms 100 Gms 500 Gms	900 3000 10500
65081	DL-a-Aminobutyric Acid extrapure, 99% (DL-2-Aminobutyric Acid)	25 Gms 100 Gms	1960 5850	16104	4-Aminopyridine pure, 98%	10 Gms 25 Gms 100 Gms	470 850 2800
10498	2-Amino-5-Chlorobenzophenone pure, 98%	100 Gms 500 Gms	3760 18350	12920	4-Amino-1,2,4-Triazole pure, 98%	25 Gms 100 Gms	900 3000
18125	1-Amino-1-Cyclopropanecarbonitrile Hydrochloride extrapure, 98%	1 Gms 5 Gms	2500 8000	40057	Ammonium Phosphomolybdate Hydrate extrapure, 61% Mo (Ammonium-12-Molybdophosphate, Molybdophosphoric Acid Ammonium, Phosphomolybdic Acid Ammonium Hydrate)	25 Gms 100 Gms	2630 3990
68678	3-Amino-9-Ethyl Carbazole (AEC) extrapure, 95%	1 Gms 10 Gms 25 Gms	800 3500 8500	31438	Ammonium Tetrachloropalladate (II) extrapure, 98% (Palladium (II) Ammonium Chloride)	250 Mg 1 Gms	3000 7500
44285	4-Amino-3-Hydrazino-5-Mercapto-1,2,4-Triazole (AHMT), 98%	1 Gms 5 Gms	2200 9000	32285	Ammonium Tetrachloroplatinate (II) extrapure, 99% (Platinum (II) Ammonium Chloride)	250 Mg 1 Gms	3500 9000
94283	2-Amino-3-Hydroxypyridine pure, 98%	25 Gms 100 Gms	1200 4800	24645	Amoxicillin Trihydrate (AMOT), 97%	1 Gms 5 Gms 10 Gms	300 1290 2330
33864	5-Amino Levulinic Acid Hydrochloride extrapure, 97%	100 Mg 500 Mg 1 Gms	2200 4540 6870	54713	Amphotericin B (AMT)	250 Mg 1 Gms 5 Gms	1290 4910 23950
19902	DL-3-Aminoisobutyric Acid extrapure, 98% (2-Amino-2-Methyl-Propionic Acid)	1 Gms 5 Gms	4200 12600	61314	Ampicillin Sodium Salt (AMP-Na)	1 Gms 5 Gms 25 Gms	380 1730 6290
86898	DL-3-Aminoisobutyric Acid Hydrate extrapure, 98%	25 Mg 100 Mg	1160 2630				
87907	5-Aminoisophthalic Acid (5-AIPA) pure, 99% (5-Aminobenzene-1,3-Dicarboxylic acid)	25 Gms 100 Gms	1190 3790				
50407	2-Amino-2-Methyl-1-Propanol (AMP Buffer) pure, 95%	500 ml 2500 ml	2000 9560				



Code	Name	Packing	Price	Code	Name	Packing	Price
26647 [69-52-3]	Ampicillin Sodium Salt (AMP-Na) for tissue culture	1 Gms	460	23848 [10323-20-3]	D-Arabinose extrapure (D-(-)-Arabinose)	5 Gms	350
		5 Gms	1710			25 Gms	1300
		25 Gms	6720			100 Gms	5000
82904 [7177-48-2]	Ampicillin Trihydrate (AMP)	1 Gms	330	52392 [87-72-9, 5328-37-0]	L-Arabinose extrapure (L-(+)-Arabinose)	100 Gms	900
		5 Gms	1420			500 Gms	4400
		10 Gms	2570				
96459 [68399-79-1]	AMPSO Buffer extrapure, 99% (N-(1,1-Dimethyl-2-Hydroxyethyl)-3-Amino-2-Hydroxypropane Sulphonic Acid)	5 Gms	4210	52384 [87-72-9, 5328-37-0]	L-Arabinose ExiPlus, Multi-Compendial (L-(+)-Arabinose) meets compendial specs of BP, Ph.Eur	25 Gms	850
		25 Gms	14020			500 Gms	6000
85441 [29883-15-6]	D-Amygdalin extrapure, 97%	1 Gms	1440	74926 [488-82-4]	D(+)-Arabitol (D-Arabinitol) extrapure 99%	1 Gms	730
		10 Gms	4410			5 Gms	3040
		25 Gms	8940			25 Gms	10330
95114 [9000-90-2]	a-Amylase ex. Porcine Pancreas, 5U/mg	1 Gms	940	91121 [7643-75-6]	L-(-) Arabitol (L-Arabinitol) extrapure 99%	1 Gms	1160
		5 Gms	3280			10 Gms	5170
28588 [9000-90-2]	a-Amylase ex. Porcine Pancreas, 10-25U/mg	100 Mg	3980	89657 [506-30-9]	Arachidic Acid extrapure, 99% (Eicosanoic Acid, Arachic Acid, Arachidinic Acid)	1 Gms	2500
46504 [9000-92-4]	a-Amylase ex. Malt (Fungal Diastase ex. Aspergillus Oryzae) 1:2000, (2000U/g powder)	100 Gms	510			5 Gms	6000
		500 Gms	2150			25 Gms	16000
40321 [206659-00-9]	8-Anilino-1-Naphthalene Sulphonic Acid Ammonium Salt Hydrate (ANS Hydrate) extrapure, 98% (8-Anilino-1-Naphthalenesulfonic Acid Ammonium Salt Hydrate)	5 Gms	2730	20975 [506-32-1]	Arachidonic Acid (non-animal) extrapure, 99%	10 Mg	2500
		25 Gms	7880			25 Mg	4500
		100 Gms	30350			100 Mg	11000
42275 [82-76-8]	8-Anilino-1-Naphthalenesulphonic Acid (ANS) extrapure, 98% (8-Anilino-1-Naphthalenesulfonic Acid, N-Phenyl Peri Acid)	5 Gms	2940	13492 [497-76-7]	p-Arbutin extrapure, 98%	10 Gms	4000
		25 Gms	8400			25 Gms	8500
		100 Gms	18900				
89119 [123-11-5]	Anisaldehyde extrapure, 99% (p-Methoxybenzaldehyde)	100 ml	400	89184 [157-06-2]	D-Arginine (free base) extrapure CHR, 99% (R)-2-Amino-5-Guanidinopentanoic Acid)	1 Gms	2380
		250 ml	940			5 Gms	5000
		500 ml	1830				
90820 [100-09-4]	p-Anisic Acid extrapure, 98% (p-Methoxybenzoic Acid)	100 Gms	590	34537 [36589-29-4]	L-Arginine Ethyl Ester Dihydrochloride extrapure, 98%	5 Gms	1280
		500 Gms	2450			25 Gms	4940
						100 Gms	16060
70940 [100-66-3]	Anisole extrapure, 99%	500 ml	650	11249 [26340-89-6]	L-Arginine Methyl Ester Dihydrochloride extrapure, 98%	5 Gms	1150
64447 [100-66-3]	Anisole extrapure AR, 99.5%	500 ml	1010			25 Gms	4510
						100 Gms	14940
59553 [90-44-8]	Anthrone pure, 95%	25 Gms	600	17299 [520-10-5]	Arsenazo I Trisodium (Neothorone) extrapure AR	1 Gms	1020
		100 Gms	1800			5 Gms	4310
96476 [90-44-8]	Anthrone ACS, 98%	10 Gms	450			47014 [1668-00-4]	Arsenazo III Free Acid (High Purity) extrapure AR, 85% (2,7-Bis(2-Arsenophenylazo)-1,8-Dihydroxynaphthalene-3,6-Disulfonic Acid)
		25 Gms	750	5 Gms	35000		
		100 Gms	2600				
63714 [90-44-8]	Anthrone ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of BP	25 Gms	850	57656 [9029-44-1]	L-Ascorbate Oxidase (Type 1) ex. Cucurbita Sp., 150U/mg	2500 Units	9350
		100 Gms	2900			60402 [9029-44-1]	L-Ascorbate Oxidase (Type 2) ex. Acremonium Sp., 350U/mg
		27999 [464-92-6]	Asiatic Acid pure, 97% (2a,23-Dihydroxyursolic Acid, Dammarolic acid, NSC 166063)				
44089 [85251-63-4]	Apple Seed (PyrusMalus) Oil			250 ml	2000	200 Mg	14370
		500 ml	3750				
62179 [9087-70-1]	Aprotinin ex. Bovine Lung, 5400U/mg	5 Mg	1870	11479 [5794-24-1]	D-Asparagine Monohydrate extrapure, 99%	5 Gms	700
		10 Mg	3630			25 Gms	2200
		25 Mg	6730	86883 [5794-13-8]	L-Asparagine Monohydrate extrapure CHR, 99%	100 Gms	700
		100 Mg	23410			1 Kg	5800
				5 Kg	27000		



Code	Name	Packing	Price	Code	Name	Packing	Price		
92468 [5794-13-8]	L-Asparagine Monohydrate for tissue culture, 99%	25 Gms	500	13741 [78110-38-0]	Aztreonam (AZN), 96%	100 Mg	6000		
		100 Gms	1100			53953 [1192-88-7]	1-Cyclohexene-1-Carboxaldehyde extrapure, 97%	1 Gms	6000
		500 Gms	4500					5 Gms	27000
44444 [5794-13-8]	L-Asparagine Monohydrate ExiPlus, Multi-Compendial, 99%	100 Gms	900	76432 [21668-81-5]	3-(Carbamimidoylthio)-1-Propanesulfonic Acid extrapure, 98%	5 Gms	2000		
		1 Kg	6300			25 Gms	4500		
meets compendial specs of BP, USP & EU Ph						100 Gms	7000		
90601 [1783-96-6]	D-Aspartic Acid extrapure CHR, 99%	5 Gms	800	11730 [531-55-5]	Azure B (Azure I) (C.I. No. 52010) (N,N,N-Trimethylthionin, Methylene Azure A)	25 Gms	650		
		25 Gms	2500			100 Gms	2400		
71353 [16115-68-7]	L-Aspartic Acid Diethyl Ester Hydrochloride extrapure, 98%	5 Gms	2000			500 Gms	11000		
		25 Gms	6000	62151 [37247-10-2]	Azur II (C.I. 52010/52015) (3-Chloro-6-Hydroxy-2-Pyridinecarboxylic Acid, Methylene Azure II)	10 Gms	340		
50144 [32213-95-9]	L-Aspartic Acid Dimethyl Ester Hydrochloride extrapure, 98%	1 Gms	1060			25 Gms	600		
		5 Gms	3940			100 Gms	2200		
		25 Gms	12110	25003 [531-53-3]	Azure A Chloride (C.I. No. 52005) (3-Amino-7-(Dimethylamino)phenothiazin-5-ium Chloride)	25 Gms	650		
100 Gms	41140	100 Gms	2400						
21505 [1405-69-2]	Avidin ex. Egg White for molecular biology, 10U/mg Protein	10 Mg	2170			500 Gms	11000		
		25 Mg	5090	17327 [1405-87-4]	Bacitracin (BCT) ex. Bacillus Licheniformis	50000 Units	1440		
		100 Mg	17310			250000 Units	3630		
34476 [320-67-2]	5-Azacytidine extrapure, 98%	100 Mg	1750			52571	Barfoed's Reagent	250 ml	610
		1 Gms	3000	29090 [6211-24-1]	Barium Diphenylamine Sulphonate ACS			5 Gms	310
59070 [76801-85-9]	Azaerythromycin (AZAE)	1 Gms	2260			25 Gms	960		
		5 Gms	5340			27297 [4733-39-5]	Bathocuproine (BCP) ACS, 99%	500 Mg	2500
81947 [932-53-6]	6-Azathymine extrapure, 98%	1 Gms	5850	1 Gms	4500				
		61898 [30516-87-1]	3-Azido-3-Deoxythymidine extrapure, 99% (AZT, Azidothymidine, ZDV, Zidovudine)	25 Mg	800			5 Gms	21000
1 Gms	3000			28242 [52698-84-7]	Bathocuproinedisulphonate Disodium Salt extrapure AR, 98%	100 Mg	1800		
5 Gms	7600					250 Mg	4200		
17156 [117772-70-0]	Azithromycin Dihydrate (AZA), 96%	1 Gms	700			1 Gms	14000		
		5 Gms	3300	50221 [1662-01-7]	Bathophenanthroline extrapure AR, 99% (4,7-Diphenyl-1,10-Phenanthroline, BPhen)	1 Gms	3200		
		10 Gms	6000			5 Gms	15000		
47138 [2997-92-4]	2,2-Azobis(2-Methylpropionamidine) Dihydrochloride (AAPH) extrapure, 98% a,a'-Azodiisobutyramidine dihydrochloride	5 Gms	2500			82626 [636-82-8]	1-Cyclohexene-1-Carboxylic Acid extrapure, 97% (3,4,5,6-Tetrahydrobenzoic Acid)	1 Gms	2250
		25 Gms	4240	5 Gms	10000				
		100 Gms	6850	69160 [100-50-5]	3-Cyclohexene-1-Carboxaldehyde extrapure, 98% (1,2,3,6-Tetrahydrobenzaldehyde, 4-Formyl-1-cyclohexene)			25 ml	2000
11029 [78-67-1]	2,2-Azobisisobutyronitrile (AIBN) pure, 98% (2,2-Azobis(2-Methylpropionitrile))	100 Gms	500			100 ml	5200		
		500 Gms	2000			98680 [52746-49-3, 98645-86-4, 53744-42-6]	Bathophenanthroline Disulphonate Disodium Salt Hydrate extrapure, 99%	250 Mg	3500
		5 Kg	16000	1 Gms	11500				
95426 [102110-73-6]	Azoalbumin (Bovine) prepared from Bovine fraction V powder extrapure	250 Mg	3420	5 Gms	50000				
		500 Mg	6530	36333 [21205-91-4]	9-BBN Triflate Solution (0.5M in hexanes) pure (9-[(9-(Trifluoromethyl)sulfonyl]oxy]9-Borabicyclo(3.3.1)Nonane)	500 ml	7810		
		1 Gms	12450			1000 ml	12750		
21070 [102110-74-7]	Azocasein extrapure, 98%	250 Mg	2800			64733 [112-85-6]	Behenic Acid pure, 85% (Docosanoic acid, 1-Docosanoic acid, n-Docosanoic acid, Docosic acid)	25 Gms	400
		500 Mg	5200	250 Gms	850				
		1 Gms	9800	35591 [112-85-6]	Behenic Acid extrapure, 99% (Docosanoic acid, 1-Docosanoic acid, n-Docosanoic acid, Docosic acid)			5 Gms	4000
37020 [206752-32-1]	Azomethine H Monosodium Salt Hydrate, 97%	1 Gms	700			25 Gms	7000		
		5 Gms	3100			78130 [5941-07-1]	Azomethine H Monosodium Salt, 97%	1 Gms	1100
		25 Gms	11000	5 Gms	4500				
		25 Gms	12000						



Code	Name	Packing	Price	Code	Name	Packing	Price
74710 [661-19-8]	1-Docosanol (Behenyl Alcohol) extrapure, 98%	25 Gms 500 Gms	700 5500	64554 [100-46-9]	Benzylamine extrapure AR, 99.5%	250 ml 500 ml	500 950
82142 [94-41-7]	Benzalacetophenone (Chalcone) pure, 98% (1,3-Diphenyl-2-Propenone)	25 Gms 100 Gms 500 Gms	600 1800 7000	91695 [146631-00-7]	4-Benzyloxy-Phenylboronic Acid extrapure, 97%	1 Gms 5 Gms 25 Gms	1430 5700 16900
93014 [206752-36-5]	Benzamidine Hydrochloride Hydrate extrapure, 98%	5 Gms 25 Gms 100 Gms	950 2400 7500	47102 [3054-01-0]	S-Benzyl-L-(+)-Cysteine extrapure, 98%	25 Gms	17450
13740 [93-98-1]	Benzanilide pure, 98%	100 Gms 500 Gms	590 2310	26862 [472696-9]	O-Benzyl-L-Serine extrapure, 99%	1 Gms 5 Gms 10 Gms 25 Gms	1660 6060 11680 26600
42689 [98-09-9]	Benzenesulphonyl Chloride pure, 98%	500 ml	980	50562 [2899-66-3]	3-(Benzylthio)-Propionic Acid extrapure, 98%	1 Gms 5 Gms	3560 9490
41035 [98-09-9]	Benzenesulphonyl Chloride ExiPlus, Multi-Compendial, 98% meets compendial specs of USP	500 ml	1200	75036 [21871-47-6]	5-(Benzylthio)-1H-Tetrazole (BTT Activator) extrapure, 99%	5 Gms 25 Gms	2110 7010
57730 [91-00-9]	Benzhydramine pure, 97% (a-Aminodiphenylmethane)	25 ml 100 ml 500 ml	600 1200 5000	29161 [56-37-1]	Benzyltriethylammonium Chloride pure, 98%	500 Gms 5 Kg	660 6300
17851 [495-18-1]	Benzohydroxamic Acid extrapure, 99%	10 Gms 25 Gms	4510 8830	98924 [56-39-9]	Benzyltrimethylammonium Chloride pure, 98%	100 Gms 500 Gms	270 1180
17192 [134-81-6]	Benzil extrapure, 98%	250 Gms	840	60168 [56-39-9]	Benzyltrimethylammonium Chloride ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	370 1320
93528 [76-93-7]	Benzilic Acid extrapure, 99% (Diphenylglycolic Acid)	100 Gms 250 Gms	1280 3140	30307 [100-85-6]	Benzyltrimethyl Ammonium Hydroxide 40% in Methanol extrapure (Triton B)	100 ml 500 ml	1240 4060
35034 [51-17-2]	Benzimidazole extrapure, 99%	25 Gms 100 Gms 500 Gms	240 740 3470	18437 ✓ [8007-75-8]	Bergamot Oil extrapure	500 ml 1000 ml	5660 10190
31398 [441-38-3]	a-Benzoinoxime extrapure AR, 99% (Cupron)	25 Gms 100 Gms	450 1320	34489 [10191-18-1]	BES Buffer extrapure, 99% (N,N-bis(2-Hydroxyethyl)2-Aminoethanesulphonic Acid)	25 Gms 100 Gms 500 Gms 1 Kg	900 3000 12000 22000
44371 [5350-57-2]	Benzophenone Hydrazone pure, 99%	100 Gms 500 Gms	3040 12070	59299 [66992-27-6]	BES Sodium Salt Buffer extrapure, 99%	25 Gms 100 Gms 250 Gms	3000 7000 14000
47554 [93-91-4]	1-Benzoylacetone pure, 98%	10 Gms 50 Gms	2210 8430	83710	Bial's Reagent	250 ml	620
76356 ● [2645-08-1]	N-a-Benzoyl-L-Arginine Ethyl Ester Hydrochloride (BAEE) extrapure AR, 99%	1 Gms 5 Gms 25 Gms	950 4400 21000	84867 ⚠ [979-88-4]	Bicinchoninic Acid Disodium Salt (BCA) extrapure, 98% (2,2-Biquinoline-4,4-Dicarboxylic Acid Disodium Salt)	1 Gms 5 Gms	2840 8400
96249 ● [911-77-3]	N-a-Benzoyl-DL-Arginine-4-Nitroanilide Hydrochloride (BANI, L-BAPNA) extrapure, 98%	100 Mg 250 Mg 1 Gms	1800 3000 8800	39849 [150-25-4]	BICINE Buffer extrapure, 99% (N,N-bis(2-Hydroxyethyl) Glycine)	25 Gms 100 Gms 500 Gms	630 1900 8500
51003 ● [913-04-2]	N-a-Benzoyl-DL-Arginine-β-Naphthylamide Hydrochloride (BANAN) extrapure, 97%	250 Mg 1 Gms	2930 9230	66466 ● [86303-22-2]	Big CHAPS, 95% N,N'-Bis(3-D-gluconamidopropyl)cholamide	500 Mg 1 Gms 5 Gms	9870 17270 55490
46170 ● [23405-15-4]	N-(Benzoyloxy)Succinimide (Bz-OSu) extrapure, 99% (Benzoic Acid N-Succinimidyl Ester, N-Succinimidyl Benzoate)	1 Gms 5 Gms	4000 8200	64839 ⚠ [635-65-4]	Bilirubin extrapure AR, 99%	100 Mg 1 Gms 5 Gms	870 6400 26000
46651 ● [1214-39-7]	6-Benzyladenine (6-BAP) extrapure AR, 99% (6-Benzylaminopurine)	5 Gms 25 Gms 100 Gms	640 940 3330				
38728 [100-46-9]	Benzylamine pure, 99%	500 ml 2500 ml 25 Ltr	720 3400 32000				



Code	Name	Packing	Price	Code	Name	Packing	Price
66915 [80619-01-8]	■ Bilirubin Oxidase ex. Myrothecium, 1.2U/mg powder	25 Units	5500	26477 [10416-59-8]	✓ N,O-Bis-(Trimethylsilyl) Acetamide (BSA) extrapure, 95%	25 ml 100 ml 250 ml	780 2300 5000
18888 [58-85-5]	ⓘ D-Biotin extrapure, 99% (Vitamin H)	1 Gms 10 Gms 25 Gms	650 4850 9350	57677 [25561-30-2]	✓ N,O-Bis-(Trimethylsilyl) Trifluoro Acetamide (BSTFA) extrapure, 99%	5 ml 25 ml 100 ml 500 ml	450 1400 4800 22000
89932 [58-85-5]	ⓘ D-Biotin for tissue culture, 99% (Vitamin H)	1 Gms 10 Gms 25 Gms	780 5400 11740	52353	ⓘ BSA + TMCS(3-5%), 93-97% (N,O-Bis(trimethylsilyl) Acetamide, Trimethylchlorosilane)	10 ml 25 ml	2940 5880
92196 [92-52-4]	Biphenyl extrapure, 99%	100 Gms 1 Kg	470 3380	22555	✓ BSA + TMCS + TMSI, (3:2:3) N,O-Bis(trimethylsilyl)Acetamide, Trimethylchlorosilane, Trimethylsilylimidazole (GC Derivatization)	10 x1 ml 25 ml	5510 8450
79363 [366-18-7]	2,2-Bipyridyl ACS, 99.5%	5 Gms 25 Gms 100 Gms	670 2770 7830	46976 [25561-30-2]	● N,O-Bis(trimethylsilyl) trifluoro acetamide, Trimethylchlorosilane (BSTFA + TMCS) (99:1) for GC Derivatization	10 x1 ml 25 ml 100 ml	5510 2450 8570
37025 [14592-56-4]	Bis(Acetonitrile)Dichloropalladium (II) extrapure, 99%, ~41% Pd (Palladium (II) Chloride Diacetonitrile Complex)	500 Mg 1 Gms 5 Gms	6500 11000 40000	31817 [80-05-7]	Bisphenol A pure, 97% (4,4-Isopropylidenediphenol)	500 Gms	400
98369 [10526-07-5]	1,3-Bis(3-Aminophenoxy) Benzene (APB) pure, 98% (Resorcinol bis(3-Aminophenyl) Ether)	5 Gms 25 Gms	5610 20800	25417 [6976-37-0]	BIS-TRIS Buffer extrapure, 99% (bis [2-Hydroxyethyl] Aminotris [Hydroxymethyl] Methane (bis-Tris) (free base))	25 Gms 100 Gms 500 Gms	1310 4790 22360
47063 [13080-89-2]	4,4-Bis(4-Aminophenoxy)Diphenyl Sulfone pure, 98%	5 Gms 25 Gms	3390 12850	15893 [124763-51-5]	BIS-TRIS Hydrochloride Buffer extrapure, 98%	10 Gms 25 Gms 100 Gms	3110 5820 14860
11866 [14220-64-5]	✓ Bis(benzonitrile)palladium(II) Dichloride extrapure, 27.4% Pd	500 Mg 1 Gms 5 Gms	3500 6200 28000	49084 [64431-96-5]	BIS-TRIS Propane Buffer extrapure, 99%	25 Gms 100 Gms 500 Gms	4000 13000 52500
24637 [542-88-1]	ⓘ Bis(chloromethyl) Ether pure, 96%	25 Gms 100 Gms	5500 16000	77031	Biuret Reagent Solution ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	250 ml	220
96246 [32005-36-0]	Bis(Dibenzylideneacetone) Palladium extrapure, 16.5%-20.5% Pd (Palladium(0) bis(Dibenzylideneacetone), Pd(dba) ₂)	250 Mg 1 Gms 5 Gms	2500 4200 16000	20899 [9041-93-4]	ⓘ Bleomycin Sulfate (BLM-S), 90%	10 Mg 50 Mg	6000 22000
52119 [140-95-4]	ⓘ N,N-Bis(hydroxymethyl)urea (DMU) pure, 95% (1,3-Bis(hydroxymethyl)urea, Dimethylolurea)	25 Gms 100 Gms 500 Gms	760 1600 5800	22649 [1871-22-3]	● Blue Tetrazolium Chloride (BTC, Tetrazolium Blue Chloride) extrapure AR	1 Gms 5 Gms	1200 5500
16660 [72287-26-4]	1,1'-Bis(Diphenylphosphino)Ferrocene Palladium(II) Dichloride extrapure, 14.5% Pd (Dichloro [(1,1-Bis-Diphenylphosphino Ferrocene)] Palladium (II) (14.5% Pd))	250 Mg 1 Gms 5 Gms	3000 5800 24000	86204 [7764-95-6]	● BOC-D-Alanine extrapure, 99%	10 Gms 25 Gms	3000 5000
87281 [95464-05-04]	1,1'-Bis(Diphenylphosphino)Ferrocene-Palladium(II)Dichloride-Dichloromethane Complex extrapure, 98%	1 Gms 5 Gms 25 Gms	4000 15000 54000	42849 [15761-38-3]	● BOC-L-Alanine extrapure, 99%	10 Gms 25 Gms	750 1780
49463 [29934-17-6]	■ Bis(Tricyclohexylphosphine)Palladium(II) Dichloride extrapure, 98% (Dichlorobis(tricyclohexylphosphine)Palladium(II))	250 Mg 1 Gms 5 Gms	1800 4600 21000	50483 [28875-17-4]	● BOC-L-Alanine Methyl Ester extrapure, 98%	10 Gms 25 Gms	8340 14590
35116 [13965-03-2]	ⓘ Bis(Triphenylphosphine) Dichloropalladium (II) extrapure, 98% (Dichlorobis(triphenylphosphine)Palladium(II), Palladium(II)bis(triphenylphosphine) Dichloride)	1 Gms 5 Gms 25 Gms	3400 12000 47500	75597 [4248-19-5]	● BOC Amide pure, 98% (tert-Butyl Carbamate)	5 Gms 25 Gms 100 Gms	880 1980 6600
				23875	● BOC-L-Amino Acids Kit	1 Kit	31620
				50647 [73874-95-0]	● N-BOC-4-Aminopiperidine pure, 97%	5 Gms 25 Gms	3600 13170
				33534 [23680-31-1]	● N-BOC-O-Benzyl-L-Serine extrapure, 98% (BOC-L-Ser(Bz)-OH)	10 Gms 25 Gms	27350 47850



Code	Name	Packing	Price	Code	Name	Packing	Price
12320 [2130-96-3]	● N-BOC-O-Benzyl-L-Tyrosine extrapure, 98% (BOC-L-Tyr(Bzl)-OH)	10 Gms	11490	39190	● BOC-Isonipecotic Acid Methyl Ester extrapure, 98% (N-Boc-Piperidine-4-Carboxylic Acid Methyl Ester)	10 Gms	10230
		25 Gms	20100			25 Gms	17890
61900 [35897-34-8]	● BOC-L-Arginine Hydrochloride extrapure, 98.5%	25 Gms	4830	22237 [16937-99-8]	● BOC-D-Leucine extrapure, 99%	10 Gms	3800
		100 Gms	13580			25 Gms	8000
12202 [7536-58-5]	● BOC-L-Aspartic Acid-4-Benzylester extrapure, 98%	10 Gms	2600	25833 [13139-15-6]	● BOC-L-Leucine Monohydrate extrapure, 99%	25 Gms	1700
		25 Gms	6500			100 Gms	6000
19362 [75647-01-07]	● BOC-D-Asparagine extrapure, 99%	10 Gms	4710	88985 [2389-45-9]	● Na-BOC-Ne-Z-L-Lysine (BOC-Lys(Z)-OH) extrapure, 98% (BOC-Lys(Z)-OH)	5 Gms	4200
		25 Gms	10980			25 Gms	11980
67012 [7536-55-2]	● BOC-L-Asparagine extrapure, 99%	10 Gms	1070	57147 [15098-69-8]	● N-a-e-T-BOC-L-Lysine-Dicyclohexyl ammonium Salt extrapure, 99% (BOC-L-Lys(BOC)-OH.DCHA)	10 Gms	5820
		25 Gms	2380			25 Gms	10180
		100 Gms	9020				
38230 [62396-48-9]	● BOC-D-Aspartic Acid extrapure, 99%	10 Gms	3910	69681 [2418-95-3]	● BOC-L-Lysine extrapure, 98%	10 Gms	3500
		25 Gms	8800			25 Gms	7000
30394 [13726-67-5]	● BOC-L-Aspartic Acid extrapure, 98%	10 Gms	3000	81350 [2488-15-5]	● BOC-L-Methionine extrapure, 98.5%	25 Gms	3940
35516 [19746-37-3]	● BOC-L-Acetamidomethyl-L-Cysteine extrapure, 98%	10 Gms	17400			100 Gms	12130
44054 [5068-28-0]	● BOC-L-Benzyl-L-Cysteine extrapure, 98%	10 Gms	11960	91418 [88495-54-9]	● BOC-Nipecotic Acid extrapure, 99%	10 Gms	6390
		25 Gms	20930			25 Gms	11170
53340 [132844-48-5]	● BOC-Cyclopropylamine extrapure, 98%	10 Gms	10510	82933 [1487631-41-1]	● BOC-Nipecotic Acid Methyl Ester extrapure, 98%	10 Gms	11240
		25 Gms	18390			25 Gms	19660
14930 [10389-65-8]	● BOC-L-Cystine extrapure, 99%	10 Gms	1060	53717 [2188-18-3]	● BOC-Nitro-L-Arginine extrapure, 99% (Boc-Arg(NO ₂)-OH)	10 Gms	5630
		25 Gms	2350			25 Gms	10580
92584 [34404-28-9]	● BOC-D-Glutamic Acid extrapure, 99%	10 Gms	5420	14910 [33305-77-0]	● BOC-4-Nitro-L-Phenylalanine extrapure, 98% (BOC-L-Phe(4 No ₂)-OH)	10 Gms	6560
		25 Gms	12190			25 Gms	11480
69376 [2419-94-5]	● BOC-L-Glutamic acid extrapure, 99%	10 Gms	1070	76600 [7535-56-0]	● BOC-4-Nitro-L-Phenylalanine Ethyl Ester extrapure, 98% (BOC-Phe-Onp)	10 Gms	11640
		25 Gms	2380			25 Gms	20360
		100 Gms	9020				
82284 [13574-13-5]	● BOC-L-Glutamic Acid-5-Benzyl Ester extrapure, 98% (BOC-L-Glu(OBzl)-OH)	10 Gms	12330	40474 [18942-49-9]	● BOC-D-Phenylalanine extrapure, 99%	10 Gms	5270
		25 Gms	21560			25 Gms	11830
45737 [61348-28-5]	● BOC-D-Glutamine extrapure, 99%	10 Gms	6500	23293 [13734-34-4]	● BOC-L-Phenylalanine extrapure, 99%	10 Gms	1250
		25 Gms	14620			25 Gms	2870
46975 [13726-85-7]	● BOC-L-Glutamine extrapure, 99%	10 Gms	2350			100 Gms	9230
		25 Gms	2350				
		100 Gms	8820				
71943 [4530-20-5]	● BOC-Glycine extrapure, 99%	25 Gms	2080	25694 [35909-92-3]	● BOC-D-Phenylalanine Methyl Ester extrapure, 98%	10 Gms	13050
		100 Gms	6260			25 Gms	22830
44986 [31954-27-5]	● BOC-Glycine Methyl Ester extrapure, 98% (BOC-Gly-OMe)	10 ml	1900	60090 [51987-73-6]	● BOC-L-Phenylalanine Methyl Ester extrapure, 98%	10 Gms	10150
		25 ml	4500			25 Gms	17760
10733 [17791-52-5]	● BOC-L-Histidine extrapure, 98.5%	10 Gms	4450	46437 [33125-05-2]	● BOC-D-Phenyglycine extrapure, 99%	1 Gms	1510
		25 Gms	8610			10 Gms	5440
38544 [13726-69-7]	● BOC-L-Hydroxyproline extrapure, 98% (BOC-Hyp-OH)	5 Gms	5240	40931 [2900-27-8]	● BOC-L-Phenyglycine extrapure, 99%	25 Gms	9520
		25 Gms	11860				
74956 [13139-16-7]	● BOC-L-Isoleucine extrapure, 99%	10 Gms	1190	53665 [26250-84-0]	● BOC-Pipecolic Acid extrapure, 99%	10 Gms	5880
		25 Gms	2670			25 Gms	10280
		100 Gms	9000				
55665 [84358-13-4]	● BOC-Isonipecotic Acid extrapure, 99% (1-BOC-Piperidine-4-Carboxylic Acid)	10 Gms	6390	41311 [132910-79-3]	● BOC-Pipecolic Acid Methyl Ester extrapure, 98%	10 Gms	13120
		25 Gms	11170			25 Gms	22960
				12098 [57260-71-6]	● 1-BOC-Piperazine extrapure, 99%	10 Gms	2760
						25 Gms	5990
				32298 [79099-07-3]	● 1-BOC-4-Piperidone extrapure, 99%	5 Gms	1560
						25 Gms	5990



Code	Name	Packing	Price	Code	Name	Packing	Price		
43977	● BOC-L-Prolinamide extrapure, 98% [35150-07-3]	1 Gms	4240	19219	⚠ Bradford Reagent for Proteins	100 ml	510		
		5 Gms	12690			500 ml	1700		
		10 Gms	18320						
93481	● BOC-D-Proline extrapure, 99% [37784-17-1]	10 Gms	3570	51195	✓ Brassinolide (BR) synthetic [76962-43-7] technical grade, 90%	25 Mg	3500		
		25 Gms	8030			100 Mg	12000		
91894	● BOC-L-Proline extrapure, 99% [15761-39-4] (BOC-Pro-OH)	25 Gms	1800	64222	Brilliant Blue G-250 for molecular biology [6104-58-1] (Coomassie Brilliant Blue G250)	5 Gms	620		
		100 Gms	5900			25 Gms	2310		
		250 Gms	14000						
71026	● BOC-D-Proline Methyl Ester [733323-65-6] extrapure, 98%	10 Gms	16740	93473	Brilliant Blue R-250 for molecular biology [6104-59-2] (Coomassie Brilliant Blue R250)	5 Gms	580		
		25 Gms	29300			25 Gms	2200		
31641	● BOC-L-Proline Methyl Ester [59936-29-7] extrapure, 98%	10 Gms	15220	84778	Brilliant Blue R Staining Solution (Coomassie Brilliant Blue R-250 solution)	100 ml	3140		
		25 Gms	26630						
91810	● BOC-D-Serine extrapure, 98% [6368-20-3]	10 Gms	13550	75824	Brilliant Cresyl Blue [81029-05-2] (C.I. No. 51010 Brilliant Blue C, Brilliant Blue ALD)	5 Gms	800		
		25 Gms	30480			25 Gms	3000		
77874	● BOC-L-Serine extrapure, 99% [3262-72-4]	10 Gms	2300	60343	■ Bromelain ex. Pineapple Stem, [9001-00-7] 2400 GDU/g	100 Gms	8000		
		25 Gms	5160			25 Gms	700		
		100 Gms	16020			100 Gms	2000		
20256	● BOC-L-Serine Methyl Ester [2766-43-0] extrapure, 98%	10 ml	8710	36953	⚠ Bromoacetaldehyde Dimethyl [7252-83-7] Acetal pure (Stabilized), 97% (2-Bromo-1,1-Dimethoxyethane)	25 ml	1100		
		25 ml	15220			100 ml	3570		
						500 ml	16330		
73138	● BOC-D-Threonine extrapure, 98% [55674-67-4]	10 Gms	4710	96141	2-Bromoacetamide pure, 97% [683-57-8]	5 Gms	2070		
		25 Gms	10980			25 Gms	6900		
77340	● BOC-L-Threonine extrapure, 99% [2592-18-9]	10 Gms	1190	25038	p-Bromoacetanilide pure, 98% [103-88-8] (4-Bromoactanilide)	100 Gms	1420		
		25 Gms	2670			500 Gms	6220		
		100 Gms	9000						
61017	● BOC-D-Tryptophan extrapure, 99% [5241-64-5] (BOC-D-Trp-OH)	10 Gms	4000	39903	✓ Bromoacetic Acid pure, 99% [79-08-3]	100 Gms	810		
		25 Gms	9000			500 Gms	3570		
86659	● BOC-L-Tryptophan extrapure, 99% [13139-14-5] (BOC-L-Trp-PH, BOC-Trp-OH)	25 Gms	2150	15180	4-Bromoacetophenone pure, 98% [99-90-1] (p-Bromoacetophenone)	25 Gms	480		
		100 Gms	8000			100 Gms	1310		
						500 Gms	6400		
61475	● BOC-L-Tyrosine extrapure, 99% [3978-80-1]	10 Gms	2540	30930	3-Bromoacetophenone extrapure, 99% [2142-63-4] (1-Acetyl-3-Bromobenzene, m-Bromoacetophenone)	25 Gms	980		
		25 Gms	5340			100 Gms	2880		
		100 Gms	16990						
77170	● BOC-L-Tyrosine Methyl Ester [4326-36-7] extrapure, 98%	10 Gms	10150	47085	m-Bromoaniline pure, 97% [591-19-5]	25 ml	1870		
		25 Gms	17760			100 ml	6710		
35049	● BOC-D-Valine extrapure, 99% [22838-58-0]	25 Gms	3800	22912	p-Bromoaniline pure, 98% [106-40-1] (4-Bromoaniline)	100 Gms	1300		
80577	● BOC-L-Valine extrapure, 99% [13734-41-3]	10 Gms	690			500 Gms	5500		
		25 Gms	1380						
		100 Gms	4990						
97810	● BOC-L-Valine Methyl Ester [58561-04-9] extrapure, 98%	10 Gms	7330	47405	3-Bromoanisole pure, 98% [2398-37-0] (m-Bromoanisole)	50 ml	980		
		25 Gms	12820			100 ml	1800		
59946	⚠ BOP Reagent extrapure AR, 98% [56602-33-6] (Castros Reagent)	5 Gms	750	54364	4-Bromoanisole pure, 98% [104-92-7] (p-Bromoanisole)	100 Gms	1010		
		25 Gms	3500			500 Gms	3200		
		100 Gms	13500						
24790	Boron Trifluoride in Methanol (50%) [2802-68-8] Complex	50 ml	4370	27879	Bromobenzene extrapure, 99% [108-86-1]	250 ml	920		
		250 ml	18500			1000 ml	3570		
		1000 ml	40000						
48847	⚠ Boron Trifluoride in Methanol (14%) [373-57-9] Solution	25 ml	4850	61714	Bromobenzene extrapure AR, 99% [108-86-1]	250 ml	1100		
		100 ml	6840			20107	3-Bromobenzoic Acid extrapure, 99% [585-76-2]	10 Gms	890
		500 ml	12850					25 Gms	2550



Code	Name	Packing	Price	Code	Name	Packing	Price
17833 [90-90-4]	p-Bromobenzophenone pure, 98%	5 Gms 25 Gms 100 Gms	1180 3840 12160	20077 [114162-64-0]	5-Bromo-4-Chloro-3-Indolyl-B-D-Glucuronide Cyclohexylammonium Salt (X-Gluc CHX) for tissue culture, (X-beta-Glucuronide CHX Salt)	100 Mg 500 Mg	3500 9250
69530 [589-15-1]	p-Bromobenzyl Bromide pure, 98%	100 Gms	6700	59056 [144110-43-0]	5-Bromo-6-Chloro-3-Indolyl-β-D-Glucuronide Cyclohexylammonium Salt extrapure, 98% (Magenta-GlcA, Magenta Glucuronide)	50 Mg 250 Mg	5000 9000
79118 [536-38-9]	2-Bromo-4-Chloro Acetophenone pure, 98% (O-Bromo-4-Chloro Acetophenone)	100 Gms	5300	82224 [93863-88-8]	5-Bromo-6-Chloro-3-Indoxyl-β-D-Galactopyranoside (Magenta-Gal) extrapure, 98% (Magenta-beta-D-Gal)	50 Mg 250 Mg 1 Gms	2500 6000 12000
88685 [106-39-8]	1-Bromo-4-Chloro Benzene pure, 98%	100 Gms 500 Gms	790 3140	62949 [15548-60-4]	5-Bromo-4-Chloro-3-Indolyl-β-D-Glucopyranoside (X-Glu, X-Glc) for tissue culture, 98%	25 Mg 100 Mg	1200 2400
11447 [107-04-0]	1-Bromo-2-Chloroethane pure, 97%	100 Gms 500 Gms	2000 9000	51683 [15548-60-4]	5-Bromo-4-Chloro-3-Indolyl-β-D-Glucopyranoside (X-Glu, X-Glc) for molecular biology, 98% (X-Glucoside)	100 Mg 500 Mg 1 Gms	1500 3500 6000
83788 [3252-36-6]	5-Bromo-4-Chloro-3-Indolyl Acetate (X-3-Acetate, X-Acetate) extrapure, 98%	25 Mg 250 Mg	3000 12000	24714 [102185-33-1]	5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP) extrapure, 98% (X-Phosphate Disodium Salt)	100 Mg 250 Mg 500 Mg 1 Gms	2400 4400 8000 13000
49199 [129541-42-0]	5-Bromo-4-Chloro-3-Indolyl Caprylate (X-Caprylate) extrapure, 98% (5-Bromo-4-chloro-3-Indolyl Octanoate)	10 Mg 25 Mg 250 Mg	900 2000 8000	66620 [102185-33-1]	5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP) for tissue culture, 98%	100 Mg 500 Mg	3430 12910
82860 [209347-94-4]	5-Bromo-6-Chloro-3-Indolyl-Caprylate (Magenta Caprylate) extrapure, 97%	25 Mg 100 Mg 500 Mg	1250 3000 11000	14847 [6769-80-8]	5-Bromo-6-Chloro-3-Indolylphosphate-p-Toluidine Salt (BCIP Red) extrapure, 95% (Magenta Phosphate p-Toluidine Salt)	25 Mg 100 Mg 500 Mg	2000 4000 8000
93775 [107021-38-5]	5-Bromo-4-Chloro-3-Indolyl-a-D-Galactopyranoside (X-a-Gal) for molecular biology, 99% (X-a-D-Galactoside)	25 Mg 100 Mg	2300 5000	45366 [6578-06-9]	5-Bromo-4-Chloro-3-Indolyl Phosphate p-Toluidine Salt (BCIP p-toluidine salt) for molecular biology, (X-phosphate p-Toluidine Salt)	25 Mg 100 Mg 500 Mg	2450 4500 9000
74021 [108789-36-2]	5-Bromo-4-Chloro-3-Indolyl-a-D-Glucopyranoside (X-a-Glc) for molecular biology, 98% (X-a-D-Glucoside)	50 Mg	5000	75531	BCIP Red/NBT Solution A (BCIP Red Solution)	100 ml	17750
90349 [177966-52-8]	5-Bromo-4-Chloro-3-Indolyl-β-D-Cellobioside (X-Cellobioside, X-B-D-Cel) extrapure, 99%	25 Mg 100 Mg	2300 5000	73654	BCIP Red/NBT Solution B (NBT Solution)	100 ml	2270
45904 [7240-90-6]	5-Bromo-4-Chloro-3-Indolyl-β-D-Galactopyranoside (X-Gal) for tissue culture, 98%	100 Mg 500 Mg 1 Gms	1800 7100 12000	71007 [518033-33-5]	5-Bromo-4-Chloro-3-Indolyl-β-D-Ribofuranoside extrapure, 95%	25 Mg 100 Mg 250 Mg	20180 57640 115280
10513 [7240-90-6]	5-Bromo-4-Chloro-3-Indolyl-β-D-Galactopyranoside (X-Gal) for molecular biology, 98%	100 Mg 500 Mg 1 Gms	1200 3800 7000	45924 [212515-11-2]	5-Bromo-4-Chloro-3-Indoxyl-myo-Inositol-1-Phosphate Ammonium Salt (X-Phos-Inositol, X-IP) extrapure, (myo-Inositol 1-(5-Bromo-4-Chloro-3-Indoxylphosphate) Ammonium Salt)	20 Mg 100 Mg	5150 19580
19185 [93863-89-9]	5-Bromo-6-Chloro-3-Indolyl β-D-Glucopyranoside (Magenta-Glc) for molecular biology, 98% (Magenta Glucoside)	250 Mg 1 Gms	7960 23870	62861 [160369-85-7]	5-Bromo-4-Chloro-3-Indoxyl-a-D-N-Acetylneuraminic Acid Sodium Salt extrapure (X-NANA.Na), 98%	2 Mg 5 Mg	16910 28170
16651 [129541-41-9]	5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Sodium Anhydrous (X-Gluc Sodium) extrapure, 98% (X-GlcA Sodium Salt, X-β-D-GlcA-Na, X-Glucuronide, X-Glucurono Sodium Salt, BC-Indicator) (X-GlcA)	25 Mg 100 Mg 250 Mg 1 Gms	2200 4800 9800 32000	37869 [109-70-6]	1-Bromo-3-Chloropropane pure, 98% (Trimethylene Bromochloride)	100 ml 500 ml	770 3200
55702 [370100-64-4]	5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Sodium Salt Trihydrate extrapure, 98%	25 Mg 100 Mg 1 Gms	2200 4400 16000	78388 [112-29-8]	1-Bromodecane pure, 98% (Decyl Bromide)	100 ml 250 ml	1210 2870
20402 [114162-64-0]	5-Bromo-4-Chloro-3-Indolyl-B-D-Glucuronide Cyclohexylammonium Salt (X-Gluc CHX) extrapure, 99% (X-beta-Glucuronide CHX Salt)	100 Mg 250 Mg 1 Gms	2500 4000 8000	14433 [3832-48-2]	Bromodifluoroacetyl Chloride extrapure, 97%	1 Gms	9200



Code	Name	Packing	Price	Code	Name	Packing	Price
38209 [348-57-2]	✓ 1-Bromo-2,4-Difluorobenzene pure, 98%	25 ml 100 ml	3000 10500	99876 [15231-91-1]	✓ 6-Bromo-2-Naphthol pure, 98%	100 Gms	12140
28503 [143-15-7]	1-Bromododecane pure, 98% (Dodecyl Bromide, Lauryl Bromide)	250 ml	3220	22753 [15572-30-2]	■ 6-Bromo-2-Naphthyl-β-D-Galactopyranoside extrapure, 98%	1 Gms	6660
57418 [59-14-3]	● 5-Bromo-2-Deoxyuridine extrapure, 98%	100 Mg 500 Mg 1 Gms 5 Gms	1080 3350 5760 24080	86429 [15548-61-5]	■ 6-Bromo-2-Naphthyl-β-D-Glucopyranoside extrapure, 98%	100 Mg 500 Mg	2940 13140
11849 [59-14-3]	● 5-Bromo-2-Deoxyuridine ExiPlus, Multi-Compendial, 98% meets compendial specs of BP, Ph.Eur	1 Gms 5 Gms	7360 25420	79945 [15548-61-5]	■ 6-Bromo-2-Naphthyl-α-D-Mannopyranoside extrapure, 98%	25 Mg 100 Mg	12160 44960
59866 [2576-47-8]	✓ 2-Bromoethylamine Hydrobromide extrapure AR, 99%	25 Gms 100 Gms 500 Gms	1030 2310 5890	51879 [30007-47-7]	✓ 5-Bromo-5-Nitro-1,3-Dioxane (Bronidox) extrapure, 99%	1 Gms 5 Gms	1470 3680
94471 [592-55-2]	2-Bromo Ethyl Ether pure, 98%	250 ml	18180	93052 [52-51-7]	2-Bromo-2-Nitro-1,3-Propanediol (Bronopol, BNPD) ExiPlus, Multi-Compendial, 99-101% meets compendial specs of BP	100 Gms 500 Gms	480 1990
71170 [41604-19-7]	✓ 4-Bromo-2-Fluorobiphenyl pure, 98%	10 Gms 25 Gms 100 Gms	4020 6700 14050	31868 [111-83-1]	1-Bromooctane pure, 98% (Octyl Bromide)	100 ml 250 ml	900 1900
58421 [629-04-9]	1-Bromoheptane pure, 98% (Heptyl Bromide)	100 ml 250 ml	1150 2560	64493 [112-89-0]	1-Bromooctadecane pure, 98% (Octadecyl Bromide)	100 ml 500 ml	1880 9100
52240 [112-82-3]	1-Bromohexadecane pure, 98% (Hexadecyl Bromide)	100 ml 250 ml 500 ml	2760 6560 8030	10459 [110-53-2]	1-Bromopentane pure, 98% (Pentyl Bromide, Amyl Bromide)	100 ml 250 ml 500 ml	1050 1600 3100
26459 [111-25-1]	1-Bromohexane pure, 99% (Hexyl Bromide)	100 ml 500 ml	880 2850	78478 [591-20-8]	3-Bromophenol pure, 98%	10 Gms 25 Gms 100 Gms	1480 3000 7500
25036 [52488-36-5]	✓ 4-Bromoindole pure, 96%	1 Gms 5 Gms	1900 7500	45609 [106-41-2]	p-Bromophenol pure, 99% (4-Bromophenol)	100 Gms 500 Gms	1580 6820
54635 [10075-50-0]	✓ 5-Bromoindole pure, 99%	5 Gms 25 Gms	440 1540	62771 [2800-80-8]	✓ Bromophenol Red (BPR), 90% (3,3-Dibromophenolsulfonphthalein)	1 Gms 5 Gms 25 Gms	800 2000 5000
38092 [18656-96-7]	● 5-Bromo-3-Indolyl-β-D-Glucuronide Cyclohexylammonium Salt (X-GlcA CHX salt) extrapure, 97% (Blue Glucuronide CHX, X-beta-D-GlcA.CHX)	25 Mg	16710	35675 [5467-74-3]	✓ 4-Bromophenylboronic acid extrapure, 97%	5 Gms 25 Gms	2400 10250
27348 [97753-82-7]	■ 5-Bromo-3-Indolyl-β-D-Galactopyranoside (Bluo-Gal) for molecular biology, 99%	100 Mg 1 Gms	5000 15000	88783 [86-90-8]	4-Bromophthalic Anhydride pure, 97%	5 Gms 25 Gms	2310 7680
43675 [17357-14-1]	✓ 5-Bromoindoxylacetate extrapure AR, 99%	100 Mg 500 Mg	2000 8000	98418 [223463-14-7]	⚗ 2-Bromopyridine-5-boronic acid extrapure, 95% (Boronic Acid)	1 Gms 5 Gms	3350 13380
85999 [80008-69-1]	● 5-Bromo-3-Indoxyl Phosphate p-Toluidine Salt extrapure, 98% (Lapis-phos.p-tol, Lapis-phos PT)	250 Mg	11040	93829 [128-08-5]	N-Bromosuccinimide pure, 98%	100 Gms 500 Gms 5 Kg	400 1350 12000
82645 [107-82-4]	1-Bromo-3-Methylbutane (Stabilized w/ Ag) pure, 98.5% (Isopentyl Bromide, Isoamyl Bromide)	100 ml 250 ml 500 ml	1500 2640 4200	51059 [128-08-5]	N-Bromosuccinimide extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	100 Gms 500 Gms 5 Kg	530 1600 14000
89943 [90-11-9]	1-Bromonaphthalene pure, 98%	100 ml 250 ml	1920 4610	22628 [112-71-0]	1-Bromotetradecane pure, 98% (Myristyl Bromide)	250 ml 1000 ml	5010 18410
97167 [580-13-2]	2-Bromonaphthalene pure, 98%	5 Gms 25 Gms	1570 5200	55570 [1003-09-4]	2-Bromothiophene pure, 98%	50 ml 100 ml	1600 2900
95479 [5773-80-8]	✓ 6-Bromo-2-Naphthoic Acid pure, 98%	5 Gms 25 Gms	2500 8800	46714 [872-31-1]	3-Bromothiophene pure, 98%	10 ml 25 ml 100 ml	1100 2000 7500



Code	Name	Packing	Price	Code	Name	Packing	Price
11521 [95-46-5]	2-Bromotoluene pure, 98%	25 ml 100 ml	1610 5670	15748 ✓ [174501-64-5]	1-Butyl-3-Methylimidazolium Hexafluorophosphate (BMIM PF6) extrapure, 98%	5 Gms 25 Gms 100 Gms	1200 4000 13000
92125 [591-17-3]	3-Bromotoluene pure, 98%	10 ml 25 ml	1010 2320	84903 ✓ [80432-09-3]	1-Butyl-3-Methylimidazolium Tetrachloroaluminate (BMIM AlCl4) extrapure, 95%	10 Gms 25 Gms 50 Gms	3000 5000 8000
52250 [106-38-7]	4-Bromotoluene extrapure, 99%	100 Gms 500 Gms	1400 6250	92656 ✓ [174501-65-6]	1-Butyl-3-Methylimidazolium Tetrafluoroborate (BMIMBF4) extrapure, 98%	5 Gms 25 Gms	2200 5000
27964 ● [51-20-7]	5-Bromouracil extrapure, 99%	5 Gms 25 Gms	1300 4500	61005 ✓ [174899-66-2]	1-Butyl-3-Methylimidazolium Trifluoromethanesulfonate (BMIM Otf) extrapure, 95% (1-Butyl-3-Methylimidazolium Triflate)	1 Gms 5 Gms 25 Gms	1000 3000 12000
12211 ● [957-75-5]	5-Bromouridine extrapure, 99%	100 Mg 500 Mg	900 1500	46178 ✓ [223437-11-4]	1-Butyl-1-Methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide (BMP TFSI) extrapure, 98%	5 Gms 25 Gms	1700 7000
42338 ✓	Borax Carmine (Grenacher)	25 Gms	1200	82426 ✓ [479500-35-1]	1-Butyl-1-Methylpyrrolidinium Chloride extrapure, 98%	5 Gms 25 Gms	2100 9500
32202 ✓ [7128-64-5]	2,5-bis(5-tert-Butylbenzoxazol-2-yl) Thiophene (BBOT) scintillation grade, 99%	5 Gms 25 Gms	1800 4000	52735 ✓ [330671-29-9]	1-Butyl-1-Methylpyrrolidinium Hexafluorophosphate (BMP FP6) extrapure, 97.5%	5 Gms 25 Gms	2000 8000
34186 [109-65-9]	n-Butyl Bromide pure, 98% (1-bromobutane)	250 ml 500 ml 1000 ml	750 1350 2500	88656 ✓ [345984-11-4]	1-Butyl-1-Methylpyrrolidinium Tetrafluoroborate (BMP BF4) extrapure, 97%	1 Gms 5 Gms	800 3000
58390 [78-76-2]	sec-Butyl Bromide pure, 98% (2-bromobutane)	100 ml 500 ml	450 1800	34317 ✓ [98-54-4]	p-tert-Butyl Phenol pure, 98%	500 Gms	660
33781 [507-19-7]	2-Bromo-2-Methylpropane (tert-Butyl Bromide) (Stabilized w/ Ag) pure, 98%	100 ml 500 ml	1800 7200	80049 ● [18822-58-7]	O-tert-Butyl-L-Serine extrapure, 97%	1 Gms 5 Gms	2000 6000
88194 ✓ [98-29-3]	p-tert-Butyl Catechol pure, 98% (1,2-Benzenediol)	100 Gms 500 Gms	300 1300	12749 [106-31-0]	n-Butyric Anhydride pure, 98%	500 ml	2270
91666 ✓ [870-46-2]	tert-Butyl Carbazate extrapure, 98% (BOC Hydrzide)	25 Gms 100 Gms	1400 5000	16490 [106-31-0]	n-Butyric Anhydride extrapure AR, 99%	100 ml 500 ml	680 2700
22942 [507-20-0]	tert-Butyl Chloride extrapure, 99% (2-Chloro-2-Methylpropane)	500 ml 1000 ml	1310 2550	51971 [96-48-0]	γ-Butyrolactone extrapure, 99%	500 ml 2500 ml	750 3500
32431 ⚠ [58479-61-1]	tert-Butylchlorodiphenylsilane (TBDPSCI) extrapure AR, 98% (tert-Butyldiphenylchlorosilane, tert-Butyl(chloro)diphenylsilane)	10 ml 25 ml 100 ml	1430 3300 12100	29850 [141-75-3]	Butyryl Chloride extrapure, 98%	100 ml 500 ml	350 1200
90611 [54925-64-3]	N-tert-Butyldimethylsilyl Imidazole (TBDMSIM) pure, 97%	1 ml 5 ml	2040 9550	60400 ✓ [2963-78-2]	Butyrylcholine Chloride extrapure, 96%	1 Gms 5 Gms	2370 8200
39227 [18162-48-6]	tert-Butyldimethylsilyl Chloride (TBDMS.Cl) extrapure, 98%	25 Gms 100 Gms 500 Gms	530 1900 8200	82366 ⚠ [1866-16-6]	S-Butyrylthiocholine Iodide extrapure, 98%	1 Gms 5 Gms 25 Gms	2040 7080 30000
52573 ⚠ [69739-34-0]	tert-Butyldimethylsilyl Trifluoromethanesulfonate (TBDMS triflate) extrapure, 98% (Trifluoromethanesulfonic Acid tert-Butyldimethylsilylester)	5 ml 25 ml 100 ml	1300 5500 15000	56522 [561-20-6]	Cacotheline Monohydrate extrapure, 95% (Redox Indicator)	5 Gms 25 Gms	950 4000
29972 [542-69-8]	n-Butyl Iodide extrapure, 98%	25 ml 100 ml 500 ml	1400 4900 22000	95546 ✓ [462-94-2]	Cadaverine Free Base (1,5-Diaminopentane) extrapure, 97% (Pentamethylenediamine, 1,5-Pentanediamine)	1 ml 5 ml 25 ml	1500 4250 14250
48792 [513-48-4]	sec-Butyl Iodide pure, 98% (2-Iodobutane)	25 ml 100 ml	2200 8000	35547 [1476-39-7]	Cadaverine Dihydrochloride extrapure, 98% (1,5-Diaminopentane Dihydrochloride, Pentamethylenediamine Hydrochloride)	1 Gms 5 Gms 25 Gms	2500 4500 9750
28791 ✓ [79917-90-1]	1-Butyl-3-Methylimidazolium Chloride (BMIM Cl) extrapure, 98%	25 Gms 250 Gms	1500 9000	50375 ✓ [1306-25-8]	Cadmium Telluride ultrapure, 99.99%	5 Gms 25 Gms	3570 11080
50807 ✓ [448245-52-1]	1-Butyl-3-Methylimidazolium Dicyanamide (BMIM.DC) pure, 98%	5 Gms 25 Gms	3500 12000				



Code	Name	Packing	Price	Code	Name	Packing	Price
42062	✓ Caffeic Acid extrapure, 98% [331-39-5] (3,4-Dihydroxybenzeneacrylic Acid, 3,4-Dihydroxycinnamic Acid, 3-(3,4-Dihydroxyphenyl)-2-Propenoic A	5 Gms	2250	10566	⚠ Carbenicillin Disodium Salt, 90% [4800-94-6]	500 Mg	880
		25 Gms	6000			1 Gms	1450
65201	✓ Calcein Reagent extrapure AR (Fluorescein Complexone) [1461-15-0]	1 Gms	260	32943	✓ Carbocysteine extrapure, 98% [638-23-3] (s-Carboxymethyl-L-Cysteine)	1 Gms	1000
		5 Gms	770			5 Gms	3110
		25 Gms	3190			1 Kit	4100
99100	✓ Calciferol (Vitamin D2), 97% [50-14-6]	500 Mg	2000	88515	Carbohydrates Kit Type II	1 Kit	8080
		1 Gms	3500				
		5 Gms	17000				
47700	Calcium Caseinate extrapure, 90% Protein [9005-43-0] (Casein Calcium Salt)	100 Gms	880	67852	⚠ N,N-Carbonyldiimidazole (CDI) extrapure AR, 98% [530-62-1]	25 Gms	400
		500 Gms	3020			100 Gms	1100
31269	Calcium-D-Pantothenate pure, 98% [137-08-6] (D-Pantothenic Acid Calcium Salt, Vitamin B5)	25 Gms	400	87379	✓ 3-Carboxybenzeneboronic Acid extrapure, 97% [25487-66-5] (3-Carboxyphenylboronic Acid)	1 Gms	3000
		100 Gms	1100			5 Gms	8530
		500 Gms	5200			25 Gms	19090
65326	Calconcarboxylic Acid extrapure AR [3737-95-9] (Patton & Reeders Indicator for Calcium)	5 Gms	200	51171	✓ 4-Carboxyphenylboronic Acid extrapure, 97% [14047-29-1]	1 Gms	1400
		25 Gms	810			5 Gms	4480
66406	Calconcarboxylic Acid extrapure AR, ExiPlus, Multi-Compendial [3737-95-9] (Patton & Reeders Indicator for Calcium) meets compendial specs of BP, Ph.Eur	25 Gms	880	35982	✓ 5-Carboxyuracil extrapure, 98% [23945-44-0]	5 Gms	3520
		100 Gms	3110			10 Gms	6820
42532	✓ Calmagite AR [3147-14-6] (Calver II)	1 Gms	220	24352	✓ L-Carnitine extrapure, 99% [541-15-1]	5 Gms	1080
		5 Gms	690			25 Gms	4620
		100 Gms	8580				
94340	D-10 Camphor Sulphonic Acid pure, 99% [3144-16-9] (D-Camphor Sulphonic Acid)	25 Gms	860	85641	■ β-Carotene extrapure, 90% [7235-40-7]	1 Gms	1600
		100 Gms	2330			5 Gms	3400
		500 Gms	11020			25 Gms	8000
25421	D-10 Camphor Sulphonic Acid ExiPlus, Multi-Compendial, 99% [3144-16-9] (D-Camphor Sulphonic Acid) meets compendial specs of BP, Ph.Eur	100 Gms	2510	71953	Casein Protein Rich Alkali Soluble extrapure, 80% Protein [9000-71-9]	500 Gms	1430
		500 Gms	12000			5 Kg	12670
20940	L-10 Camphor Sulphonic Acid pure, 99% [35963-20-3] (L-(-)-Camphor Sulphonic Acid)	25 Gms	1050	27012	Casein Fat Free Ultrapurified, 0.2% Fat [9000-71-9]	500 Gms	2750
		100 Gms	3310				
74616	Canada Balsam Natural for microscopy [8007-47-4]	100 ml	380	23845	Casein acc. to Hammarsten, 95% Protein [9000-71-9]	100 Gms	2630
		500 ml	1840			500 Gms	11540
64210	CAPS Buffer extrapure, 99% [1135-40-6] (3-[Cyclohexylamino]-1-Propane Sulphonic Acid)	25 Gms	1130	1 Kg	20590		
		100 Gms	3490				
		500 Gms	13670				
39271	CAPSO Buffer extrapure, 99% [73463-39-5] (3-(Cyclohexylamino)-2-Hydroxypropane Sulphonic Acid)	25 Gms	1400	42168	■ Catalase (CAT) (Type 1) ex. Bovine Liver, 11700U/mg [9001-05-2]	25 Mg	3460
		100 Gms	3500			100 Mg	7600
		500 Gms	15000			1 Gms	6930
71222	CAPSO Sodium Salt Buffer extrapure, 99% [102601-34-3]	25 Gms	2200	78695	■ Catalase (CAT) (Type 2) ex. Bovine Liver, 2000-5000U/mg protein [9001-05-2]	1 Gms	6930
		100 Gms	6500				
		500 Gms	25000				
54338	Carbazole pure, 95% [86-74-8] (9-Azafluorene, 9H-Carbazole, Dibenzopyrrole, Diphenylenimine)	100 Gms	1700	92063	● Cefaclor (CFC), 95% [53994-73-3]	1 Gms	900
		500 Gms	8000			5 Gms	3000
66964	⚠ Carbenicillin Disodium Salt for tissue culture, 90% [4800-94-6]	250 Mg	1960	15689	● Cefadroxil Monohydrate (CFD), 95% [66592-87-8]	1 Gms	900
		1 Gms	2860			5 Gms	4000
		5 Gms	6430				
85254	● Cefoperazone Sodium (CFZ, Cefaperazone Sodium) [62893-20-3]	1 Gms	1210	26732	⚠ Cefotetan Disodium Salt extrapure, 85% [74356-00-6]	25 Mg	6000
		5 Gms	4950			100 Mg	18000
14299	● Cefazolin Sodium Salt (CFZL), 89-110% [27164-46-1]	100 Mg	4440	125110	● Cefixime Trihydrate (CFX), 95-101% [125110-14-7]	1 Gms	930
		500 Mg	7600			5 Gms	2000
13910	● Cefixime Trihydrate (CFX), 95-101% [125110-14-7]	1 Gms	930	13329	■ Cefpodoxime (CFPD) free acid extrapure, 96% [80210-62-4]	25 Mg	3000
		5 Gms	2000			100 Mg	9000



Code	Name	Packing	Price	Code	Name	Packing	Price
58597 [33564-30-6]	● Cefoxitin Sodium Salt (CTX), 94%	100 Mg	1200	32355 [7647-17-8]	Cesium Chloride ultrapure for molecular biology, 99.9%	25 Gms	2400
		250 Mg	3000			100 Gms	9000
		1 Gms	5000			500 Gms	43500
80223 [52152-93-9]	⚡ Cefsulodin Sodium Salt (CFS) extrapure, 97%	10 Mg	900	36117 [13400-13-0]	Cesium Fluoride extrapure AR, 99%	25 Gms	2150
		250 Mg	7490			100 Gms	8200
79364 [104376-79-6]	● Ceftriaxone Disodium Salt Hemiheptahydrate (CFTZ) (Ceftriazone Sodium Salt)	1 Gms	1400	22941 [7789-17-5]	Cesium Iodide extrapure, 99.5%	10 Gms	1600
		5 Gms	4000			50 Gms	8000
84755 [56238-63-2]	● Cefuroxime Sodium Salt, 86-100%	2 Gms	1250	73254 [7789-17-5]	Cesium Iodide ultrapure, 99.999%	5 Gms	1500
		10 Gms	3500			10 Gms	2800
		25 Gms	8000			25 Gms	5250
		100 Gms	16000				
85294 [528-50-7]	D-Cellobiose extrapure	5 Gms	1100	88733 [7789-18-6]	Cesium Nitrate extrapure, 99% (Nitric Acid Cesium Salt)	5 Gms	1450
		25 Gms	4840			10 Gms	2600
		100 Gms	18800			50 Gms	6800
95382 [9012-54-8]	■ Cellulase (Meicellase) ex. Aspergillus Niger, 0.3 U/mg powder Cellulase (Meicellase) ex. Aspergillus Niger, 0.3U/mg powder	100 Mg	1450	57455 [10294-54-9]	Cesium Sulphate extrapure for molecular biology, 99.9%	10 Gms	1000
		1 Gms	3200			25 Gms	2550
		5 Gms	9500	40649 [122-18-9]	✓ Benzyltrimethylhexadecylammonium Chloride (BDHDAC) pure, 97% (Cetyltrimethylbenzylammonium Chloride, Cetalkonium Chloride)	100 Gms	760
		25 Gms	40000			1 Kg	5000
32970 [9012-54-8]	■ Cellulase Onozuka FA ex. Trichoderma Viride, 2500U/g (Meicellase)	1 Gms	6080	77040 [140-72-7]	Cetylpyridinium Bromide (CPB) pure, 98% (Hexadecylpyridinium Bromide)	100 Gms	1200
		5 Gms	23430			500 Gms	5000
24801 [9012-54-8]	■ Cellulase Onozuka R-10 ex. Trichoderma Viride, 10000U/g (Meicellase)	1 Gms	8000	59088 [6004-24-6]	Cetylpyridinium Chloride (CPC) extrapure, 98%	100 Gms	700
		5 Gms	38000			500 Gms	2500
65480 [9012-54-8]	■ Cellulase Onozuka RS ex. Trichoderma Viride, 16000U/g (Meicellase)	1 Gms	12030	99698 [6004-24-6]	Cetylpyridinium Chloride (CPC) ExiPlus, Multi-Compendial, 98%	100 Gms	800
						500 Gms	3000
45662 [9004-38-0]	Cellulose Acetate Phthalate extrapure	100 Gms	700	meets compendial specs of BP, Ph.Eur			
		500 Gms	3000	66302 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) extrapure AR, 99% (Hexadecyltrimethyl Ammonium Bromide)	100 Gms	490
						500 Gms	2070
33340 [9004-34-6]	Cellulose microcrystalline pure for TLC, 98%	500 Gms	620			5 Kg	18500
		5 Kg	5720	59771 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) extrapure AR, ExiPlus, Multi-Compendial, 99% (Hexadecyltrimethyl Ammonium Bromide)	100 Gms	540
		25 Kg	20590			500 Gms	2440
56338 [15686-71-2]	⚡ Cephalixin Hydrate (CFL), 95-103% (Cefalexin Hydrate)	1 Gms	2220			5 Kg	22000
		5 Gms	8240	meets compendial specs of BP, Ph.Eur			
		25 Gms	19380	12779 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) for molecular biology, 99% (Hexadecyltrimethyl Ammonium Bromide)	100 Gms	560
		500 Gms	2640				
36413 [58-71-9]	⚡ Cephalothin Sodium Salt (CF), 97%	1 Gms	3170			5 Kg	23500
		5 Gms	8110	23595 [112-02-7]	Cetyltrimethyl Ammonium Chloride (CTAC) extrapure AR, 99% (Cetrimonium Bromide, Hexadecyltrimethyl Ammonium Bromide)	25 Gms	2020
19660 [64485-93-4]	⚡ Cephotaxime Sodium Salt (CFT), 916-964ug/mg	1 Gms	1400				
		5 Gms	3000			500 Gms	8910
40111 [76089-77-5]	Cerium (III) Trifluoromethanesulfonate extrapure, 98% (Cerium triflate, Trifluoromethanesulfonic Acid Cerium Salt)	5 Gms	4180	68623 [112-02-7]	Cetyltrimethyl Ammonium Chloride (CTAC) for molecular biology, 99% (Cetrimonium Bromide, Hexadecyltrimethyl Ammonium Bromide)	25 Gms	2970
		25 Gms	13860			100 Gms	8080
54784 [7787-69-1]	Cesium Bromide extrapure AR, 99.5%	10 Gms	1200	87868 [75621-03-3, 331717-45-4]	✓ CHAPS Buffer extrapure, 99% (3-[(3-Cholamidopropyl) Dimethylammonio] -1-Propanesulphonate)	1 Gms	900
		50 Gms	5400			5 Gms	3000
95125 [534-17-8]	Cesium Carbonate extrapure, 99%	25 Gms	1540				
		100 Gms	6050			100 Gms	46000
		500 Gms	22500				
22966 [7647-17-8]	Cesium Chloride extrapure AR for molecular biology, 99.9%	25 Gms	1950				
		100 Gms	7250				
		500 Gms	34000				



Code	Name	Packing	Price	Code	Name	Packing	Price
21420 [75621-03-3, 331717-45-4]	✓ CHAPS Buffer for molecular biology, 99.5%	1 Gms	1200	77863 [539-03-7]	p-Chloroacetanilide extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	2050
		5 Gms	4400				
		25 Gms	18000				
66903 [82473-24-3]	✓ CHAPSO Buffer extrapure, 99% (3-[(3-Cholamidopropyl) Dimethylammonio]-2-Hydroxy 1-Propanesulphonate)	1 Gms	5540	70179 [532-27-4]	2-Chloroacetophenone pure, 97% (Phenacyl Chloride)	25 Gms	2300
		5 Gms	21990			100 Gms	7300
18081 [103-47-9]	✓ CHES Buffer extrapure, 99% (2-(N-Cyclohexylamino) Ethanesulphonic Acid)	25 Gms	2500	40585 [99-91-2]	p-Chloroacetophenone extrapure, 98%	100 ml	1420
		100 Gms	7900			500 ml	5760
		500 Gms	32000			1000 ml	10880
98507 [1398-61-4]	✓ Chitin (Poly-(b1-4)-N-acetyl glucosamine) extrapure	25 Gms	3430	92804 [108-42-9]	m-Chloroaniline (MCA) pure, 99%	500 ml	1400
		100 Gms	10140			2500 ml	6100
27391 [9012-76-4]	✓ Chitosan (Low MW) extrapure, 10-150m.Pas, 90% DA (Deacetylated Chitin)	25 Gms	960	43265 [89-98-5]	o-Chlorobenzaldehyde pure, 98% (2-Chlorobenzaldehyde)	100 ml	300
		100 Gms	3110			500 ml	750
		500 Gms	11270			2500 ml	3300
18824 [9012-76-4]	✓ Chitosan (Medium MW) extrapure, 150-500m.Pas, 90% DA (Deacetylated Chitin)	10 Gms	580	17927 [104-88-1]	p-Chlorobenzaldehyde pure, 97% (4-Chlorobenzaldehyde)	100 Gms	450
		25 Gms	1130			500 Gms	1050
		100 Gms	3680			5 Kg	9500
		500 Gms	12160				
96266 [9012-76-4]	✓ Chitosan (High MW) extrapure, 800m.Pas, 90% DA (Deacetylated Chitin)	25 Gms	1930	91019 ✓ [119-56-2]	4-Chlorobenzhydrol pure, 98%	50 Gms	2400
		100 Gms	6600			100 Gms	4200
		500 Gms	24200				
44097 [148411-57-8]	■ Chitosan Oligosaccharide (water soluble) extrapure, 90% DA	10 Gms	4350	69159 [118-91-2]	o-Chlorobenzoic Acid pure, 98%	100 Gms	300
		25 Gms	7710			500 Gms	1200
		100 Gms	13050				
59811 [577-76-4]	♻ Chitosan Dimer Dihydrochloride extrapure, 98% (Chitobiose Dihydrochloride)	5 Mg	20000	30519 [118-91-2]	o-Chlorobenzoic Acid extrapure AR, 99.5%	100 Gms	400
		10 Mg	33000			500 Gms	1700
19363 [41708-93-4]	■ Chitosan Trimer Trihydrochloride extrapure, 98% (Chitotriose Trihydrochloride)	5 Mg	57880	34366 [535-80-8]	m-Chlorobenzoic Acid extrapure, 99%	25 Gms	810
						100 Gms	3030
62506 [117399-50-5]	■ Chitosan Tetramer Tetrahydrochloride extrapure, 98% (Chitotetraose Tetrahydrochloride)	5 Mg	22000	500 Gms	9540		
80517 [35061-50-7]	■ Chitosan Pentamer Pentahydrochloride extrapure, 98% (Chitopentaose Pentahydrochloride)	5 Mg	15520	24711 [74-11-3]	p-Chlorobenzoic Acid pure, 99%	100 Gms	330
						500 Gms	1200
36824 [41708-95-6]	■ Chitosan Hexamer Hexahydrochloride extrapure, 95% (Chitohexaose Hexahydrochloride)	5 Mg	42000	97199 [74-11-3]	p-Chlorobenzoic Acid extrapure AR, 99.7%	100 Gms	600
11975 [15879-93-3]	✓ a-Chloralose pure, 98% (Anhydro-D-Glucochloral, a-D-Glucochloralose)	25 Gms	2970	53378 [134-85-0]	p-Chlorobenzophenone extrapure, 99%	100 Gms	600
						500 Gms	2200
50146 [2829-43-8]	✓ Chloraniline Fast Red BB (C.I. No. 25380)	1 Gms	3400	98001 [89-97-4]	2-Chlorobenzylamine pure, 98% (o-Chlorobenzylamine)	25 ml	1200
		5 Gms	4760			100 ml	4200
28812 [56-75-7]	● Chloramphenicol (CFP) for tissue culture, 98-102%	5 Gms	1090	95074 [628-20-6]	4-Chlorobutyronitrile pure, 98%	100 ml	3020
		25 Gms	2530			500 ml	13140
97686 [56-75-7]	● Chloramphenicol (CFP), 98-102%	5 Gms	830	29440 [4635-59-0]	4-Chlorobutryl Chloride pure, 98%	250 ml	1100
		25 Gms	2310			500 ml	2000
		100 Gms	5720			1000 ml	3600
37281 [539-03-7]	p-Chloroacetanilide extrapure AR, 99%	25 Gms	630	23843 [999-81-5]	Chlorocholine Chloride (CCC) extrapure, 98% (2-Chloroethyl)trimethylammonium chloride, Chormequat chloride, Choline dichloride, Cycocel)	5 Gms	1300
		100 Gms	1930			25 Gms	4000
10231 ✓ [3140-73-6]	2-Chloro-4,6 Dimethoxy-1,3,5 Triazine extrapure, 99%	5 Gms	900	42687 [97-00-7]	1-Chloro-2,4-Dinitrobenzene extrapure, 99%	5 Gms	900
		25 Gms	3500			25 Gms	3500
		100 Gms	12000			100 Gms	12000
69297 [97-00-7]	1-Chloro-2,4-Dinitrobenzene extrapure AR, 99%	25 Gms	190	69297 [97-00-7]	1-Chloro-2,4-Dinitrobenzene extrapure AR, 99%	25 Gms	190
		100 Gms	570			100 Gms	570



Code	Name	Packing	Price	Code	Name	Packing	Price
93937 [97-00-7]	1-Chloro-2,4-Dinitrobenzene extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	100 Gms 500 Gms	610 2570	89432 [467214-46-6]	6-Chloro-3-Indoxyl-a-D-Glucopyranoside (Salmon-a-D-Glc) extrapure, 98% (Salmon-alpha-D-Glucoside)	100 Mg 500 Mg	4900 17380
17691 [2578-45-2]	2-Chloro-3,5-Dinitropyridine extrapure AR, 99%	1 Gms 5 Gms	5120 15720	71848 [130-26-7]	5-Chloro-7-Iodo-8-Quinolinol (Clioquinol, Iodochlorohydroxyquinoline) ExiPlus, 97-103% (5-Chloro-8-Hydroxy-7-Iodoquinoline)	25 Gms 100 Gms 500 Gms	2200 5800 22000
38825 [1679-18-1]	4-Chlorophenylboronic Acid extrapure, 97%	5 Gms 25 Gms	1800 7430	25898 [14110-97-5]	4-Chloromercuribenzenesulphonic Acid Monosodium Salt (pCMBS) extrapure, 95% (p-Chloromercuriphenylsulfonic Acid Sodium Salt)	10 Mg	30600
22654 [16672-87-0]	2-Chloroethylphosphonic Acid (ETHREL, Ethephon) 40% soln.	100 ml 250 ml	800 1700	26004 [138-85-2]	p-Chloromercuribenzoic Acid Sodium Salt extrapure, 98%	1 Gms 5 Gms	3390 12260
10455 [367-21-5]	3-Chloro-4-Fluoroaniline pure, 98%	25 Gms 100 Gms 500 Gms	700 1400 6000	81929 [604-44-4]	4-Chloro-1-Naphthol Substrate Grade extrapure, 99%	2.5 Gms 5 Gms 25 Gms	2630 3980 19260
17703 [2252-51-9]	2-Chloro-4-Fluorobenzoic Acid pure, 98%	5 Gms 25 Gms	1650 5340	85267 [121-73-3]	1-Chloro-3-Nitrobenzene pure, 98%	250 Gms 500 Gms	540 1040
36393 [2252-50-8]	2-Chloro-5-Fluorobenzoic Acid pure, 98%	10 Gms 100 Gms	2940 15300	77459 [2516-96-3]	2-Chloro-5-Nitrobenzoic Acid pure, 99%	25 Gms 100 Gms 500 Gms	360 1050 4000
84538 [434-75-3]	2-Chloro-6-Fluorobenzoic Acid pure, 98%	5 Gms 25 Gms	2760 6450	21259 [157843-41-9]	2-Chloro-4-Nitrophenyl a-L-Fucopyranoside (CNPF) extrapure, 98% (AFU)	25 Mg	8450
33676 [161957-55-7]	3-Chloro-2-Fluorobenzoic Acid pure, 98%	5 Gms 10 Gms	4480 7680	48958 [118291-90-0]	2-Chloro-4-Nitrophenyl a-D-Maltotrioside (CNP3) extrapure, 95%	25 Mg 100 Mg	3920 9000
69932 [157381-11-8]	2-Chloro-4-Nitrophenyl 4-O-b-D-Galactopyranosylmaltoside (Gal-G2-a-CNP, Gal CNPG2) extrapure, 90% (a-(2-Chloro-4-Nitrophenyl)-β-1,4-Galactopyranosylmaltoside)	250 Mg 1 Gms 5 Gms	12000 35000 150000	66684 [3970-40-9]	2-Chloro-3-Nitrotoluene extrapure, 98%	1 Gms 5 Gms	1500 6000
85563	Chloroform : Isoamyl Alcohol (24:1) for molecular biology	100 ml 500 ml	1130 2370	41107 [108-43-0]	3-Chlorophenol pure, 98% (m-Chlorophenol)	25 Gms 100 Gms 500 Gms	980 3500 17000
41117 [936-59-4]	3-Chloro-1-Phenyl Propanone pure, 98% (3-Chloropropiophenone, B-Chloropropiophenone)	25 Gms 100 Gms	2370 8700	94280 [95-57-8]	o-Chlorophenol pure, 98%	500 ml 1000 ml 2500 ml	880 1730 3340
72928 [1914-99-4]	Chlorophosphonazo III for Spectrophotometry (Bis(4-chloro-2-Phosphonobenzolazo) Chromotropic acid)	100 Mg 500 Mg	4180 17600	74230 [106-48-9]	p-Chlorophenol pure, 98% (4-Chlorophenol)	500 Gms	900
51562 [6001-76-9]	Chlorogenic Acid Hemihydrate extrapure, 98%	100 Mg 1 Gms	480 2300	18344 [4430-20-0]	Chlorophenol Red	5 Gms 25 Gms	620 2430
78193 [10310-21-1]	6-Chloroguanine extrapure, 98% (2-Amino-6-Chloropurine)	1 Gms 5 Gms	1900 7580	87976 [99792-79-7]	Chlorophenol Red-β-D-Galactopyranoside (CPRG) extrapure, 90%	25 Mg	8480
99721 [159954-35-5]	6-Chloro-3-Indolyl-Caprylate (Salmon Caprylate) for molecular biology, 97% (6-Chloro-3-Indoxyl-Octanoate)	50 Mg	6000	21524 [122-88-3]	Chlorophenoxyacetic Acid (4-CPA) for tissue culture, 98% (Parachlorophenoxyacetic acid)	25 Gms 100 Gms 500 Gms	450 1590 7370
79621 [135313-63-2]	4-Chloro-3-Indolyl-β-Galactopyranoside extrapure, 98%	100 Mg	6050	91145 [101-10-0]	2-(3-Chlorophenoxy)-Propionic Acid (3-CPA) technical grade, 99%	10 Gms 25 Gms	2000 4000
98551 [138182-21-5]	6-Chloro-3-Indolyl β-D-Galactopyranoside (Salmon Gal) extrapure, 98% (Red Gal, Rose Gal)	100 Mg 500 Mg	3400 6580	28272 [1878-66-6]	4-Chlorophenylacetic Acid pure, 98%	100 Gms 500 Gms	1800 8000
82947 [138182-20-4]	6-Chloro-3-Indolyl-β-D-Glucuronide Cyclohexylammonium Salt extrapure, 98% (RED-GLUC, Rose-Glucuronide CHA Salt, Salmon-Glucuronide CHA Salt)	10 Mg 50 Mg	4070 13540				



Code	Name	Packing	Price	Code	Name	Packing	Price
40881 [327-97-9]	✓ Chlorogenic Acid extrapure, 98% (1,3,4,5-Tetrahydroxycyclohexanecarboxylic acid 3-(3,4-dihydroxycinnamate), 3-(3,4-Dihydroxycinnamoy	100 Mg	500	31723 [5808-22-0]	Chromotropic Acid Disodium Salt Dihydrate extrapure AR, 99%	10 Gms	750
		1 Gms	2500			25 Gms	1740
		5 Gms	11750			100 Gms	4000
23727 [598-78-7]	2-Chloropropionic Acid pure, 97%	100 ml	1350	72580 [5808-22-0]	Chromotropic Acid Disodium Salt Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	500 Gms	16000
		500 ml	5880			10 Gms	1030
50217 [29617-66-1]	S-2-Chloropropionic Acid pure, 98% (S-(-)-2-Chloropropionic Acid)	5 ml	980			25 Gms	2000
		25 ml	3060			100 Gms	4800
		100 ml	11020			500 Gms	18500
70774 [34841-35-5]	3-Chloropropiophenone pure, 98%	25 Gms	2820	meets compendial specs of USP, BP, Ph.Eur			
		100 Gms	10240	35085 ■ a-Chymotrypsin ex. Bovine Pancreas, 40 U/mg protein [9004-07-3]	25 Mg	2700	
		500 Gms	44780		250 Mg	5000	
53313 [6285-05-8]	4-Chloropropiophenone pure, 98%	100 Gms	2830	1 Gms	8000		
		500 Gms	12770	5 Gms	25000		
		62020 ● 6-Chloropurine extrapure, 99% [87-42-3]	1 Gms	880	13225 ■ a-Chymotrypsin ex. Porcine, 40U/mg protein [9004-07-3]	250 Mg	2500
5 Gms	3110		1 Gms	4500			
25 Gms	12300		5 Gms	21000			
57430 ● 6-Chloropurine Riboside extrapure [2004-06-0]		250 Mg	2160	87063 ■ a-Chymotrypsinogen A (5x cryst) ex. Bovine Pancreas, 45U/mg [9035-75-0]	100 Mg	2860	
		1 Gms	7310		250 Mg	6030	
26176 [321-14-2]	5-Chlorosalicylic Acid pure, 98%	100 Gms	570	1 Gms	16770		
		500 Gms	1650	5 Gms	80730		
59838 [106-43-4]	p-Chlorotoluene pure, 98%	500 ml	1310	88213 [1885-38-7]	Cinnamionitrile extrapure, 97% (3-Phenylacrylonitrile)	25 ml	880
		1000 ml	2210			100 ml	2620
97389 ⚠ Cholecalciferol (Vitamin D3) for tissue culture, 97% (7-Dehydrocholesterol Activated) [67-97-0]		1 Gms	1210	26591 ⚠ Cinnamoyl Chloride pure, 98% [102-92-1]		100 ml	2370
		5 Gms	4600			500 ml	9380
		25 Gms	22000			78079 ● Ciprofloxacin Hydrochloride Hydrate (CPFX), 98-102% [86393-32-0]	1 Gms
54181 ● Cholesterol ex. Sheep Wool (Lanolin) extrapure AR, 99% [57-88-5]	5 Gms	580	5 Gms	1650			
	25 Gms	2530	29965 [5392-40-5]	Citral pure, 95% (3,7-Dimethyl-2,6-Octadienal)	100 ml		580
	100 Gms	9350			500 ml	2800	
500 Gms	38500	13294 ✓ Citronella Oil extrapure, 34% [8000-29-1]	250 ml	2750			
38615 ● Cholesterol ex. Sheep Wool (Lanolin) Reference Standard Grade for molecular biology, 99% [57-88-5]	5 Gms		1290	500 ml	5040		
	25 Gms	3860	35417 [372-75-8]	L-Citrulline extrapure CHR, 99%	25 Gms	450	
	100 Gms	14730			100 Gms	1200	
51626 ■ Cholesterol Esterase (CE) ex. Porcine Pancreas, 35U/mg solids [9026-00-0]	10 Mg	10430			500 Gms	4500	
	85091 ■ Cholesterol Oxidase ex. Streptomyces Sp., 15U/mg solids [9028-76-6]	500 Units	7460	41694 [99-11-6]	Citrazinic Acid extrapure, 97% (2,6-Dihydroxypyridine-4-Carboxylic acid, Dihydroxyisonicotinic Acid)	25 Gms	2200
2500 Units		32300	100 Gms			5000	
77645 ● Cholesteryl Acetate extrapure, 99% [604-35-3]		5 Gms	860	500 Gms	15500		
		25 Gms	3800	78746 [8000-34-8]	Clove Oil extrapure, 80%	100 ml	1120
54908 ✓ Cholic Acid extrapure, 98% [81-25-4]	25 Gms	3400	500 ml			4820	
	100 Gms	12000	68320 ● CP-OSu (N-(Cyclopentylloxycarbonyloxy)Succinimide) extrapure, 99% [128595-07-3]			25 Gms	7000
	500 Gms	55000		68636 ● Cloxacillin Sodium Monohydrate (CSX), 95-102% [7081-44-9]	1 Gms	1650	
53645 ✓ Cholic Acid Sodium Salt Hydrate pure, 99% (Sodium Cholate Hydrate) [361-09-1, 206986-87-0]	25 Gms	3800	5 Gms		5500		
	100 Gms	13000	31104 ■ Coelenterazine Native (CLZN) ex. Aequorea Sp., 95% [55779-48-1]	250 mcg	14290		
	500 Gms	60000		1 Mg	23600		
93319 ✓ Chromotrope 2R [4197-07-3]		10 Gms	620	40804 ■ Coenzyme A Free Acid extrapure, 90% [85-61-0]	10 Mg	3310	
		25 Gms	1230		25 Mg	5510	
					100 Mg	17140	



Code	Name	Packing	Price	Code	Name	Packing	Price
95225 ■ [55672-92-9 (anhy)]	■ Coenzyme A Sodium Salt Hydrate (CoA Na2) for molecular biology, 85%	10 Mg	6500	29121 [596-27-0]	o-Cresolphthalein AR, 95%	5 Gms	160
		25 Mg	11500			25 Gms	580
64147 ■ [18439-24-2]	■ Coenzyme A Trilithium Salt ex. Yeast extrapure, 90% CoA	25 Mg	6050	64982 [2411-89-4]	o-Cresolphthalein Complexone (Phthalein Purple) extrapure AR, 80%	1 Gms	480
		100 Mg	730			5 Gms	1850
		500 Mg	2800			25 Gms	6000
15039 ■ [303-98-0]	■ Coenzyme Q10 extrapure, 99%	1 Gms	5550	72278 [94442-10-1]	o-Cresolphthalein Complexone Disodium Salt extrapure	1 Gms	1320
		5 Gms	10860			5 Gms	5500
		1 Gms	1840			1 Gms	260
		5 Gms	8820			5 Gms	1140
17701 ✓ [64-86-8]	✓ Colchicine extrapure, 98%	10 Gms	17140	31393 [2303-01-7]	m-Cresol Purple extrapure AR	1 Gms	260
		1 Gms	2230			5 Gms	1140
		5 Gms	10510			5 Gms	1140
93156 ✓ [64-86-8]	✓ Colchicine ExiPlus, Multi-Compendial, 98%	1 Gms	2230	60837 [107-93-7]	Crotonic Acid pure, 99%	100 Gms	630
		5 Gms	10510			250 Gms	1100
	meets compendial specs of USP, BP, Ph.Eur					500 Gms	2060
45830 ✓ [64-86-8]	✓ Colchicine for tissue culture, 98%	1 Gms	2090	51665 ■ [107-93-7]	■ r-CRP ex. E.Coli (Recombinant C-reactive protein) extrapure	1 Mg	11800
		5 Gms	10040			25 Gms	750
51681 ⚠ [1264-72-8]	⚠ Colistin Sulphate (CLS)	500 Mg	1650	12295 [3572-06-3]	Cuelure pure, 95% (4-[4-(Acetyloxy)phenyl]-2-Butanone)	100 Gms	2510
		1 Gms	3300			500 Gms	11630
		5 Gms	9900			1 Kg	22280
90443 ✓ [9007-34-5]	✓ Collagen ex. Marine Fish extrapure, 95%	5 Gms	2200	37870 ✓ [126747-14-6]	✓ 4-Cyanophenylboronic Acid extrapure, 95%	1 Gms	1500
		25 Gms	6600			5 Gms	6500
		100 Gms	20900			25 Gms	19000
51581 ✓	✓ Colloidal Protein Staining Solution	100 ml	3400	86320 ✓ [150255-96-2]	✓ 3-Cyanophenylboronic Acid extrapure, 97%	1 Gms	1350
94278 [108-75-8]	2,4,6-Collidine pure, 98% (2,4,6-Trimethylpyridine)	100 ml	1400	5 Gms	3360	25 Gms	13980
		500 ml	6200				
24275 [573-58-0]	Congo Red ACS, 75%	25 Gms	360	57446 [108-77-0]	Cyanuric Chloride extrapure, 99% (2,4,6-Trichloro-1,3,5-Triazine)	100 Gms	300
		100 Gms	1300			250 Gms	600
10408 ● [8064-90-2]	● Cotrimoxazole (CTX), 95%	100 Mg	2530	51458 ● [59016-56-7]	● 1-Cyano-4-Dimethylaminopyridiniu m Tetrafluoroborate (CDAP) extrapure, 97.5%	1 Gms	60240
		500 Mg	12000			100 Mg	6840
42074 ✓ [91-64-5]	✓ Coumarin pure, 98% (1-Benzopyran-2-one)	100 Gms	600	57902 ✓ [879866-74-7]	✓ 1-(3-Cyanopropyl)-3-Methylimidazolium Dicyanamide (CPMIM.DC) pure, 98% (1-Methyl-3-(3-Cyanopropyl)imidazolium Dicyanamide)	250 Mg	15530
		500 Gms	2740			1 Gms	60240
76072 [6020-87-7]	Creatine Monohydrate extrapure, 99%	25 Gms	320	65291 ● [506-68-3]	● Cyanogen Bromide pure, 98%	25 Gms	850
		100 Gms	950			100 Gms	2240
		1 Kg	9000				
25758 ● [71519-72-7]	● Creatine Phosphate Disodium Salt Tetrahydrate extrapure, 99% (Sodium Creatine Phosphate Dibasic Tetrahydrate, Phosphocreatine Disodium Salt Tetrahydrate)	1 Gms	1250	31787 ● [506-68-3]	● Cyanogen Bromide ExiPlus, Multi-Compendial, 98%	25 Gms	1050
		5 Gms	4310			100 Gms	2540
25074 ■ [9025-13-2]	■ Creatininase ex. Recombinant E.Coli, 500U/mg	2 K.Units	6740				
65142 ✓ [60-27-5]	✓ Creatinine extrapure CHR, 99%	25 Gms	780	81778 ⚠ [506-68-3]	⚠ Cyanogen Bromide Solution (5.0M in Acetonitrile)	100 ml	6000
		100 Gms	3000			5 Gms	2860
		500 Gms	12000			25 Gms	11800
19428 ✓ [60-27-5]	✓ Creatinine extrapure AR, 99%	25 Gms	900	94952 ⚠ [5457-28-3]	⚠ 3-Cyanoindole pure, 98%	10 Gms	26430
		100 Gms	3400			25 Gms	65590
		500 Gms	14000				
62000 ■ [37289-15-9]	■ Creatinine Deiminase ex. Microorganism, 10U/mg solids	250 Units	9790	33202 ⚠ [15861-24-2]	⚠ 5-Cyanoindole pure, 98%	10 Gms	26430
						25 Gms	65590
				83244 ⚠ [7585-39-9]	⚠ β-Cyclodextrin, base (BCD) for tissue culture, 98%	100 Gms	700
						500 Gms	2100



Code	Name	Packing	Price	Code	Name	Packing	Price
76496	β-Cyclodextrin, base (BCD), 98% [7585-39-9]	5 Gms 25 Gms 100 Gms	560 1500 3800	62682 ●	Cytosine-B-D-Arabinofuranoside (Ara-C, Cytarabine) extrapure, 98% (Cytosine Arabinoside)	100 Mg 1 Gms 5 Gms	1150 5200 8500
98395 ●	Cyclohexanecarboxaldehyde pure, 97% (Hexahydrobenzaldehyde)	25 ml 100 ml	3490 13540	75543 ●	DABCYL-N-Succinimidyl Ester extrapure, 98% (4-[4-(Dimethylamino)phenylazo]Benzoic Acid N-Succinimidyl Ester)	50 Mg 250 Mg	5600 18390
37594	1,4-Cyclohexanedione pure, 99% [637-88-7]	25 Gms 100 Gms	830 1300	31920 ■	Daidzin extrapure, 98% (Daidzein-7-O-β-D-Glucopyranoside)	25 Mg 100 Mg	6610 22340
55799	Cyclohexanol extrapure, 99% [108-93-0]	500 ml 2500 ml	610 2590	90441 ●	Danofloxacin Mesylate (DM), 98% [119478-55-6]	100 Mg	6840
31668	Cyclohexene (Tetrahydrobenzene) pure, 99% [110-83-8]	100 ml 500 ml 2500 ml	380 1650 7800	64018 ●	Dansyl Chloride (DNSCI) extrapure, 99% (5-Dimethylaminonaphthalene-1-Sulfonyl Chloride)	1 Gms 5 Gms	4180 15950
86620 ●	Cycloheximide extrapure, 94% (Actidione)	100 Mg 1 Gms 5 Gms	440 2200 9350	18668 ●	DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole Dihydrochloride) for molecular biology, 95% [28718-90-3]	10 Mg 25 Mg	4350 8950
95581 ●	Cycloheximide for tissue culture, 94% (Actidione)	100 Mg 1 Gms 5 Gms	720 2640 10780	28488 ●	DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole Dihydrochloride) for tissue culture, 95% [28718-90-3]	100 Mg	5390
38772	Cyclopentanone (Keto Cyclopentane) pure, 99% (Keto Cyclopentane)	100 ml 500 ml 2500 ml	470 1430 5280	80145	DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole Dihydrochloride) Solution (1mg/ml in H2O) [28718-90-3]	1 ml 5 x 1 ml	860 4040
88410	Cyclopentyl Methyl Ether (CPME) extrapure AR, 99% [5614-37-9]	250 ml 500 ml 1000 ml	1600 3100 6000	22499 ●	DAST (Diethylamino Sulfurtrifluoride) extrapure AR, 95% [38078-09-0]	1 Gms 5 Gms 25 Gms 100 Gms	675 3000 10000 37000
74083	Cyclopropanecarboxylic Acid (CPC-Acid) pure, 98% [1759-53-1]	25 Gms 100 Gms 250 Gms	1500 3000 7000	40396 ●	DDAPS (N-Dodecyl-N,N-dimethyl-3-ammonio-1-propanesulfonate, Lauryl sulfobetaine) extrapure, 98% [14933-08-5]	2 Gms 10 Gms 50 Gms	990 2960 14500
62160	Cyclopropylboronic Acid Monohydrate extrapure, 97% [411235-57-9]	1 Gms 5 Gms	850 3200	47478	DEAE Cellulose 11 analytical grade for molecular biology [9013-34-7]	5 Gms 25 Gms	2450 10040
41269	D-Cycloserine (D-CSR), 98% (D-4-Amino-3-Isloxazolidone)	1 Gms 5 Gms	2500 8000	57136	DEAE Cellulose 23 analytical grade for molecular biology [9013-34-7]	5 Gms 25 Gms	2760 11630
73383	D-Cysteine (base) extrapure, 99% (S)-2-Amino-3-Mercaptopropionic Acid)	1 Gms	3060	92321	DEAE Cellulose 32 analytical grade for molecular biology [9013-34-7]	5 Gms 25 Gms	3430 14440
98973	Cytidine extrapure, 99% [65-46-3]	5 Gms 25 Gms 500 Gms	590 1540 28600	10529	DEAE Cellulose 52 analytical grade for molecular biology [9013-34-7]	5 Gms 25 Gms 100 Gms	2170 10060 35000
87600 ●	Cytidine-5-Monophosphate (5-CMP) extrapure, 99% [63-37-6]	1 Gms 5 Gms	620 2450	54665	Decalin (Decahydronaphthalene) pure, 98% [91-17-8]	500 ml 2500 ml	1900 9000
48666 ●	Cytidine-5-Triphosphate Disodium Salt (5-CTP-Na2) extrapure, 97% [81012-87-5]	100 Mg 500 Mg	1620 7340	47112	1,10-Decanediol pure, 98% (Decamethylene Glycol, 1,10-Dihydroxydecane) [112-47-0]	100 Gms 500 Gms	1800 7000
81551 ●	Cytochrome C (Oxidized) (Type 1) ex. Horse Heart extrapure, 90% [9007-43-6]	25 Mg 100 Mg 500 Mg 1 Gms	3300 10500 51000 95000	72007	1-Decanethiol pure, 95% [143-10-2]	100 ml 500 ml	5600 24850
90777 ■	Cytochrome C (Oxidized) (Type 2) ex. Horse Heart, 95% [9007-43-6]	25 Mg 100 Mg 500 Mg 1 Gms	4000 13000 60000 115000	91106	Decanoyl Chloride pure, 98% (Capric Acid Chloride) [112-13-0]	100 ml 500 ml	920 4410



Code	Name	Packing	Price	Code	Name	Packing	Price
48467 [112-30-1]	Decyl Alcohol pure, 99% (1-Decanol)	100 ml	280	52942 [9003-98-9]	■ Deoxyribonuclease I - Type 2B (DNase I) ex. Bovine Pancreas for MB, 180Kunitz U/mg	10 Mg	620
		500 ml	870			100 Mg	5880
		2500 ml	4250			1 Gms	22030
43940 [2082-84-0]	Decyltrimethylammonium Bromide (DTMAB) extrapure, 98%	25 Gms	2500	74322 [100403-24-5]	■ Deoxyribonucleic Acid Free Acid (DNA) ex. Fish Sperm	5 Gms	2100
		100 Gms	8000			10 Gms	4000
40133 [86303-23-3]	● Deoxy Big CHAPS extrapure, 95% N,N'-Bis(3-D-gluconamidopropyl) deoxycholamide	500 Mg	24850			25 Gms	8000
		83158 [16373-93-6]	● 2-Deoxyadenosine Monohydrate extrapure, 98%			1 Gms	1270
5 Gms	5660			25 Gms	8500		
39192 [2922-74-9]	● 2'-Deoxyadenosine-5'-Monophosph ate Disodium Salt (dAMP-Na2) extrapure, 98%	100 Mg	2870	68451 [73049-39-5]	■ Deoxyribonucleic Acid Sodium Salt (DNA Sodium Salt Highly Polymerized) ex. Calf Thymus extrapure	25 Mg	2750
		49092 [951-77-9]	● 2-Deoxycytidine extrapure, 98%			100 Mg	790
500 Mg	2240			250 Mg	14000		
1 Gms	3610			84384 [533-67-5]	● 2-Deoxy-D-Ribose extrapure	1 Gms	500
500 Mg	2240	5 Gms	1990				
55193 [13085-50-2]	● 2'-Deoxycytidine -5'-Monophosphate Disodium Salt (dCMP-Na2) extrapure, 98%	500 Mg	10000	25 Gms	7340		
		84476 [1949-89-9]	● 2-Deoxy-D-Galactose extrapure, 98% (2-Deoxygalactose)	250 Mg	2300	92627 [951-78-0]	● 2'-Deoxyuridine extrapure, 98%
1 Gms	9000			1 Gms	8350		
43421 [154-17-6]	● 2-Deoxy-D-Glucose (2-DG) extrapure AR, 99.9%	5 Gms	34000	41602 [42155-08-8]	● 2'-Deoxyuridine-5'-Monophosphat e Disodium Salt (dUMP-Na2) extrapure, 98%	100 Mg	5000
		1 Gms	900			41143 [83-44-3]	● Deoxycholic Acid extrapure, 99%
22350 [312693-72-4]	● 2-Deoxyguanosine Monohydrate extrapure, 99%	5 Gms	4100	100 Gms	12800		
		25 Gms	20000	24417 [302-95-4]	● Deoxycholic Acid Sodium Salt (Sodium Deoxycholate) Bacto grade, 99%	25 Gms	2200
		100 Mg	2600			100 Gms	7920
25695 [52558-16-4, 33430-61-4]	● 2'-Deoxyguanosine -5'-Monophosphate Sodium Salt (dGMP) extrapure, 98%	500 Mg	8030	500 Gms	38720		
		1 Gms	13580	96876 [145224-92-6]	● Deoxycholic Acid Sodium Salt Monohydrate (Sodium Deoxycholate Monohydrate) Bacto grade, 99%	25 Gms	2420
		5 Gms	42850			100 Gms	8140
16516 [890-38-0]	● 2'-Deoxyinosine extrapure, 98%	100 Mg	630	500 Gms	40700		
		250 Mg	1470	43767 [87413-09-0]	⚠ Dess Martin Periodinane extrapure, 97%	1 Gms	280
		1 Gms	5220			5 Gms	650
66280 [93919-41-6]	● Deoxyguansine Triphosphate Trisodium Salt (dGTP), 97% dGTP	100 Gms	10320	47601 [9004-54-0]	⚠ Dextran ex. Leuconostoc Sp. - Tech 10 (9-11)	25 Gms	2730
		25 Mg	5460			100 Gms	16000
		100 Mg	19880	500 Gms	48000		
		500 Mg	92530	41570 [9004-54-0]	⚠ Dextran ex. Leuconostoc Sp. - Tech 40 (35-45)	5 Gms	3000
61824 [9003-98-9]	■ Deoxyribonuclease I (DNase I) - Type 1A ex. Bovine Pancreas for MB, 2000Kunitz U/mg Protein, 80% Pr	10 K.Units	2420			25 Gms	5500
		50 K.Units	7700	100 Gms	14000		
		200 K.Units	25300	500 Gms	32000		
15409 [9003-98-9]	■ Deoxyribonuclease I (DNase I) - Type 1B ex. Bovine Pancreas for MB, 2000Kunitz U/mg Protein, 80% Pr	10 Mg	3910	12891 [9004-54-0]	⚠ Dextran ex. Leuconostoc Sp. - Tech 70 (65-75)	5 Gms	3000
		50 Mg	17600			25 Gms	5500
		100 Mg	31900	100 Gms	14000		
14658 [9003-98-9]	■ Deoxyribonuclease I - Type 2A (DNase I) ex. Bovine Pancreas for MB, 180Kunitz U/mg, 85% Protein	5000 Units	1100	35270 [9004-54-0]	⚠ Dextran ex. Leuconostoc Sp. - Tech 110 (100-120)	5 Gms	3000
		50000 Units	5600			25 Gms	5500
		100000 Units	10560			100 Gms	16000
		Units				500 Gms	48000



Code	Name	Packing	Price	Code	Name	Packing	Price
62753 ⓘ [9004-54-0]	Dextran ex. Leuconostoc Sp. - Tech 250 (225-275)	5 Gms 25 Gms 100 Gms 500 Gms	3000 5500 16000 48000	10006 ✓ [6342-17-2]	1,4-(Diacryloyl) Piperazine extrapure, 99% (Piperazine Diacrylamide)	5 Gms	17390
19301 ⓘ [9004-54-0]	Dextran ex. Leuconostoc Sp. - Tech 500 (450-550)	10 Gms 25 Gms 100 Gms 500 Gms	3000 5500 16000 48000	62736 ✓ [1482-98-0]	L-2,4 Diaminobutyric Acid Monohydrochloride extrapure, 98%	1 Gms 5 Gms 25 Gms	2490 11800 45340
28354 ■ [87915-38-6]	Dextran Blue 5 ex. Leuconostoc Sp.	500 Mg	21510	94524 ⓘ [91-95-2]	3,3-Diaminobenzidine (DAB) pure, 98%	5 Gms 25 Gms 100 Gms	1650 6560 22820
82575 ■ [87915-38-6]	Dextran Blue 40 ex. Leuconostoc Sp.	1 Gms	23000	17076 ⓘ [868272-85-9]	3,3'-Diaminobenzidine Tetrahydrochloride Hydrate (DAB.4HCl.xH2O) extrapure AR, 98%	1 Gms 5 Gms 25 Gms	1310 4500 16000
57356 ■ [87915-38-6]	Dextran Blue 110 ex. Leuconostoc Sp.	1 Gms	23000	98465 ⓘ	3,3-Diaminobenzidine Tetrahydrochloride (DAB.4HCl) Buffer Substrate Solution for Peroxidase	100 ml	7460
14420 ■ [87915-38-6]	Dextran Blue 500 ex. Leuconostoc Sp.	1 Gms	23000	17758 ✓ [535-87-5]	3,5-Diaminobenzoic Acid extrapure, 98%	100 Gms 500 Gms	920 4170
67045 ■ [87915-38-6]	Dextran Blue 2000 ex. Leuconostoc Sp.	1 Gms 5 Gms	16000 60000	20723 ✓ [618-56-4]	3,5-Diaminobenzoic Acid Dihydrochloride extrapure, 98%	25 Gms	5510
83826 ■ [9015-73-0]	DEAE-Dextran 500 ex. Leuconostoc Sp.	1 Gms 5 Gms	9680 24890	16368 ✓ [125572-95-4]	trans-1,2-Diaminocyclohexane-N,N,N,N Tetraacetic Acid Monohydrate extrapure AR (CDTA), 99%	10 Gms 25 Gms 100 Gms	1410 2600 9500
33434 ■ [9064-91-9]	DEAE-Dextran Hydrochloride 500 ex. Leuconostoc Sp.	5 Gms 25 Gms 100 Gms	3000 7000 21000	85122 ✓ [137-09-7]	2,4-Diaminophenol Dihydrochloride (Amidol) extrapure, 98%	5 Gms 25 Gms	3850 9320
62250 ⓘ [60842-46-8]	FITC-Dextran 4000 ex. Leuconostoc Sp. (Fluorescein Isothiocyanate–Dextran)	100 Mg 250 Mg	6600 14300	34124 ✓ [1904-98-9]	2,6-Diaminopurine extrapure, 98%	1 Gms 5 Gms 25 Gms	800 3800 15500
36454 ⓘ [60842-46-8]	FITC-Dextran 40000 ex. Leuconostoc Sp. (Fluorescein Isothiocyanate–Dextran)	100 Mg 250 Mg	7150 16500	13261 ⓘ [20325-40-0]	o-Dianisidine Dihydrochloride extrapure, 98% (3,3-Dimethoxybenzidine Dihydrochloride)	1 Gms 5 Gms 25 Gms	850 2000 9500
92901 ⓘ [60842-46-8]	FITC-Dextran 70000 ex. Leuconostoc Sp. (Fluorescein Isothiocyanate–Dextran)	100 Mg 250 Mg	6600 14300	94912 ✓ [82-22-4]	1,1-Dianthrimide extrapure AR, 98% (Di(1-antraquinoyl)amine) (1,1-Iminodianthraquinone) (for determination of Boron)	1 Gms 5 Gms	3080 13200
82221 ⓘ [60842-46-8]	FITC-Dextran 2000000 ex. Leuconostoc Sp. (Fluorescein Isothiocyanate–Dextran)	100 Mg 250 Mg	6490 13200	90405 ■ [9001-18-7]	Diaphorase ex. Clostridium Sp., 30U/mg	500 Units	5340
65163 ●	Dextran Phenyl 40 (30-50)	1 Gms 5 Gms	7310 23970	23144 ✓ [103-49-1]	Dibenzylamine pure, 98%	100 ml 500 ml	860 4040
76203 ⓘ [9011-18-1]	Dextran Sulphate Sodium Salt 30-50(DSS 35-50) ex. Leuconostoc Sp.Colitis Grade for molecular biology	10 Gms 25 Gms 100 Gms 250 Gms	4250 9500 32500 62500	96661 ✓ [103-50-4]	Dibenzyl Ether pure, 97% (Benzyl Ether)	500 ml 2500 ml	910 3290
99629 ⓘ [9011-18-1]	Dextran Sulphate Sodium Salt 500 (DSS 500) ex. Leuconostoc Sp. for molecular biology	10 Gms 25 Gms 100 Gms 250 Gms	4000 9000 30000 60000	88749 ✓ [106-37-6]	1,4-Dibromobenzene pure, 98%	500 Gms	2420
17379 ⓘ [3749-36-8]	DHP Linker (3,4-Dihydro-2H-Pyran-2-Methanol) extrapure, 98%	5 ml 25 ml	12290 44310	43589 ✓ [110-52-1]	1,4-Dibromobutane pure, 98%	250 ml	2100
34224 ✓ [582-52-5]	Diacetone-D-Glucose (DAG) extrapure, 98% (1,2:5,6-Di-O-Isopropylidene-α-D-Glucopyranose, D-Glucose Diacetone)	25 Gms 100 Gms 500 Gms	2620 7950 29810	74600 ✓ [77-48-5]	1,3-Dibromo-5,5-Dimethylhydantoin (DBDMH) extrapure, 98% (Dibromantin)	500 Gms	1200
72352 ✓ [57-71-6]	Diacetylmonoxime extrapure AR, 99% (2,3-Butanedione Monoxime)	25 Gms 100 Gms 500 Gms	490 1580 7710	33384 ✓ [106-93-4]	1,2-Dibromoethane pure, 98% (Ethylene Dibromide)	250 ml 1000 ml	1430 4740
				31575 ✓ [626-41-5]	3,5-Dibromophenol pure, 98%	1 Gms 5 Gms	3080 13950



Code	Name	Packing	Price	Code	Name	Packing	Price		
34890 [109-64-8]	1,3-Dibromopropane pure, 99% (Trimethylene Dibromide)	100 ml	1130	21942 [13965-03-02]	Dichlorobis(Triphenylphosphine)Palladium(II) extrapure, 98% (Pd(PPh ₂) ₂ C)	1 Gms	2600		
		500 ml	4600			5 Gms	12000		
96763 [24424-99-5]	Di-tert-Butyldicarbonate (BOC Anhydride, DiBOC) extrapure, 98%	25 Gms	350	85048 [4091-99-0]	2,7-Dichlorofluorescein Diacetate (DCFH) extrapure, 97% (DCFH-DA, 2,7-Dichlorodihydrofluorescein Diacetate)	25 Mg	2600		
		100 Gms	550			100 Mg	7200		
		500 Gms	1800			5 Kg	15000		
69246 [16980-89-5]	N6,2-O-Dibutyl-Adenosine-3,5-Cyclic-Monophosphate Sodium Salt, 97%	25 Mg	5600	86428 [84-58-2]	2,3-Dichloro-5,6-Dicyano-1,4-Benzoquinone (DDQ) pure, 98%	25 Gms	1410		
		100 Mg	13670			100 Gms	5030		
26414 [1918-00-9]	DICAMBA for tissue culture, 95% (3,6-Dichloro-2-Methoxybenzoic Acid)	250 Mg	1500	52979 [4885-02-3]	Dichloromethyl Methyl Ether pure, 97%	5 ml	2200		
		1 Gms	5500			25 ml	5500		
		5 Gms	12000			100 ml	21000		
62578 [74124-79-1]	Di-(N-Succinimidyl) Carbonate extrapure, 95%	5 Gms	850	88912 [89-61-2]	2,5-Dichloronitrobenzene pure, 99% (1,4-Dichloro-2-Nitrobenzene)	100 Gms	450		
		25 Gms	2800			250 Gms	900		
		100 Gms	7200			52039 [120-83-2]	2,4-Dichlorophenol pure, 98%	25 Gms	500
29154 [2234-16-4]	2,4-Dichloroacetophenone pure, 98%	100 Gms	700	87188 [87-65-0]	2,6-Dichlorophenol extrapure, 99%	250 Gms	1500		
		500 Gms	2200			10 Gms	310		
94453 [541-73-1]	1,3-Dichlorobenzene extrapure, 99% (m-Dichlorobenzene)	250 ml	700	42180 [68716-47-2]	2,4-Dichlorophenylboronic Acid extrapure, 98%	25 Gms	690		
		1000 ml	2600			100 Gms	2350		
		2500 ml	5800			1 Gms	1070		
91427 [50-45-3]	2,3-Dichlorobenzoic Acid pure, 98%	25 Gms	1200	93611 [151169-75-4]	3,4-Dichlorophenylboronic Acid extrapure, 97%	5 Gms	2970		
		100 Gms	4200			25 Gms	10380		
62122 [50-84-0]	2,4-Dichlorobenzoic Acid extrapure, 98%	100 Gms	350	33017 [101-38-2]	2,6-Dichloroquinone-4-Chlorimide (Gibbs Reagent) extrapure AR, 99% (N,2,6-Trichloro-p-Benzoquinoneimide)	1 Gms	1000		
		500 Gms	1600			5 Gms	2500		
66481 [51-44-5]	3,4-Dichlorobenzoic Acid pure, 98%	25 Gms	2300			38762 [2831-66-5]	2,4-Dichloro-1,3,5-Triazine pure, 98%	25 Gms	8900
		100 Gms	7000	1 Gms	17650				
40583 [95408-45-0]	Dichloro[1,1'-bis(di-tert-Butylphosphino)Ferrocene]Palladium(II) extrapure, 98% (1,1'-Bis(di-tert-Butylphosphino)Ferrocene)Dichloropalladium(II))	250 Mg	2900	57262 [101-83-7]	Dicyclohexylamine pure, 99%	5 Gms	58810		
		1 Gms	4800			500 ml	830		
		5 Gms	19000			2500 ml	3800		
33604 [19978-61-1]	Dichloro(1,2-bis(Diphenylphosphino)Ethane)Palladium (II) extrapure, 98% ([1,2-Bis(Diphenylphosphino)Ethane]Dichloropalladium(II))	250 Mg	1900	79596 [538-75-0]	N,N-Dicyclohexyl Carbodiimide (DCC) pure, 99%	100 Gms	550		
		1 Gms	4000			500 Gms	2100		
		5 Gms	19500			5 Kg	18000		
97111 [59831-02-6]	Dichloro(1,3-bis(Diphenylphosphino)Propane)Palladium(II) extrapure, 98% ([1,2-Bis(Diphenylphosphino)Ethane]Dichloropalladium(II))	250 Mg	2800	95525 [4097-22-7]	2,3-Dideoxyadenosine (ddA) extrapure, 98%	5 Mg	2940		
		1 Gms	5500			47248 [7481-89-2]	2,3-Dideoxycytidine (ddC) extrapure, 98%	25 Mg	3150
		5 Gms	25000					73273 [69655-05-6]	2,3-Dideoxyinosine (ddl, ddIno) extrapure, 98%
99494 [29964-62-3]	Dichloro[1,4-bis(Diphenylphosphino)Butane]Palladium(II) extrapure, 98%	250 Mg	2800	22328 [3416-05-5]	2,3-Dideoxythymidine (3-Deoxythymidine, ddT) extrapure, 98%	25 Mg	6300		
		1 Gms	5500			17412 [5983-09-5]	2,3-Dideoxyuridine (ddU) extrapure, 98%	25 Mg	8400
		5 Gms	25000					100 Mg	25200
70264 [927706-57-8]	Dichloro-[1,3-bis(Diisopropylphenyl)-2-Imidazolindinylidene-(3-Chloropyridyl) Palladium(II), 98% ([1,3-Bis(2,6-Diisopropylphenyl)Imidazolindene)(3-Chloropyridyl) Palladium(II) Dichloride)	250 Mg	3000	16312 [165534-43-0]	DEPBT (3-(Diethoxyphosphoryloxy)-1,2,3-benzotriazin-4(3H)-one) extrapure, 98%	5 Gms	3680		
		1 Gms	9200			25 Gms	10240		
		5 Gms	40000						
18602 [821-10-3]	1,4-Dichloro-2-Butyne pure, 97%	5 Gms	3000						
		25 Gms	10500						



Code	Name	Packing	Price	Code	Name	Packing	Price
86283	✓ p-Diethylaminobenzaldehyde pure, 99% [120-21-8]	100 Gms	2610	86580	✓ 3,4-Dihydro-2H-pyran (3,4-DHP) pure, 97% [110-87-2] (2,3-Dihydropyran)	25 ml 100 ml 500 ml	710 1640 6080
19885	⚠ 2-Diethylaminoethyl Chloride Hydrochloride extrapure, 99% [869-24-9] (2-Chlorotriethylamine Hydrochloride)	25 Gms 100 Gms 500 Gms	800 1600 6000	65437	2,4-Dihydroxyacetophenone extrapure, 99% [89-84-9] (Resacetophenone)	25 Gms 100 Gms	700 2220
33684	⚠ Diethyl Aminoethyl Hexanoate (DA-6) technical grade, 98% [10369-83-2]	5 Gms 25 Gms	2200 7710	41384	2,5-Dihydroxyacetophenone extrapure, 99% [490-78-8] (2-Acetylhydroquinone, Quinacetophenone)	5 Gms 25 Gms	1250 5000
12915	Diethyl bis(hydroxymethyl)malonate pure, 97% [20605-01-0] (Diethyl 2,2-bis(hydroxymethyl)malonate)	5 Gms 25 Gms 100 Gms	2400 6000 22000	58494	2,6-Dihydroxyacetophenone extrapure, 99% [699-83-2] (2-Acetylresorcin)	5 Gms 10 Gms 25 Gms 100 Gms	1420 2560 5610 19570
79628	Diethyl Chlorophosphate pure, 97% [814-49-3] (Chlorophosphoric Acid Diethyl Ester, Diethyl Phosphoryl Chloride)	25 Gms 100 Gms	3800 12000	15395	2,4-Dihydroxybenzoic Acid pure, 98% [89-86-1] (β-Resocyclic Acid)	25 Gms 100 Gms 500 Gms	950 1870 7170
56701	O,O-Diethyl Dithiophosphate extrapure, 95% [298-06-6]	5 Gms 25 Gms 100 Gms	1800 4200 15000	69911	1,3-Dihydroxynaphthalene (Naphthoresorcinol) extrapure AR, 99% [132-86-5] (1,3-Naphthalenediol)	1 Gms 5 Gms 25 Gms	2500 10000 38000
64699	⚠ Diethylenetriaminepentaacetic Acid (DTPA) extrapure AR, 99% [67-43-6] (Pentetic Acid)	100 Gms 500 Gms	490 1910	41110	⚠ 1,5-Dihydroxynaphthalene pure, 98% [83-56-7]	100 Gms 500 Gms	2520 9700
81346	✓ Diethylenetriaminepentaacetic Acid Pentasodium Salt (DTPA) extrapure, 40% (Liquid) [140-01-2]	500 ml 1000 ml	710 1370	65796	⚠ 1,7-Dihydroxynaphthalene pure, 97% [575-38-2] (1,7-Naphthalenediol)	5 Gms 25 Gms	5940 21350
17598	Diethylenetriamine pure, 98% [111-40-0]	500 ml 2500 ml	850 3800	33580	⚠ 2,7-Dihydroxynaphthalene pure, 98% [582-17-2] (2,7-Naphthalenediol)	5 Gms 25 Gms 100 Gms	1300 2600 5740
46791	⚠ Diethyl Pyrocarbonate (DEPC) for molecular biology, 99% [1609-47-8]	5 ml 25 ml 100 ml	1200 2510 8880	63370	⚠ 3,4-Dihydroxy-5-Nitro Benzaldehyde pure, 98% [116313-85-0]	25 Gms 100 Gms	3730 9320
84254	N,N-Diethyl-m-Toluidine pure, 98% [91-67-8]	100 ml 500 ml	1010 3150	33878	⚠ 2-Methylresorcinol pure, 98% [608-25-3] (2,6-Dihydroxytoluene)	25 Gms 100 Gms 250 Gms	1300 3880 9520
99823	2,4-Difluoroaniline extrapure, 99% [367-25-9]	25 Gms 100 Gms	1340 4790	16517	⚠ DL-Dihydrozeatin (DHZ) pure, 98% [14894-18-9] (4-Hydroxy-3-Methylbutylamino)Purine)	10 Mg 25 Mg	6530 10790
29553	1,3-Difluorobenzene (MDFB) extrapure, 99% [372-18-9] (m-Difluorobenzene)	25 ml 100 ml 500 ml	1000 2110 9930	19022	5,7-Diiodo-8-Quinololinol (Diiodohydroxyquinoline, Iodoquinol) ExiPlus, 96.5% [83-73-8] (5,7-Diiodo-8-Hydroxyquinoline)	25 Gms 100 Gms 500 Gms	2200 5800 22000
72081	2,4-Difluorobenzoic Acid pure, 98% [1583-58-0]	5 Gms 25 Gms	2260 7710	43913	⚠ N,N-Diisopropyl Carbodiimide (DIPC) extrapure, 99% [693-13-0]	25 Gms 100 Gms 500 Gms	1070 3920 18030
83488	1,5-Difluoro-2,4-Dinitrobenzene (DFDNB) pure, 97% [327-92-4]	5 Gms 25 Gms	2800 11000	95423	⚠ 1,2,3,4-Di-O-Isopropylidene L-Arabinopyranoside extrapure [4064-06-6]	10 Gms	6910
10670	2,4-Difluoronitrobenzene extrapure, 99% [446-35-5]	25 Gms 100 Gms 500 Gms	1990 4730 21740	94784	⚠ 1,2,3,4-Di-O-Isopropylidene α-D-Galactopyranoside extrapure, 98% [4064-06-6]	10 Gms	6910
90309	2,4-Difluorophenylboronic Acid extrapure, 95% [144025-03-6]	5 Gms 10 Gms	5460 9490	10232	■ 2,3-Dimercaptosuccinic Acid (DMSA, Succimer) extrapure, 98% [304-55-2] (meso-2,3-Dimercaptosuccinic Acid)	1 Gms 5 Gms	1740 5740
53755	✓ Digitonin (Digitin) extrapure, 50% [11024-24-1]	100 Mg 1 Gms	3180 27220	98526	Bismuthiol (2,5-Dimercapto-1,3,4-Thiadiazole, DMTD) pure, 98% [1072-71-5] (1,3,4-Thiadiazole-2,5-Dithiol)	25 Gms 100 Gms 500 Gms	950 2300 3500
48712	✓ Digoxin extrapure, 95% [20830-75-5]	50 Mg 1 Gms 5 Gms	600 3500 15000				
91374	⚠ 3,4-Dihydro-3-Hydroxy-4-Oxo-1,2,3-Benzotriazine (DHOBT, DHBT) extrapure, 98% [28230-32-2]	5 Gms 25 Gms	1890 6510				



Code	Name	Packing	Price	Code	Name	Packing	Price
76620 [1201-38-3]	2,5-Dimethoxyacetophenone pure, 99%	100 Gms 500 Gms	7990 31110	14157 [77-71-4]	5,5-Dimethylhydantoin (DMH) extrapure, 99% (4,4-Dimethyl-2,5-Dioxoimidazolidine, Fennosurf 300)	100 Gms 500 Gms	700 1500
40824 ✓ [93-02-7]	2,5-Dimethoxybenzaldehyde (2,5-DMB) pure, 98%	25 Gms 100 Gms	1370 5250	83177 [108-59-8]	Dimethyl Malonate pure, 98%	250 ml 500 ml	540 600
24116 [613-45-6]	2,4-Dimethoxybenzaldehyde extrapure AR, 98%	25 Gms 100 Gms	2370 4470	22247 ✓ [13138-48-2]	3,3-Dimethylnaphthidine extrapure AR, 98% (4,4'-Diamino-3,3'-dimethyl-1,1'-binaphthyl)	200 Mg 1 Gms	3680 10080
82410 ✓ [150-78-7]	1,4-Dimethoxybenzene pure, 99% (Hydroquinone Dimethyl Ether)	250 Gms	1870	35047 ✓ [13290-96-5]	Dimethyl 5-Nitrosophthalate pure, 99%	25 Gms 100 Gms	1360 2720
66053 [77-76-9]	2,2-Dimethoxypropane pure, 98%	500 ml 1000 ml 2500 ml	500 980 2400	20923 ✓ [1123-49-5]	3,5-Dimethyl-4-Nitrosoazole extrapure, 98%	5 Gms 25 Gms	2760 8820
84774 ⚠ [58-15-1]	4-Dimethylaminoantipyrine (Aminopyrine) extrapure, 99% (4-Dimethylamino-2,3-Dimethyl-1-Phenyl-3-Pyrazolin-5-one)	25 Gms 100 Gms	1680 6300	98950 ✓ [95-87-4]	2,5-Dimethyl Phenol pure, 98% (2,5-Xylenol)	100 Gms	1990
42442 ⚠ [536-17-4]	5-(4-Dimethylaminobenzylidene) Rhodanine pure, 98%	1 Gms 5 Gms 25 Gms	1100 2400 7200	83834 [17469-89-5]	N,N-Dimethyl-L-Phenylalanine extrapure, 98%	1 Gms 5 Gms	3000 9000
58451 ⚠ [6203-18-5]	p-Dimethylamino-Cinnamaldehyde extrapure, 98%	5 Gms 25 Gms	2710 11550	93287 ✓ [99-98-9]	N,N-Dimethyl-p-Phenylenediamine (DMPPDA) pure, 98% (4-(Dimethylamino)Aniline, 4-Amino-N,N-Dimethylaniline, N,N-Dimethyl-1,4-Phenylenediamine, DMPD)	5 Gms 25 Gms 100 Gms	2500 4990 16370
58048 [108-01-0]	2-Dimethylaminoethanol extrapure, 98% (N,N-Dimethylethanolamine)	500 ml 2500 ml	580 2610	67318 ✓ [120-61-6]	Dimethyl Terephthalate pure, 99%	500 Gms	680
18814 [4584-46-7]	2-Dimethylaminoethyl Chloride Hydrochloride pure, 98% (2-Chloro-N,N-Dimethylethylamine Hydrochloride)	100 Gms 500 Gms	420 1580	91273 ✓ [518-67-2]	Dimidium Bromide extrapure, 98% (3,8-Diamino-5-Methyl-6-Phenylphenanthridinium Bromide, Trypadine)	500 Mg 1 Gms 5 Gms	1450 2625 11000
49235 ● [25952-53-8]	1-(3-Dimethylaminopropyl)-3-Ethyl Carbodiimide Hydrochloride (EDC.HCl, EDAC.HCl) extrapure, 99% (N-Ethyl-N'-(3-Dimethylaminopropyl) Ethylcarbodiimide Hydrochloride)	25 Gms 100 Gms 500 Gms	980 3300 12980	84846 ✓ [97-02-9]	2,4-Dinitroaniline pure, 98%	100 Gms 500 Gms	1130 4730
93088 ✓ [1122-58-3]	4-Dimethylaminopyridine (DMAP) extrapure, 98%	25 Gms 100 Gms 500 Gms	490 1250 4440	58586 [99-34-3]	3,5-Dinitrobenzoic Acid extrapure, 98%	100 Gms 500 Gms	560 2210
50593 [95-68-1]	2,4-Dimethylaniline pure, 98% (2,4-Xylidine)	250 ml 2500 ml	630 5500	66764 [99-34-3]	3,5-Dinitrobenzoic Acid extrapure AR, 99%	100 Gms 500 Gms	720 3000
33029 [87-62-7]	2,6-Dimethylaniline pure, 99% (2,6-Xylidine)	250 ml 1000 ml	850 3200	87464 [99-34-3]	3,5-Dinitrobenzoic Acid extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	100 Gms 500 Gms	840 3250
86330 [616-38-6]	Dimethyl Carbonate pure, 99%	500 ml 2500 ml 25 Ltr	240 1100 10000	56569 [14323-43-4]	Dinitrodiaminepalladium (II) extrapure, 45-50% Pd	250 Mg 1 Gms	3800 10000
21800 [75-78-5]	Dimethyl Dichlorosilane (DMDCS) pure, 98% (Dichlorodimethylsilane)	250 ml 500 ml 1000 ml	700 1200 2100	88639 [119-26-6]	2,4-Dinitrophenylhydrazine extrapure AR, 99%	25 Gms 100 Gms 500 Gms	230 740 3570
10192 ✓ [1643-20-5]	N,N-Dimethyldodecylamine N-Oxide Solution (DDAO) pure, 30% (Lauryldimethylamine N-Oxide, LDAO)	100 ml 500 ml	1200 3000	85387 [119-26-6]	2,4-Dinitrophenylhydrazine extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	25 Gms 100 Gms	280 940
58764 ✓ [1643-20-5]	N,N-Dimethyldodecylamine N-Oxide (DDAO) extrapure, 95% (Lauryldimethylamine N-Oxide, LDAO)	5 Gms 25 Gms	6000 25000	75477	2,4-Dinitrophenylhydrazine Reagent Solution (2,4-DNP Reagent)	100 ml	260
70976 ✓ [2491-06-7]	N,N-Dimethyl Glycine Hydrochloride pure, 98%	10 Gms 50 Gms	1600 6000	10253 [609-99-4]	3,5-Dinitrosalicylic Acid pure, 98%	25 Gms 100 Gms 500 Gms	720 2620 12250



Code	Name	Packing	Price	Code	Name	Packing	Price
38707 [609-99-4]	3,5-Dinitrosalicylic Acid extrapure AR, 99%	25 Gms 100 Gms	1380 5010	53384 [6892-68-8]	● Dithioerythritol (DTE) for molecular biology, 99% (Clelands Other reagent)	1 Gms 5 Gms	1270 6200
13313 [609-99-4]	3,5-Dinitrosalicylic Acid Reagent Solution	100 ml	670	48086 [79-40-3]	● Dithiooxamide (Rubeanic Acid) extrapure AR, 99%	1 Gms 5 Gms 25 Gms	900 3250 14250
41131 [512-04-9]	Diosgenin extrapure, 95% ((25R)-5-Spirosten-3β-ol, 3β-Hydroxy-5-Spirostene)	1 Gms 5 Gms	1700 5000	84834 [3483-12-3]	● DL-Dithiothreitol (DTT) extrapure, 98% (Clelands Reagent)	1 Gms 5 Gms 25 Gms 100 Gms	580 2050 9660 37500
37187 [102-04-5]	● 1,3-Diphenylacetone extrapure, 98%	25 Gms 100 Gms 500 Gms	2310 6300 26250	46220 [3483-12-3]	● DL-Dithiothreitol (DTT) ExiPlus, Multi-Compendial, 98% meets compendial specs of BP	5 Gms	2260
54164 [86-29-3]	✓ Diphenylacetone nitrile pure, 98%	100 Gms	880	17315 [3483-12-3]	● DL-Dithiothreitol (DTT) for molecular biology, 98% (Clelands Reagent)	1 Gms 5 Gms 25 Gms 100 Gms	690 2420 11340 43000
57719 [91-01-0]	✓ Diphenylcarbinol pure, 99% (Benzhydrol)	100 Gms 500 Gms	430 1630	15248 [3483-12-3]	⚡ DL-Dithiothreitol 0.1M Solution (DTT 0.1M Solution)	10 ml 100 ml	840 2630
23957 [101-84-8]	Diphenyl Ether pure, 98% (Diphenyl Oxide)	500 ml 1000 ml	730 1410	16927 [3483-12-3]	⚡ DL-Dithiothreitol 1M Solution (DTT 1M Solution)	10 ml 50 ml	1260 3680
90574 [536-46-9]	✓ N,N-Dimethyl-p-Phenylenediamine Dihydrochloride (DMPPDA.2HCl) pure, 98% (4-(Dimethylamino)aniline dihydrochloride, 4-Amino-N,N-dimethylaniline dihydrochloride, N,N-Dimethyl	10 Gms 50 Gms	3800 16600	97980 [60-10-6]	Dithizone pure, 70% (Diphenyl Thiocarbazone, Dithiozone)	5 Gms	650
66525 [1720-32-7]	⚡ 1,6-Diphenyl-1,3,5-Hexatriene (DPH) pure, 98% (Dicinnamyl, 1,6-Diphenylhexatriene)	1 Gms 5 Gms	8500 40000	89257 [60-10-6]	Dithizone extrapure AR, 85% (Diphenyl Thiocarbazone, Dithiozone)	5 Gms 25 Gms	780 3700
34747 [57-41-0]	✓ 5,5-Diphenylhydantoin (Phenytoin) pure, 98%	100 Gms	1500	46141 [60-10-6]	Dithizone extrapure AR, ACS, ExiPlus, Multi-Compendial, 85% (Diphenyl Thiocarbazone, Dithiozone) meets compendial specs of BP, Ph.Eur	5 Gms 25 Gms	850 3900
78190 [530-47-2]	✓ Diphenylhydrazine Hydrochloride, 97%	5 Gms 25 Gms	1650 4800	56266	Dithizone Reagent	100 ml	920
41855 [101-81-5]	⚡ Diphenylmethane pure, 98%	100 Gms 500 Gms	730 2270	37237 [77-77-0]	Divinyl Sulfone (DVS) pure, 96% (Vinyl Sulfone)	5 ml 25 ml	2000 5780
29128 [1898-66-4]	⚡ 2,2-Diphenyl-1-Picrylhydrazyl (DPPH) extrapure, 95%	250 Mg 1 Gms 5 Gms	3300 6500 24500	80704 [112-16-3]	Lauroyl Chloride extrapure, 99% (Dodecanoyl Chloride)	100 Gms 250 Gms 500 Gms	1400 3200 6200
38201 [120-46-7]	✓ 1,3-Diphenyl-1,3-Propanedione (Dibenzoylmethane) extrapure, 98%	25 Gms 100 Gms	3000 6800	93089 [124-22-1]	✓ Dodecylamine (Laurylamine) pure, 98%	100 Gms 500 Gms	350 1400
52196 [102-08-9]	✓ Diphenyl Thiourea pure, 98%	100 Gms 500 Gms	820 2460	85985 [219947-93-0]	1-Dodecyl-3-Methylimidazolium Hexafluorophosphate (DMIM.PF₆, C12MIMPF₆) extrapure, 98% (1-Lauryl-3-Methylimidazolium Hexafluorophosphate)	5 Gms 25 Gms	4440 16940
12781 [68399-80-4]	DIPSO Buffer extrapure, 99% (2,2-bis(2-Hydroxyethyl) -3-Amino-2-Hydroxypropane Sulphonic Acid)	25 Gms 100 Gms	5990 20000	85755 [69227-93-6]	⚡ n-Dodecyl-b-D-Maltoside (DDM) extrapure, 98% (Dodecyl-Maltoside, n-Dodecyl-b-D-Maltopyranoside)	500 Mg 1 Gms 5 Gms	4000 7000 30000
16722 [102783-62-0]	DIPSO Buffer Sodium Salt extrapure, 98%	10 Gms	7010	24940 [1119-94-4]	Dodecyltrimethylammonium Bromide (DOTAB) pure, 99% (Lauryl Trimethylammonium Bromide)	25 Gms 100 Gms	740 1480
93634 [119-91-5]	✓ 2,2-Biquinoline (2,2-Diquinolyl, Cuproine) extrapure AR, 99% (2,2'-Diquinoline)	1 Gms 5 Gms	1020 4630	42020 [112-00-5]	Dodecyltrimethylammonium Chloride (DOTAC) pure, 98% (Lauryl Trimethylammonium Chloride)	100 Gms 500 Gms	1630 6720
32363 [69-78-3]	● 5,5'-Dithiobis(2-Nitro Benzoic Acid) extrapure (DTNB), 98% (Ellmans Reagent)	1 Gms 5 Gms 25 Gms 100 Gms	1220 3600 15530 52000	77201 [59-92-7]	L-Dopa extrapure, 99% (L-Hydroxy Phenylalanine)	5 Gms 25 Gms	930 4210
27956 [6892-68-8]	● Dithioerythritol (DTE) extrapure, 99% (Clelands Other reagent)	1 Gms 5 Gms 25 Gms	950 4590 22050				



Code	Name	Packing	Price	Code	Name	Packing	Price
87943 [63-84-3]	DL-Dopa extrapure, 99% (DL-Dihydroxy Phenylalanine)	1 Gms 5 Gms 25 Gms	330 750 3000	59508 [21087-74-1]	● Epiprogoitrin Potassium Salt Reference Standard Grade, 80% (S)-2-Hydroxy-3-Butenylglucosinolate Potassium Salt)	10 Mg	26310
45462 [62-31-7]	⚠ Dopamine Hydrochloride (Dopamine HCl) extrapure, 98%	5 Gms 25 Gms 100 Gms	1050 3680 13500	97857 [56390-09-1]	● Epirubicin Hydrochloride (EPR.HCl), 97%	10 Mg 25 Mg	3600 7000
65094 [24390-14-5]	● Doxycycline Hyclate (DXH), 800U/mg	1 Gms 5 Gms 10 Gms	2260 4390 6530	49470 [16052-06-5]	EPPS Buffer extrapure, 99.5%	10 Gms 50 Gms 100 Gms	1860 5920 11720
78985 [7688-25-7]	✓ DPPB (1,4-Bis(Diphenylphosphino)Butane) extrapure, 98% (1,4-Butanediybis(Diphenylphosphine), Tetramethylenebis(Diphenylphosphine))	5 Gms 25 Gms	1780 7120	50062 [55750-63-5]	■ N-(epsilon-Maleimidocaproyloxy) Succinimide extrapure, 98% (EMCS)	10 Mg 50 Mg	5110 9340
48237 [1663-45-2]	✓ DPPE (1,2-Bis(Diphenylphosphino)Ethane) extrapure, 98% (Diphos, Ethylenebis(Diphenylphosphine))	5 Gms 25 Gms	960 4750	41120 [10025-75-9]	Erbium (III) Chloride Hexahydrate ultrapure, 99.99%	5 Gms 25 Gms	3150 7880
23660 [12150-46-8]	✓ DPPF (1,1-Bis(Diphenylphosphino)Ferrocene) extrapure, 98% (1,1-Ferrocenediybis(Diphenylphosphine))	1 Gms 5 Gms 25 Gms	960 3600 12270	54788 [13476-05-6]	Erbium (III) Nitrate Hexahydrate extrapure, 99.9%	5 Gms 25 Gms	3300 8250
34103 [6737-42-4]	✓ DPPP (1,3-Bis(Diphenylphosphino)Propane) extrapure, 98%	1 Gms 5 Gms 25 Gms	720 2140 9490	29831 [12061-16-4]	Erbium (III) Oxide ultrapure, 99.99%	5 Gms 25 Gms	3150 7880
75470 [608-66-2]	⚠ Dulcitol (D-Galactitol) extrapure, 99% (D-Galactitol)	25 Gms 100 Gms	1460 4990	12485 [139177-64-3]	Erbium (III) Trifluoromethanesulfonate extrapure, 97% (Erbium Triflate, Trifluoromethanesulfonic Acid Erbium Salt)	5 Gms 25 Gms	3570 11550
62813 [16357-59-8]	⚠ EEDQ extrapure, 99% (N-Ethoxycarbonyl-2-Ethoxy-1,2-dihydroxyquinoline)	10 Gms 25 Gms 100 Gms	1430 2300 8000	56488 [149-32-6]	✓ Erythritol extrapure, 99% (Erythrite, meso-Erythritol)	25 Gms 100 Gms 500 Gms	520 1520 4980
17398	Ehrlich`s Aldehyde Reagent	100 ml	160	48535 [114-07-8]	⚠ Erythromycin for tissue culture	1 Gms 5 Gms	380 1640
99640	Ehrlich`s Amino Sugar Reagent	100 ml	180	51114 [66778-17-4, 531-75-9]	⚠ Esculin Sesquihydrate extrapure, 98% (Aesculin)	5 Gms 25 Gms	1290 5950
81802 [112-79-8]	■ Elaidic Acid Reference Standard, 99%(GC) (trans-9-Octadecenoic Acid, trans-Oleic Acid)	1 Gms 5 Gms	5000 18000	77688 [1070-11-7]	✓ Ethambutol Dihydrochloride (ETB.2HCl), 98%	1 Gms 5 Gms	750 1990
11814 [39445-21-1]	■ Elastase (ELA, PPE) ex. Porcine Pancreas, 10U/mg Protein	10 Mg	7950	89737 [540-63-6]	1,2-Ethanedithiol extrapure, 98.5%	25 ml 100 ml 500 ml	3500 13000 60000
19764 [155569-91-8]	Emamectin Benzoate extrapure, 90%	100 Mg 1 Gms	2520 6300	16844 [31005-02-4]	✓ 7-Ethoxycoumarin extrapure, 98%	25 Mg 100 Mg	1780 4750
73363 [518-82-1]	● Emodin ex. Polygonum Cuspidatum, 90% (Emodin ex. Fallopia Japonica, 1,3,8-Trihydroxy-6-Methyl-9,10-Anthracenedione, 1,3,8-Tri-hydroxy-6-M)	25 Mg 500 Mg 1 Gms 5 Gms	2200 6000 9000 18000	23545 [578-54-1]	2-Ethylaniline pure, 98%	100 ml 500 ml	1350 4000
90310	Emulgen B-66 (Eumulgin B66) (Polyoxyethylene Alkyl Ether)	100 ml 500 ml	4090 15660	96669 [105-39-5]	Ethyl Chloroacetate pure, 98%	500 ml 2500 ml	460 2000
20790 [93106-60-6]	● Enrofloxacin (EFX), 98%	5 Gms	1950	95953 [535-13-7]	Ethyl 2-Chloropropionate practical grade, 95%	100 ml	1260
				92052 [105-56-6]	Ethyl Cyanoacetate extrapure, 98%	500 ml 2500 ml	720 3300
				69674 [126213-50-1]	⚠ 3,4-Ethylenedioxythiophene (EDOT) pure, 98%	5 Gms 25 Gms	2800 6000
				62858 [67-42-5]	⚠ Ethylene Glycol-O-O-bis-(2-Aminoethyl) N,N,N,N-Tetraacetic Acid (EGTA) extrapure, 98%	10 Gms 25 Gms 100 Gms	2200 4000 10000



Code	Name	Packing	Price	Code	Name	Packing	Price
78214 [149-57-5]	2-Ethylhexanoic Acid extrapure, 99%	250 ml 1000 ml	250 900	64770 ✓ [223436-99-5]	1-Ethyl-1-Methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide (EMP TFSI) extrapure, 99%	1 Gms 5 Gms 25 Gms	2000 3200 13000
32021 [104-76-7]	2-Ethyl-1-Hexanol pure, 99%	500 ml 2500 ml	300 1350	70945 ⚠ [111-62-6]	Ethyl Oleate pure	500 ml 2500 ml	650 3100
69647 [124-03-8]	Ethylhexadecyldimethylammonium Bromide (EHDDMAB) extrapure, 98% (Cetyldimethylethylammonium Bromide, Dimethylethylhexadecylammonium Bromide)	25 Gms 100 Gms 500 Gms	1420 4730 12600	24489 [90002-36-1]	2-Ethylphenylboronic Acid pure, 95% (2-Ethylbenzeneboronic Acid, o-Ethylphenylboronic Acid)	1 Gms 5 Gms	2210 9450
71407 [103-11-7]	2-Ethylhexyl Acrylate extrapure, 99% (Acrylic acid 2-ethylhexyl Ester)	500 ml 2500 ml	590 2570	42676 ✓ [5308-25-8]	1-Ethylpiperazine pure, 99% (N-Ethylpiperazine)	50 Gms 250 Gms	800 2000
30484 [88122-99-0]	Ethylhexyl Triazone extrapure, 98% (2,4,6-Trianiilino(p-Carbo-2-Ethylhexyl-1-oxy)-1,3,5-Triazine)	100 Mg 1 Gms 5 Gms	2000 6800 9500	72424 [80-40-0]	Ethyl p-Toluenesulfonate pure, 98% (Ethyl Tosylate, p-Toluenesulfonic Acid Ethyl Ester)	25 ml 500 ml	770 6470
91018 ✓ [13224-99-2]	Ethylidene Glucose extrapure, 90%	1 Gms 5 Gms	4090 10520	59863 [89797-68-2]	5-(Ethylthio)-1H-Tetrazole(ETT Activator) extrapure, 99%	1 Gms 5 Gms	800 2400
10674 [75-03-6]	Ethyl Iodide extrapure, 99%	25 ml 100 ml 250 ml	2100 7600 18000	65770 [1530-32-1]	Ethyltriphenylphosphonium Bromide pure, 97%	25 Gms 100 Gms	480 1200
78503 ⚠ [128-53-0]	N-Ethylmaleimide extrapure, 99%	5 Gms 25 Gms 100 Gms	2000 9000 36000	57056 [121-32-4]	Ethyl Vanillin extrapure, 98%	100 Gms 500 Gms	750 3400
81176 ⚠ [128-53-0]	N-Ethylmaleimide ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	5 Gms 25 Gms 100 Gms	2200 10000 40000	24820 ✓ [109-92-2]	Ethyl Vinyl Ether pure, 98%	100 ml 500 ml 2500 ml	550 1750 8500
85108 ✓ [62-50-0]	Ethyl Methanesulphonate (EMS) extrapure, 99%	10 Gms 100 Gms	710 6010	93050 [8000-48-4]	Eucalyptus Oil extrapure, 60%	250 ml	1100
27035 ✓ [62-50-0]	Ethyl Methanesulphonate (EMS) for tissue culture, 99%	10 Gms	2150	69553 ⚠ [97-53-0]	Eugenol extrapure, 99% (2-Methoxy-4-(2-Propenyl)phenol, 4-Allyl-2-Methoxyphenol, 4-Allylguaiacol)	100 ml 500 ml	1100 4000
15371 ✓ [65039-09-0]	1-Ethyl-3-Methylimidazolium Chloride (EMIM Cl) extrapure, 98%	5 Gms 25 Gms 100 Gms	2200 4000 8000	98345 [13759-92-7]	Europium (III) Chloride Hexahydrate ultrapure, 99.99%	1 Gms 5 Gms 25 Gms	2310 6200 17850
10956 ✓ [342573-75-5]	1-Ethyl-3-Methylimidazolium Ethyl Sulfate (EMIM EtOSO3) extrapure, 99%	5 Gms 25 Gms	2120 6850	97625 [10031-53-5]	Europium (III) Nitrate Hexahydrate ultrapure, 99.99%	5 Gms 25 Gms	6490 18700
34543 ✓ [155371-19-0]	1-Ethyl-3-Methylimidazolium Hexafluorophosphate (EMIM PF6) extrapure, 97%	5 Gms 25 Gms	1500 6200	44088 [1308-96-9]	Europium (III) Oxide extrapure, 99.9%	1 Gms 5 Gms	1470 5250
96150 ✓ [80432-05-9]	1-Ethyl-3-Methylimidazolium Tetrachloroaluminate (EMIM AlCl4) extrapure, 95%	5 Gms 25 Gms	2400 9000	91883 [52093-25-1]	Europium (III) Trifluoromethanesulfonate extrapure, 98% (Europium Triflate, Trifluoromethanesulfonic Acid Europium Salt)	1 Gms 5 Gms	2000 5040
60887 ✓ [143314-16-3]	1-Ethyl-3-Methylimidazolium Tetrafluoroborate (EMIM BF4) extrapure, 97%	5 Gms 25 Gms	4740 6110	46650 [314-13-6]	Evans Blue	10 Gms 25 Gms	1690 4000
90329 ✓ [145022-44-2]	1-Ethyl-3-Methylimidazolium Trifluoromethanesulfonate (EMIM Otf), 98% (1-Ethyl-3-Methylimidazolium Triflate)	1 Gms 5 Gms 25 Gms	1300 4000 12200	33138 [14263-94-6]	Exton's Reagent	100 ml	230
49544 [104-90-5]	5-Ethyl-2-Methylpyridine pure, 97%	100 ml 250 ml	860 1520	66977 ⚠ [14263-94-6]	Fast Blue B Salt (DBB) (o-Dianisidine bis(Diazotized) Zinc Double Salt, Azoic Diazo No. 48, Diazo Blue B)	25 Gms 100 Gms 500 Gms	700 2500 11000
				94315 ⚠ [5486-84-0]	Fast Blue BB Salt Hemi Zinc Chloride Salt, 99% (4-Amino-2,5-Diethoxybenzaniilide Diazotated Zinc Double Salt, 4-Benzoylamino-2,5-Diethoxybenzenediaz)	5 Gms 10 Gms 25 Gms	2410 4010 6010



Code	Name	Packing	Price	Code	Name	Packing	Price
62003	Fast Blue RR Hemi(Zinc Chloride) Salt	1 Gms	4000	50389	Fluorescein Free Acid (C.I. No. 45350:1), 96%	25 Gms	270
[14726-29-5]	4-Benzoylamino-2,5-Dimethoxybenzenediazonium Chloride Hemi(Zinc Chloride) salt, Azoic Diazo No. 24S	5 Gms	18000	[2321-07-5]	(Solvent Yellow 94)	100 Gms	900
60339	Fast Green FCF (Food Green 3), 85%	5 Gms	400	73698	Fluorescein Isothiocyanate Isomer I (FITC) extrapure, 95%	25 Mg	2310
[2353-45-9]	(C.I. No. 42053)	25 Gms	1520	[3326-32-7]		100 Mg	3500
79950	Fast Red TR Salt Hemi Zinc Chloride Salt	100 Mg	2670			250 Mg	8200
[89453-69-0]	(4-Chloro-2-Methylbenzenediazonium Salt, Azoic Diazo No.11) (C.I. No. 37085)	500 Mg	10680			1 Gms	21500
14977	Ferrocene extrapure, 98%	25 Gms	500	55091	Fluorescein Sodium Salt (C.I. No. 45350)	25 Gms	320
[102-54-5]		100 Gms	1900	[518-47-8]	(Acid Yellow 73)	100 Gms	1200
		500 Gms	8500			1 Kg	10500
38082	Ferrozine Monosodium extrapure, 97%	1 Gms	2110	92458	4-Fluoroacetophenone pure, 98%	25 Gms	1430
[69898-45-9]	(5,6-Diphenyl-3-(2-pyridyl)-1,2,4-triazine-4',4''-disulfonic acid sodium salt, PDT disulfonate)	5 Gms	9350	[403-42-9]		100 Gms	4500
		25 Gms	44390	57482	2-Fluoroaniline pure, 98%	100 ml	2000
60096	Ferulic Acid pure, 98%	5 Gms	830	[348-54-9]		500 ml	9200
[1135-24-6]	(4-Hydroxy-3-Methoxycinnamic Acid)	25 Gms	2410	61820	3-Fluoroaniline pure, 98%	25 ml	3000
		100 Gms	8510	[372-19-0]		100 ml	11500
45460	Ficoll 400® for molecular biology	5 Gms	2080	62395	4-Fluoroaniline pure, 98%	100 ml	1800
[26873-85-8]	(Polysucrose 400)	25 Gms	9490	[371-40-4]		500 ml	8400
		100 Gms	35570	55482	2-Fluoroanisole pure, 98%	25 ml	3150
87939	Flavine Adenine Dinucleotide Sodium Salt (FAD) extrapure, 95%	25 Mg	2140	[321-28-8]		100 ml	9980
[146-14-5]		100 Mg	6880	45810	3-Fluoroanisole pure, 98%	25 Gms	2630
		250 Mg	11860	[456-49-5]		100 Gms	9450
		500 Mg	21350	51009	4-Fluoroanisole extrapure, 99%	25 Gms	1200
69510	Flavone extrapure	5 Gms	800	[459-60-9]		100 Gms	4500
[525-82-6]		25 Gms	3600	90335	4-Fluorobenzaldehyde pure, 98%	100 ml	3500
89465	Florisil 60-100 mesh for chromatography	100 Gms	2500	[459-57-4]		500 ml	14000
[1343-88-0]		250 Gms	5000	88879	Fluorobenzene pure, 99%	100 ml	1000
		1 Kg	19000	[462-06-6]		500 ml	4000
22239	Fluconazole (FLC), 98%	1 Gms	800			1000 ml	7600
[86386-73-4]		5 Gms	1600	68427	4-Fluorobenzoic Acid pure, 98%	25 Gms	840
54083	9-Fluorenylmethyl Chloroformate (Fmoc Chloride, Fmoc-Cl) extrapure, 99%	5 Gms	450	[456-22-4]		100 Gms	2310
[28920-43-6]		25 Gms	1800	94304	4-Fluorobenzonitrile pure, 98%	25 ml	2430
		100 Gms	6500	[1194-02-1]		100 ml	8450
29175	9-Fluorenylmethanol (Fmoc-OH) extrapure, 98%	25 Gms	2200	13212	4-Fluorobenzylamine extrapure, 99%	5 Gms	840
[24324-17-2]	(9-Fluorenemethanol, 9-(Hydroxymethyl)fluorene)	100 Gms	7000	[140-75-0]		25 Gms	2210
46068	Fluorescamine extrapure AR, 99%	25 Mg	1680	11821	5-Fluorocytidine (5-FCytd) extrapure, 99%	1 Gms	4200
[38183-12-9]		100 Mg	4310	[2341-22-2]			
		500 Mg	9450	24245	5-Fluorocytosine (5-FCtys) extrapure, 98%	1 Gms	2100
		1 Gms	13920	[2022-85-7]	(5-FA, 4-Amino-5-Fluoro-2-Hydroxypyrimidine)	5 Gms	6830
85445	Fluorescamine extrapure AR, ExiPlus, Multi-Compendial, 99%	25 Mg	1890	81015	5-Fluoro-2-Deoxyuridine extrapure, 98%	25 Mg	1680
[38183-12-9]		100 Mg	4620	[50-91-9]		100 Mg	5260
		500 Mg	10770			1 Gms	32440
	meets compendial specs of USP, BP, Ph.Eur			67782	1-Fluoro-2,4-Dinitrobenzene (FDNB) extrapure AR, 99%	25 ml	1400
				[70-34-8]		100 ml	4800
						250 ml	10250
				42199	1-Fluoro-2,4-Dinitrobenzene (FDNB) for HPLC, 99%	5 ml	8000
				[70-34-8]	(Sanger Reagent)		



Code	Name	Packing	Price	Code	Name	Packing	Price
68632 [179897-94-0]	5-Fluoro-2-Methoxyphenyl Boronic Acid extrapure, 95%	5 Gms 10 Gms	5000 8000	97306 [86060-81-3]	● FMOC-S-Acetamido Methyl-L-Cysteine (Fmoc-Cys(Acm)-OH) extrapure, 98%	5 Gms 25 Gms	2000 9000
78447 [350-46-9]	1-Fluoro-4-Nitrobenzene extrapure, 99%	100 Gms 500 Gms	1400 5500	77535 [79990-15-1]	● FMOC-D-Alanine extrapure, 99%	5 Gms 25 Gms	2470 8000
27492 [3013-27-2]	♻️ 2-Fluoro-3-Nitrotoluene extrapure, 98% (3-Fluoro-2-nitrotoluene)	1 Gms	4000	33213 [35661-39-3]	● FMOC-L-Alanine extrapure, 99%	5 Gms 25 Gms 100 Gms	520 2300 8450
78510 [703-95-7]	■ 5-Fluoroorotic Acid (5-FOA) for molecular biology, 98%	250 Mg 1 Gms	3970 13050	81433 [135112-27-5]	● FMOC-2-Aminobutric Acid extrapure, 99%	1 Gms 5 Gms	3650 16610
50958 [207291-81-4]	■ 5-Fluoroorotic Acid Hydrate (5-FOA Hydrate) for molecular biology, 98%	250 Mg 1 Gms	4200 13610	66725 [130752-32-8]	● FMOC-D-Arginine extrapure, 99%	1 Gms 5 Gms 25 Gms	2180 9670 43500
11933 [220141-70-8]	■ 5-Fluoroorotic Acid Monohydrate (5-FOA Monohydrate) for molecular biology, 98%	250 Mg 1 Gms	4090 13390	88459 [91000-69-0]	● FMOC-L-Arginine extrapure, 98%	1 Gms 5 Gms 25 Gms 100 Gms	430 1470 6180 22200
66079 [367-12-4]	2-Fluorophenol pure, 98%	10 ml 100 ml	1730 8910	23508 [108321-39-7]	● FMOC-D-Asparagine extrapure, 99%	1 Gms 5 Gms 25 Gms	720 3000 12500
47982 [372-20-3]	3-Fluorophenol pure, 98%	10 ml 50 ml	3410 11550	66815 [71989-16-7]	● FMOC-L-Asparagine extrapure, 99%	5 Gms 25 Gms 100 Gms	520 2300 8450
41593 [371-41-5]	4-Fluorophenol pure, 98%	100 Gms 500 Gms	3410 12980	49323 [132388-59-1]	● FMOC-N-Trityl-L-Asparagine (FMOC-Asn(Trt)-OH) extrapure, 99%	5 Gms 100 Gms	3510 22200
10573 [405-50-5]	4-Fluorophenylacetic Acid pure, 98%	5 Gms 25 Gms 100 Gms	960 2820 8660	30074 [119062-05-4]	● FMOC-L-Aspartic Acid extrapure, 99%	1 Gms 5 Gms	6850 12330
86567 [2629-55-2]	♻️ o-Fluoro-DL-Phenylalanine extrapure, 99%	1 Gms	7420	59022 [86060-84-6]	● FMOC-L-Aspartic Acid-4- Benzy Ester extrapure, 98%	10 Gms 25 Gms	11410 19950
53933 [2629-54-1]	♻️ m-Fluoro-DL-Phenylalanine extrapure, 98%	500 Mg	4410	24407 [53298-33-2]	● FMOC-S-Benzyl-L-Cysteine extrapure, 98%	10 Gms 25 Gms	12150 21260
96044 [51-65-0]	♻️ p-Fluoro-DL-Phenylalanine extrapure, 99%	1 Gms	7420	52208 [83792-48-7]	● FMOC-O-Benzyl-L-Serine extrapure, 98%	10 Gms 25 Gms	27830 48690
11280 [1993-03-9]	2-Fluorophenylboronic Acid extrapure, 97%	1 Gms 5 Gms 25 Gms	980 1990 8710	31407 [71989-40-7]	● FMOC-O-Benzyl-L-Tyrosine extrapure, 98%	10 Gms 25 Gms	11410 19970
54271 [768-35-4]	3-Fluorophenylboronic Acid extrapure, 98%	1 Gms 5 Gms 25 Gms	790 1720 7330	22303 [200344-33-8]	● FMOC-D-Citrulline extrapure, 99%	100 Mg 1 Gms	3060 4550
68733 [1765-93-1]	4-Fluorophenylboronic Acid extrapure, 98%	1 Gms 5 Gms 25 Gms 100 Gms	740 1720 6110 21990	61458 [133174-15-9]	● FMOC-L-Citrulline extrapure, 99% (FMOC-CIT-OH)	1 Gms 5 Gms	1790 6300
37042 [352-32-9]	4-Fluorotoluene pure, 99%	100 ml	2850	65668 [135248-89-4]	● FMOC-L-Cysteine extrapure, 95%	25 Mg 100 Mg	4490 14940
21015 [446-11-7]	4-Fluoro-3-Nitrotoluene extrapure, 98%	5 Gms 25 Gms	2000 7000	86254 [121343-82-6]	● FMOC-L-Glutamic Acid extrapure, 99%	10 Gms 25 Gms	4990 9840
15088 [51-21-8]	♻️ 5-Fluorouracil (5-FU) extrapure, 99%	1 Gms 5 Gms 25 Gms	530 1680 5670	68902 [123639-61-2]	● FMOC -L-Glutamic Acid g-Benzyl Ester extrapure, 98%	10 Gms 25 Gms	11540 20190
28329 [316-46-1]	♻️ 5-Fluorouridine (5-FUrd) extrapure, 98%	1 Gms 5 Gms	4200 9980	90673 [71989-18-9]	● FMOC-L-Glutamic Acid 5-Tert-Butyl Ester (FMOC-Glu(OtBu)-OH) extrapure, 99%	10 Gms 25 Gms 100 Gms	4740 11830 22410
53061	● FMOC-L-Amino Acids Kit	1 Kit	27080				



Code	Name	Packing	Price	Code	Name	Packing	Price
21323	● Fmoc-D-Glutamic Acid 5-Tert-Butyl Ester (Fmoc-D-Glu(OtBu)-OH) extrapure, 99%	5 Gms 25 Gms	3000 12000	47450	● Fmoc-D-Phenylalanine extrapure, 99%	1 Gms 5 Gms 25 Gms 100 Gms	630 2560 8950 32200
59874	● Fmoc-D-Glutamine extrapure, 99%	500 Mg 2.5 Gms 25 Gms	630 2520 22360	39061	● Fmoc-L-Phenylalanine extrapure, 99%	5 Gms 25 Gms	600 2000
27631	● Fmoc-L-Glutamine extrapure, 99%	25 Gms 100 Gms	1800 6000	54836	● Fmoc-D-Phenylglycine extrapure, 98%	25 Gms	5000
21282	● Na-Fmoc-No-Trityl-L-Glutamine (Fmoc-Gln(TRT)-OH) extrapure, 98%	5 Gms 100 Gms	2500 18000	33014	● Fmoc-L-Phenylglycine extrapure, 98%	10 Gms 25 Gms	1800 3000
18680	● Fmoc-Glycine extrapure, 99%	5 Gms 25 Gms	840 2730	53412	● Fmoc-D-Proline extrapure, 99%	5 Gms	4330
17849	● Fmoc-L-Histidine extrapure, 98%	5 Gms	3860	12047	● Fmoc-L-Proline extrapure, 99%	5 Gms 25 Gms 100 Gms	630 2610 9200
90688	● Fmoc-D-Isoleucine extrapure, 99%	500 Mg	17160	53534	● Fmoc-D-Serine extrapure, 99%	25 Gms	5000
22834	● Fmoc-L-Isoleucine extrapure, 99%	5 Gms 25 Gms 100 Gms	630 2610 9200	18126	● Fmoc-L-Serine extrapure, 99%	1 Gms 5 Gms	1490 3230
16515	● Fmoc-D-Leucine extrapure, 99%	1 Gms 5 Gms 25 Gms	630 2520 10490	13334	● Fmoc-O-Tert-Butyl-L-Serine (Fmoc-Ser(tBu)-OH) extrapure, 99%	10 Gms 100 Gms	3000 16000
99284	● Fmoc-L-Leucine extrapure, 99%	25 Gms 100 Gms	2300 6490	56859	● Fmoc-D-Threonine extrapure, 98%	1 Gms 5 Gms	3500 13000
20340	● Na-Fmoc-Nε-BOC-L-Lysine (Fmoc-Lys(BOC)-OH) extrapure, 98%	10 Gms 25 Gms 100 Gms	3100 7350 13130	64712	● Fmoc-L-Threonine extrapure, 99%	5 Gms 25 Gms 100 Gms	960 4030 14390
67377	● Fmoc-N-ε-Z-L-Lysine extrapure, 98%	10 Gms 25 Gms	14260 24240	36877	● Na-Fmoc-N(im)-Trityl-L-Histidine (Fmoc-His(Trt)-OH) extrapure, 99%	10 Gms 100 Gms	3000 16000
77712	● Fmoc-L-Lysine extrapure, 99%	1 Gms 5 Gms	1410 5380	38217	● Fmoc-O-Tert-Butyl-D-Threonine (Fmoc-D-Thr(tBu)-OH) extrapure, 98%	1 Gms 5 Gms	1500 6000
23694	● Fmoc-D-Methionine extrapure, 99%	1 Gms 5 Gms 25 Gms	1040 4330 18030	42366	● Fmoc-D-Tryptophan extrapure, 99%	5 Gms 25 Gms	2200 8000
50606	● Fmoc-L-Methionine extrapure, 99%	5 Gms 25 Gms 100 Gms	520 2300 8450	70309	● Fmoc-L-Tryptophan extrapure, 99%	5 Gms 25 Gms	1000 2630
61215	● N-α-Fmoc-N-ε-4-Methyltrityl-L-Lysine (Fmoc-Lys(MTT)-OH) extrapure, 98%	1 Gms 5 Gms	3000 11000	96532	● Na-Fmoc-N(in)-BOC-D-Tryptophan (Fmoc-D-Trp(BOC)-OH) extrapure, 98%	1 Gms 5 Gms	2200 8000
95562	● Fmoc-D-Norleucine extrapure, 99%	1 Gms 5 Gms	3810 17330	54034	● Fmoc-D-Tyrosine extrapure, 99%	1 Gms 5 Gms 25 Gms	1040 4330 18030
35941	● Fmoc-L-Norleucine extrapure, 99%	1 Gms 5 Gms	2700 12260	79199	● Fmoc-L-Tyrosine extrapure, 99%	5 Gms 25 Gms 100 Gms	1430 6000 21160
73648	● Fmoc-D-Norvaline extrapure, 99%	1 Gms 5 Gms	3810 17330	22292	● Fmoc-O-Tert-Butyl-L-Tyrosine (Fmoc-Tyr(tBu)-OH) extrapure, 98%	5 Gms 100 Gms	2110 16000
31631	● Fmoc-L-Norvaline extrapure, 99%	1 Gms 5 Gms	3020 13730	15917	● Fmoc-D-Valine extrapure, 99%	1 Gms 5 Gms 25 Gms	1360 5620 23410
24626	● Fmoc-4-Nitro-L-Phenylalanine extrapure (Fmoc-L-Phe(4NO2)-OH), 98%	10 Gms 25 Gms	8550 14950				



Code	Name	Packing	Price	Code	Name	Packing	Price
47834	● Fmoc-L-Valine extrapure, 99% [68858-20-8]	5 Gms 25 Gms 100 Gms	410 1870 7010	81309	✓ 2-Furoic Acid pure, 98% [88-14-2] (Furan-2-Carboxylic Acid)	100 Gms 500 Gms	1000 3800
79235	● Fmoc-OSu extrapure AR, 99% [82911-69-1]	5 Gms 25 Gms 100 Gms 500 Gms	650 2400 7250 33000	81294	✓ 3-Furoic Acid pure, 98% [488-93-7] (Furan-3-Carboxylic Acid)	5 Gms 25 Gms	2500 9500
33866	✓ Folcisteine (ATCA, NATCA) pure, 99% [5025-82-1/54 323-50-1] (3-Acetyl-1,3-Thiazolidine-4-Carboxylic acid, R-Aminofol)	1 Gms 5 Gms	1600 5000	99124	✓ 2-Furoyl Chloride pure, 98% [527-69-5] (Furan-2-Carbonyl Chloride)	20 ml 100 ml	1500 5000
43164	✓ Folic Acid pure, 98% [59-30-3] (Vitamin B9, Vitamin M, Pteroyl-L-Glutamic acid)	25 Gms 100 Gms 500 Gms	500 1800 8000	90068	✓ 3-Furoyl Chloride pure, 97% [26214-65-3] (Furan-3-Carbonyl Chloride)	1 Gms 5 Gms	4000 14500
24791	✓ Folic Acid ExiPlus, Multi-Compendial , 98% [59-30-3] (Vitamin B9, Vitamin M, Pteroyl-L-Glutamic acid) meets compendial specs of BP	10 Gms 25 Gms	320 650	79108	✓ Furylacrylic Acid pure, 99% [539-47-9] (3-(2-Furyl)acrylic Acid, Furan-2-Acrylic Acid, Furfurylideneacetic Acid)	25 Gms	2020
17989	✓ Folic Acid for tissue culture , 98% [59-30-3] (Vitamin B9, Vitamin M, Pteroyl-L-Glutamic acid)	25 Gms 100 Gms 500 Gms	700 2200 9800	58327	⚠ G-418 Sulphate (Geneticin) extrapure [108321-42-2]	100 Mg 1 Gms 5 Gms	1260 6300 29400
39520	Folin & Ciocalteus Phenol (FCP) Reagent AR	100 ml 250 ml 500 ml	600 1400 2500	87858	⚠ G-418 Sulphate (Geneticin) for tissue culture [108321-42-2]	100 Mg 1 Gms 5 Gms	2220 8060 36510
64684	Folin's Uric Acid Reagent	250 ml	590	45734	Gaby-Hadley Reagent A	100 ml	300
49244	✓ Forchlorfenuron (KT-30, CPPU, N-(2-Chloro-4-pyridyl)-N-phenylurea) extrapure, 99% [68157-60-8]	1 Gms 5 Gms	3040 7360	94536	Gaby-Hadley Reagent B	100 ml	430
53870	4-Formylphenylboronic Acid extrapure, 95% [87199-17-5]	5 Gms 25 Gms	1550 6200	45781	Gadolinium (III) Chloride Hexahydrate ultrapure, 99.99% [13450-84-5]	5 Gms 25 Gms	2500 5000
85925	Fouchet's Reagent	100 ml	250	10438	Gadolinium (III) Nitrate Hexahydrate ultrapure, 99.99% [19598-90-4]	5 Gms 25 Gms	2600 5300
54704	● D-Fructose-1,6-Diphosphate Octahydrate Trisodium Salt extrapure, 99% [81028-91-3]	250 Mg 1 Gms	480 1250	31353	Gadolinium (III) Oxide extrapure, 99.9% [12064-62-9]	5 Gms 25 Gms 100 Gms	920 3360 11900
25760	● D-Fructose-6-Phosphate Disodium Salt extrapure, 95% [26177-86-6]	100 Mg 500 Mg	3170 9490	52480	Gadolinium (III) Trifluoromethanesulfonate extrapure, 98% [52093-29-5] (Gadolinium(III) Triflate, Trifluoromethanesulfonic Acid Gadolinium(III) Salt)	1 Gms 5 Gms	1890 4200
73212	⚠ L-Fucose extrapure, 99% [2438-80-4] (L-Fuc, 6-Deoxy-L-Galactose)	500 Mg 1 Gms 5 Gms	1520 2460 9930	14725	D-Galactosamine Hydrochloride extrapure, 98% [1772-03-8]	250 Mg 1 Gms 5 Gms	580 1400 4200
76007	⚠ D-(+)-Fucose extrapure [3615-37-0] (6-Deoxy-L-Galactose, Rhodose)	500 Mg 1 Gms	7200 12500	88176	D-Galactose extrapure [59-23-4]	25 Gms 100 Gms 500 Gms	500 1500 6200
47462	Furfural pure, 99% [98-01-1]	500 ml 2500 ml	700 2800	27146	■ B-Galactosidase (BGAL) ex. E. Coli, 500U/mg solids [9031-11-2] (Lactase, B-D-Galactoside Galactohydrolase)	5 K.Units	38550
86133	Furfural extrapure AR, ACS, 99% [98-01-1]	500 ml	1130	20096	β-D-Galactose Pentaacetate extrapure, 99% [4163-60-4]	25 Gms	8000
11049	Furfurylamine pure, 98% [617-89-0]	500 ml 2500 ml	1480 5780	83055	■ Galantamine Hydrobromide extrapure, 98% [1953-04-4]	250 Mg	7000
18641	Furosemide (Frusemide) , 98.5% [54-31-9]	5 Gms 25 Gms	3560 9930	14101	Gallium (III) Nitrate Hydrate extrapure, 99.9% [69365-72-6]	5 Gms 25 Gms	3860 14690
				23813	⚠ Geldanamycin (GLD) , 98% [30562-34-6]	5 Mg	65210



Code	Name	Packing	Price	Code	Name	Packing	Price
72394 [71010-52-1]	Gelrite Gellan Gum	100 Gms 250 Gms 500 Gms 1 Kg 5 Kg	2010 4720 8660 14550 67870	57400 [52153-09-0]	L-Glucono-1,5-Lactone pure, 85% (3,4,5-Trihydroxy-6-(Hydroxymethyl)Tetrahydro-2H-Pyran-2-one, L-Gluconolactone)	25 Mg	6510
53409 [6902-77-8]	Genipin extrapure, 98%	25 Mg 100 Mg	3000 8000	55195 [90-80-2]	D-Glucono-1,5-Lactone extrapure, 99% (D-(+)-Gluconic Acid d-Lactone, D-Gluconolactone, Glucono-Delta-Lactone)	100 Gms 500 Gms	1580 2420
37636 [1405-41-0]	Gentamicin Sulphate (GM)	1 Gms 5 Gms 25 Gms	410 1640 6080	74587 [21414-41-5]	Glucoraphanin Potassium Salt Reference Standard Grade, 90% (4-Methylsulfinylbutyl Glucosinolate Potassium Salt)	10 Mg	33600
50827 [1405-41-0]	Gentamicin Sulphate (GM) for tissue culture	1 Gms 5 Gms 25 Gms	960 2400 7890	15546 [108844-81-1]	Glucoraphenin Potassium Salt Reference Standard Grade, 95% (4-Methylsulfinyl 3-Butenylglucosinolate Potassium Salt)	10 Mg	36750
95677 [554-91-6]	β-D-Gentiobiose extrapure, 95% (Amygdalose)	100 Mg 500 Mg	2800 9000	73360 [32449-92-6]	D-Glucono-3,6-Lactone extrapure, 99%	25 Gms 100 Gms 500 Gms	2310 3460 10290
32614 [1310-53-8]	Germanium Dioxide electronic grade ultrapure, 99.999%	10 Gms 25 Gms 100 Gms	7120 16800 46830	28453 [9032-08-0]	Glucosylase ex. Rhizopus Sp., 30U/mg	1000 Units	7050
56397 [4562-36-1]	Gitoxin extrapure, 98%	5 Mg 25 Mg 500 Mg	6000 12000 52000	45648 [66-84-2]	Glucosamine Hydrochloride extrapure, 99%	25 Gms 100 Gms 500 Gms	750 1650 6850
38490 [5996-06-5]	Glaucine Hydrobromide, 97%	10 Gms	6000	14810 [9028-53-9]	Glucose Dehydrogenase ex. Microorganism, 250U/mg	5 K.Units	15500
76052 [9074-98-0]	β-Glucanase ex. Aspergillus Niger, 10U/mg powder	5 Gms 25 Gms	900 4000	61788 [9001-37-0]	Glucose Oxidase (GOD) ex. Aspergillus Niger, 100U/mg solids	10 K.Units 25 K.Units	2170 4870
40193 [21087-78-5]	Glucobarbarin Potassium Salt Reference Standard Grade, 90%	10 Mg	47250	12419 [604-68-2]	α-D-Glucose Pentaacetate extrapure, 99%	25 Gms	1260
63878 [15592-36-6]	Glucocheirolin Potassium Salt Reference Standard Grade, 95% (3-Methylsulfonylpropyl Glucosinolate Potassium Salt)	10 Mg	57750	65776 [604-69-3]	β-D-Glucose Pentaacetate extrapure, 99%	25 Gms 100 Gms	1080 3570
61404 [15592-37-7]	Glucocerucin Potassium Salt Reference Standard Grade, 95% (4-Methylthiobutyl Glucosinolate Potassium Salt)	10 Mg	58800	23208 [6736-77-2 (anhy)]	D-Glucose-1-Phosphate Dipotassium Salt Hydrate (G1P.K2 Hydrate) extrapure, 98% (Cori Ester Dipotassium Salt Hydrate)	1 Gms 5 Gms	1470 6830
97968 [60046-25-5]	D-Glucoheptonic Acid-1,4-Lactone pure, 98% (D-Glycero-D-Gulo-Heptono-1,4-Lactone, D-Gluco-Heptono-Gamma-Lactone)	5 Gms 10 Gms	7600 14610	62591 [150399-99-8]	D-Glucose-1-Phosphate Disodium Salt Tetrahydrate (G1P.Na2 Tetrahydrate) extrapure, 98% (Cori Ester Disodium Salt Tetrahydrate)	1 Gms 5 Gms 25 Gms	580 2100 9720
20378 [15592-34-4]	Glucioiberin Potassium Salt Reference Standard, 85% (3-Methylsulfinylpropyl Glucosinolate Potassium Salt)	10 Mg	35700	32994 [3671-99-6]	D-Glucose-6-Phosphate Disodium Salt Dihydrate (G6P.Na2 Dihydrate) extrapure, 99% (Robinson Ester)	1 Gms 5 Gms 25 Gms	1020 4400 21000
84553 [245550-57-6]	Gluconapin Potassium Salt Reference Standard, 90% (3-Butenyl Glucosinolate Potassium Salt)	10 Mg	35700	74262 [9001-40-5]	Glucose-6-Phosphate Dehydrogenase ex. Leuconostoc Mesenteroides, 400U/mg solids	1 K.Units 5 K.Units	7580 20550
27429 [18425-76-8]	Gluconasturtiin Potassium Salt Reference Standard, 95% (2-Phenylethyl Glucosinolate Potassium Salt)	10 Mg	44100	11997 [9001-40-5]	r-Glucose-6-Phosphate-Dehydrogenase ex. Leuconostoc Mesenteroides, 500U/mg solids	5 K.Units	8420
45063 [1198-69-2]	D-Glucono-1,4-Lactone pure, 85%	50 Mg	7140	75551 [9001-42-7]	α-Glucosidase (Maltase) ex. Yeast, 100U/mg	10 Mg 100 Mg	3210 29050
				13275 [9001-22-3]	B-Glucosidase ex. Sweet Almonds (Type 2A), 10U/mg solids (Gentiobiase, Cellobiase)	250 Units 1000 Units	3740 8500
				41369 [9001-22-3]	B-Glucosidase ex. Sweet Almonds (Type 2B), 10U/mg solids (Gentiobiase, Cellobiase)	25 Mg 100 Mg 1 Gms	2000 6000 22000



Code	Name	Packing	Price	Code	Name	Packing	Price
70077 [5115-71-9]	■ Glucotropaeolin Potassium Salt Reference Standard Grade, 95%	10 Mg	18000	11514 [70-18-8]	● Glutathione Reduced (GSH) for molecular biology, 99.5%	1 Gms 5 Gms 25 Gms 100 Gms	740 2150 8060 18710
88229 [6556-12-3]	✓ D-Glucuronic Acid extrapure, 98%	1 Gms 5 Gms 25 Gms	950 3500 12000	14210 [453-17-8]	✓ D-(+)-Glyceraldehyde extrapure, 85%	1 Gms	15000
74117 [9029-12-3]	■ Glutamate Dehydrogenase (L-GLDH) ex. Bovine Liver, 10U/mg	100 Mg	8180	62423 [9030-66-4]	■ Glycerol Kinase (GK) ex. Microorganism, 30U/mg solids	1 K.Units	9470
61126 [6893-26-1]	D-Glutamic Acid extrapure CHR, 99%	1 Gms 5 Gms	630 1680	36324 [9075-65-4]	■ Glycerol-3-Phosphate Dehydrogenase ex. Rabbit Muscle, 15U/mg	500 Units	6900
20655 [72669-53-5]	⚗ g-L-Glutamic Acid 7-Amido-4-Methylcoumarin extrapure, 98% (γ-L-Glutamic Acid-AMC)	10 Mg 25 Mg 100 Mg	6810 13230 37790	36451 [106-91-2]	Glycidyl Methacrylate pure, 97%	100 ml 500 ml	670 2420
76228 [1676-73-9]	● L-Glutamic Acid r-Benzyl Ester extrapure, 99% (5-Benzyl-L-Glutamate)	5 Gms 25 Gms 100 Gms	1200 2500 8000	63956 [113728-13-5]	⚗ Glycine-7-Amido-4-Methylcoumarin Hydrobromide Salt extrapure, 98% (Glycine-AMC.HBr sal)	10 Mg 25 Mg	9980 19400
98087 [9000-97-9]	■ Glutamic Oxaloacetic Transaminase (GOT) ex. Porcine Heart, 180U/mg Solids	1 K.Units	14020	56204 [2462-31-9]	■ Glycine Benzyl Ester Hydrochloride extrapure, 98%	5 Gms 25 Gms	2970 11530
17632 [5959-95-5]	D-Glutamine extrapure, 99%	1 Gms 5 Gms	3000 5500	67536 [1738-76-7]	⚗ Glycine Benzyl Ester p-Toluene Sulfonate extrapure, 98%	25 Gms	6050
12381 [56-85-9]	L-Glutamine extrapure CHR, 99%	100 Gms 500 Gms 1 Kg	800 3200 6000	85055 [107-43-7]	⚗ Betaine (Glycine Betaine) pure, 98%	25 Gms 100 Gms 500 Gms	900 1900 5000
31498 [67953-08-6]	⚗ L-r-Glutamyl-p-Nitroanilide Hydrochloride extrapure, 99%	500 Mg 1 Gms	2740 4600	99993 [623-33-6]	⚗ Glycine Ethyl Ester Hydrochloride extrapure, 99%	100 Gms 500 Gms	560 2170
37394 [110-94-1]	✓ Glutaric Acid pure, 99%	100 Gms 500 Gms	960 4390	18308 [7758-33-0]	⚗ Glycyl Histidine Glycine extrapure, 95%	100 Mg	9140
87175 [108-55-4]	✓ Glutaric Anhydride pure, 98%	100 Gms 500 Gms	1500 6000	47055 [72957-37-0]	⚗ Glycine-L-Histidine-L-Lysine extrapure, 98%	100 Mg	12210
94980 [27025-41-8]	● Glutathione Oxidized (GSSG) extrapure, 99%	250 Mg 1 Gms 5 Gms 25 Gms 100 Gms	1350 3550 15300 42000 85000	98803 [31692-85-0]	Glycofurol extrapure, 99% (Tetraglycol, Tetrahydrofurfuryl alcohol Polyethylene Glycoether)	100 ml 500 ml	3000 12000
41422 [27025-41-8]	● Glutathione Oxidized (GSSG) ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	1 Gms 25 Gms 100 Gms	4540 45000 105000	74078 [9005-79-2]	⚗ Glycogen ex. Oyster extrapure, 85%	5 Gms 25 Gms	3400 15000
22151 [27025-41-8]	● Glutathione Oxidized (GSSG) for molecular biology, 99.5%	250 Mg 1 Gms 5 Gms	3000 4990 23000	49740 [9005-79-2]	⚗ Glycogen ex. Oyster for molecular biology, 85%	1 Gms 5 Gms 25 Gms	1000 4100 18900
48938 [70-18-8]	● Glutathione Reduced (GSH) extrapure, 99%	5 Gms 25 Gms 100 Gms	850 3800 14000	50006 [23147-58-2]	✓ Glycolaldehyde Dimer extrapure, 95%	500 Mg	3990
16111 [70-18-8]	● Glutathione Reduced (GSH) for tissue culture, 99.5%	1 Gms 5 Gms 25 Gms	380 1740 6930	50391 [64480-66-6]	⚗ Glycoursodeoxycholic Acid (GUDCA) extrapure, 97% (Glycylursodeoxycholic Acid, Ursodeoxycholylglycine)	1 Gms 5 Gms	4680 17060
77285 [70-18-8]	● Glutathione Reduced (GSH) ExiPlus, Multi-Compendial, 99% meets compendial specs of Ph.Eur	5 Gms 25 Gms	1950 6490	97291 [13115-71-4]	⚗ Glycyl-L-Glutamine extrapure, 99%	1 Gms 5 Gms	1960 7830
				11530 [556-50-3]	⚗ Glycyl Glycine extrapure, 99%	10 Gms 25 Gms 100 Gms	940 2080 6540
				72998 [102601-58-1]	⚗ Z-Glycyl-Glycyl-L-Arginine 7-Amido-4-Methylcoumarin Hydrochloride Salt extrapure, 95% (Z-Glycine-Glycine-Arginine-AMC.HCl Salt)	5 Mg 25 Mg	9360 38950
				15746 [65022-15-3]	■ Z-Glycyl-L-Proline-4-Nitroanilide (Z-Gly-Pro-4-Nitroanilide) extrapure, 98%	25 Mg 100 Mg	4000 8000



Code	Name	Packing	Price	Code	Name	Packing	Price
41675	Glycyl-Glycyl-L-Glycine (Triglycine) extrapure, 99%	1 Gms 5 Gms 25 Gms	1640 7310 26870	11777	D-Gulono-1,4-Lactone extrapure, 98%	1 Gms 5 Gms	2340 11220
27057	Glycyl-Glycyl-L- Isoleucine extrapure, 99%	1 Gms 5 Gms	4660 19180	97514	L-Gulono-1,4-Lactone extrapure, 98%	10 Gms 25 Gms	5440 9810
70039	Glycyl-Glycyl-L-Leucine extrapure, 99%	1 Gms 5 Gms	4470 18900	37421	Gunzburg Reagent	100 ml	620
29764	Glycyl-Glycyl-L-Valine extrapure, 99%	25 Mg 100 Mg	7120 21350	95068	Haemoglobin Powder ex. Bovine Erythrocytes	100 Gms	1950
82725	Glycyl-L-Isoleucine extrapure, 99%	1 Gms 5 Gms	1960 7570	52293	Harmaline pure, 98%	1 Gms	4860
96010	Glycyl-L-Leucine extrapure, 99%	1 Gms 5 Gms	1700 7510	99132	HATU extrapure, 98%	5 Gms 25 Gms 100 Gms	1100 4500 16000
27587	Glycyl Leucine Phenylalanine extrapure, 99%	100 Mg	16310	44424	HBTU extrapure, 98%	5 Gms 25 Gms 100 Gms 500 Gms	360 1600 5500 24000
25952	Glycyl-L-Proline-7-Amido-4-Methylcoumarin Hydrobromide Salt extrapure, 98% (H-Gly-Pro-AMC-HBr, GP-AMC.HBr Salt)	25 Mg	34000	73322	HCTU extrapure, 98% (O-(6-Chlorobenzotriazol-1-yl)-N,N,N',N'-Tetramethyluronium Hexafluorophosphate)	5 Gms 25 Gms 100 Gms	850 2400 8500
74329	Glycyl-L-Tyrosine extrapure, 99%	1 Gms 5 Gms	1960 7830	23315	HEDTA (N-(2-Hydroxyethyl) ethylenediaminetriacetic acid) extrapure, 99%	25 Gms 100 Gms 500 Gms	1200 3700 16000
34601	Glycyl-L-Valine extrapure, 99%	1 Gms 5 Gms	2470 10210	28394	Hematoxylin Monohydrate (Natural Black I)	5 Gms 25 Gms 100 Gms	2100 9870 32000
92245	Glyoxal 40% aq. solution pure	500 ml 2500 ml	430 1680	78372	Hemin Chloride cryst. ex. Bovine extrapure, 98% (Hematin Hydrochloride, Chlorohemin)	1 Gms 5 Gms	1470 5250
35657	Griess Reagent for Nitrite extrapure	100 ml	3490	98457	Hemin Chloride cryst. ex. Porcine extrapure, 98% (Hematin Hydrochloride, Chlorohemin)	1 Gms 5 Gms	1470 5250
53613	Guaiacol extrapure, 99%	250 Gms 1 Kg	900 3400	58389	Heparin Sodium Salt ex. Bovine Intestinal Mucosa, 150 IU/mg	20 K.Units 100 K.Units	1100 3400
44260	Guanine extrapure, 99%	25 Gms 100 Gms 1 Kg	560 1200 9500	50661	Heparin Sodium Salt ex. Bovine Intestinal Mucosa, 150 IU/mg	100 Mg 1 Gms	1200 5000
37567	Guanine Hydrochloride extrapure, 98%	5 Gms 25 Gms	330 1410	29768	HEPBS Buffer extrapure, 99%	10 Gms 25 Gms 100 Gms	7410 9870 35760
48306	Guanine Sulphate extrapure, 98%	1 Gms	1600	63732	HEPES Buffer extrapure, 99% (N-[2-Hydroxyethyl] Piperazine-N[2-Ethane Sulphonic Acid])	25 Gms 100 Gms 500 Gms 1 Kg	530 1680 7350 13650
57892	Guanosine extrapure, 99%	25 Gms 100 Gms 500 Gms	640 2400 8000	48489	HEPES Buffer for tissue culture, 99% (N-[2-Hydroxyethyl] Piperazine-N[2-Ethane Sulphonic Acid])	25 Gms 100 Gms	790 2100
95494	Guanosine-5-Monophosphate Disodium Salt (5-GMP-Na2) extrapure, 96%	1 Gms 5 Gms 25 Gms 100 Gms	330 1220 5080 17380	16826	HEPES Buffer for molecular biology, 99.5% (N-[2-Hydroxyethyl] Piperazine-N[2-Ethane Sulphonic Acid])	25 Gms 100 Gms 500 Gms	840 2310 8400
70564	Guanosine-5-Triphosphate Disodium Salt (5-GTP-Na2) extrapure, 90%	100 Mg 500 Mg	3000 5000				
11945	Guayule (DCPTA) for tissue culture, 98% (2-(3,4-Dichlorophenoxy)-N,N-diethylethanamine)	25 Gms 100 Gms	2310 7880				



Code	Name	Packing	Price	Code	Name	Packing	Price
78805	HEPES Buffer 1M Solution pH-7.3 for molecular biology	100 ml	3360	97843	Hippuric Acid Reference Standard, 100%	10 Gms	4200
68744	HEPES Sodium Salt extrapure, 99%	25 Gms	950	[495-69-2]			
[75277-39-3]	(N-2-Hydroxyethyl piperazine	100 Gms	2730	98808	Hippuryl-L-Phenylalanine, 99%	100 Mg	2970
	N-2-Ethane Sulphonic Acid Sodium Salt)	500 Gms	9240	[744-59-2]		250 Mg	7000
32225	HEPES Sodium Salt for molecular biology, 99%	25 Gms	1580	83597	Histamine Dihydrochloride (HSM), 98%	1 Gms	1070
[75277-39-3]	(N-2-Hydroxyethyl piperazine	100 Gms	3780	[56-92-8]		5 Gms	2970
	N-2-Ethane Sulphonic Acid Sodium Salt)	500 Gms	12600			25 Gms	8000
39764	HEPES Sodium Salt for tissue culture, 99.5%	25 Gms	1470	81240	HOAT (1-Hydroxy-7-azobenzotriazole) pure, 98%	1 Gms	780
[75277-39-3]	(N-2-Hydroxyethyl piperazine	100 Gms	3360	[39968-33-7]		5 Gms	2000
	N-2-Ethane Sulphonic Acid Sodium Salt)					25 Gms	8500
86017	2-Heptanone (Methyl-n-Amyl Ketone, MAK) extrapure 99%	100 ml	400	38653	HOBT Anhydrous extrapure, 99%	25 Gms	300
[110-43-0]	(Methyl Pentyl Ketone)	500 ml	1500	[2592-95-2]		100 Gms	1050
18338	Heptanoyl Chloride pure, 98%	25 Gms	1900			500 Gms	3500
[2528-61-2]	(Enanthic Chloride, Oenanthic Chloride)	100 Gms	3560	27645	HOBT Monohydrate pure, 99%	25 Gms	300
29681	Hexaammine Cobalt (III) Chloride extrapure, 99%	5 Gms	3000	[123333-53-9]		100 Gms	1080
[10534-89-1]	(Cobalt Hexaammine Trichloride, Hexaamminecobalt Trichloride, Luteo-cobaltic Chloride)	25 Gms	9000			500 Gms	3200
28373	Hexadecylamine (Cetylamine) pure, 98%	5 Gms	800	93864	D-Homocitrulline extrapure CHR, 98%	1 Gms	8540
[143-27-1]		25 Gms	1800	[121080-96-4]		5 Gms	29050
		100 Gms	3400	94194	D-Homophenylalanine extrapure, 97%	500 Mg	2380
21437	1,1,1,3,3,3-Hexafluoro-2-Propanol (HFIP) extrapure, 99%	25 ml	2400	[82795-51-5]		5 Gms	9490
[920-66-1]	(Hexafluoroisopropanol)	100 ml	7200	78523	L-Homophenylalanine extrapure, 97%	500 Mg	1780
		500 ml	34000	[943-73-7]		1 Gms	2970
98573	1,1,1,3,3,3-Hexafluoro-2-Propanol (HFIP) for UV spectroscopy, 99%	25 ml	3980			5 Gms	7120
[920-66-1]	(Hexafluoroisopropanol)	100 ml	9930	58931	Homophthalic Acid pure, 98%	25 Gms	1440
28437	1,1,1,3,3,3-Hexamethyldisilazane pure (HMDS), 98%	100 ml	400	[89-51-0]		100 Gms	5110
[999-97-3]		500 ml	1500	69080	Homovanillic Acid extrapure, 99%	250 Mg	1170
		2500 ml	6500	[306-08-1]		1 Gms	3900
79404	(2S,5S)-2,5-Hexanediol extrapure, 99%	1 Gms	15390			10 Gms	22540
[34238-96-0]		2.5 Gms	37830	27698	Hyaluronic Acid Sodium Salt - Type 1 (600-1000 KD) extrapure, 90%	100 Mg	5500
56464	n-Hexanol pure, 98%	500 ml	700	[9067-32-7]	(HA, Hyaluronan, Hyaluronate, Hyasis 850P, Sodium hyaluronate, Poly(b-glucuronic acid-[1?3]-b-N-acet		
[111-27-3]		2500 ml	3300	75810	Hyaluronic Acid Sodium Salt - Type 2 (1000-2000 kD) extrapure, 90%	100 Mg	5500
98669	n-Hexanol extrapure AR, 99%	250 ml	725	[9067-32-7]	(HA, Hyaluronan, Hyaluronate, Hyasis 850P, Sodium hyaluronate, Poly(b-glucuronic acid-[1?3]-b-N-acet		
[111-27-3]		500 ml	1200	39678	Hyaluronic Acid Sodium Salt - Type 3 (80-100 kD) extrapure, 90%	100 Mg	5000
		2500 ml	5000	[9067-32-7]	(HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid-[1->3]-b-N-acetylglucosamin		
68497	Hexanoyl Chloride pure, 98%	100 ml	1100	89002	Hyaluronic Acid Sodium Salt - Type 4 (40-50 kD) extrapure, 90%	100 Mg	5000
[142-61-0]		500 ml	4200	[9067-32-7]	(HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid-[1?3]-b-N-acetylglucosamine		
69502	Hexokinase ex. Saccharomyces Sp. 150U/mg	5000 Units	6530				
[9001-51-8]				46639	4-Hexylresorcinol extrapure, 99%	5 Gms	1050
46639	4-Hexylresorcinol extrapure, 99%	5 Gms	1050	[136-77-6]	(Antascarin, Ascarinol, 4-Hexyl-1,3-Dihydroxybenzene)	25 Gms	3700
[136-77-6]		25 Gms	3700			100 Gms	11200
35696	Hippuric Acid pure, 99%	100 Gms	410	35696	Hippuric Acid pure, 99%	100 Gms	410
[495-69-2]	(Benzoylglycine, Benzoylaminoacetic Acid)	500 Gms	1100	[495-69-2]	(Benzoylglycine, Benzoylaminoacetic Acid)	500 Gms	1100



Code	Name	Packing	Price	Code	Name	Packing	Price
43384 [9067-32-7]	■ Hyaluronic Acid Sodium Salt - Type 5 (8-15 kD) extrapure, 90% (HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid-[1?3]-b-N-acetylglucosamine)	100 Mg	5000	81073 [3006-96-0]	● HMBA Linker (4-(Hydroxymethyl)benzoic Acid) extrapure, 99%	1 Gms 5 Gms 25 Gms	3210 13050 29640
98512 [5341-61-7]	Hydrazine Dihydrochloride pure, 98%	100 Gms 500 Gms	490 1880	84818 [68858-21-9]	● HMPA Linker (4-(Hydroxymethyl)phenoxyacetic Acid) extrapure, 98%	250 Mg 1 Gms	1900 4280
36681 [619-67-0]	4-Hydrazinobenzoic Acid extrapure, 95%	25 Gms 100 Gms	3140 9340	56043 [128446-35-5]	✓ Hydroxypropyl-B-Cyclodextrin (HPBCD) ExiPlus, Multi-Compendial, 98% meets compendial specs of USP	25 Gms 100 Gms	2970 8310
40935 [122-66-7]	Hydrazobenzene pure, 97% (1,2-Diphenylhydrazine)	25 Gms 100 Gms	540 2000	58240 [13161-30-3]	2-Hydroxypyridine-N-oxide pure (HOPO), 98%	25 Gms 100 Gms	4940 18060
13542 [50-23-7]	Hydrocortisone pure, 97%	1 Gms	440	44923 [1306-06-5]	⚡ Hydroxylapatite ~ 25% solids suspension (10g solids/40ml) in 0.001M	40 ml 100 ml	1980 3770
28449 [123-31-9]	Hydroquinone pure, 98% (1,4-Dihydroxybenzene, Quinol)	100 Gms 500 Gms	450 2000	62953 [67-47-0]	⚡ 5-Hydroxymethylfurfural (HMF) extrapure, 98%	1 Gms 5 Gms 25 Gms 100 Gms	1670 5500 25000 58000
25311 [123-31-9]	Hydroquinone extrapure AR, 99%	100 Gms 500 Gms	520 2400	77491 [67-47-0]	⚡ 5-Hydroxymethylfurfural (HMF) ExiPlus, Multi-Compendial, 98% meets compendial specs of BP, Ph.Eur	1 Gms 5 Gms 25 Gms	2100 8100 28000
17732 [123-31-9]	Hydroquinone extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms 500 Gms	600 2600	79897 [87199-15-3]	3-(Hydroxymethyl) Phenylboronic acid extrapure, 95%	1 Gms 5 Gms 10 Gms	2500 11800 21940
91893 [118-93-4]	o-Hydroxyacetophenone pure, 95%	100 ml 500 ml	980 4110	93740 [63451-35-4]	Hydroxynaphthol Blue	5 Gms 25 Gms	350 1300
58245 [121-71-1]	m-Hydroxyacetophenone pure, 98%	25 Gms 100 Gms	570 1410	69399 [524-38-9]	N-Hydroxyphthalimide pure, 98%	25 Gms 100 Gms 500 Gms	430 1450 5000
54564 [99-93-4]	p-Hydroxyacetophenone extrapure, 98%	100 Gms 500 Gms	520 2130	26921 [51-35-4]	L-Hydroxyproline extrapure CHR, 99%	25 Gms 100 Gms	600 2300
66616 [100-83-4]	m-Hydroxybenzaldehyde pure, 98%	25 Gms 100 Gms 500 Gms	540 1200 5500	57803 [142-08-5]	2-Hydroxypyridine pure, 98%	100 Gms 500 Gms	2800 10500
85692 [123-08-0]	p-Hydroxybenzaldehyde pure, 99%	100 Gms 500 Gms 5 Kg	480 2050 18000	64675 [109-00-2]	3-Hydroxypyridine pure, 98%	25 Gms 100 Gms 500 Gms	720 2420 10960
78957 [99-96-7]	p-Hydroxybenzoic Acid pure, 99%	100 Gms 500 Gms	310 950	87228 [626-64-2]	4-Hydroxypyridine practical grade, 95%	25 Gms 100 Gms	1500 5110
59645 [1137-42-4]	4-Hydroxybenzophenone pure, 98%	100 Gms 500 Gms	3670 12420	47913 [6066-82-6]	N-Hydroxysuccinimide pure, 97% (NHS)	25 Gms 100 Gms 500 Gms	760 2490 11360
29893 [623-05-2]	4-Hydroxybenzyl Alcohol (4-HBA) pure, 98%	25 Gms 100 Gms 500 Gms	1310 4630 9000	88997 [14348-40-4]	● 3-Hydroxy-2,4,6-Tribromo-Benzoic Acid (TBHBA), 97%	1 Gms 5 Gms	710 3280
12197 [9028-38-0]	■ D-3-Hydroxybutyrate Dehydrogenase (3-HBDH) ex. Pseudomonas Sp., 100U/mg (b-Hydroxybutyrate Dehydrogenase, (R)-3-Hydroxybutanoate: NAD+ oxidoreductase)	1000 Units	27300	84688 [53279-72-4]	● 3-Hydroxy-2,4,6-Triiodobenzoic Acid (HTBA), 97%	1 Gms	5000
82739 [54970-72-8]	2-Hydroxy-3,5,- Dichlorobenzene Sulphonic Acid Sodium Salt (DCHBS), 98% (DHBS, 3,5-Dichloro-2-hydroxybenzenesulfonic acid, Sodium 3,5-dichloro-2-hydroxybenzenesulfonate, Tr	5 Gms 25 Gms 100 Gms	3410 15770 60000	67941 [4350-09-8]	5-Hydroxy-L-Tryptophan extrapure, 98% (Serotonin precursor)	1 Gms 5 Gms	1800 8000
				11056 [31282-04-9]	⚡ Hygromycin B (HGR) for tissue culture, 90%	100 Mg 250 Mg	2460 5960



Code	Name	Packing	Price	Code	Name	Packing	Price
67317 [31282-04-9]	🔍 Hygromycin B (HGR), 90%	100 Mg	1410	60704 [1204-06-4]	✔ Indole-3-Acrylic Acid extrapure, 99.5% (3-Indoleacrylic Acid)	1 Gms	2900
		250 Mg	3390			5 Gms	14470
		1 Gms	11000				
94663 [31282-04-9]	🔍 Hygromycin B (HGR Solution), 50mg/ml in Aq. Solution	20 ml	9800	97637 [830-96-6]	✔ Indole-3-Propionic Acid pure, 98%	5 Gms	1100
		100 ml	38500			25 Gms	3290
63573 [68-94-0]	✔ Hypoxanthine extrapure, 99%	5 Gms	270	69447 [487-89-8]	🔍 Indole-3-Carboxyaldehyde extrapure, 99% (3-Indolylaldehyde)	10 Gms	1250
		25 Gms	840			25 Gms	1890
		100 Gms	3150			100 Gms	6000
36693 [3034-50-2]	4-Imidazolecarboxaldehyde pure, 98% (4-Formylimidazole, 1H-Imidazole-4-Carbaldehyde, 5-Imidazolecarboxaldehyde)	1 Gms	2460	96553 [126787-65-3]	🔍 Indoxyl-β-D-Galactopyranoside extrapure, 98%	25 Mg	3800
		5 Gms	5500				
52106 [606-23-5]	1,3-Indanedione pure, 96% (1,3-Diketohydrindene, 1,3-Dioxindan)	5 Gms	2460	39627 [3318-43-2]	🔍 3-Indoxyl Phosphate Disodium Salt extrapure, 98%	25 Mg	3390
		25 Gms	9930			100 Mg	6430
32328 [615-13-4]	🔍 2-Indanone pure, 98%	10 Gms	2000	25670 [2642-37-7]	■ 3-Indoxyl Sulfate Potassium Salt extrapure, 98%	50 Mg	2580
		25 Gms	4000			250 Mg	5960
		100 Gms	14000				
46486 [860-22-0]	Indigo Carmine extrapure AR	25 Gms	350	51113 [58-63-9]	🔍 Inosine extrapure, 99%	10 Gms	620
		100 Gms	1050			25 Gms	1300
		500 Gms	4300			100 Gms	4950
31016 [22519-64-8]	Indium (III) Chloride Tetrahydrate ultrapure, 99.99% (Indium Chloride)	5 Gms	4500	19594 [352195-40-5]	🔍 Inosine-5-Monophosphate Disodium Salt Hydrate (5-IMP-Na2 Hydrate) extrapure, 99% (Disodium Inosate)	5 Gms	1160
		25 Gms	8000				
52859 [20661-21-6]	Indium (III) Hydroxide ultrapure, 99.99%	5 Gms	2630	77985 [36051-67-9]	🔍 Inosine-5-Triphosphate Disodium Salt (ITP-Na2) extrapure, 97%	25 Mg	2970
		25 Gms	7350			100 Mg	5940
84697 [7440-74-6]	Indium Metal Ingots, 99.9%	10 Gms	3500	98211 [87-89-8]	Inositol pure, 99% (Vitamin B8)	100 Gms	780
95867 [207398-97-8]	Indium (III) Nitrate Hydrate extrapure, 99.9%	5 Gms	4500			500 Gms	2700
		10 Gms	8000			1 Kg	4600
		50 Gms	24000	5 Kg	20000		
43095 [1312-43-2]	Indium (III) Oxide extrapure, 99.9% (Diindium Trioxide, Indium Sesquioxide)	5 Gms	4500	87114 [87-89-8]	Inositol for tissue culture, 99% (Vitamin B8)	100 Gms	850
		10 Gms	6400			500 Gms	3000
		25 Gms	12500			1 Kg	5000
64331 [13464-82-9]	Indium (III) Sulphate Anhydrous extrapure, 99%	10 Gms	2200	53860 [9005-80-5]	Inulin extrapure	25 Gms	1050
		25 Gms	5000			100 Gms	3520
75920 [13464-82-9]	Indium (III) Sulphate Anhydrous ultrapure, 99.99%	10 Gms	4500	61568 [9001-57-4]	■ Invertase (Saccharase) ex. Candida Sp., 100U/mg (Invertase-β-D-Fructofuranoside Fructohydrolase)	2 K.Units	12250
		50 Gms	21000				
96535 [7440-74-6]	Indium Wire Ø 0.5 mm, 99.9%	5 Gms	3800	51611 [88-67-5]	🔍 2-Iodobenzoic Acid pure, 98%	25 Gms	1200
		10 Gms	7000			100 Gms	3600
19228 [120-72-9]	Indole crystalline extrapure AR, 99%	25 Gms	540	55129 [626-62-0]	✔ Iodocyclohexane (Stabilized w/ Cu) extrapure, 98% (Cyclohexyl Iodide)	10 Gms	3360
		100 Gms	6800			25 Gms	7200
69522 [1912-33-0]	🔍 Indole-3-Acetic Acid Methyl Ester extrapure, 98% (Methyl-3-Indolylacetate)	1 Gms	1640	82104 [2050-77-3]	1-Iododecane (Stabilized with Cu) extrapure, 98% (Decyl Iodide, Decyliodide)	25 ml	1860
		10 Gms	9350			100 ml	5940
63661 [57105-50-7]	🔍 Indole-3-Acetyl-L-Phenylalanine extrapure, 98% (N-(3-Indolylacetyl)-L-Phenylalanine, IAA-L-Phe)	1 Gms	34510	83441 [54-42-2]	● 5-Iodo-2-Deoxyuridine extrapure, 98%	500 Mg	1520
		5 Gms	103520			5 Gms	10450
13550 [57105-42-7]	🔍 Indole-3-Acetyl-L-Valine extrapure, 99%	25 Mg	2340	40686 [146-68-9]	● 2-(4-Iodophenyl)-3-(4-Nitrophenyl)-5-Phenyl-2H-Tetrazolium Chloride (INT) extrapure AR, 98%	1 Gms	1800
						5 Gms	8000



Code	Name	Packing	Price	Code	Name	Packing	Price
99918	● 5-Iodouracil extrapure, 98% [696-07-1]	5 Gms	2000	36321	Isopropyl Acetate pure, 99% [108-21-4]	500 ml	400
		10 Gms	3400			2500 ml	1700
63088	Isobutyl Benzene pure, 98% [538-93-2]	500 ml	480	61386	⚠ N6-(2-Isopentenyl) Adenosine pure, 98% [7724-76-7] (6-(?,?-Dimethylallylamino)purine riboside, N6-(3,3-Dimethylallylamino)purine riboside, 6-(3,3-Dimet	50 Mg	2000
		2500 ml	2300			200 Mg	7000
34516	Isobutylboronic Acid extrapure, 98% (2-Methylpropylboronic acid) [84110-40-7]	1 Gms	1530	58571	⚠ N-Isopropylacrylamide (NIPAM) extrapure, 99% [2210-25-5]	10 Gms	1600
		5 Gms	3460			25 Gms	3200
		25 Gms	15540			100 Gms	12000
78521	Isobutyl Bromide (Stabilized w/ Ag) pure, 98% [78-77-3]	100 ml	850	45273	Isopropylboronic Acid extrapure, 97% [80041-89-0]	1 Gms	2970
		500 ml	4000			5 Gms	13050
250 ml	25000	25 Gms	23120				
30671	Isobutyl Iodide (1-Iodo-2-Methylpropane) (Stabilized w/Ag) pure, 97% [513-38-2]	25 ml	4000	16390	Isopropyl Bromide (Stab w/ Ag) pure, 99% [75-26-3]	100 ml	350
		100 ml	11000			500 ml	1410
250 ml	25000	500 ml	1000	18346	Isopropyl Chloroacetate pure, 98% [105-48-6]	500 ml	770
500 ml	4680	250 ml	1800				
39634	Isobutyric Acid extrapure, 99% [79-31-2]	500 ml	1000	38525	Isopropyl Iodide pure, 98% [75-30-9]	25 ml	1800
2500 ml	4680	100 ml	6200				
35853	Isobutyryl Chloride pure, 98.5% [79-30-1]	250 ml	1340	250 ml	15000	52469	Isopropyl Palmitate pure, 90% [142-91-6]
		1000 ml	4860	500 ml	670		
70170	Isobutyryl Chloride specially purified, 98.5% [79-30-1]	250 ml	1800	54110	⚠ Isopropyl-B-D-Thiogalactopyranoside (IPTG) (dioxan free), 99% [367-93-1]	5 Gms	1780
		1000 ml	6100			25 Gms	8070
42615	DL-Isocitrate Trisodium Salt, 94% [1637-73-6]	1 Gms	2050	100 Gms	29640	67208	⚠ Isopropyl-B-D-Thiogalactopyranoside (IPTG) (dioxan-free) for MB, 99% [367-93-1]
		5 Gms	7500	1 Kg	260000		
90189	Isodecanol pure, 98% [25339-17-7]	500 ml	1080	82202	⚠ IPTG Solution (20mg/ml) [142-91-6]	5 Gms	1950
60672	⚠ Isoeugenol (mixture of cis and trans) pure, 98% [97-54-1]	100 ml	1200			25 Gms	8660
33401	D-Isoleucine extrapure, 98% [319-78-8]	250 Mg	9000	100 Gms	32010	86577	⚠ Isovaleraldehyde pure, 98% [590-86-3]
		1 Gms	22000	1 Kg	285000		
		5 Gms	72000	100 ml	450		
26731	L-Isoleucine extrapure CHR, 99% [73-32-5]	25 Gms	490	51656	Isovaleryl Chloride pure, 98% [108-12-3] (Isopentanoyl Chloride, 3-Methylbutyryl Chloride)	100 Gms	1100
		100 Gms	850			500 Gms	4000
		500 Gms	4000			35798	Itaconic Acid pure, 99% [97-65-4]
		1 Kg	7000				
94082	✓ Isomaltose extrapure, 98% [499-40-1]	25 Mg	4500	18443	⚠ Ivermectin (IVM), 95-102% [70288-86-7]	1 Gms	800
		100 Mg	8800			5 Gms	2000
		42021	✓ Isomaltotriose extrapure, 97% [3371-50-4] (6-O-[6-O-(a-D-Glucopyranosyl)-a-D-Glucopyranosyl]-D-Glucose)			25 Mg	8500
88109	✓ Isomaltotetraose extrapure, 95% [35997-20-7]	5 Mg	3500	79238	⚠ Jasmonic Acid for molecular biology, 95% [77026-92-7]	25 Mg	16120
45433	✓ Isomaltopentaose extrapure, 95% [6082-32-2]	1 Mg	51580			98314	Jojoba oil extrapure [61789-91-1]
94885	✓ Isoniazid extrapure, 99% [54-85-3] (Isonicotinic Acid Hydrazide, 4-Pyridinecarboxylic Acid Hydrazide)	5 Gms	300	500 ml	3500		
500 Gms	3600	70878	⚠ Kanamycin Acid Sulphate (KS) extrapure, 670U/mg [64013-70-3] (Kanamycin Disulfate, Kanamycin A, Kanamycin Acid Sulfate)	1 Gms	500		
68866	⚠ N6-[2-Isopentenyl] Adenine extrapure, 98% [2365-40-4]			250 Mg	2700	5 Gms	2000
18018	Isophthalic Acid pure, 99% [121-91-5]	500 Gms	300	25 Gms	7500		
		67742	⚠ Isophthaloyl Chloride pure, 98% [99-63-8]	100 Gms	1600		
500 Gms	5000						



Code	Name	Packing	Price	Code	Name	Packing	Price		
89346 [64013-70-3]	🔑 Kanamycin Acid Sulphate (KS) for tissue culture, 670U/mg (Kanamycin Disulfate, Kanamycin A, Kanamycin Acid Sulfate)	1 Gms	700	15932 [8006-54-0]	🔑 Lanolin anhydrous extrapure (Wool Wax, Wool Grease)	500 Gms	2080		
		5 Gms	3000			56839 [79-63-0]	🔑 Lanosterol pure, ~60%	1 Gms	1160
		25 Gms	9500					10 Gms	8000
99311 [25389-94-0]	🔑 Kanamycin Monosulphate (KM) extrapure, 750mcg/mg	1 Gms	580	20351 [10025-84-0]	🔑 Lanthanum Chloride Heptahydrate extrapure AR, ACS, 99%	100 Gms	1700		
		5 Gms	2290			500 Gms	6500		
		25 Gms	8560						
76061 [25389-94-0]	🔑 Kanamycin Monosulphate (KM) for tissue culture, 750mcg/mg	1 Gms	750	34032 [10277-43-7]	🔑 Lanthanum Nitrate Hexahydrate extrapure AR, 99%	100 Gms	1200		
		5 Gms	3100			500 Gms	3800		
		25 Gms	10810						
14259 [600-18-0]	🔑 2-Ketobutyric Acid pure, 97% (a-Ketobutyric acid, Propionylformic Acid, 2-Oxobutyric Acid)	5 Gms	7500	91288 [10277-43-7]	🔑 Lanthanum Nitrate 0.1M	500 ml	1540		
		25 Gms	30000			1000 ml	2970		
93929 [328-50-7]	✓ a-Ketoglutaric Acid extrapure, 99%	25 Gms	610	36917 [312696-10-9]	🔑 Lanthanum Oxalate Hydrate extrapure AR, 99.5%	10 Gms	440		
		100 Gms	2110			100 Gms	2630		
		500 Gms	8770			500 Gms	12600		
28386 [328-50-7]	✓ a-Ketoglutaric Acid (High Purity) extrapure AR, 99.5%	25 Gms	770	59415 [1312-81-8]	🔑 Lanthanum Oxide extrapure, 99.9%	100 Gms	980		
		100 Gms	2930			500 Gms	4400		
		500 Gms	13440						
22826 [305-72-6]	✓ a-Ketoglutaric Acid Disodium Salt Anhydrous extrapure, 95%	25 Gms	3010	47835 [52093-26-2]	🔑 Lanthanum (III) Trifluoromethanesulfonate extrapure, 98% (Lanthanum Triflate, Trifluoromethanesulfonic Acid Lanthanum Salt)	1 Gms	1050		
		100 Gms	10070			5 Gms	3250		
		500 Gms	46000						
18223 [305-72-6]	✓ a-Ketoglutaric Acid Disodium Dihydrate extrapure, 98% (2-Oxoglutaric Acid Sodium Salt)	25 Gms	2580	92044 [111-82-0]	🔑 Lauric Acid Methyl Ester Reference Standard, 99.5%(GC) (Methyl Laurate)	5 Gms	1800		
		100 Gms	8420			25 Gms	6500		
		500 Gms	40000						
90814 [22202-68-2]	✓ a-Ketoglutaric Acid Monosodium Salt extrapure, 98% (2-Oxoglutaric acid monosodium salt, 2-Oxopentanedioic acid monosodium salt, Sodium 2-oxoglutarate m)	25 Gms	5000	87444 [142-18-7]	🔑 L-Lauroyl-Rac-Glycerol extrapure (Imvitor 312), 99%	1 Gms	3870		
		100 Gms	19000			5 Gms	15570		
61341 [525-79-1]	🔑 Kinetin extrapure AR, 99%	1 Gms	270	74090 [137-16-6]	🔑 N-Lauroylsarcosine Sodium Salt (Sarkosyl Sodium) pure, 98%	25 Gms	1520		
		5 Gms	950			100 Gms	4000		
		25 Gms	4730			500 Gms	9000		
34154 [525-79-1]	🔑 Kinetin for tissue culture, 99%	1 Gms	580	2.5 Kg	41000				
		5 Gms	2310	15448 [137-16-6]	🔑 N-Lauroylsarcosine Sodium Salt (Sarkosyl Sodium) for molecular biology, 98% (Sodium Lauroyl Sarcosine)	25 Gms	2400		
		25 Gms	9450			100 Gms	4800		
83296 [4338-47-0]	🔑 Kinetin Riboside extrapure, 98%	100 Mg	3680	250 Gms	7000				
		1 Gms	12600	1 Kg	22000				
19744 [501-30-4]	🔑 Kojic acid extrapure, 99% (5-Hydroxy-2-Hydroxymethyl-4-Pyrano ne)	5 Gms	210	67983 [137-16-6]	🔑 N-Lauroylsarcosine Sodium Salt (Sarkosyl Sodium Solution) 30% Aq. Solution	500 ml	900		
		25 Gms	550			2500 ml	4000		
		100 Gms	2050						
98158 [2140-29-6]	■ Kojibiose extrapure, 99%	10 Mg	3180	63645 [8000-28-0]	🔑 Lavender oil extrapure, 30-60% LA	10 ml	600		
		50 Mg	10780			25 ml	1100		
81662 [4338-47-0]	🔑 Kovac's Indole Reagent for microbiology	100 ml	330	100 ml	3000				
69068	🔑 Kraut's Reagent	100 ml	680	71707 [7758-97-6]	🔑 Lead (II) Chromate pure, 98% (Plumbous Chromate)	500 Gms	1050		
53110 [9028-36-8]	■ D-Lactate Dehydrogenase (D-LDH) ex. Microorganism, 400U/mg solids	2500 Units	5000	21854 [7439-92-1]	🔑 Lead Metal Lumps, 99%	500 Gms	680		
		5000 Units	9500						
82334 [9001-60-9]	■ r-D-Lactate Dehydrogenase (r-D-LDH) ex. E. Coli (Thermostable), 200U/mg solids	5000 Units	7010	62603 [7439-92-1]	🔑 Lead Metal Powder extrapure AR, 99.5%	500 Gms	1000		
		10000 Units	12620						
				59557 [8002-43-5]	🔑 Lecithin ex. Egg, 60% (L-a-Phosphatidylcholine)	25 Gms	5470		
						100 Gms	19440		
				59561 [8002-43-5]	🔑 Lecithin ex. Soya, 30% (L-a-Phosphatidylcholine)	100 Gms	1770		
						500 Gms	3890		
				64613 [10466-61-2]	🔑 L-Leucinamide Hydrochloride extrapure, 99%	5 Gms	1650		



Code	Name	Packing	Price	Code	Name	Packing	Price
61304 [328-38-1]	D-Leucine extrapure, 99%	5 Gms 25 Gms	1890 5000	89141 [867-55-0]	Lithium Lactate (specially purified) extrapure, 99% (Lactic Acid Lithium Salt)	100 Gms 500 Gms	3000 14000
99664 [33105-81-6]	tert-DL-Leucine extrapure, 98%	500 Mg	5250	69375 [7439-93-2]	Lithium Metal, 99.5%	100 Gms	23000
47736 [62480-44-8]	L-Leucine 7-Amido-4-Methylcoumarin Hydrochloride Salt extrapure, 98% (L-Leucine-AMC.HCl Salt)	10 Mg 25 Mg	8400 16800	23410 [553-91-3]	Lithium Oxalate extrapure, 99%	25 Gms 100 Gms	2200 4200
40528 [9082-71-7]	Leucine Dehydrogenase (LeuDH) ex. Bacillus Sp., 20U/mg	100 Units	14230	16350 [14283-07-9]	Lithium Tetrafluoroborate Dried, 99%, water 1%	5 Gms 25 Gms	3300 15000
27029 [893-36-7]	L-Leucine-β-Naphthylamide Hydrochloride extrapure, 97%	100 Mg	2630	29288 [434-13-9]	Lithocholic Acid (LCA) pure, 98%	10 Gms 25 Gms	7500 18000
11127 [7298-84-2]	L-Leucyl-L-Alanine Hydrate extrapure, 98%	1 Gms 5 Gms	4800 20000	52737 [98079-52-8]	Lomefloxacin Hydrochloride (LMF), 98.5%	1 Gms 5 Gms	1260 3260
37520 [997-05-7]	D-Leucyl-Glycine extrapure, 98%	100 Mg 500 Mg	2520 11900	50320 [2591-17-5]	D-Luciferin ex. Firefly, 99% (S)-4,5-Dihydro-2-(6-Hydroxy-2-Benzothiazolyl)-4-Thiazolecarboxylic Acid)	10 Mg 50 Mg	4000 18000
23467 [100986-85-4, 138199-71-0]	Levofloxacin (LVX), 98%	1 Gms 5 Gms 25 Gms	2800 5500 17000	58891 [115144-35-9]	D-Luciferin Potassium Salt ex. Firefly, 99%	25 Mg 100 Mg 500 Mg	3000 6000 22000
60011 [5141-20-8]	Light Green SF Yellowish, 65% (C.I. No. 42095)	25 Gms 100 Gms 500 Gms	900 3250 15000	62851 [103404-75-7]	D-Luciferin Sodium Salt ex. Firefly, 99%	25 Mg 100 Mg 500 Mg	4000 11000 40000
98099 [60-33-3]	Linoleic Acid (Free Acid) extrapure, 98%	5 ml 25 ml 100 ml	3000 5500 8000	49982 [521-31-3]	Luminol extrapure, 98%	5 Gms 25 Gms	1070 4160
13562 [60-33-3]	Linoleic Acid (Free Acid) Reference Standard, 99%(GC)	1 Gms 5 Gms	1640 6830	60445 ✓	Luminol - Peroxide Chemiluminisence Solution for ELISA	100 ml	1900
49462 [112-63-0]	Linoleic Acid Methyl Ester Reference Standard, 99%(GC) (Methyl Linoleate)	1 Gms 5 Gms 25 Gms	2630 4730 17850	70795 [201853-23-8]	L-Lysine 7-Amido-4-Methylcoumarin Acetate Salt extrapure, 98% (L-Lysine-AMC.Acetate salt)	10 Mg 25 Mg	8870 18150
60770 [9001-62-1]	Lipase (Steapsin) ex. Aspergillus Sp., 40U/mg solids	25 Gms 100 Gms 500 Gms	520 1500 6000	72890 [97281-40-8]	L-a-Lysophosphatidylethanolamine (Egg Lyso PE) ex. Egg, 99% (L-a-Lysocephalin, 3-sn-Lysophosphatidylethanolamine)	10 Mg 25 Mg	8120 18390
15471 [9004-02-8]	Lipoprotein Lipase (LPL) ex. Pseudomonas Sp., 20U/mg solids	10 Mg 50 Mg	2460 7010	45822 [12650-88-3]	Lysozyme (3x cryst) ex. Egg white (Muramidase) for molecular biology, 15000U/mg	1 Gms 5 Gms 25 Gms	840 3090 14230
92661 [9029-60-1]	Lipoxidase ex. Glycine Max (Soyabean), 50000U/mg solids	100 Mg 250 Mg 1 Gms	6300 13130 39900	35355 [1114-34-7]	D-Lyxose extrapure	1 Gms 5 Gms	1890 5670
68457 [6108-17-4]	Lithium Acetate Dihydrate ultrapure, 99%	100 Gms 250 Gms 500 Gms	3300 7900 15500	38894 [1949-78-6]	L-Lyxose extrapure	100 Mg 1 Gms	1470 8400
86701 [16853-85-3]	Lithium Aluminium Hydride extrapure, 95%	100 Gms	24000	81889 [9032-75-1]	Macerozyme "R-10" ex. Rhizopus Sp., 3000U/g (Pectinase)	500 Mg 1 Gms 5 Gms	5000 9000 43000
24966 [6080-58-6]	Lithium Citrate Tribasic Tetrahydrate extrapure AR (High Purity), 99.5%	100 Gms 250 Gms	1400 3200	66638 [9032-75-1]	Macerozyme "R-10" ex. Trichoderma & Aspergillus Niger, 10000U/g (Pectinase)	500 Mg 1 Gms	3250 5500
91740 [17023-24-4]	Lithium Iodide Monohydrate pure, 98%	25 Gms 100 Gms	2000 6500	40169 [9001-64-3]	Malate Dehydrogenase (MDH) ex. Microorganism, 40U/mg	1 K.Units 5 K.Units	2710 6390
43904 [2044-56-6]	Lithium Lauryl Sulphate extrapure, 99% (Lithium Dodecyl Sulphate)	5 Gms 25 Gms 100 Gms	2010 8160 30000				



Code	Name	Packing	Price	Code	Name	Packing	Price		
87448	■ r-Malate Dehydrogenase (r-MDH) (Thermostable), 500U/mg	5000 Units	7600	72002	⚠ D-Mannose-6-Phosphate Barium Salt Hydrate extrapure, 98% [104872-94-8]	25 Mg	25080		
		10000 Units	14020			50 Mg	5000		
84225	Maleic Anhydride extrapure AR, 99% [108-31-6]	500 Gms	450	43804	⚠ Marfeys Reagent extrapure AR, 98% [95713-52-3] (FDAA, FDNP-ALA-NH ₂ , Na-(2,4-Dinitro-5-Fluorophenyl)-L-Alaninamide)	200 Mg	9000		
		5 Kg	4200			1 Gms	38000		
18808	✓ Bis-Maleimide pure, 95% [13676-54-5]	100 Gms	6850	70902	■ Melatonin extrapure, 99% [73-31-4]	1 Gms	600		
55114	● 4-Maleimidobutyric Acid N-Hydroxysuccinimide Ester extrapure (GMBS), 99%	25 Mg	8100	5 Gms	1400				
		100 Mg	21790	25 Gms	5000				
57096	Malonamide extrapure, 98% [108-13-4]	25 Gms	380	10030	Meldolas Blue extrapure [7057-57-0] (8-Dimethylamino-2,3-Benzophenoxazine Hemi(zinc Chloride) Salt, Naphthol Blue R, Basic Blue 6)	5 Gms	2000		
		100 Gms	1050			25 Gms	5000		
		500 Gms	4510			5 Gms	2000		
43541	Malonic Acid pure, 99% [141-82-2]	250 Gms	550	71405	⚠ Meldrum's Acid extrapure, 98% [2033-24-1] (2,2-Dimethyl-1,3-dioxane-4,6-dione cycl-Isopropylidene Malonate Malonic Acid Cyclic Isopropylidene)	25 Gms	700		
		500 Gms	950			100 Gms	2000		
26504	Malonic Acid extrapure AR, 99% [141-82-2]	100 Gms	330	500 Gms	7000	77393	D(+) Melibiose Monohydrate extrapure, 98% [66009-10-7,5 85-99-9]	1 Gms	1600
		250 Gms	650					5 Gms	3200
		500 Gms	1200					25 Gms	9000
32261	Malononitrile extrapure, 98% (Malonic Dinitrile, Dicyanomethane) [109-77-3]	100 Gms	630	83709	D-Melezitose Monohydrate extrapure, 99% [10030-67-8]	25 Gms	15000		
		500 Gms	2740			100 Gms	3300		
43786	Maltotriose (DP3) extrapure, 90% (α-1,4-Glucotriose) [1109-28-0]	250 Mg	3200	61495	Menadione O/S (Vitamin K3) pure, 98% [58-27-5]	25 Gms	1000		
		1 Gms	6900			5 Gms	33000		
		5 Gms	33000			25 Gms	9000		
28083	■ Maltotetraose (DP4) extrapure, 97% [34612-38-9] (α-D-Glucopyranosyl-1,4-O-α-D-Glucopyranosyl-1,4-O-α-D-Glucopyranosyl-1,4-D-Glucopyranose)	10 Mg	6000	44111	✓ Menadione Sodium Bisulphite Trihydrate W/S (Vitamin K3 Sodium Bisulphite Trihydrate) pure, 95% (2-Methyl-1,4-Napthoquinone Sodium Bisulfite) [6147-37-1]	25 Gms	750		
		25 Mg	10000			100 Gms	3300		
10450	⚠ Maltopentaose (DP5) extrapure, 95% [34620-76-3]	10 Mg	12000	26531	1-Thioglycerol (3-Mercapto-1,2-Propanediol) pure, 90% (Monothioglycerol) [96-27-5]	25 ml	1140		
		25 Mg	26900			100 ml	3510		
27607	⚠ Maltohexaose (DP6) extrapure, 65% [34620-77-4]	50 Mg	12000	500 ml	16940				
12894	⚠ Maltoheptaose (DP7) extrapure, 80% (Amyloheptaose) [34620-78-5]	25 Mg	7900	54474	⚠ Mecillinam (MCL) extrapure, 95% [32887-01-7]	25 Mg	3000		
58199	✓ R(-)-Mandelic Acid extrapure, 99% (D(-)-Mandelic Acid) [611-71-2]	25 Gms	920	100 Mg	9000	56868	3-Mercaptopropionic Acid pure, 98% [107-96-0]	100 ml	1150
		100 Gms	2820					500 ml	5000
30727	✓ S(+)-Mandelic Acid extrapure, 99% (L-(+)-Mandelic Acid, S-Z-Hydroxyphenyl Acetic Acid) [17199-29-0]	25 Gms	920	18382	⚠ 6-Mercaptopurine Monohydrate extrapure, 99% [6112-76-1]	1 Gms	950		
		100 Gms	2490			5 Gms	4600		
27072	DL-Mandelic Acid pure, 99% [90-64-2]	100 Gms	1200	81439	MES Free Acid Buffer extrapure, 99% [4432-31-9] (4-Morpholineethanesulfonic Acid)	25 Gms	1050		
		500 Gms	5500			100 Gms	3780		
94551	⚠ D-Mannosamine Hydrochloride extrapure, 98% [5505-63-5]	100 Mg	2020	500 Gms	13650	31808	MES Monohydrate Buffer extrapure, 99% [145224-94-8] (2-Morpholineethane Sulphonic Acid Monohydrate)	25 Gms	950
		500 Mg	9610					100 Gms	3470
13735	D-Mannose extrapure AR, 99% [3458-28-4]	25 Gms	600	86751	MES Monohydrate Buffer for tissue culture, 99% [145224-94-8] (2-Morpholineethane Sulphonic Acid Monohydrate)	25 Gms	1160		
		100 Gms	1800			100 Gms	3730		
		500 Gms	8000			25 Gms	1470		
58476	D-Mannose for tissue culture, 99% [3458-28-4]	25 Gms	950	26854	MES Monohydrate Buffer for molecular biology, 99% [145224-94-8] (2-Morpholineethane Sulphonic Acid Monohydrate)	25 Gms	1470		
		100 Gms	3200			100 Gms	3890		
87875	D-Mannose extrapure AR, ExiPlus, Multi-Compendial, 99% [3458-28-4] meets compendial specs of BP, Ph.Eur	25 Gms	1200	43396	MES Hemisodium Salt Buffer extrapure, 98% [117961-21-4]	25 Gms	5430		
		100 Gms	3600			100 Gms	18500		



Code	Name	Packing	Price	Code	Name	Packing	Price
69408 [71119-23-8]	MES Sodium Salt Buffer extrapure, 99%	10 Gms 25 Gms 100 Gms	2290 3270 10120	97799	✓ MES12: ICP 68 Element Multi Standard 2 Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100µg/ml (Standard 2 contains 12 elements) 5% HNO ₃ , tr. HF	100 ml	36000
72841 [104206-82-8]	Mesitriione extrapure, 98% (2-(4-MesyI-2-nitrobenzoyl)-1,3-cyclohexanedione)	100 Mg 1 Gms	800 5000	45688	✓ MES13: ICP 68 Element Multi Standard 3 Au, Ir, Os, Pd, Pt, Rh, Ru, Te @ 100 µg/ml (Standard 3 contains 8 elements) 10% HCl	100 ml	45000
47062	✓ MES1: Spectrometric Oil Standard D12 Ag, Al, Cr, Cu, Fe, Mg, Na, Ni, Pb, Si, Sn, Ti @ 10 µg/g Aviation Reference Oil	100 Gms	38000	53816	✓ MES14: ICP Detector Calibration Multi-Element Mix 7Li, Be, Mg, Sc, Co, Y, In, Ce, Tb, Tl, U (various conc.) 5% HNO ₃	100 ml	58000
19278	✓ MES2: Metals in Biodiesel Standard Ca, K, Mg, Na, P @ 10 µg/g	100 Gms	96000	91353	✓ MES15: ICP Internal Standard Multi-Element Mix 1 6Li, Sc, Ga, Y, In, Tb, Bi @ 100 µg/ml 5% HNO ₃	100 ml	58000
55049	✓ MES3: ICP Alkali's & Alkaline Earths Ba, Be, Ca, Cs, K, Li, Mg, Na, Rb, Sr @ 100 µg/ml 5% HNO ₃	100 ml	33000	51587	✓ MES16: ICP Internal Standard Multi-Element Mix 2 6Li, Sc, Ga, Y, In, Tb, Bi (various conc.) 2% HNO ₃	100 ml	58000
25562	✓ MES4: ICP Noble Metals Au, Ir, Os, Pd, Pt, Re, Rh, Ru @ 100 µg/ml 20% HCl	100 ml	42000	67084	✓ MES17: ICP Internal Standard Multi-Element Mix 3 6Li, Sc, Ge, In, Tb, Lu, Bi @ 100 µg/ml 5% HNO ₃ , tr. HF	100 ml	58000
21551	✓ MES5: ICP Rare Earth & Geo Elements Ba, Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Rb, Sc, Sm, Sr, Tb, Th, Tm, U, Y, Yb @ 100 µg/ml 5% HNO ₃	100 ml	64000	31805	✓ MES18: ICP Internal Standard Multi-Element Mix 4 6Li, Sc, Ge, Te, In, Tb, Bi (various conc.) 5% HNO ₃ , tr. HF	100 ml	58000
82634	✓ MES6: ICP Non-Metals As, B, P, S, Se, Si, Te @ 100 µg/ml 5% HCl, tr. HF	100 ml	30000	86382	✓ MES19: ICP Calibration Standard for Petroleum Mix 1	100 Gms	50000
18263	✓ MES7: ICP Common Elements Mix 1 Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100 µg/ml 5% HNO ₃	100 ml	35000	26027	✓ MES20: ICP Calibration Standard for EPA 6020	100 ml	41000
63924	✓ MES8: ICP Common Elements Mix 2 Ag, Al, B, Ca, Co, Cr, Cu, Fe, K, Mg, Mn, Na, Ni, P, Pb, Si, Sn, Ti, V, Zn @ 100 µg/ml 5% HNO ₃ , tr. HF	100 ml	54000	83069	✓ MES21: ICP 21 Calibration Standard	100 ml	41000
58498	✓ MES9: ICP Comprehensive Mix A Ag, Al, As, Ba, Bi, Ca, Cd, Ce, Dy, Er, Eu, Ga, Gd, Ho, La, Lu, Mg, Na, Nd, P, Pb, Pr, Rb, Sc, Se, Sm, Sr, Tb, Th, Tl, Tm, U, Y, Yb @ 10 µg/ml 40% Aqua Regia	100 ml	64000	73584	✓ MES22: ICP 19 Calibration Standard	100 ml	41000
36719	✓ MES10: ICP Comprehensive Mix B Au, B, Be, Co, Cr, Cu, Fe, Ge, Hf, Ir, K, Li, Mn, Mo, Nb, Ni, Os, Pd, Pt, Re, Rh, Ru, Sb, Si, Sn, Ta, Te, Ti, V, W, Zn, Zr @ 10 µg/ml 40% Aqua Regia, tr. HF	100 ml	85000	59878	✓ MES23: ICP 29 Calibration Standard	25 ml	43000
76134	✓ MES11: ICP 68 Element Multi Standard 1 Al, As, B, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Dy, Er, Eu, Fe, Ga, Gd, Ho, In, K, La, Li, Lu, Mg, Mn, Na, Nd, Ni, P, Pb, Pr, Rb, Re, Sc, Se, Sm, Sr, Tb, Th, Tl, Tm, U, V, Y, Yb, Zn @ 100 µg/ml (Standard 1 contains 48 elements) 5% HNO ₃	100 ml	55000	50138	✓ MES24: ICP Environmental Calibration Standard A	100 ml	58000
				73844	✓ MES25: ICP Calibration Standard for EPA 6010	25 ml	43000
				57183	✓ MES26: ICP Water Pollution Standard 1	25 ml	35000
				60648	✓ MES27: ICP Common & Transition Elements Standard (1000 µg/mL)	100 ml	58000
				76332 [121-47-1]	Metanilic Acid pure, 98%	250 Gms 1 Kg	200 720
				20302 [7143-01-3]	✓ Methane Sulphonic Anhydride pure, 97% (Metic Anhydride)	5 Gms 25 Gms 100 Gms	590 1670 6430
				54322 [348-67-4]	D-Methionine extrapure, 99%	5 Gms 25 Gms	1220 4630
				65309 [59-51-8]	DL-Methionine extrapure CHR, 99%	100 Gms 500 Gms 1 Kg	460 1750 3200



Code	Name	Packing	Price	Code	Name	Packing	Price
98183 ✓ [15985-39-4]	L-Methionine Sulfoximine (MSX) extrapure, 95% (L-S-(3-Amino-3-Carboxypropyl)-S-Methylsulfoximine, L-Methionine Sulphoximine)	250 Mg 500 Mg 1 Gms 5 Gms	9400 16000 26000 105000	34428 [116-54-1]	Methyl Dichloroacetate extrapure, 99%	500 ml	1200
40043 ⚡ [7314-32-1]	L-Methionine Sulphone extrapure, 99%	1 Gms	3430	45880 [41798-81-6]	3-Methyl-1,5-Di-p-Tolyl-1,4-Pentazadiene pure, 97% (N,N-bis[(4-Methylphenyl)diazenyl]Methanamine)	1 Gms 5 Gms	4160 19570
19485 ⚡ [3226-65-1]	L-Methionine Sulphoxide extrapure, 99%	1 Gms 5 Gms	3770 7500	31535 [1934-16-3]	New Methylene Blue N extrapure, 70% (Basic Blue 24, Methylene Blue N)	1 Gms 5 Gms 25 Gms	1400 3700 12000
86596 ⚡ [133073-73-1]	Methotrexate Hydrate (MTR), 98%	100 Mg 500 Mg 1 Gms	3000 9000 16000	28710 [6586-05-6]	New Methylene Blue N Zinc Chloride Double Salt, 90%	5 Gms 25 Gms	1540 6000
91842 [100-06-1]	p-Methoxyacetophenone pure, 99% (4-Acetylanisole)	100 Gms 500 Gms	610 1500	73603 [6586-05-6]	New Methylene Blue N Zinc Chloride Double Salt for tissue culture, 90%	5 Gms	3510
81142 [2396-60-3]	4-Methoxyazobenzene (4-MAB) extrapure AR, 98% (p-Methoxyazobenzene, 4-Phenylazoanisole)	1 Gms 5 Gms	1320 4870	84753 [93-15-2]	Methyl Eugenol extrapure, 99%	100 ml 500 ml 2500 ml	1310 5580 25700
75797 [105-13-5]	4-Methoxybenzyl Alcohol (p-Anisyl Alcohol) pure, 98% (p-Methoxybenzyl Alcohol)	100 Gms 500 Gms	940 3200	28409 [93-61-8]	N-Methylformanilide extrapure, 99%	100 ml 500 ml	750 3030
13573 ● [93102-05-7]	N-Methoxymethyl-N-Trimethylsilylmethyl-Benzylamine extrapure, 98%	5 Gms 25 Gms	10140 38020	77007 [107-31-3]	Methyl Formate pure, 99%	500 ml 2500 ml	800 3800
51234 [5720-06-9]	2-Methoxyphenylboronic Acid extrapure, 95% (Boronic Acid, 2-Methoxyphenylboronic Acid)	1 Gms 5 Gms	1380 6170	49281 [97-30-3]	Methyl-a-D-Glucopyranoside extrapure, 99% (a-Methyl-D-Glucoside)	100 Gms 500 Gms	2140 8600
40632 [5720-07-0]	4-Methoxyphenylboronic Acid extrapure, 98%	1 Gms 5 Gms 25 Gms	860 1670 8070	37685 [603-76-9]	1-Methylindole pure, 97%	5 ml 25 ml 100 ml	1200 3000 9000
23438 [163105-89-3]	2-Methoxypyridine-5-Boronic Acid extrapure, 98% (6-Methoxy-3-Pyridinylboronic Acid)	1 Gms 5 Gms	1570 4800	96595 [7114-03-6]	Methyl Green Zinc Chloride Double Salt	5 Gms 25 Gms	860 4000
24252 ■ [54344-92-2]	4-Methoxy-2,3,6-Trimethyl Benzaldehyde extrapure, 98% (2,3,6-Trimethyl-p-Anisaldehyde)	1 Gms 5 Gms	3000 9000	74916 [7114-03-6]	Methyl Green Zinc Chloride Double Salt ExiPlus, Multi-Compendial meets compendial specs of BP, Ph.Eur	5 Gms 25 Gms	940 4140
88381 [105-45-3]	Methyl Acetoacetate pure, 98%	500 ml 2500 ml 25 Ltr	980 4410 42000	85544 ⚡ [134253-42-2]	1-O-Methyl-beta-D-Glucuronic Acid Sodium Salt extrapure, 99% (1-OMe-b-D-GlcA.Na)	50 Mg	3800
21392 [105-45-3]	Methyl Acetoacetate extrapure AR, 99%	500 ml 2500 ml	1160 5150	86720 ⚡ [693-98-1]	2-Methylimidazole pure, 99%	100 Gms 500 Gms 1 Kg	380 1500 2740
64330 [122-00-9]	p-Methylacetophenone pure, 98%	100 Gms 250 Gms	510 1170	15913 [93-16-3]	Methylisoeugenol (mixture of cis and trans) (1,2-Dimethoxy-4-propenylbenzene) pure, 98% (4-(1-Propenyl)-1,2-Dimethoxybenzene, Isoeugenyl Methyl Ether)	25 ml 100 ml 500 ml	600 1800 6000
93149 [100-61-8]	N-Methylaniline pure, 98%	500 ml 2500 ml	650 3100	74384 [66-27-3]	Methyl Methanesulphonate (MMS) extrapure, 99%	25 ml 100 ml	980 3570
29879 ● [38894-11-0]	3-Methyl-2-Benzothiazolinone Hydrazone HCl Monohydrate (MBTH) extrapure AR (High Purity), 99%	1 Gms 5 Gms 25 Gms	1230 3980 17760	42067 [66-27-3]	Methyl Methanesulphonate (MMS) for tissue culture, 99%	10 ml	1580
23343 [98139-72-1]	3-Methylbutylboronic acid extrapure, 95%	1 Gms 5 Gms	3610 17550	71512 ⚡ [50-66-8]	6-Methylmercaptapurine extrapure, 98% (6-Methyl(thio)purine)	100 Mg 1 Gms	2400 14500
39876 [96-34-4]	Methyl Chloroacetate extrapure, 99%	500 ml	680	66960 [93-04-9]	Methyl 2-Naphthyl Ether pure, 99% (Yara Yara)	250 Gms 1 Kg	450 1250
64426 ■ [3100-04-7]	1-Methylcyclopropene (1-MCP), 98%	100 Mg 500 Mg	2800 8000				



Code	Name	Packing	Price	Code	Name	Packing	Price
67915 [109-01-3]	1-Methylpiperazine extrapure, 99% (N-Methylpiperazine)	100 ml	300	51504 [199329-67-4, 881005-91-0]	4-Methylumbelliferyl-b-D-Glucuroni de Trihydrate (MUG) extrapure, 99%	100 Mg	1890
		500 ml	1300			1 Gms	3200
		2500 ml	6100			5 Gms	12000
40610 [16419-60-6]	2-Methylphenylboronic Acid extrapure, 97%	1 Gms	1580	77337 [1463-10-1]	5-Methyluridine extrapure, 98% (Ribothymidine)	5 Gms	2110
		5 Gms	2500			25 Gms	6660
		25 Gms	10380				
20622 [17933-03-8]	3-Methylphenylboronic Acid extrapure (m-Tolyboronic Acid) extrapure, 97%	1 Gms	840	25828 [22832-87-7]	Miconazole Nitrate (MCN)extrapure, 98%	1 Gms	860
		5 Gms	2380			5 Gms	2500
		25 Gms	11500			25 Gms	5000
43322 [107-87-9]	Methyl-n-Propyl Ketone pure, 99%	500 ml	1100	67424 [72432-03-2]	Miglitol extrapure, 98% (N-(b-Hydroxyethyl) -1-Deoxyynojirimycin, Glyset)	1 Gms	5500
		2500 ml	4600			5 Gms	12000
87964 [1340-02-9]	Methyl Purple Indicator 0.1% Solution extrapure AR	250 ml	810	15761	Molisch Reagent	100 ml	410
29783 [119-36-8]	Methyl Salicylate pure, 99%	500 ml	750	64563 [500-44-7]	Mimosine ex. Koa Hoale Seeds, 98%	25 Mg	4560
		2500 ml	3300			100 Mg	13000
41652 [80-48-8]	Methyl p-Toluenesulfonate pure, 98% (Methyl p-Tosylate, p-Toluenesulfonic Acid Methyl Ester)	100 ml	900	55690 [22373-78-0]	Monensin Sodium Salt (MSN), 97%	1 Gms	2970
		500 ml	2620			5 Gms	7710
44243 [1779-49-3]	Methyltriphenylphosphonium Bromide pure, 98%	100 Gms	1070	37233 [1317-33-5]	Molybdenum Disulfide pure, 98%	100 Gms	1300
		500 Gms	4200			250 Gms	5500
						500 Gms	10500
18040 [90-33-5]	β-Methylumbelliferone extrapure AR, 99%	10 Gms	520	75556 [7439-98-7]	Molybdenum Metal Sheet 99.9%	1 piece	25700
		25 Gms	840				
		100 Gms	2250				
13050 [37067-30-4]	4-Methylumbelliferyl-N-Acetyl-β-D- Glucosaminide extrapure, 99%	25 Mg	5400	68078 [1132-61-2]	MOPS Buffer extrapure, 99% (3-Morpholinopropane Sulphonic Acid)	25 Gms	1000
		50 Mg	9000			100 Gms	2310
		100 Mg	17100			500 Gms	9450
15208 [20671-66-3]	4-Methylumbelliferyl Caprylate extrapure, 99%	25 Mg	2000	85123 [117961-20-3]	MOPS Hemisodium Salt Buffer extrapure, 99%	25 Gms	5190
		50 Mg	3500			100 Gms	16650
		100 Mg	6000				
21896 [72626-61-0]	4-Methylumbelliferyl-β-D-Cellobiosi de extrapure, 98%	25 Mg	3710	57851 [71119-22-7]	MOPS Sodium Salt Buffer extrapure, 99.5%	50 Gms	3210
		50 Mg	6490			100 Gms	6050
				500 Gms	25000		
34391 [6160-78-7]	4-Methylumbelliferyl- β-D-Galactopyranoside extrapure	100 Mg	1070	66043 [1132-61-2]	MOPS Buffer for molecular biology, 99% (3-Morpholinopropane Sulphonic Acid)	25 Gms	1370
		250 Mg	1600			100 Gms	3360
						500 Gms	12000
48838 [18997-57-4]	4-Methylumbelliferyl-β-D- Glucopyranoside extrapure	100 Mg	1290	38602 [68399-77-9]	MOPSO Buffer extrapure, 99% (3-Morpholino-2-Hydroxy Propane Sulphonic Acid)	25 Gms	2110
		500 Mg	5780			100 Gms	8060
92009 [24589-78-4]	N-Methyl-N-Trimethylsilyl Trifluoroacetamide (MSTFA) extrapure, 98%	5 ml	2800	82595 [79803-73-9]	MOPSO Sodium Salt Buffer extrapure, 99%	50 Gms	4000
		25 ml	10000			250 Gms	17000
		100 ml	30000				
83294 [24589-78-4]	MSTFA+TMCS (99:1) (N-Methyl-N- (trimethylsilyl)trifluoroacetamide, Trimethylchlorosilane)	10 x1 ml	6000	24829 [480-16-0, 6472-38-4]	Morin Hydrate (Aluminium Ionophore I, C.I. 75660) extrapure AR, 98% (2',3,4',5,7-Pentahydroxyflavone)	1 Gms	1140
						5 Gms	4200
86338 [66966-09-4]	4-Methylumbelliferyl-a-L-Iduronide Free Acid extrapure, 97%	1 Mg	26250	14189 [526-99-8]	Mucic Acid extrapure, 99%	25 Gms	690
						100 Gms	2210
49959	4-Methylumbelliferyl Myo-Inositol-1-Phosphate, N-Methyl-Morpholine Salt, Biosynth patent(WO99/48899)	25 Mg	15180			500 Gms	7880
21400 [15220-11-8]	4-Methylumbelliferyl Sulfate Potassium Salt extrapure, 99%	100 Mg	4620	93027 [84082-64-4]	Mucin ex. Porcine Stomach, Type III, 90%	10 Gms	5800
		500 Mg	12580				
				57868	Myosin II (in 4% SDS) ex. rabbit skeletal muscle, 95%	1 Mg	10680
						2 Mg	16600



Code	Name	Packing	Price	Code	Name	Packing	Price
15358	🔍 Myricetin cryst pure, 98% [529-44-2]	10 Mg	2250	79388	🔍 β-Naphthyl Acetate extrapure AR, 99% [1523-11-1]	5 Gms	1000
		25 Mg	3870			10 Gms	1850
		100 Mg	11830			25 Gms	3170
						100 Gms	10730
45945	Myristic Acid pure, C14-95% (GC) [544-63-8]	500 Gms	590	11939	🔍 1-Naphthylacetoneitrile pure, 97% [132-75-2]	25 Gms	4900
36459	Myristic Acid extrapure AR, C14-99% (GC) [544-63-8]	100 Gms	240			100 Gms	18980
		500 Gms	1070	61166	N-(1-Naphthyl)Ethylenediamine Dihydrochloride (NEDA) extrapure AR, ACS, 98% (Bratton-Marshall Reagent, Marshall's Reagent)	5 Gms	600
86442	Myristic Acid (High Purity) extrapure, C14-99.5% (GC) [544-63-8]	5 Gms	300			10 Gms	900
		25 Gms	1070			25 Gms	2000
70718	🔍 Myristic Acid Methyl Ester Reference Standard, 99%(GC) [124-10-7]	5 Gms	1600	84942	N-(1-Naphthyl)Ethylenediamine Dihydrochloride (NEDA) extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% (Bratton-Marshall Reagent, Marshall's Reagent) meets compendial specs of BP	5 Gms	800
		25 Gms	3200			10 Gms	1200
		100 Gms	9000			25 Gms	2300
28136	Myristyl Alcohol (1-Tetradecanol) pure, 98% [112-72-1]	100 ml	210	27734	🔍 Naringin pure, 97% [10236-47-2]	5 Gms	900
		500 ml	840			25 Gms	2000
20346	✓ Nalidixic Acid free acid extrapure, 99% (8-Naphthyridine-3-Carboxylic Acid) [389-08-2]	1 Gms	300			100 Gms	6000
		5 Gms	1320	95956	🔍 Naringenin pure, 95% [67604-48-2]	1 Gms	1100
96676	Naphthalene-2-Sulphonic Acid Monohydrate extrapure, 98% [120-18-3]	25 Gms	1250			5 Gms	2000
		100 Gms	3980			25 Gms	5000
55335	1,3,6-Naphthalenetrilsulfonic Acid Trisodium Salt Hydrate (NTSA Sodium Hydrate) extrapure, 95% [123409-01-8]	250 Gms	7000	93007	Neocuproine extrapure, 99% (2,9-Dimethyl-1,10-Phenanthroline) [484-11-7, 654054-57-6]	1 Gms	1310
		1 Kg	16000			5 Gms	5200
57955	a-Naphthoflavone extrapure AR, 98% [604-59-1]	1 Gms	730			25 Gms	20000
		5 Gms	2650	35449	Neocuproine Hydrochloride Monohydrate extrapure AR, 99% (2,9 Dimethyl-1-10-Phenanthroline Hydrochloride)	1 Gms	1640
		25 Gms	12040			5 Gms	7600
93051	🔍 Naphthol-AS-Acetate extrapure, 99% [1163-67-3]	100 Mg	1430	23049	Neodymium (III) Chloride Anhydrous, 99.9% [10024-93-8]	5 Gms	3920
		500 Mg	5220			25 Gms	9610
56061	🔍 Naphthol AS-BI extrapure, 98% [1237-75-8]	5 Gms	720	78442	Neodymium (III) Chloride Hexahydrate extrapure, 99.9% [13477-89-9]	25 Gms	2620
70430	🔍 Naphthol-AS-BI-b-D- Glucuronide extrapure, 99% [37-87-6]	25 Mg	8310			100 Gms	6530
		100 Mg	26090	37499	Neodymium (III) Oxide extrapure AR, 99.9% [1313-97-9]	10 Gms	990
87408	🔍 Naphthol-AS-Phosphate extrapure, 95% [13989-98-5]	250 Mg	8310			25 Gms	2400
		500 Mg	11620			100 Gms	8500
11401	🔍 Naphthol-AS-BI- Phosphate extrapure, 98% [1919-91-1]	100 Mg	4160	86879	Neodymium (III) Nitrate Hexahydrate extrapure, 99.9% [16454-60-7]	25 Gms	2640
		250 Mg	9490			100 Gms	7200
87791	Naphthol Blue Black B [1064-48-8]	25 Gms	530	99080	Neodymium (III) Trifluoromethanesulfonate extrapure, 98% (Neodymium Triflate, Neodymium Perfluoromethanesulfonate) [34622-08-7]	1 Gms	1580
		100 Gms	1900			5 Gms	3990
45838	1,2-Naphthoquinone-4- Sulphonic Acid Sodium Salt extrapure AR, 99% [521-24-4]	5 Gms	500	35282	🔍 Neomycin Sulphate (NMS), 600U/mg [1405-10-3]	25 Gms	650
		25 Gms	2200			100 Gms	1500
10150	1-Naphthyl Acetamide (NAD) technical grade, 98% [86-86-2]	5 Gms	3490	27309	Neopentyl Glycol pure, 98% [126-30-7]	500 Gms	540
		25 Gms	13700				
42383	● 1-Naphthyl Phosphate Disodium Salt extrapure (a-Naphthyl Phosphate Disodium Salt, Disodium 1-Naphthyl Phosphate) [2183-17-7]	25 Mg	1830	13607	✓ Neopentyl Iodide extrapure, 98% (2,2-Dimethyl-1-Iodopropane, 1-Iodo-2,2-Mimethylpropane) [15501-33-4]	5 ml	6180
		250 Mg	5470			25 ml	19780
59523	2-Naphthoxyacetic Acid (BNOA) extrapure, 98% [120-23-0]	25 Gms	570	14678	Nessler's Reagent	100 ml	600
		100 Gms	1950				
43036	🔍 a-Naphthyl Acetate extrapure AR, 99% [830-81-9]	5 Gms	1000				
		10 Gms	1810				
		25 Gms	3660				
		100 Gms	11360				



Code	Name	Packing	Price	Code	Name	Packing	Price
60609 [56391-57-2]	Netilmicin Sulphate (NTC Sulphate), 595ug/mg	100 Mg	4200	55615 [68141-45-7]	β-Nicotinamide Adenine Dinucleotide Phosphate Monopotassium Salt (Oxidized) (β-NADP.K) extrapure, 95%	100 Mg 500 Mg 1 Gms	2940 4700 9400
72860 [98-92-0]	Nicotinamide extrapure, 99.5% (Niacinamide, Pyridine-3-Carboxylic Acid Amide)	100 Gms 500 Gms	320 1200	88991 [20111-18-6]	β-Nicotinamide Adenine Dinucleotide Sodium Salt (β-NAD.Na) extrapure, 95%	500 Mg 1 Gms 5 Gms	2620 2970 11270
26759 [53-84-9]	β-Nicotinamide Adenine Dinucleotide (Oxidized) (β-NAD, DPN) extrapure, 98%	1 Gms 5 Gms 25 Gms 100 Gms	900 3800 17000 60000	95130 [1094-61-7]	β-Nicotinamide Mononucleotide (β-NMN) extrapure, 95% (β-Nicotinamide ribose monophosphate, NMN, Nicotinamide ribotide, Nicotinamide-1-ium-1-β-D-ribofuran)	100 Mg 1 Gms 5 Gms	2000 4000 16000
19628 [53-84-9]	β-Nicotinamide Adenine Dinucleotide (Oxidized) (β-NAD, DPN) ExiPlus, Multi-Compendial, 98%	1 Gms 5 Gms 25 Gms 100 Gms	970 4100 19000 70000	26478 [10026-12-7]	Niobium Chloride ultrapure, 99.9% (Niobium Pentachloride)	5 Gms 25 Gms	2000 6000
	meets compendial specs of BP, Ph.Eur			73387 [1313-96-8]	Niobium Pentoxide extrapure AR, 99.9%	10 Gms 25 Gms 100 Gms 500 Gms	630 1280 4210 20210
87253 [53-84-9]	β-Nicotinamide Adenine Dinucleotide (Oxidized) (β-NAD, DPN) for molecular biology, 98%	1 Gms 5 Gms	1410 5100	31162 [150824-47-8]	Nitenpyram extrapure, 98%	1 Gms 5 Gms	2310 8400
77268 [606-68-8]	β-Nicotinamide Adenine Dinucleotide Disodium Salt (Reduced) (β-NADH.Na₂, DPNH.Na₂) extrapure, 98%	500 Mg 1 Gms 5 Gms 25 Gms	1250 2000 8000 27000	39180 [121-89-1]	m-Nitroacetophenone pure, 98%	100 Gms 500 Gms	630 2950
54941 [606-68-8]	β-Nicotinamide Adenine Dinucleotide Disodium Salt (Reduced) (β-NADH.Na₂, DPNH.Na₂) for MB, 98%	100 Mg 1 Gms 5 Gms	700 2500 9800	21254 [552-89-6]	2-Nitrobenzaldehyde extrapure AR, 99% (o-Nitrobenzaldehyde)	25 Gms 100 Gms	740 2580
44566 [64417-72-7]	β-Nicotinamide Adenine Dinucleotide Lithium Salt (Oxidized) (β-NAD.Li) extrapure, 95%	500 Mg 1 Gms 5 Gms	2280 4320 11380	17735 [555-16-8]	p-Nitrobenzaldehyde extrapure, 99%	25 Gms 100 Gms	640 1660
82819 [1184-16-3]	β-Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt (β-NADP.Na, TPN.Na) extrapure, 98%	100 Mg 1 Gms 5 Gms 25 Gms	820 2000 8000 31000	17644 [99-61-6]	m-Nitrobenzaldehyde pure, 98%	100 Gms 500 Gms	730 2990
72970 [1184-16-3]	β-Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt (β-NADP.Na) for MB, 98%	100 Mg 1 Gms	1200 3200	17003 [127-68-4]	m-Nitrobenzene Sulphonic Acid Sodium Salt pure, 98% (Sodium 3-Nitrobenzenesulfonate, Resist Salt)	1 Kg 5 Kg	880 3850
57451 [24292-60-2]	β-Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt (β-NADP.Na₂, TPN.Na₂) extrapure, 95%	100 Mg 500 Mg 1 Gms 5 Gms	850 3280 5610 18110	96144 [121-92-6]	m-Nitrobenzoic Acid pure, 99%	100 Gms 500 Gms	500 2230
56640 [24292-60-2]	β-Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt (β-NADP.Na₂, TPN.Na₂) for MB, 95%	100 Mg 1 Gms	1230 10280	81431 [121-92-6]	m-Nitrobenzoic Acid extrapure AR, 99%	25 Gms 100 Gms 250 Gms	430 1280 2800
99197 [2646-71-1]	β-Nicotinamide Adenine Dinucleotide Phosphate Tetrasodium Salt (Reduced) (β-NADPH.Na₄) extrapure, 98% (TPNH ₂ .Na ₄)	25 Mg 100 Mg 1 Gms	940 2690 22780	79303 [62-23-7]	p-Nitrobenzoic Acid pure, 99%	100 Gms 500 Gms	390 1780
57647 [2646-71-1]	β-Nicotinamide Adenine Dinucleotide Phosphate Tetrasodium Salt (Reduced) (β-NADPH.Na₄) for MB, 98% (TPNH ₂ .Na ₄)	25 Mg 100 Mg	2580 5610	27500 [122-04-3]	4-Nitrobenzoyl Chloride (PNBC) pure, 98% (p-Nitrobenzoic Acid Chloride)	25 Gms 100 Gms 500 Gms	740 1470 4290
				39996 [619-73-8]	p-Nitrobenzyl Alcohol pure, 97%	25 Gms 100 Gms	1090 3420
				12790 [100-11-8]	p-Nitrobenzyl Bromide (PNBBR) pure, 99%	25 Gms 100 Gms 500 Gms	510 910 4310
				97695 [1083-48-3]	4-(4-Nitrobenzyl)Pyridine extrapure AR, 99%	5 Gms 25 Gms	5700 22000



Code	Name	Packing	Price	Code	Name	Packing	Price
11207 [298-83-9]	■ Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT) extrapure AR, 99%	100 Mg	610	92734 [2492-87-7]	● p-Nitrophenyl-β-D-Glucopyranoside extrapure, 98%	100 Mg	920
		250 Mg	1100			1 Gms	4400
		1 Gms	3300			5 Gms	14500
		5 Gms	15400				
48898 [298-83-9]	■ Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT) for molecular biology, 99%	100 Mg	880	12735 [3767-28-0]	● p-Nitrophenyl-α-D-Glucopyranoside extrapure, 98%	100 Mg	1170
		250 Mg	1540			250 Mg	2010
		1 Gms	4840			1 Gms	4530
		5 Gms	17000				
13001 [298-83-9]	■ Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT) for tissue culture, 99%	100 Mg	1760	92822 [10344-94-2]	● p-Nitrophenyl-β-D-Glucuronide (PNPG (Gus)) extrapure, 99%	50 Mg	2450
						100 Mg	4900
						500 Mg	13470
15527 [88-73-3]	o-Nitrochlorobenzene (ONCB) pure, 99%	500 Gms	470	27166 [13331-27-6]	3-Nitrophenylboronic Acid extrapure, 97%	1 Gms	1130
		5 Kg	3800			5 Gms	2240
						25 Gms	10250
76773 [4883-67-4]	2-Nitrocyclohexanone extrapure, 99%	5 Gms	20500	82582 [100-16-3]	p-Nitrophenylhydrazine extrapure AR, 99%	10 Gms	930
						25 Gms	1560
						25 Gms	
84258 [67-20-9]	🔗 Nitrofurantoin extrapure, 98-102% (N-(5-Nitro-2-Furfurylidene)-1-Aminohydantoin, Furadoxyl)	5 Gms	1320	88485 [333338-18-4/ 4264-83-9]	■ p-Nitrophenylphosphate Disodium Salt Hexahydrate (PNPP) Crystalline Reagent Grade, 99%	5 Gms	690
		25 Gms	2970			25 Gms	3080
		100 Gms	5940			250 Gms	27500
90728 [88-75-5]	o-Nitrophenol extrapure AR, 99%	25 Gms	390	90341 [333338-18-4/ 4264-83-9]	■ p-Nitrophenylphosphate Disodium Salt Hexahydrate (pNPP) for molecular biology, 99%	5 Gms	750
		100 Gms	1180			25 Gms	3630
21059 [577-71-9]	3,4-Dinitrophenol pure, 97%	1 Gms	7800	93413 [68189-42-4]	■ p-Nitrophenylphosphate Ditriss Salt crystalline (PNPP-d) extrapure, 99%	1 Gms	640
		5 Gms	24000			5 Gms	1900
						25 Gms	6800
18432 [830-03-5]	p-Nitrophenyl Acetate extrapure, 99%	1 Gms	440	53456 [398128-60-4]	4-Nitrophenyl trans-Ferulate extrapure, 98% (3-Methoxy-4-Hydroxycinnamic Acid 4-Nitrophenyl Ester, PNP-trans-Ferulate)	25 Mg	5500
		5 Gms	1500			100 Mg	16000
		25 Gms	4350				
13463 [3740-52-1]	2-Nitrophenylacetic Acid pure, 98%	5 Gms	700	85173 [603-11-2]	3-Nitrophthalic Acid pure, 98%	100 Gms	620
		25 Gms	2430			500 Gms	2550
		100 Gms	8470				
68146 [104-03-0]	p-Nitrophenylacetic Acid pure, 98%	25 Gms	1240	46384 [610-27-5]	4-Nitrophthalic Acid pure, 98%	100 Gms	2420
		100 Gms	4300			500 Gms	7830
72565 [3459-18-5]	■ 4-Nitrophenyl-N-Acetyl-β-D-Glucosaminide extrapure, 99%	100 Mg	3200	43713 [525-05-3]	Nitroso R-Salt extrapure AR	25 Gms	410
		1 Gms	24000			100 Gms	1230
72367 [207591-86-4]	🔗 4-Nitro-L-Phenylalanine Monohydrate extrapure, 99%	25 Gms	10770	21872 [99-08-1]	3-Nitrotoluene extrapure, 99%	250 ml	340
83602 [3482-57-3]	🔗 p-Nitrophenyl β-D-Cellobioside extrapure, 98% (4-Nitrophenyl-beta-D-Cellobioside, PNP-beta-D-cellobioside)	100 Mg	11800	60944 [611-08-5]	🔗 5-Nitrouracil extrapure, 98%	10 Gms	2700
		500 Mg	30440			25 Gms	5510
38325 [96597-16-9]	● 4-Nitrophenyl-4,6-Ethylidene-α-D-Maltoheptaoside (pNP-G7, EPS), EPS 90% (Ethylidene-4-Nitrophenyl-α-D-Maltoheptaoside, EPS-PNP-G7)	25 Mg	5510	81787 [6635-20-7]	✓ 5-Nitrovanillin pure, 98% (3-Methoxy-4-Hydroxy-5-Nitrobenzaldehyde)	5 Gms	2800
		100 Mg	11630			25 Gms	5600
66398 [369-07-3]	● o-Nitrophenyl-β-D-Galactopyranoside (ONPG) extrapure, 99%	1 Gms	900	64659 [821-55-6]	2-Nonanone pure, 98% (n-Heptyl Methyl Ketone)	25 ml	550
		5 Gms	3150			100 ml	1300
		25 Gms	14000			500 ml	3200
64685 [7493-95-0]	● p-Nitrophenyl α-D-Galactopyranoside extrapure, 98%	250 Mg	3730	56986 [51-98-9]	🔗 Norethisterone Acetate extrapure, 99% (Norethindrone Acetate)	100 Mg	3450
		1 Gms	10560			1 Gms	8250
						5 Gms	15000
96226 [3150-24-1]	● p-Nitrophenyl-β-D-Galactopyranoside (PNPG) extrapure, 98%	250 Mg	1220	43000 [70458-96-7]	🔗 Norfloxacin (NFX), 98%	1 Gms	2140
		500 Mg	2200			5 Gms	4990
		1 Gms	3950				
				49021 [616-06-8]	DL-Norleucine extrapure, 99%	5 Gms	800
						25 Gms	3000



Code	Name	Packing	Price	Code	Name	Packing	Price
27434	Novobiocin Sodium Salt (NVB), 95% [1476-53-5]	100 Mg 1 Gms 5 Gms	1110 5250 14700	76207	Oxidase Reagent (Gordon-Macleod Reagent)	100 ml	450
56221	L-Norvaline extrapure, 99% [6600-40-4]	1 Gms 5 Gms	1780 3680	91088	Oxolinic Acid (OXO), 99% [14698-29-4]	5 Gms	5000
68547	Nuclear Fast Red (C.I. No. 60760) [6409-77-4]	1 Gms 5 Gms	1500 7400	29779	Oxolinic Acid Sodium (OXO-Na), 98% [59587-05-8]	1 Gms 5 Gms	2690 9140
89249	Nylander`s Reagent	50 ml	430	55540	Oxytetracycline Dihydrate (OTC.2H2O) extrapure, 98% [6153-64-6]	1 Gms	410
56083	Obermayor`s Reagent	100 ml	190	12455	Oxytetracycline Hydrochloride (OTC), 95% [2058-46-0]	1 Gms 5 Gms	830 3810
62339	Octadecylamine technical, 70% (Stearylamine) [124-30-1]	500 Gms 5 Kg	300 2800	61799	Ovalbumin ex. Chicken Egg White for molecular biology, 90% [9006-59-1]	1 Gms 5 Gms 25 Gms	2800 12500 60000
51038	Octadecylamine pure, 98% [124-30-1]	250 Gms 1 Kg 5 Kg	600 2200 8500	13788	Ovalbumin ex. Chicken Egg White for molecular biology, 98% [9006-59-1]	250 Mg 1 Gms	8200 16000
27703	Octanoyl Chloride pure, 99% [111-64-8]	25 ml 100 ml 500 ml	470 1230 3790	57590	Paclobutrazol pure, 95% [76738-62-0] (a-tert-Butyl-β-(4-Chlorobenzyl)-1H-1,2,4-Triazole-1-Ethanol, PACZEE)	5 Gms 25 Gms	900 3500
60507	Octyl α-D-Galactopyranoside extrapure, 98% [149342-80-3]	50 Mg	2800	42883	Paclitaxel (Taxol, PCXL), 99% [33069-62-4]	10 Mg 50 Mg 250 Mg	1260 4000 7500
63777	Octyl β-D-Galactopyranoside extrapure, 98% [40427-75-6]	50 Mg	2800	15028	Palmitic Acid pure, C16-98% [57-10-3]	500 Gms 5 Kg	650 6400
25253	Octyl α-D-Glucopyranoside extrapure, 98% [29781-80-4]	100 Mg	14000	34262	Palmitic Acid Reference Standard, C16-99% (GC) [57-10-3]	5 Gms 25 Gms 100 Gms	580 2200 7600
33134	Octyl β-D-Glucopyranoside extrapure, 98% [29836-26-8]	1 Gms 5 Gms	5500 25000	77065	Palmitic Acid Methyl Ester Reference Standard, 99%(GC) (Methyl Palmitate) [112-39-0]	5 Gms 25 Gms	2000 5880
33910	Octylphenyl Polyethylene Glycol (IGEPAL CA-630®) for molecular biology ((Octylphenoxy)polyethoxyethanol) [9002-93-1]	100 ml 500 ml	900 4000	62199	Palmitoyl Chloride pure, 98% [112-67-4] (Hexadecanoyl Chloride, Palmitic Acid Chloride)	25 ml 100 ml 500 ml	1800 4000 8000
62799	Ofloxacin (OFX), 98% [82419-36-1]	1 Gms 5 Gms	3000 6000	83162	Pamoic Acid pure, 98% [130-85-8]	25 Gms 100 Gms	1200 4000
23576	Oil Red O for molecular biology, 75% [1320-06-5] (Solvent Red 27, Sudan Red 5B) (C. I. No. 26125)	25 Gms 100 Gms	710 2220	74635	PAN Indicator (1(2-Pyridylazo)-2-Naphthol) extrapure AR, 99% [85-85-8] (1(2-Pyridylazo)-2- Naphthol)	1 Gms 5 Gms 25 Gms	1000 4000 18000
23534	Oleandomycin Phosphate extrapure, 100U/mg (Matromycin) [7060-74-4]	100 Mg 1 Gms	4000 10000	37740	Pancreatin 3x ex. Porcine Pancreas, 75U/mg [8049-47-6]	100 Gms 500 Gms	1010 4910
70855	Orange Oil extrapure [8008-57-9]	100 ml 500 ml	840 3890	41421	Pancreatin 4NF ex. Porcine Pancreas, 100U/mg [8049-47-6]	100 Gms 500 Gms	2900 11950
30774	Orcein [1400-62-0]	5 Gms 10 Gms 25 Gms	1370 2400 5000	95907	Papain 1x USP ex. Papaya Latex, 6000USP U/mg [9001-73-4]	100 Gms 500 Gms	400 1730
86848	L-Ornithine Monohydrochloride extrapure CHR, 99% [3184-13-2]	25 Gms 100 Gms 500 Gms	550 990 4400	80400	Papain 5x USP ex. Papaya Latex, 30000USP U/mg (Papainase, Carica Papaya) [9001-73-4]	25 Gms 100 Gms 500 Gms	940 3500 11500
98499	Oxacillin Sodium Salt Monohydrate (OXC.Na.H2O), 815ug/mg [7240-38-2]	5 Gms	4330	59196	PAR extrapure, 99% [16593-81-0] (4-(2-Pyridylazo)-Resorcinol Monosodium Salt Hydrate)	1 Gms 5 Gms	860 3680
62704	Oxalacetic Acid extrapure, 98% [328-42-7] (Oxaloacetic Acid, Ketosuccinic Acid, Oxobutanedioic Acid, 2-Oxosuccinic Acid)	1 Gms 5 Gms 25 Gms	1110 4680 18900	27436	Paromomycin Sulfate (PRM) [1263-89-4]	1 Gms 5 Gms 25 Gms	3150 8900 34270



Code	Name	Packing	Price	Code	Name	Packing	Price
13684 [9046-40-6]	Pectic Acid pure	100 Gms	3700	87913 [9003-99-0]	■ Peroxidase ex. Horseradish RZ >2.0, w/o Stab., Salt free (HRP Type 3), 180U/mg solids	5 K.Units 25 K.Units	4310 9370
90464 [9032-75-1]	■ Pectinase ex. Aspergillus Niger, 3U/mg powder (Macerozyme)	1000 Units 5000 Units 10000 Units	2200 5000 8000	30709 [66-71-7]	1,10-Phenanthroline Anhydrous extrapure, 99%, water 2%	5 Gms 25 Gms 100 Gms	800 2800 8000
27295 [9032-75-1]	■ Pectinase ex. Aspergillus Niger, 3000 IU/g powder (Macerozyme)	100 Gms 500 Gms	2800 8000	65898 [5144-89-8]	1,10-Phenanthroline Monohydrate extrapure AR, 99.5%	5 Gms 25 Gms 100 Gms 500 Gms	560 2000 5800 26000
38215 [1002-84-2]	Pentadecanoic Acid (Pentadecylic Acid) extrapure, 98% (Pentadecylate, n-Pentadecylate)	5 Gms 25 Gms 100 Gms	2500 6500 18900	81067 [5144-89-8]	1,10-Phenanthroline Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP	5 Gms 25 Gms 100 Gms 500 Gms	680 2400 6600 29000
41991 [602-94-8]	Pentafluorobenzoic Acid pure, 98% (2,3,4,5,6-Pentafluorobenzoic Acid)	5 Gms 25 Gms 100 Gms	940 3280 7540	31888 [18851-33-7]	1,10-Phenanthroline Hydrochloride Monohydrate extrapure AR, 99.5%	5 Gms 25 Gms	900 4000
40309 [69-57-8]	✓ Penicillin G Sodium Salt (PNL), 98%	1 Gms 5 Gms	2500 6500	55782 [299-11-6]	● Phenazonium Methosulphate (PMS) extrapure, 99% (N-Methylphenazonium Methyl Sulphate, N-Methylphenazonium Methosulphate, Phenazine Methosulphate)	1 Gms 5 Gms	810 3280
13585 [771-61-9]	Pentafluorophenol (PFP) extrapure, 99% (2,3,4,5,6-Pentafluorophenol)	5 Gms 25 Gms	1420 5880	13920 [299-11-6]	● Phenazonium Methosulphate (PMS) for tissue culture, 99% (N-Methylphenazonium Methyl Sulphate, N-Methylphenazonium Methosulphate, Phenazine Methosulphate)	1 Gms 5 Gms 25 Gms	1060 4910 20450
20895 [42075-32-1]	⚗ (2R,4R)-2,4-Pentanediol extrapure, 99%	1 Gms 2.5 Gms	33240 80550	48914 [68807-90-9]	Phenolphthalein Diphosphate Tetrasodium Salt extrapure AR, 95% (Phenolphthalein Bisphosphate Tetrasodium Salt)	1 Gms 5 Gms 25 Gms	1800 4340 16650
10610 [72345-23-4]	⚗ (2S,4S)-2,4-Pentanediol extrapure, 99%	1 Gms 2.5 Gms	27700 67160	95444 [122-59-8]	Phenoxyacetic Acid extrapure, 99% (Glycolic Phenyl Ether)	100 Gms 500 Gms	510 1890
16165 [54-95-5]	⚗ Pentylene-tetrazole (Pentetrazole) extrapure, 99% (1,5-Pentamethylene-tetrazole) (Pentylene-tetrazole, 1,5-Pentamethylene-tetrazole)	5 Gms 25 Gms	900 3000	19630 [108321-84-2]	⚗ L-Phenylalanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt extrapure, 98% (L-Phenylalanine-AMC.TFA Salt)	25 Mg 50 Mg	11650 16940
32212 [8006-90-4]	Peppermint oil extrapure, 50%	100 ml 500 ml	600 2200	79455 [2462-32-0]	● L-Phenylalanine Benzyl Ester Hydrochloride extrapure, 99%	25 Gms	11710
12647 [9001-75-6]	■ Pepsin 1:3000 ex. Porcine Stomach Mucosa, 0.8Anson U/mg	25 Gms 100 Gms 500 Gms	950 2310 10500	34351 [3182-93-2]	● L-Phenylalanine Ethyl Ester Hydrochloride extrapure, 99%	1 Gms 5 Gms 25 Gms	1000 4110 12210
48062 [9001-75-6]	■ Pepsin 1:10000 ex. Porcine Stomach Mucosa, 2.5Anson U/mg	25 Gms 100 Gms 500 Gms	1890 6720 30450	78586 [7524-50-7]	● L-Phenylalanine Methyl Ester Hydrochloride extrapure, 99%	1 Gms 5 Gms 25 Gms	880 2500 7700
11787 [9001-75-6]	■ Pepsin 1:10000 ex. Porcine Stomach Mucosa extrapure AR, 2.5Anson U/mg	25 Gms 100 Gms 500 Gms	2100 7350 34130	89311 [65147-22-0]	● Z-Phenylalanylarginine 7-Amido-4-Methylcoumarin Hydrochloride Salt extrapure, 99% (Z-Phe-Arg-AMC.HCl Salt)	25 Mg	35050
63364 [9001-75-6]	■ Pepsin 2x cryst. ex. Porcine Stomach Mucosa, 2500U/mg solids	1 Gms 5 Gms 25 Gms 100 Gms	3000 9500 35000 75000	14059 [91-40-7]	N-Phenylanthranilic Acid (2-Anilinobenzoic Acid) extrapure AR, 99%	25 Gms 100 Gms	1430 5340
28498 [9003-99-0]	■ Peroxidase ex. Horseradish RZ >3.0, w/o Stab., Salt free (HRP Type 1), 250U/mg solids	1.25 K.Units 5 K.Units 25 K.Units	3150 5780 23630				
73292 [9003-99-0]	■ Peroxidase ex. Horseradish RZ >2.0, w/ 30% Stab., Salt free (HRP Type 2), 110U/mg solids	5 K.Units 25 K.Units 50 K.Units	3210 8070 13640				



Code	Name	Packing	Price	Code	Name	Packing	Price
53993 [1689-82-3]	4-Phenylazophenol (Solvent Yellow 7, 4-HAB) extrapure, 98% (p-Hydroxyazobenzene)(C.I. No. 11800)	25 Gms 100 Gms	840 2940	90365 [66778-08-3]	Phenylphosphate Disodium Salt Dihydrate (High Purity) extrapure AR, 98%	25 Gms 100 Gms 250 Gms	2140 6410 16010
92890 [98-80-6]	Phenylboronic Acid extrapure, 95%	25 Gms 100 Gms	1900 7000	50478 [118-55-8]	Phenyl Salicylate (Salol) extrapure, 99%	100 Gms 500 Gms	1030 3900
70291 [1821-12-1]	4-Phenyl Butyric Acid pure, 99%	25 Gms 100 Gms	3500 11000	21726 [2936-70-1]	Phenyl β-D-Thioglucopyranoside extrapure, 98%	25 Mg 50 Mg	4510 7870
27644 [95-54-5]	o-Phenylenediamine free base (OPD) extrapure AR, 99%	5 Gms 25 Gms 100 Gms	2400 8000 18000	16795 [103-85-5]	N-Phenylthiourea extrapure, 97%	10 Gms 25 Gms	2140 3800
73229 [615-28-1]	o-Phenylenediamine Dihydrochloride (OPD.2HCl) extrapure AR, 99%	5 Gms 25 Gms	3800 10790	30746	Phleomycin (PLM) Solution (20mg/mL in 20mM HEPES)	1 ml	7500
59576 [64-04-0]	2-Phenyl Ethylamine pure, 99%	250 ml 500 ml	1130 2140	69353 [108-73-6]	Phloroglucinol Anhydrous extrapure AR, 99%	25 Gms 100 Gms	1300 4500
27861 [2871-15-0]	Phenyl-α-D-Galactopyranoside extrapure, 98%	250 Mg	10950	99529 [18472-87-2]	Phloxin B	25 Gms 100 Gms 500 Gms	400 1400 6000
77334 [2818-58-8]	Phenyl-β-D-Galactopyranoside extrapure, 97%	1 Gms	6830	95131	1X Phosphate Buffered Saline (PBS) for molecular biology	100 ml 500 ml	530 1290
45754 [122-60-1]	Phenyl Glycidyl Ether (PGE) extrapure, 98% (2,3-Epoxypropyl Phenyl Ether, 1,2-Epoxy-3-phenoxypropane)	100 ml 500 ml	650 2000	78529	10X Phosphate Buffered Saline (PBS) for molecular biology	100 ml 500 ml	660 1520
23116 [2935-35-5]	L-Phenyl Glycine extrapure, 99%	10 Gms 25 Gms 100 Gms 500 Gms	300 720 1670 7360	13435	10X Phosphate Buffered Saline Tween-20 (PBST) for molecular biology	200 ml 1000 ml	600 2500
17083 [103-72-0]	Phenyl Isothiocyanate (PITC) pure, 98%	25 ml 100 ml 500 ml	1500 4000 17500	40083 [10526-80-4]	Phosphoenolpyruvate Monocyclohexylammonium Salt (PEP MCHA Salt) extrapure, 98%	100 Mg 250 Mg 1 Gms 5 Gms	710 1420 3410 16610
18962 [103-72-0]	Phenyl Isothiocyanate (PITC) extrapure AR, 99%	25 ml 100 ml	2800 6020	31569 [35556-70-8]	Phosphoenolpyruvate Tricyclohexylammonium Salt (PEP TCHA Salt) extrapure, 98%	100 Mg 250 Mg 1 Gms	1180 1770 5290
15127 [103-72-0]	Phenyl Isothiocyanate (PITC) for HPLC & Sequencing, 99%	5 x1 ml 5 ml 5 x5 ml	2000 1800 8200	69400 [9001-87-0]	Phospholipase D (Lecithinase D) ex. Streptomyces chromofuscus, 40U/mg	200 Units 400 Units	17960 28730
98152 [941-69-5]	N-Phenylmaleimide extrapure, 98%	5 Gms 25 Gms 100 Gms	800 2200 3500	84122 [26016-99-9]	Phosphomycin Disodium Salt (Fosfomycin Disodium Salt) extrapure, 99% ((-)-(1R,2S)-(1,2-Epoxypropyl)Phosphonic Acid, Phosphonomycin)	1 Gms 5 Gms	3570 7140
89793 [62-38-4]	Phenylmercuric Acetate (PMA) pure, 98% (Mercury Phenyl Acetate)	5 Gms 25 Gms 100 Gms	800 3100 11000	65312 [9012-69-5]	Phosphorylase B ex. Rabbit Muscle, 50U/mg	10 Mg	6000
23358 [8003-05-2]	Phenylmercuric Nitrate (Basic) (PMN) pure, 98% (Mercury Phenyl Nitrate)	5 Gms 25 Gms 100 Gms	1600 6500 22500	27329 [643-79-8]	o-Phthalaldehyde (OPA) extrapure AR, 99% (Phthalaldialdehyde)	5 Gms 25 Gms	940 4030
87606 [329-98-6]	Phenylmethane Sulphonyl Fluoride (PMSF) extrapure, 99%	1 Gms 5 Gms 25 Gms 100 Gms	750 2400 8500 28000	89886 [88-96-0]	Phthalamide (Phthalic Acid Diamide) pure, 98%	25 Gms 100 Gms	1260 2310
84375 [329-98-6]	Phenylmethane Sulphonyl Fluoride (PMSF) for molecular biology, 99%	1 Gms 5 Gms 25 Gms	950 3000 12000	62747 [85-41-6]	Phthalamide extrapure, 99% (Phthalic Dicarboximide, 1,3-Dihydro-1,3-Dioxoisindole, 1,3-Dioxoisindoline)	500 Gms 5 Kg	580 5570
				45501 [87-41-2]	Phthalide pure, 98% (1-Iso-Benzofuranone)	100 Gms 500 Gms	530 2210
				26603 [4192-28-3]	N-Phthaloyl-L-Alanine extrapure, 98%	1 Gms 5 Gms	1080 4890



Code	Name	Packing	Price	Code	Name	Packing	Price
44729 [340-90-9]	N-Phthaloyl-L-Glutamic Acid extrapure, 98%	5 Gms	4450	72328 [110-85-0]	Piperazine Anhydrous pure, 98%	250 Gms 500 Gms 5 Kg	900 1600 13500
19971	N-Phthaloyl-L-Methionine extrapure, 98%	1 Gms 5 Gms	1830 7690	15861 [3282-30-2]	Pivaloyl Chloride extrapure, 99%	100 ml 250 ml 500 ml	480 850 1650
15187 [5123-55-7]	N-Phthaloyl-L- Phenylalanine extrapure, 99%	1 Gms 5 Gms	910 3170	20924 ■ [26763-19-9]	Polyadenylic Acid Potassium Salt (POLY A Potassium) extrapure	25 Mg 100 Mg 1 Gms	2000 5500 35000
64073	N-Phthaloyl-L-Valine extrapure, 98%	1 Gms 5 Gms	1670 7690	44196 ■ [26936-40-3]	Polycytidylic Acid Potassium Salt (POLY C Potassium) extrapure	25 Mg	5250
92486 [1445-69-8]	Phthalyl Hydrazide pure, 98%	25 Gms 100 Gms	2000 4680	62995 ■ [26936-41-4]	Polyinosinic Acid Potassium Salt (POLY I Potassium) extrapure	10 Mg	5250
58924 ■ [554-62-1]	Phytosphingosine Hydrochloride extrapure, 98%	1 Gms 5 Gms	6800 18000	54422 ■ [25988-63-0]	Poly-L-Lysine Hydrobromide (PLL HBr), 70-150kDa (L-Lysine Homopolymer Hydrobromide)	25 Mg 100 Mg 250 Mg	6500 23000 50000
67432 [1918-02-1]	Picloram extrapure, 95% (4-Amino-3,5,6-Trichloropicolinic Acid, 4-Amino-3,5,6-Trichloropyridine-2-Carboxylic Acid)	1 Gms 5 Gms 25 Gms	1600 4000 12000	27007 ■ [27964-99-4]	Poly-D-Lysine Hydrobromide (PDL HBr), 70-150KDa (D-Lysine Homopolymer Hydrobromide)	25 Mg 100 Mg	6500 18000
41238 [98-98-6]	a-Picolinic Acid pure, 98%	25 Gms 100 Gms 500 Gms	600 1800 8000	22107 ■ [28211-04-3]	Poly-e-L-Lysine Hydrochloride (PLL HCl), 3500-4500Da (e-Poly-L-Lysine HCl, N6-[(Phenylmethoxy)carbonyl]-L-Lysine Homopolymer)	25 Gms 100 Gms	9000 31000
93418 [124-87-8]	Picrotoxin pure, 98%	1 Gms 5 Gms	1600 7000	90347 ■ [25513-46-6]	r-Polyglutamic Acid technical grade, 20%	1 Gms 5 Gms	800 3000
90670 [160-60-0]	Pimelic Acid (Heptanedioic acid) extrapure, 98%	25 Gms 100 Gms	3290 11650	67258 ⚗ [36562-70-6]	Polyguluronic Acid extrapure, 80%	1 Gms 5 Gms	14500 62000
99487 ✓ [76-09-5]	Pinacol pure, 98% (2,3-Dimethyl-2,3-Butanediol, Tetramethylethylene Glycol)	25 Gms 100 Gms 500 Gms	800 2500 9000	83011 ■ [1405-20-5]	Polymyxin B Sulphate (Aerosporin, PXNS), 6000U/mg	250 Mg 1 Gms	1400 4000
31826 [2620-50-0]	Piperonylamine pure, 97% (1,3-Benzodioxole-5-Methylamine, 3,4-(Methylenedioxy)Benzylamine)	5 ml	7000	22810 ✓ [68412-54-4]	Polyoxyethylene (5) Nonylphenylether Branched (IGEPAL CO-520) for molecular biology	100 Gms 500 Gms	1100 3700
70375 [5625-37-6]	PIPES Buffer extrapure, 99% (Piperazine-1,4-bis(2-Ethanesulphonic, Acid))	25 Gms 100 Gms 500 Gms	1000 3100 10710	20659 ✓ [68412-54-4]	Polyoxyethylene (9) Nonylphenylether Branched (IGEPAL CO-630) for molecular biology	100 Gms 500 Gms	1200 4000
49159 [5625-37-6]	PIPES Buffer for molecular biology, 99% (Piperazine-1,4-bis(2-Ethanesulphonic, Acid))	100 Gms 500 Gms	3470 12500	47380 [61788-85-0]	Polyoxyl 40 Hydrogenated Castor Oil extrapure (Macr(Macrogolglycerol Hydroxystearate, PEG-40 hydrogenated castor oil))	500 Gms	2520
48112 [5625-37-6]	PIPES Buffer for tissue culture, 99% (Piperazine-1,4-bis(2-Ethanesulphonic, Acid))	25 Gms 100 Gms	1470 4200	14749 ■ [27416-86-0]	Polyuridylic Acid Potassium Salt (POLY U Potassium) extrapure	25 Mg	3000
58842 [108321-27-3]	PIPES Dipotassium Salt Buffer extrapure, 99%	25 Gms	8630	38610 [6226-79-5]	Poncaeu S	25 Gms 100 Gms	790 3050
55025 [76836-02-7]	PIPES Disodium Salt Buffer extrapure, 99%	25 Gms 100 Gms 500 Gms	4810 12190 35710	14092	Poncaeu S Staining Solution	100 ml	1750
44033 [100037-69-2]	PIPES Sesquisodium Salt Buffer extrapure, 99%	25 Gms 100 Gms 250 Gms	3580 12320 30170	41186 [68189-43-5]	POPSO Buffer extrapure, 99% (Piperazine-1,4-bis(2-Hydroxypropanesulphonic Acid))	25 Gms 100 Gms	3000 10000
94348 [10010-67-0]	PIPES Sodium Salt Buffer extrapure, 99%	25 Gms 100 Gms 250 Gms	2940 7880 15960	81800 [108321-08-0]	POPSO Sesquisodium Salt Buffer extrapure, 98%	25 Gms	6000



Code	Name	Packing	Price	Code	Name	Packing	Price		
20883 [299-27-4]	Potassium Gluconate extrapure, 99% (D-Gluconic Acid Potassium Salt, Potassium-D-Gluconate)	100 Gms	300	35981 [7531-52-4]	L-Prolinamide extrapure, 98% ((2S)-2-Pyrrolidinecarboxamide, (-)-Prolinamide, (2S)-2-Carbamoylpyrrolidine)	5 Gms	900		
		500 Gms	1260			25 Gms	2500		
48320 [865-47-4]	Potassium tert-Butoxide pure, 98%	100 Gms	750	57732 ⓘ [68832-13-3]	D-Prolinol extrapure, 98% ((R)-(-)-2-(Hydroxymethyl)pyrrolidine, (R)-(-)-2-Pyrrolidinemethanol)	1 ml	2050		
		500 Gms	3200			5 ml	8010		
95056 [24634-61-5]	Potassium Sorbate pure, 99%	500 Gms	1100	46457 ⓘ [23356-96-9]	L-Prolinol extrapure, 98% ((S)-(+)-2-(Hydroxymethyl)pyrrolidine, (S)-(+)-2-Pyrrolidinemethanol)	25 ml	13790		
		1 Kg	2000			5 ml	2000		
28008 [19423-77-9]	Praseodymium (III) Chloride Hydrate extrapure, 99.9%	25 Gms	4620	41622 [93-55-0]	Propiophenone pure, 99%	100 ml	980		
		100 Gms	9450			500 ml	3500		
83218 [15878-77-0]	Praseodymium (III) Nitrate Hexahydrate extrapure, 99.9% (Praseodymium Trinitrate Hexahydrate)	25 Gms	3520	84215 [106-94-5]	n-Propyl Bromide pure, 98%	100 ml	480		
		100 Gms	12100			500 ml	1600		
99350 [52093-27-3]	Praseodymium (III) Trifluoromethanesulfonate extrapure, 98% (Praseodymium Triflate, Trifluoromethanesulfonic Acid Praseodymium Salt)	5 Gms	4100	45799 [108-32-7]	Propylene Carbonate pure, 99%	2500 ml	6200		
		25 Gms	15330			500 ml	600		
63639 [12037-29-5]	Praseodymium (III, IV) Oxide extrapure, 99.9%	10 Gms	740	56082 [107-08-4]	n-Propyl Iodide extrapure, 99%	2500 ml	2660		
		50 Gms	2940			25 ml	2000		
10693 ● [57-83-0]	Progesterone extrapure, 97-103% (4-Pregnene-3,20-Dione)	5 Gms	1310	25034 [106-36-5]	Propyl Propionate extrapure, 99%	100 ml	7500		
		25 Gms	4000			250 ml	18000		
54236 [21087-77-4]	Progoitrin Potassium Salt Reference Standard Grade, 75% (R)-2-Hydroxy-3-Butenylglucosinolate Potassium Salt)	10 Mg	30000	11195 ⓘ [25535-16-4]	Propyl Iodide (PI) for molecular biology, 95% (3,8-Diamino-5-[3-(diethylmethylammonio)propyl]-6-Phenylphenanthridinium Diiodide)	250 ml	1130		
		1000 ml	4240			10 Mg	2350		
92825 ● [127277-53-6]	Prohexadione Calcium technical grade, 95%	100 Mg	2000	78349 ⓘ [9009-65-8]	Protamine Sulfate for molecular biology, 90-110% (Protamine Sulphate)	25 Mg	4280		
		1 Gms	9000			100 Mg	12500		
31651 [72556-74-2]	Phosphocholine Chloride Calcium Salt Tetrahydrate pure, 97% (Calcium phosphorylcholine chloride, Choline chloride phosphate calcium salt, Choline phosphate chlo)	5 Gms	2530	79546 ■ [25535-16-4]	Protein A soluble	1 Gms	3000		
		25 Gms	5420			5 Gms	11000		
74152 ⓘ [115388-93-7]	L-Proline-7-Amido-4-Methylcoumarin Hydrobromide Salt extrapure, 98% (L-Proline-AMC.HBr Salt)	100 Gms	15650	14887 ⓘ [25535-16-4]	Propidium Iodide Solution (1mg/ml in H2O)	10 Gms	20000		
		25 Mg	7560			10 ml	2600		
79380 ⓘ [70375-23-4]	Z-Proline-Arginine-7-Amido-4-Methylcoumarin Hydrochloride extrapure, 99% (Z-Pro-Arg-AMC-HCl)	10 Mg	71280	84589 ● [9036-06-0]	Protease ex. Aspergillus Oryzae (Fungal) (Type 1 - Acidic, powder), 500kHUT/g (Subtilisin A)	25 Gms	4860		
		25 Mg	152720			25 Mg	3890		
16110 ⓘ [16652-71-4]	L-Proline Benzyl Ester Hydrochloride extrapure, 99%	5 Gms	2200	38207 ● [9036-06-0]	Protease ex. Bacillus Licheniformis (Type 4 - Neutral, powder), 10U/mg (Subtilisin A)	100 Mg	10210		
		25 Gms	8000			25 Gms	3890		
73978 ⓘ [97216-17-6]	L-Proline-β-Naphthylamide Hydrobromide extrapure, 99%	100 Mg	4440	81525 ● [9036-06-0]	Protease ex. Bacillus Sp. (Type 5 - Neutral, granules), 8kNPU/g (Subtilisin A)	100 Gms	730		
		50 Units	9800			500 Gms	3160		
16680 ■ [72162-84-6]	Proline Specific Endopeptidase ex. Flavobacterium Sp., 5U/mg	50 Units	9800	66789 ● [9036-06-0]	Protease ex. Bacillus Subtilis (Type 2 - Alkaline, granules), 100kAPU/g (Subtilisin A)	250 Gms	3890		
		50 Units	9800			250 Gms	3890		
31798 [107-19-7]	Propargyl Alcohol pure, 99%	250 ml	1125	23434 ● [9036-06-0]	Protease ex. Bacillus Subtilis (Type 3 - Alkaline, granules), 1000kAPU/g (Subtilisin A)	500 Gms	2190		
		500 ml	2100			84244 ● [9036-06-0]	Protease ex. Bacillus Subtilis (Type 6 - Neutral, powder), 100kNPU/g (Subtilisin A)	100 Gms	3530
		2500 ml	10200					25 Gms	17790
90557 [62937-45-5]	D-Prolinamide extrapure, 98% ((R)-Pyrrolidine-2-Carboxamide)	5 Gms	4750						
		25 Gms	17790						



Code	Name	Packing	Price	Code	Name	Packing	Price
49936 ■ [39450-01-6]	Proteinase K ex. Tritirachium Album (Type A) for molecular biology, 30U/mg (Endopeptidase K)	25 Mg 100 Mg 500 Mg 1 Gms 5 Gms	1100 3600 16000 28000 98000	31129 ✓ [7291-22-7]	Pyridine-d5 For NMR Spectroscopy, 99.5 Atom%D	10 ml	24000
36331 ⚠	Proteinase K Solution (20 mg/ml)	1 ml 5 x1 ml 5 x5 ml	2400 5000 17000	73512 [1692-25-7]	3-Pyridineboronic Acid extrapure, 98%	1 Gms 5 Gms 25 Gms	2040 8480 37300
32753 ■ [39450-01-6]	Proteinase K ex. Pichia Pastoris (Type D - Recombinant) for molecular biology & PCR, 30U/mg (Endopeptidase K)	25 Mg 100 Mg 500 Mg 1 Gms 5 Gms	1300 4200 19000 34000 115000	16539 [499-83-2]	Pyridine-2,6-Dicarboxylic Acid extrapure, 99%	25 Gms 100 Gms 500 Gms	850 2500 11000
45073 ■ [39450-01-6]	Proteinase K ex. Pichia Pastoris (Type E - Recombinant) for molecular biology & PCR, 40U/mg (Endopeptidase K)	25 Mg 100 Mg	2110 7310	12644 [636-73-7]	Pyridine-3-Sulphonic Acid (P3SA) extrapure, 98% (3-Pyridinesulfonic Acid)	25 Gms	2000
66893 ✓ [9057-02-7]	Pullulan (Polymaltotriose, PULL) extrapure	5 Gms 25 Gms 100 Gms	3000 6000 18000	52928 ✓ [41468-25-1]	Pyridoxal-5-Phosphate Monohydrate extrapure, 98%	1 Gms 5 Gms 25 Gms	1020 4630 14820
93909 ⚠ [58-58-2]	Puromycin Dihydrochloride (PRM), 98%	10 Mg 25 Mg 100 Mg	3280 6400 18000	88205 ✓ [58-56-0]	Pyridoxine Hydrochloride (Vitamin B6) pure, 98%	25 Gms 100 Gms 500 Gms	510 1400 5400
85492 [110-60-1]	Putrescine free base extrapure, 99% (1,4-Diaminobutane, 1,4-Butanediamine, Tetramethylenediamine)	25 Gms 100 Gms 500 Gms	1700 5300 25000	47330 ✓ [1046-56-6]	3(2-Pyridyl)-5,6-Diphenyl-1,2,4-Triazine (PDT) extrapure AR, 99%	1 Gms 5 Gms	2850 12450
81343 ⚠ [333-93-7]	Putrescine Dihydrochloride extrapure, 99%	1 Gms 5 Gms 25 Gms 100 Gms	470 1430 5940 21350	16315 ⚠ [68181-17-9]	3-(2-Pyridyldithio)propionic Acid N-Hydroxysuccinimide Ester (SPDP Crosslinker) extrapure, 95% (N-Succinimidyl 3-(2-Pyridyldithio)Propionate, 3-(2-Pyridyldithio)-Propionic Acid-OSu)	100 Mg 250 Mg 1 Gms	3800 5200 9000
49270 ⚠ [333-93-7]	Putrescine Dihydrochloride for tissue culture, 99%	1 Gms 5 Gms 25 Gms	940 3280 8650	77504 ✓ [79551-14-7]	Ferene Disodium Salt extrapure, 98% (3-(2-Pyridyl)-5,6-di(2-Furyl)-1,2,4-Triazine-5,5-Disulfonic Acid Disodium Salt)	1 Gms 10 Gms	5500 33200
57322 [98-96-4]	Pyrazinamide extrapure, 98% (Pyrazinecarboxamide, Pyrazinamide, Pyrazinoic Acid Amide)	5 Gms 25 Gms	1500 3200	77577 ⚠ [98-79-3]	L-Pyroglutamic Acid extrapure, 99%	100 Gms 500 Gms	800 2000
31412 [288-13-1]	Pyrazole extrapure, 98% (1,2-Diazole)	5 Gms 25 Gms 100 Gms	800 1600 5000	36306 ⚠ [66642-36-2]	L-Pyroglutamic Acid-7-Amido-4-Methylcoumarin extrapure, 98% (L-Pyroglutamic Acid-AMC)	10 Mg 25 Mg	10010 19450
32357 ⚠	Pyrene Actin (10%) ex. Rabbit Skeletal Muscle extrapure, 99%	1 Mg	88920	97079 [89-32-7]	Pyromellitic Dianhydride (PMDA) extrapure, 98% (Benzene-1,2,4,5-Tetracarboxylic Dianhydride)	25 Gms 100 Gms 500 Gms	1370 2210 7040
39433 [67000-89-9]	1-Pyrenebutanol extrapure, 99%	500 Mg 1 Gms	4450 8540	75612 ⚠ [92-32-0]	Pyronin G (Pyronin Y), 50% (C.I. No. 45005)	1 Gms 5 Gms 25 Gms	940 3350 16000
81284 [19694-02-1]	1-Pyrenecarboxylic Acid pure, 97%	500 Mg 1 Gms 5 Gms	4390 7830 34390	71692 [109-97-7]	Pyrrrole extrapure, 99%	25 ml 100 ml 500 ml	700 2200 9000
59503 [93324-65-3]	1-Pyrenemethylamine Hydrochloride (PyNH2) pure, 95%	500 Mg 1 Gms	4090 7480	91402 [123-75-1]	Pyrrolidine pure, 99%	25 ml 100 ml 500 ml	250 550 2500
67172 ⚠ [289-80-5]	Pyridazine pure, 98%	5 Gms 25 Gms	2730 12600	88543 [123-75-1]	Pyrrolidine extrapure AR, 99.5%	25 ml 100 ml 250 ml	320 800 1600



Code	Name	Packing	Price	Code	Name	Packing	Price
73694 [616-45-5]	2-Pyrrolidone pure, 99%	250 ml 500 ml 2500 ml	700 1250 5500	42650 [62758-13-8]	Resazurin Sodium extrapure AR, 85%	1 Gms 5 Gms 25 Gms	1400 6200 29000
63884 [9014-20-4]	■ Pyruvate Dehydrogenase ex. Microorganism, 2.0U/mg	10 Units	10320	42817 [62758-13-8]	Resazurin Sodium extrapure AR, ExiPlus, Multi-Compendial, 85%	1 Gms 5 Gms 25 Gms	1500 6500 31000
29986 [9001-59-6]	■ Pyruvate Kinase ex. Rabbit Muscle, 300U/mg	2000 Units 4000 Units	6000 11500		meets compendial specs of USP		
59150 [127-17-3]	⚠ Pyruvic Acid pure, 98%	25 ml 100 ml	900 2400	46861 ✓ [50-55-5]	Reserpine extrapure, 99%	1 Gms 5 Gms	3450 13050
71923 [6151-25-3, 849061-97-8]	⚠ Quercetin Dihydrate extrapure, 98%	25 Gms 100 Gms	2000 6500	39798	Resorcinol ACS, 99%	100 Gms 500 Gms	620 2300
97899 [117-92-0]	⚠ Quinaldine Red	1 Gms 5 Gms	1430 6650	22173 [108-46-3]	Resorcinol ACS, ExiPlus, Multi-Compendial, 99%	100 Gms 500 Gms	680 2500
81076 [77-95-2]	⚠ Quinic Acid extrapure, 98%	5 Gms 25 Gms 100 Gms	1130 3560 11980		meets compendial specs of BP		
32648 [91-22-5]	Quinoline pure, 97%	500 ml 2500 ml	1840 8800	69040 [10030-85-0]	L-Rhamnose Monohydrate extrapure	5 Gms 25 Gms 100 Gms	650 1500 5000
51649 [17629-30-0]	D-Raffinose Pentahydrate extrapure	25 Gms 100 Gms	1800 6800	59652 [7440-15-5]	Rhenium Powder extrapure, 99.99%, -325mesh	1 Gms 5 Gms	1000 3500
21719 [212783-75-0]	● Ramage Linker (Fmoc-Suberol) extrapure, 98%	100 Mg 1 Gms	2670 6050	45165 [20765-98-4]	Rhodium (III) Chloride Trihydrate pure, 98% (Rhodium Trichloride Hydrate)	250 Mg 1 Gms	8500 29000
24527 [12236-86-1]	⚠ Rapeseed Glucosinolate Mixture Reference Standard Grade, 90%	10 Mg	9450	46729 ✓ [73482-96-9]	Rhodium (II) Octanoate Dimer extrapure, 97%	250 Mg 1 Gms	3000 9800
36474 [2580-78-1]	Reactive Blue 19 (Remazol Brilliant Blue R) (Reactive Blue 19)	25 Gms 100 Gms	2490 8500	34392 [83-88-5]	Riboflavin pure, 98% (Vitamin B2)	25 Gms 100 Gms	600 2000
95238 [12236-86-1]	Reactive Blue 21 (Remazol Turquoise Blue G-133)	25 Gms 100 Gms	2810 8010	57443 ⚠ [130-40-5]	Riboflavine-5-Phosphate Disodium Salt extrapure, 73-79%	25 Gms 100 Gms	660 2400
12176 [12225-83-1]	Reactive Orange 16 (Remazol Brilliant Orange 3R) (C.I. No. 17757)	25 Gms 100 Gms	2810 6940	98915 ■ [9001-99-4]	Ribonuclease A (RNase A) ex. Bovine Pancreas for molecular biology, 50Kunitz/mg	25 Mg 100 Mg 500 Mg	1200 3500 15000
65637 [12220-08-5]	Reactive Orange 107 (Remazol Golden Yellow RNL)	25 Gms 100 Gms	1400 4000	62910 ■ [63231-63-0]	Ribonucleic Acid (RNA) Free Acid ex. Yeast, 85%	25 Gms 100 Gms	1400 4000
15034 [11099-79-9]	Reactive Red 21 (Remazol Red BB)	25 Gms	4000	61866 ■ [73049-77-1]	Ribonucleic Acid Sodium Salt (RNA Sodium, Sodium Nucleinate) ex. Yeast for molecular biology, 85%	10 Gms 25 Gms 100 Gms	1580 2800 9800
35832 [12226-12-9]	Reactive Red 35 (Remazol Brilliant Red 5B)	25 Gms 100 Gms	600 2000	48259 ⚠ [50-69-1]	D-Ribose extrapure	25 Gms 100 Gms 1 Kg	550 900 7000
79740 [61951-82-4]	Reactive Red 120 (Reactive Brilliant Red HE3B) (C.I. 292775)	25 Gms 100 Gms	1400 4000	76538 ⚠ [50-69-1]	D-Ribose for tissue culture	5 Gms 25 Gms 100 Gms	350 700 2200
23176 [98114-32-0]	Reactive Red 180 (Remazol Brilliant Red F3B)	5 Gms 25 Gms 100 Gms	700 1400 4000	72377 [15673-79-7]	D-Ribose-5-Phosphate Barium Salt Hexahydrate extrapure, 98%	100 Mg	4600
80539 [12226-38-9]	Reactive Violet 5 (Remazol Brilliant Violet 5R) (C.I. No. 18097)	25 Gms 100 Gms	1400 4000	12310 ⚠ [13292-46-1]	Rifampicin (RFP) (Rifampin), 97-102%	1 Gms 5 Gms	720 2400
67074 [20317-19-5]	Reactive Yellow 17 (Remazol Golden Yellow G) (C.I. No. 18852)	25 Gms 100 Gms	3000 9000	81319 ■ [80621-81-4]	Rifaximin (RFX) extrapure, 98%	1 Gms 5 Gms	1800 7000
55200 [62758-13-8]	Resazurin Sodium extrapure AR, 20-30%	1 Gms 5 Gms	1200 5500				



Code	Name	Packing	Price	Code	Name	Packing	Price
23311 [145069-56-3]	Rink Amide Linker Resin (Knorr Linker) extrapure, 99% (4-[(2,4-Dimethoxyphenyl)(Fmoc-amino)Methyl]phenoxyacetic Acid)	1 Gms	1800	92082 [13759-83-6]	Samarium (III) Nitrate Hexahydrate ultrapure, 99.95% (Trinitric Acid Samarium (III) Hexahydrate)	5 Gms	1500
		5 Gms	7000			25 Gms	4000
34140 [431041-83-7]	Rink Amide MBHA Resin (100-200 mesh), Loading 0.3-0.8mmol/g (4-(2,4-Dimethoxyphenyl-FMOC-Aminomethyl) Phenoxyacetamido-Norleucyl-MBHA Resin)	1 Gms	2000	31372 [12060-58-1]	Samarium (III) Oxide ultrapure, 99.95% (Samarium)	5 Gms	1500
		5 Gms	7000			25 Gms	4000
		25 Gms	30000	54043 [52093-28-4]	Samarium (III) Trifluoromethanesulfonate extrapure, 98% (Samarium (III) Triflate, Trifluoromethanesulfonic Acid Samarium (III) Salt)	1 Gms	1600
		5 Gms	4200				
90780 [569-61-9]	p-Rosaniline Hydrochloride (Pararosaniline Hydrochloride, Pararosaniline Chloride, Basic Parafuchsin) (C.I. No. 42500)	25 Gms	900	68580 [144026-79-9]	Scandium (III) Trifluoromethanesulfonate extrapure, 98% (Scandium Triflate, Trifluoromethanesulfonic Acid Scandium Salt)	1 Gms	1500
		100 Gms	3000			5 Gms	5200
		500 Gms	13000				
60549 [632-69-9]	Rose Bengal (Acid Red 94) (C.I. No. 45440)	10 Gms	620	80967 [8047-15-2]	Saponin ex. Quillaja for molecular biology, 9% Sapogenin	25 Gms	6000
		25 Gms	1470			100 Gms	11000
		100 Gms	5000				
10641 [8007-01-0]	Rose Oil extrapure	10 ml	1400	99474 [8047-15-2]	Saponin ex. Gypsophila Roots for molecular biology, 25% Sapogenin	5 Gms	1800
		25 ml	2600			25 Gms	4500
		100 ml	8000			100 Gms	12000
66412 [603-45-2]	p-Rosolic Acid (Aurin)	25 Gms	900	10147 [9029-22-5]	Sarcosine Oxidase (SOX) ex. Recombinant E.coli, 20U/mg	500 Units	5940
		100 Gms	3000			1 K.Units	11270
		500 Gms	13000				
18325 [250249-75-3]	Rutin Trihydrate pure, 95% (Vitamin P Trihydrate, Rutoside, Quercetin-3-Rutinoside)	25 Gms	1400	21032 [12060-08-1]	Scandium Oxide, 99.99%	1 Gms	2630
		100 Gms	2600			5 Gms	7000
		500 Gms	8000				
16281	Safranine 0.5 w/v Aq. Solution	125 ml	220	17386	Schiff's Reagent	500 ml	530
		500 ml	700				
16593 [477-73-6]	Safranine O (Basic red 2) (C.I. No. 50240)	25 Gms	530	32380 [92-61-5]	Scopoletin extrapure, 98%	25 Mg	7000
		100 Gms	1870			100 Mg	32000
		500 Gms	9000				
10673 [138-52-3]	D-(-)-Salicin extrapure	5 Gms	1800	62330 [111-20-6]	Sebacic Acid pure, 98%	500 Gms	1080
		25 Gms	4800				
57467 [959-36-4]	Salicylaldehyde Azine extrapure, 97% (2-Hydroxybenzaldehyde azine)	1 Gms	950	19182 [563-41-7]	Semicarbazide Hydrochloride extrapure, 98%	100 Gms	670
		5 Gms	2000			500 Gms	8000
		25 Gms	7500				
77386 [65-45-2]	Salicylamide pure, 98%	500 Gms	1550	44779 [7446-08-4]	Selenium Dioxide pure, 98%	100 Gms	2000
		5 Kg	14000			500 Gms	8000
45549	Salt Mixture Bernhart Tommarelli (Dietary Mineral Mix acc to Bernhart-Tommarelli)	500 Gms	1250	90945 [7782-49-2]	Selenium Metal Powder extrapure, 99.9%, 100 mesh	25 Gms	700
		1 Kg	2400			100 Gms	2500
		5 Kg	11500			500 Gms	7500
13464	Salt Mixture H.M.W. (acc. to Hubble Mendal and Wakeman) (Dietary Mineral Mix acc to HMW)	500 Gms	1250	51200 [7782-49-2]	Selenium Metal Powder ultrapure, 99.999%, 100 mesh	25 Gms	3570
		1 Kg	2400			100 Gms	13130
		5 Kg	11500				
71637	Salt Mixture as per USP XIV (Dietary Mineral Mix acc to USP XIV)	500 Gms	1500	77855 [7782-49-2]	Selenium Metal Granular ultrapure, 99.999%, 1-6mm	25 Gms	3780
		1 Kg	2850			100 Gms	14180
		5 Kg	13500				
93538 [13465-55-9]	Samarium (III) Chloride Hexahydrate pure, 99.9% (Samarium trichloride hydrate)	10 Gms	2500	29815	Seliwanoff's Reagent	100 ml	290
		50 Gms	9800				
64088	Seralose® 2B (2% Beaded Agarose Susp., 60-200micron)	100 ml	4500	54540	Seralose® 4B (4% Beaded Agarose Susp., 45-165micron)	100 ml	4500
		500 ml	18000			500 ml	18000
12585	Seralose® 6B (6% Beaded Agarose Susp., 45-165micron)	100 ml	4500			100 ml	4500
		500 ml	18000			500 ml	18000



Code	Name	Packing	Price	Code	Name	Packing	Price
81862	Seralose® CL-2B (2% Beaded Agarose Cross-Linked Susp., 60-200micron)	100 ml	6000	73081	Silicon Metal powder, 98.5%, -200 mesh [7440-21-3]	100 Gms	320
		500 ml	24000			500 Gms	980
11974	Seralose® CL-4B (4% Beaded Agarose Cross-Linked Susp., 45-165micron)	100 ml	6000	43800	Silver Hexafluoroantimonate(V) extrapure, 98% [26042-64-8]	5 Kg	9450
		500 ml	24000			1 Gms	3400
22264	Seralose® CL-6B (6% Beaded Agarose Cross-Linked Susp., 45-165micron)	100 ml	6000	32422	Silver Metal powder, 99.9%, -400 mesh [7440-22-4]	5 Gms	15000
		500 ml	24000			10 Gms	3300
85165	DL-Serine Hydrazide Hydrochloride pure, 98% [55819-71-1] (DL-Serinohydrazide Hydrochloride)	5 Gms	15690	43491	Silver Methanesulfonate (Silver MSA) extrapure, 47.8%-58.4% Ag (Methanesulfonic Acid Silver Salt, Silver Methylsulfonate, Silver Methylsulphonate, Methanesulphonic [2386-52-9])	25 Gms	7900
						100 Gms	31000
17017	L-Serine Methyl Ester Hydrochloride extrapure, 99% [5680-80-8]	5 Gms	960	46241	Silver Proteinate extrapure, 8% Ag [9008-42-8]	1 Gms	1500
		25 Gms	4160			5 Gms	5000
		100 Gms	11270			25 Gms	16000
18472	Sieber Linker (3-Hydroxyxanthone) extrapure, 99% [3722-51-8]	100 Mg	2620	27821	Silver Trifluoromethanesulfonate extrapure, 98% (Silver Triflate, Trifluoromethanesulfonic Acid Silver Salt) [2923-28-6]	5 Gms	2000
		1 Gms	5940			25 Gms	7000
		5 Gms	9490			1 Gms	1050
77996	Silica Cysteine-Functionalized extrapure (Particle Size — 40-63µm, Pore Size - 60A)	5 Gms	19970	69717	Silver Vanadate pure [13497-94-4]	5 Gms	3600
		10 Gms	33270			10 Mg	33600
46400	Silica DMT-Functionalized extrapure	5 Gms	11230	90677	Sinalbin Potassium Salt Reference Standard Grade, 98% (p-Hydroxybenzylglucosinolate Potassium Salt, Glucosinalbin Potassium Salt) [16411-05-5]	25 Gms	46740
		25 Gms	46740			25 Mg	6300
31156	Silica Imidazole-Functionalized extrapure	5 Gms	6660	28945	Sinigrin Potassium Salt Reference Standard Grade, 97% (2-Propenyl Glucosinolate Potassium Salt, Sinigrin Potassium Salt) [3952-98-5]	100 Mg	10290
		25 Gms	27720			5 Gms	2500
68360	Silica TAAcOH-Functionalized extrapure	5 Gms	9600	94846	Simazine extrapure, 98% (2,4-Bis(ethylamino)-6-chloro-1,3,5-triazine) [122-34-9]	25 Gms	4000
		25 Gms	39990			5 Gms	2500
28466	Silica TAAcONa-Functionalized extrapure	5 Gms	9600	56226	b-Sitosterol ex. Rice Bran, 98% (Beta Sitosterol) [83-46-5]	5 Gms	2000
		25 Gms	39990			25 Gms	9400
39343	Silica Thiol-Functionalized (STF) extrapure	5 Gms	8030	13728	b-Sitosterol ex. Glycine Max (Soyabean), 95% (Beta Sitosterol) [83-46-5]	25 Gms	4440
		25 Gms	33410			100 Gms	17410
20356	Silica DPP-Pd Catalyst extrapure	5 Gms	37790	89658	Sodium Bifluoride pure, 98% [1333-83-1]	500 Gms	1430
		10 Gms	62970			100 Gms	4330
45570	Silica TEMPO Catalyst extrapure	5 Gms	18510	53713	Sodium Biselenite pure, 98% [7782-82-3]	25 Gms	1100
		10 Gms	30850			100 Gms	1800
78339	Silica C18 (17%) Bonded monomeric extrapure	5 Gms	5260	22308	Sodium Butyrate Reagent Grade, 98.5% [156-54-7]	25 Gms	1100
		25 Gms	15190			100 Gms	1800
43139	Silica Carbonate Bonded extrapure	5 Gms	9260	41059	Sodium Caseinate extrapure (Casein Sodium Salt) [9005-46-3]	500 Gms	6800
		25 Gms	38570			100 Gms	1470
35228	Silica Cyano Bonded extrapure	5 Gms	5870	43624	Sodium Chromate pure, 98% [7775-11-3]	500 Gms	640
		10 Gms	11450			100 Gms	1500
30753	Silica Diol Bonded extrapure	5 Gms	5780	60947	Sodium Dihydro-bis-Methoxyethoxy Aluminate (VITRIDE) pure, 68-71% [22722-98-1]	500 Gms	7000
		25 Gms	24040			10 Gms	420
92868	Silica TMA Acetate Bonded non-encapped extrapure	5 Gms	8240	46288	Sodium Diphenylamine-4-Sulfonate extrapure AR, ACS [6152-67-6]	25 Gms	850
		25 Gms	34300			100 Gms	3000
50648	Silica Tosic Acid Bonded extrapure	5 Gms	10030				
		25 Gms	41770				
79427	Silicon Metal powder, 98.5%, -4 mesh [7440-21-3]	500 Gms	1300				



Code	Name	Packing	Price	Code	Name	Packing	Price
25818	● Sodium Diphenyl Reagent AR [5137-46-2] (Sodium Biphenyl Complex)	15 ml 10 x15 ml	960 8900	19099	⚡ Sodium Rhodizonate Dibasic extrapure AR, 99% [523-21-7] Rhodizonic Acid Sodium Salt, 3,4,5,6-Tetraoxocyclohexene-1,2-diol disodium salt, Rhodizonic acid dis	1 Gms 5 Gms 25 Gms	580 1380 6340
67516	● Sodium Diphenyl Reagent ExiPlus, Multi-Compendial [5137-46-2] (Sodium Biphenyl Complex)	15 ml 10 x15 ml	1430 10440	95335	⚡ Sodium Selenite Anhydrous extrapure, 98% [10102-18-8]	25 Gms 100 Gms 500 Gms	780 2610 10210
55083	⚡ Sodium Dodecylbenzenesulfonate (SDBS) pure, 80% [25155-30-0] (Dodecylbenzenesulfonic Acid Sodium Salt)	100 Gms 500 Gms 5 Kg	450 825 7200	80451	⚡ Sodium Selenite Anhydrous extrapure AR, 99% [10102-18-8]	25 Gms 100 Gms 500 Gms	820 2950 11120
36511	⚡ Sodium Fucidate (Na-FC), 97.5% [751-94-0] (Fucidic Acid Sodium Salt)	1 Gms 5 Gms	3000 8000	17169	⚡ Sodium Selenite Anhydrous for tissue culture, 99% [10102-18-8]	25 Gms 100 Gms 500 Gms	960 2840 14070
55655	⚡ Sodium Fumarate extrapure AR, 99.5% [17013-01-3]	100 Gms 500 Gms	400 1800	58529	⚡ Sodium Taurochenodeoxycholate (STCDC) extrapure, 95% [6009-98-9] (Taurochenodeoxycholic Acid Sodium Salt)	250 Mg 1 Gms	5000 12000
15331	⚡ Sodium-β-Glycerophosphate Hydrate extrapure AR, 99% [55073-41-1, 154804-51-0] (Sodium-β-Glycerol Phosphate Hydrate, β-GP, β-Glycerolphosphate, Disodium β-glycerol phosphate)	5 Gms 25 Gms 100 Gms	2000 4500 15000	63703	⚡ Sodium Taurocholate Hydrate (STC Hydrate) extrapure, 98% [345909-26-4] (Taurocholic Acid Sodium Salt Hydrate)	1 Gms 5 Gms 25 Gms 100 Gms	2370 6200 27000 85000
97971	⚡ Sodium Glycochenodeoxycholate (SGCDC) extrapure, 97% [16564-43-5] (Glycochenodeoxycholic Acid Sodium Salt)	1 Gms 5 Gms 25 Gms 100 Gms	8000 25000 105000 280000	57861	⚡ Sodium Taurodeoxycholate Dried (STDC Dried) extrapure, 97% [1180-95-6]	1 Gms 5 Gms 25 Gms	3500 10000 42000
31287	⚡ Sodium Glycocholate Dried (SGC Dried) extrapure, 98% [863-57-0]	500 Mg 1 Gms 5 Gms 25 Gms	3690 5500 17000 80000	40391	⚡ Sodium Taurodeoxycholate Hydrate (STDC Hydrate) extrapure, 97% [207737-97-1]	1 Gms 5 Gms 25 Gms 100 Gms	2500 8000 34000 120000
15556	⚡ Sodium Glycocholate Hydrate (SGC Hydrate) extrapure, 98% [338950-81-5]	1 Gms 5 Gms 25 Gms 100 Gms	4000 15000 68000 180000	31102	⚡ Sodium Tauroursodeoxycholate (TUDCA Sodium) extrapure, 98% [35807-85-3] (Tauroursodeoxycholic Acid Sodium Salt)	1 Gms 5 Gms	3000 12000
43453	⚡ Sodium Gluconate pure, 99% [527-07-1]	500 Gms 5 Kg	350 3300	78786	⚡ Sodium Thioglycolate extrapure, 99% [367-51-1]	100 Gms 250 Gms 500 Gms	970 1800 3200
54565	⚡ Sodium Malonate extrapure, 99% [141-95-7]	100 Gms 500 Gms	900 3290	48950	✓ Sodium Triacetoxyborohydride (STAB) pure, 98% [56553-60-7]	25 Gms 100 Gms 500 Gms	600 1800 8000
81020	✓ Sodium DL-Mandelate extrapure, 99% [114-21-6] (DL-Mandelic Acid Sodium Salt)	5 Gms 25 Gms	900 4200	69128	⚡ Sodium Trifluoromethanesulfinate (Langlois reagent) extrapure, 95% [2926-29-6] (Sodium Trifluoromethylsulfinate, Trifluoromethanesulfonic Acid Sodium Salt, Sodium Triflinate)	5 Gms 25 Gms	3800 12000
18444	⚡ Sodium Metavanadate extrapure, 99% [13718-26-8] (Sodium Trioxovanadate, Sodium Vanadium Oxide, Sodium Vanadium Trioxide)	25 Gms 100 Gms 500 Gms	840 2800 12000	99957	⚡ a-Solamargine extrapure, 98% [20311-51-7] (Solasonine-L-Rhamnosido-D-Glucosi de)	10 Mg 25 Mg	4500 9000
85247	⚡ Sodium-2-Naphthyl Phosphate Disodium Salt extrapure AR, 99% [31681-98-8]	1 Gms 5 Gms	980 4740	53771	⚡ Solasodine extrapure, 98% [126-17-0] (Purapuridine, Solancarpidine)	10 Mg 25 Mg	4500 9000
86766	✓ Sodium Orthovanadate pure, 45% [13721-39-6] (Sodium Vanadium Oxide)	10 Gms 50 Gms 250 Gms	2000 8000 18000	89725	⚡ Solasonine extrapure, 98% [19121-58-5] (Solasonamine)	25 Mg	9000
14215	⚡ Polyanetholesulphonic Acid Sodium Salt (Sodium Polyanetholesulphonate, SPS) extrapure [55963-78-5] (Sodium PolyanetholSulphonate)	1 Gms 5 Gms 25 Gms	500 2270 8000	54281	■ Somatostatin extrapure, 97% [38916-34-6]	5 Mg 25 Mg	2000 8000
23569	⚡ Sodium Pyruvate (Pyruvic Acid Sodium Salt) extrapure AR, 99% [113-24-6]	25 Gms 100 Gms 500 Gms	340 1030 3050				



Code	Name	Packing	Price	Code	Name	Packing	Price
62468 [87-79-6]	L-(-)-Sorbitol extrapure, 99%	5 Gms	2000	39895 [83-48-7]	Stigmasterol extrapure, 95%	1 Gms	1170
		25 Gms	5200			5 Gms	3500
		100 Gms	20000			25 Gms	12000
51719 [22189-32-8]	Spectinomycin Dihydrochloride Pentahydrate extrapure, 98%	1 Gms	1200	87610 [9013-20-1]	Streptavidin (SA) ex. Streptomyces Avidinii for molecular biology, 15U/mg Protein	5 Mg	8120
		5 Gms	4000			10 Mg	14930
		25 Gms	13000				
17030 [124-20-9]	Spermidine extrapure, 99%	250 Mg	1100	54224 [9013-20-1]	r-Streptavidin (r-SA) ex. Streptomyces Acidinii in E.Coli - Type 1, 17U/mg protein	5 Mg	44390
		1 Gms	3500				
		5 Gms	15000				
91710 [71-44-3]	Spermine Free Base extrapure, 99%	250 Mg	2000	91014 [3810-74-0]	Streptomycin Sulphate (STM)	5 Gms	410
		1 Gms	4500			25 Gms	1350
22310 [306-67-2]	Spermine Tetrahydrochloride extrapure, 99%	1 Gms	3460	62463 [3810-74-0]	Streptomycin Sulphate for tissue culture	5 Gms	930
		5 Gms	8980			25 Gms	1860
		10 Gms	17270			100 Gms	3380
		25 Gms	31080				
26413 [85187-10-6]	Sphingomyelin (Type I) ex. Bovine Brain Sphingolipids extrapure, 99%	10 Mg	7710	14653 [18883-66-4]	Streptozotocin (STZ) extrapure, 98%	100 Mg	1850
		100 Mg	40310			500 Mg	8500
95852 [85187-10-6]	Sphingomyelin (Type II) ex. Bovine Heart Sphingolipids extrapure, 99%	10 Mg	7710			1 Gms	16000
		25 Mg	17200			5 Gms	65000
77061 [657408-07-6]	S-Phos (2-Dicyclohexylphosphino-2,6-Dimethoxybiphenyl) extrapure, 98%	1 Gms	1800	28065 [100-42-5]	Styrene Monomer (Stab w/ tBC) extrapure, 99.5% (Phenylethylene, Vinylbenzene)	500 ml	950
		5 Gms	6500			2500 ml	4400
		25 Gms	25000				
63056 [122341-56-4]	3-(2'-Spiroadamantane)-4-Methoxy-4-(3'-Phosphoryloxy) Phenyl-1,2-Dioxetane (AMPPD) extrapure, 98%	5 Mg	20920	48142 [108-30-5]	Succinic Anhydride extrapure, 99.5%	100 Gms	380
						500 Gms	1500
67715 [52-01-7]	Spironolactone extrapure, 97%	500 Mg	5210	72368 [115223-09-1]	N-Succinimidyl Ferrocenecarboxylate pure, 97% (Ferrocenecarboxylic Acid N-Succinimidyl Ester)	1 Gms	4000
		1 Gms	9310			5 Gms	18000
12590	20X SSC Buffer pH 6.9-7.1 for molecular biology	200 ml	330	24088 [64987-85-5]	Succinimidyl-4-(N-maleimidomethyl) cyclohexane-1-carboxylate (SMCC), 98%	50 Mg	2620
		500 ml	740			250 Mg	10680
78305	20X SSPE Buffer pH-7.4 suitable for molecular biology	200 ml	900	20721 [386229-69-2]	Sucrose Heptasulphate Potassium Salt pure, 80% (1,3,4,6-Tetra-O-Sulfo-b-D-Fructofuranosyl-a-D-Glucopyranoside-2,3,4-Tris(Hydrogen Sulfate)Potassium)	25 Mg	18000
		1000 ml	2500				
80268 [10094-58-3]	Stachyose Tetrahydrate extrapure, 98%	25 Mg	3150	47973 [54182-58-0]	Sucrose Octasulphate Aluminium Salt (Sucralfate) extrapure, 30-36% (Sucrose Octasulfate-Aluminum Complex)	5 Gms	3000
		100 Mg	12450			25 Gms	8000
		250 Mg	28690				
31384 [57-11-4]	Stearic Acid pure, C18-98%	500 Gms	650	69538 [26446-38-8]	Sucrose Palmitate extrapure, 90% (b-D-Fructofuranosyl-a-D-Glucopyranoside Monoheptadecanoate)	25 Gms	2200
		5 Kg	6400			100 Gms	6700
		73878 [57-11-4]	Stearic Acid extrapure, C18-99%	5 Gms	300	67787 [85-86-9]	Sudan III
25 Gms	1150			100 Gms	610		
100 Gms	4400						
73439 [57-11-4]	Stearic Acid ExiPlus, Multi-Compendial, C18-99%	5 Gms	510	81329 [6209-17-2]	Sulfacetamide Sodium Monohydrate extrapure, 99%-101% (N-Acetylsulfanilamide Sodium Salt Monohydrate)	5 Gms	2750
		25 Gms	2200			50 Gms	8000
		100 Gms	7000				
	meets compendial specs of Ph.Eur			16775 [68-35-9]	Sulfadiazine (SFD) extrapure, 99-101% (4-Amino-N-(2-Pyrimidinyl)Benzenesulfonamide)	50 Gms	2630
61609 [112-61-8]	Stearic Acid Methyl Ester Reference Standard, 99% (GC) (Methyl Stearate)	5 Gms	3500			100 Gms	4990
61600	STET Lysis Buffer	500 ml	3000	28277 [547-32-0]	Sulfadiazine Sodium Salt (SFD Sodium) extrapure, 99% (4-Amino-N-(2-Pyrimidinyl)Benzenesulfonamide Sodium Salt)	25 Gms	2900
						100 Gms	9100



Code	Name	Packing	Price	Code	Name	Packing	Price
69181 [7704-34-9]	Sulfur Precipitated pure, 98%	500 Gms	230	47064 ↓ [125700-67-6]	TBTU extrapure, 98%	10 Gms 25 Gms 100 Gms 500 Gms	650 1480 5000 18000
86684 ↓ [723-46-6]	Sulphamethoxazole (SMX), 99%	5 Gms 25 Gms	2350 6410	92481 [7446-07-3]	Tellurium Dioxide ultrapure, 99.999%	5 Gms 25 Gms	2940 7000
72701 [126-33-0]	Sulpholane Anhydrous pure, 99% (Sulfolane Anhydrous)	500 ml 2500 ml	800 3700	59479 [13494-80-9]	Tellurium Metal powder, 99.9%, -200 mesh	10 Gms 100 Gms	1580 8190
13674 [126-33-0]	Sulpholane Anhydrous extrapure AR, 99% (Sulfolane Anhydrous)	500 ml 2500 ml	1025 5050	67813 [13798-24-8]	Terbium (III) Chloride Hexahydrate extrapure, 99.9%	5 Gms 25 Gms	4200 18380
31249 ■ [9054-89-1]	Superoxide Dismutase (SOD) ex. Bovine Erythrocytes, 3000U/mg	20 K.Units 100 K.Units	12450 40310	52633 [13451-19-9]	Terbium (III) Nitrate Hexahydrate ultrapure, 99.99%	2 Gms 10 Gms	4180 15400
47406 [14414-32-5]	Syringaldazine pure, 95%	1 Gms	4500	52313 [57584-27-7]	Terbium (III) Nitrate Pentahydrate extrapure, 99.9%	5 Gms 25 Gms	4400 19250
41719 [134-96-3]	Syringaldehyde extrapure, 99%	5 Gms 25 Gms 100 Gms	630 1840 6530	99186 [148980-31-8]	Terbium (III) Trifluoromethanesulfonate extrapure, 98% (Terbium(III) Triflate, Trifluoromethanesulfonic Acid Terbium(III) Salt)	1 Gms 5 Gms	3150 11550
64614 [530-57-4]	Syringic Acid pure, 96% (3,5-Dimethoxy-4-Hydroxybenzoic Acid, Gallic Acid 3,5-Dimethyl Ether)	5 Gms 25 Gms 25 Gms	1600 4000 14000	62369 [12037-01-3]	Terbium (III,IV) Oxide ultrapure, 99.99%	1 Gms 5 Gms	3680 10290
71989 ↓ [100-100-0]	10X TAE Buffer pH-8.3 for molecular biology	100 ml 500 ml	590 1040	96104 [100-20-9]	Terephthaloyl Chloride pure, 99%	100 Gms 500 Gms	1300 5400
83170 ↓ [100-100-0]	10X TBE Buffer pH-8.3 for molecular biology	200 ml 500 ml	660 1130	14676 [7365-44-8]	TES Buffer extrapure, 99% (N-Tris(Hydroxymethyl) Methyl-2-Aminoethane Sulphonic Acid)	5 Gms 25 Gms 100 Gms	800 2800 10500
51782 ↓ [100-100-0]	10X TE Buffer pH-8.0 for molecular biology	100 ml 500 ml	1260 4200	51318 [70331-82-7]	TES Buffer Sodium Salt extrapure, 99%	25 Gms 100 Gms	5900 17930
89528 [7440-25-7]	Tantalum Metal Sheet (Type 1), 99.9%	1 piece	10810	19914 ● [58-22-0]	Testosterone (free base) extrapure, 99% (17β-Hydroxy-4-Androsten-3-one)	1 Gms 5 Gms 25 Gms	1800 3500 12000
27101 [7440-25-7]	Tantalum Metal Sheet (Type 2), 99.9%	1 piece	16140	83651 ● [315-37-7]	Testosterone Enanthate extrapure, 99% (17β-Hydroxy-4-Androsten-3-one 17-Enanthate)	1 Gms 5 Gms 25 Gms	2000 5000 13000
70040 [7440-25-7]	Tantalum Metal Sheet (Type 3), 99.9%	1 piece	9440	71344 ● [57-85-2]	Testosterone Propionate extrapure, 98% (17β-Hydroxy-4-Androsten-3-one 17-Propionate)	5 Gms 25 Gms	1670 7420
10964 [29915-38-6]	TAPS Buffer extrapure, 99% (N-Tris (hydroxymethyl) Methyl-3-Aminopropane Sulphonic Acid)	25 Gms 100 Gms	1190 3140	93831 ✓ [13035-61-5]	1,2,3,5-Tetra-O-Acetyl-b-D-Ribofuranose extrapure, 98% (beta-D-Ribofuranose-1,2,3,5-Tetraacetate)	5 Gms 25 Gms	2620 9490
44194 [68399-81-5]	TAPSO Buffer extrapure, 99% (3-[Tris-(hydroxymethyl) Methylamino]-2-Hydroxypropane Sulphonic Acid)	25 Gms 100 Gms	2440 8070	76333 [79-34-5]	1,1,2,2-Tetrachloroethane extrapure AR, 99%	500 ml 1000 ml	1750 3430
28682 [147-71-7]	D-(-)-Tartaric Acid extrapure, 99%	100 Gms 250 Gms	540 1310	82175 ■ [64-75-5]	Tetracycline Hydrochloride (TC) for tissue culture, 95%	5 Gms 25 Gms 100 Gms	1050 4000 11100
60301 [87-69-4]	L-(+)-Tartaric Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7% (L-Threarc Acid) meets compendial specs of USP, BP, Ph.Eur	500 Gms 5 Kg	600 5400	38614 ■ [64-75-5]	Tetracycline Hydrochloride (TC), 95%	5 Gms 25 Gms 100 Gms	440 2170 7950
63904 [133-37-9]	DL-Tartaric Acid extrapure, 99%	500 Gms 5 Kg	530 5000				
15711 [107-35-7]	Taurine extrapure CHR, 99% (2-Aminoethanesulfonic Acid)	100 Gms 1 Kg 5 Kg	1200 8000 32500				



Code	Name	Packing	Price	Code	Name	Packing	Price		
58128 [1191-50-0]	Tetradecyl Sulphate Sodium Salt (Tergitol-4), 95% (Sodium Myristyl Sulfate, Sodium Tetradecyl Sulfate, STDS)	100 Mg	1500	52300 [637-01-4]	N,N,N,N-Tetramethyl-p-phenylenedi amine Dihydrochloride (Wursters Reagent, TMPPD) extrapure AR, 99%	5 Gms	1240		
		500 Mg	5800			25 Gms	5600		
64090 [68-05-3]	Tetraethylammonium Iodide extrapure, 99%	25 Gms	1500	91902 [2564-83-2]	2,2,6,6-Tetramethylpiperidine-1-Oxy I (TEMPO) pure, 98%	5 Gms	500		
		100 Gms	4500			25 Gms	2200		
		500 Gms	21000			100 Gms	7000		
23231 [74163-81-8]	✓ (S)-(-) 1,2,3, 4-Tetrahydroisoquinoline -3-Carboxylic Acid pure, 98%	1 Gms	2570	33379 [75-76-3]	■ Tetramethyl Silane (TMS) for NMR spectroscopy, 99.8%	25 ml	4910		
		5 Gms	9900			100 ml	14020		
55633 [14221-01-3]	Tetrakis(Triphenylphosphine) Palladium (0) extrapure, 97%	1 Gms	3800	77204 [1941-30-6]	Tetrapropylammonium Bromide extrapure, 99%	100 Gms	1220		
		5 Gms	17500			84990 [4499-86-9]	Tetrapropylammonium Hydroxide (TPAH) 10% aq. solution	100 ml	1580
		25 Gms	80000					500 ml	4200
76265 [529-34-0]	1-Tetralone pure, 98%	100 ml	1300	98078 [4499-86-9]	Tetrapropylammonium Hydroxide (TPAH) 20% aq. solution	100 ml	2000		
		500 ml	5250			500 ml	8400		
98500 [25103-58-6]	Tert-Dodecylmercaptan (mix. of isomers) extrapure, 98.5% (tert-Dodecanethiol, tert-Laurylmercaptan)	100 ml	1800	58146 [4499-86-9]	Tetrapropylammonium Hydroxide (TPAH) 40% aq. solution	100 ml	3840		
		500 ml	2800			500 ml	16280		
19028 [75-57-0]	Tetramethylammonium Chloride pure, 98%	100 Gms	670	75311 [288-94-8]	1-H-Tetrazole sublimed extrapure, 99%	1 Gms	300		
		500 Gms	3160			5 Gms	1350		
82774 [75-58-1]	Tetramethylammonium Iodide extrapure, 99%	100 Gms	3630	92739 [1719-71-7]	Tetrazolium Violet extrapure, 95%	1 Gms	2950		
		84821 [54827-17-7]	3,3,5,5-Tetramethyl Benzidine (TMB) pure, 98%			1 Gms	1950	62183 [1719-71-7]	Tetrazolium Violet (high purity) extrapure AR, 98%
5 Gms	7300			1 Gms	4110				
69860 [54827-17-7]	3,3,5,5-Tetramethyl Benzidine (TMB) extrapure AR, 98%	25 Gms	29160	44826 [3081-61-6]	L-Theanine extrapure, 99%	5 Gms	1000		
		100 Mg	610			25 Gms	2500		
		1 Gms	3040			100 Gms	8000		
68738 [54827-17-7]	3,3,5,5-Tetramethylbenzidine (TMB) extrapure AR, ExiPlus, Multi-Compendial, 98% meets compendial specs of BP, Ph.Eur	1 Gms	4260	83155 [326-91-0]	3(2-Thenoyl)-1,1,1- Trifluoroacetone (TTFA) extrapure AR, 99% (2-Thenoyltrifluoroacetone, TTA (extractant), TTB)	10 Gms	1260		
		5 Gms	8750			100 Gms	8000		
55597 [64285-73-0]	3,3,5,5-Tetramethylbenzidine Dihydrochloride anhydrous (TMB.dHCl anhy) extrapure AR, 99%	100 Mg	2730	82500 [67-03-8]	Thiamine Hydrochloride for tissue culture, 98.5% (Vitamin B1)	25 Gms	1000		
		1 Gms	5820			100 Gms	3680		
		5 Gms	18980			71081 [67-03-8]	Thiamine Hydrochloride pure, 98.5% (Vitamin B1)	10 Gms	400
36746 [207738-08-7]	3,3,5,5-Tetramethyl Benzidine Dihydrochloride Hydrate (TMB.2HCl.xH2O) extrapure, 98% (TMB DiHCl)	500 Mg	3000	25 Gms	820				
		1 Gms	5760	100 Gms	2730				
5 Gms	19610	79903 [15318-45-3]	Thiamphenicol (TMP), 98%	1 Gms	1200				
64407 TMB Solution A (1% TMB in DMSO)	100 ml			1560	5 Gms	3000			
38783 TMB Solution B (30% H2O2)	100 ml	910	33611 [298-93-1]	Thiazolyl Blue Tetrazolium Bromide (MTT) extrapure AR, 98%	100 Mg	480			
99986 [366-29-0]	N,N,N,N-Tetramethyl Benzidine extrapure AR, 95%	100 Mg			1520	500 Mg	1600		
		1 Gms			4370	1 Gms	3000		
13618 [3010-96-6]	2,2,4,4-Tetramethyl-1,3-Cyclobutan ediol (CBDO) (mixture of isomers) extrapure, 99%	5 Gms	5250	5 Gms	11000				
		25 Gms	15500	58945 [298-93-1]	Thiazolyl Blue Tetrazolium Bromide (MTT) for tissue culture, 98%	500 Mg	2000		
88001 [3277-26-7]	1,1,3,3-Tetramethyldisiloxane (TMDS) extrapure, 98%	25 ml	1230			1 Gms	3600		
		100 ml	3740	58910 [57360-69-7]	Thiazolyl Blue Formazan (MTT Formazan) extrapure AR, 98% (1-(4,5-Dimethylthiazol-2-yl) -3,5-Diphenylformazan)	250 Mg	4600		
53180 [80-70-6]	✓ 1,1,3,3-Tetramethylguanidine extrapure AR, 99% N,N,N,N-Tetramethylguanidine	100 ml	2100			1 Gms	11300		
		500 ml	8190						



Code	Name	Packing	Price	Code	Name	Packing	Price
11652	Thidiazuron (TDZ) extrapure, 97% [51707-55-2]	1 Gms	4500	41862	Thorin extrapure AR [3688-92-4]	1 Gms	2400
		5 Gms	8000			5 Gms	11000
		25 Gms	26000				
88098	Thidiazuron (TDZ) for tissue culture, 97% [51707-55-2]	250 Mg	3000	50444	D-Threonine (allo-free) extrapure, 99% [632-20-2]	5 Gms	1800
		1 Gms	5500			25 Gms	6580
		5 Gms	12000			100 Gms	23910
10083	Thioacetic Acid pure, 97% [507-09-5]	100 ml	1050	75164	DL-Threonine extrapure CHR, 99% [80-68-2]	5 Gms	510
		500 ml	3000			25 Gms	1890
94066	Thiocolchicoside extrapure, 98% [602-41-5] (2-Demethoxy-2-Glucosidoxythiocolchicine)	50 Mg	2000	88355	L-Threonine extrapure CHR, 99% [72-19-5]	100 Gms	7030
		250 Mg	3200			1 Kg	67780
		1 Gms	8000			25 Gms	330
46913	DL-6,8-Thioctic Acid extrapure (α-Lipoic Acid), 98% [1077-28-7]	5 Gms	2540	62667	L-Threonine for tissue culture, 99% [72-19-5]	100 Gms	650
		25 Gms	6000			500 Gms	3000
		250 Gms	9000			1 Kg	5500
45487	Thiomalic Acid (Mercaptosuccinic Acid) pure, 99% [70-49-5]	25 Gms	840	50444	L-Threonine for tissue culture, 99% [72-19-5]	5 Kg	25000
		100 Gms	1370			25 Gms	500
		500 Gms	6090			100 Gms	1800
85090	Thiomersal (Thimerosal) Reagent Grade, 98% [54-64-8]	5 Gms	4300	24815	D-Threosinol extrapure, 98% [44520-55-0]	500 Mg	6130
		10 Gms	8250			1 Gms	10550
		25 Gms	20000				
27662	Thiomersal (Thimerosal) ExiPlus, Multi-Compendial (Suitable for Vaccine&Diagnostic Production), 98% [54-64-8] meets compendial specs of BP, Ph.Eur	100 Gms	75000	20724	Thymidine extrapure, 99% [50-89-5] (2-Deoxythymidine, B-Thymidine, Thymine Deoxyriboside, 5-Methyldeoxyuridine)	5 Gms	1730
		25 Gms	22000			25 Gms	7200
		100 Gms	82000				
40413	Thiophene-2-Boronic Acid extrapure, 98% [6165-68-0] (2-Thienylboronic Acid, Thien-5-ylboronic Acid)	10 Gms	9000	45764	Thymidine-5-Monophosphate Disodium Salt (TMP-Na2) extrapure, 98% [33430-62-5]	100 Mg	1680
		25 Gms	22000			250 Mg	3570
		100 Gms	82000				
57589	Thiophene-2-Carboxylic Acid pure, 98% [527-72-0]	1 Gms	810	57046	Thymine extrapure, 98% [65-71-4]	10 Gms	630
		5 Gms	1640			25 Gms	1320
		25 Gms	5430			100 Gms	4020
39416	Thiophene-2-Carboxylic Acid pure, 98% [527-72-0]	100 Gms	16160	47110	Thymol Crystal pure, 99% [89-83-8]	100 Gms	550
		25 Gms	5430			500 Gms	2200
		100 Gms	16160			5 Kg	20000
35020	Thionicotinamide Adenine Dinucleotide (Thio-NAD) extrapure, 90% [4090-29-3]	25 Mg	3470	77675	Thymolphthelexone [1913-93-5]	1 Gms	3050
		100 Mg	12980			5 Gms	11620
35020	Thionicotinamide Adenine Dinucleotide Disodium Salt Reduced (Thio-NADH) extrapure, 93% [1921-48-8]	25 Mg	2400	86637	Thymol Violet [7512-38-1]	5 Gms	470
		100 Mg	6500				
29808	Thiophene-2-Acetic Acid pure, 98% [1918-77-0]	25 Mg	2400	12558	L-Thyronin extrapure, 98% [1596-67-4]	100 Mg	7080
		100 Mg	6500				
14055	Thiophene-2-Acetic Acid pure, 98% [1918-77-0]	5 Gms	930	90196	Tiglic Acid extrapure, 98% [80-59-1]	25 Gms	1310
		25 Gms	3000			100 Gms	4620
		100 Gms	10130				
28033	2-Thiophenecarboxaldehyde pure, 98% [98-03-3] (Thiophene-2-Carboxaldehyde, Thenaldehyde, Thiophene-2-Aldehyde)	5 Gms	930	87347	Titanium Tetrachloride 1M in Dichloromethane [7550-45-0] (Titanium (IV) Chloride in MDC)	100 ml	1080
		25 Gms	3000			500 ml	4990
		100 Gms	10130				
83203	L-Thioproline extrapure, 98% [34592-47-7] (L-4-Thiazolidinecarboxylic Acid)	25 ml	900	83692	Titanium Tetrachloride 1M in Toluene [7550-45-0] (Titanium (IV) Chloride in Toluene)	100 ml	1080
		100 ml	2800			500 ml	4990
		250 ml	6800				
96768	2-Thiouracil extrapure, 98% [141-90-2] (2-Mercaptopyrimidine-4-ol)	10 Gms	600	84161	TNTU extrapure, 99% [125700-73-4]	10 Gms	4090
		25 Gms	1200			25 Gms	8040
83203	Thiosalicylic Acid pure, 98% [147-93-3] (2-Mercaptobenzoic Acid)	25 Gms	840	56183	Tobramycin (TBM) [32986-56-4]	50 Mg	1200
		100 Gms	2210			500 Mg	7000
96768	2-Thiouracil extrapure, 98% [141-90-2] (2-Mercaptopyrimidine-4-ol)	25 Gms	1050				
		100 Gms	3890				



Code	Name	Packing	Price	Code	Name	Packing	Price
59844 [7695-91-2]	DL-a-Tocopherol Acetate (Vitamin E Acetate) for tissue culture, 98%	5 Gms 25 Gms 100 Gms	360 1250 4770	68084 [3588-17-8]	trans,trans-Muconic acid (ttMA) extrapure, 98% (trans,trans-2,4-Hexadienedioic Acid, trans,trans-1,3-Butadiene-1,4-Dicarboxylic Acid)	1 Gms 5 Gms	2380 11150
52885 [887144-97-0]	Togni's Reagent (3,3-Dimethyl-1-(trifluoromethyl)-1,2-benziodoxole) extrapure, 97% (1-Trifluoromethyl-3,3-Dimethyl-1,2-Benziodoxole)	250 Mg 1 Gms 5 Gms	5400 14000 24000	42618 [288-88-0]	1,2,4-Triazole pure, 98%	100 Gms 500 Gms	290 1300
67593 [119-93-7]	o-Tolidine extrapure AR, 98% (3,3-Dimethyl Benzidine)	25 Gms 100 Gms 500 Gms	690 2100 3780	93572 [41253-21-8]	1,2,4-Triazole Sodium extrapure, 98% (Sodium-1,2,4-Triazolide)	25 Gms 100 Gms 500 Gms	760 2800 5000
65954 [119-93-7]	o-Tolidine extrapure AR, ExiPlus, Multi-Compendial, 98% (3,3-Dimethyl Benzidine) meets compendial specs of USP, BP, Ph.Eur	25 Gms 100 Gms 500 Gms	790 2520 4200	78411 [626-39-1]	1,3,5-Tribromobenzene pure, 98%	25 Gms	3700
82897 [118-90-1]	o-Toluic Acid pure, 99.5%	250 Gms 500 Gms	500 890	76074 [90131-68-3]	Tribulus Terrestris Extract, 45% FS	5 Gms 25 Gms	2600 5000
70097 [90-04-7]	m-Toluic Acid pure, 98%	250 Gms 500 Gms	550 900	99486 [108-70-3]	1,3,5-Trichlorobenzene (1,3,5-TCB) pure, 99%	100 Gms 500 Gms	2800 9500
61421 [90-94-5]	p-Toluic Acid pure, 98%	250 Gms 500 Gms	480 850	94076 [115-20-8]	2,2,2-Trichloroethanol pure, 98% (Trichloroethyl alcohol, β,β,β -Trichloroethyl alcohol, 2,2,2-Trichloroethan-1-ol)	25 ml 100 ml 250 ml	2200 7500 12000
12358 [106-49-0]	p-Toluidine pure, 98%	500 Gms	750	27740 [5704-04-1]	TRICINE Buffer Reagent Grade, 99% (N-Tris-(hydroxymethyl) Methylglycine)	25 Gms 100 Gms 500 Gms	1100 4400 20000
86003 [106-49-0]	p-Toluidine specially purified extrapure, 99%	500 Gms	1250	67490 [2622-14-2]	Tricyclohexylphosphine (Cy3P) extrapure, 94% (P(Cy) ₃ , PCy ₃)	5 Gms 25 Gms 100 Gms	1500 6500 25000
22134 [92-31-9]	Toluidine Blue O, 90% (Basic Blue 17, Blutene Chloride, Methylene Blue T50, Tolonium Chloride)	10 Gms 25 Gms 100 Gms	340 770 2660	63437 [58656-04-5]	Tricyclohexylphosphine Tetrafluoroborate extrapure, 98%	1 Gms 5 Gms	2170 6490
37699 [92-31-9]	Toluidine Blue O for tissue culture, 90% (Basic Blue 17, Blutene Chloride, Methylene Blue T50, Tolonium Chloride)	10 Gms 25 Gms	910 2050	80184 [637-39-8]	Triethanolamine Hydrochloride extrapure AR, 99%	100 Gms 500 Gms	430 1500
20611 [1576-35-8]	p-Toluenesulfonyl Hydrazide pure, 98% (p-Toluenesulfonic Acid Hydrazide, p-Toluenesulphonyl Hydrazide, Tosylhydrazide)	25 Gms 100 Gms 500 Gms	740 2100 7770	80058 [75-89-8]	2,2,2-Trifluoroethanol pure, 99%	25 ml 100 ml 500 ml	420 1050 4400
68913 [75737-38-1]	meta-Topolin (mT) for molecular biology, 98% (6-(3-Hydroxybenzylamino)purine)	25 Mg 100 Mg	2000 4800	14428 [10009-20-8]	N-6-Trifluoroacetyl-L-Lysine extrapure, 98% (H-Lys(Tfa)-OH)	5 Gms 25 Gms	1640 3300
56521 [82692-93-1]	TOOS extrapure, 98%	1 Gms 5 Gms	4500 18000	12631 [1423-26-3]	3-Trifluoromethyl Phenylboronic Acid extrapure, 97%	1 Gms 5 Gms 25 Gms	1340 2500 12450
95595 [136849-72-4]	TOTU extrapure, 99%	5 Gms 25 Gms 100 Gms	2100 6000 22000	79009 [70-00-8]	5-Trifluorothymidine extrapure, 99%	100 Mg 1 Gms	4200 32000
25793 [3682-35-7]	TPTZ extrapure AR (2,4,6-Tri-(2-pyridyl)-5-triazine), 99%	1 Gms 5 Gms 25 Gms	1200 4500 16000	37758 [88-82-4]	2,3,5-Triiodobenzoic Acid (TIBA) extrapure AR, 98%	5 Gms 10 Gms 25 Gms	600 1200 2500
49011 [593-50-0]	Triacantanol (TRIA) extrapure, 90%	500 Mg 1 Gms	8000 14000	35241 [6893-02-3]	3,3,5-Triiodo-L-Thyronine extrapure, 95% (3,3,5-Triiodothyronin)	100 Mg 1 Gms	4500 26000
				14219 [538-24-9]	Trilaurin pure, 98%(GC) (Glycerol Trilaurate, Glyceryl Trilaurate, Glyceryl Tridodecanoate)	5 Gms 25 Gms 100 Gms	1500 3700 8600



Code	Name	Packing	Price	Code	Name	Packing	Price
84217	Trilaurin Reference Standard, 99% (GC) (Glycerol Trilaurate, Glycerol Trilaurate, Glycerol Tridodecanoate)	100 Mg 1 Gms 5 Gms	2200 6000 13000	83676	Trimyristin Reference Standard, 99%(GC) (Glycerol Trimyristate, Glycerol Trimyristate)	1 Gms 5 Gms 25 Gms	4000 12000 21000
57355	Trimesic Acid extrapure, 98% (Benzene-1,3,5-Tricarboxylic acid, 1,3,5-Benzenetricarboxylic Acid)	5 Gms 25 Gms 100 Gms	740 2630 4200	84050	Trioctylamine (Tri-n-Octylamine) pure, 95%	100 ml 500 ml	1050 3680
20139	Trimethyl Chlorosilane (TMCS) extrapure, 98%	250 ml 1000 ml 2500 ml	700 2200 4400	37958 ●	Triolein Reference Standard, 99% (GC)	500 Mg 1 Gms	4870 8420
66889 ✓	N,N,N-Trimethylethylenediamine pure, 97%	5 Gms 25 Gms	3200 11000	59708	Tripalmitin pure, 85%(GC)	25 Gms 100 Gms	5000 12000
18879	Trimethoprim (TMP), 98.5%	5 Gms 25 Gms	750 2980	75700	Tripalmitin Reference Standard, 99%(GC)	100 Mg 500 Mg 1 Gms	1200 3500 6000
66069	3,4,5-Trimethoxy Benzaldehyde pure, 98%	25 Gms 100 Gms	900 3000	38015	N-Triphenyl Methyl Glycine extrapure, 98%	25 Gms	19920
41569	1,3,5-Trimethoxybenzene pure, 99%	25 Gms	3020	24651	Triphenylphosphine pure, 98%	100 Gms 500 Gms 1 Kg	800 3800 7200
40017	3,4,5-Trimethoxybenzoic Acid extrapure, 99% (Gallic Acid Trimethyl Ether, Trimethylgallic Acid)	25 Gms 100 Gms	950 3150	43068 ✓	Triphenylphosphinegold(I) Chloride ((Ph₃P)AuCl), 98% (Chloro(triphenylphosphine)Gold(I))	500 Mg 1 Gms	4800 9500
49601	N-(3-Trimethoxysilylpropyl) Diethylenetriamine (TMSPD) pure, 95% (2-[2-(3-Trimethoxysilylpropylamino)ethylamino]ethylamine, 3-[2-(2-Aminoethylamino)ethylamino]propyl)	100 ml 500 ml	5000 20000	95474	Triphenylphosphine Hydrobromide pure, 98%	5 Gms 25 Gms	1240 3110
90265	Trimethyl Chlorosilane (TMCS) extrapure, 99%	250 ml 1000 ml 2500 ml	800 2400 4800	32098	Triphenylphosphine Oxide (TPPO) pure, 98.5% (Triphenyl Phosphorus Oxide)	25 Gms 100 Gms 500 Gms	350 1200 3000
67883	Trimethyl Chlorosilane (TMCS) 1M Solution in THF	100 ml	3500	70874 ✓	Triphenylphosphonium Dibromide pure, 98%	5 Gms 25 Gms 100 Gms	2400 5100 14000
41020	Trimethyloctylammonium Chloride (TMOACI) extrapure, 98% (Octyltrimethylammonium Chloride)	25 Gms 100 Gms	2000 6500	53730	1,3,5-Triphenyltetrazolium Formazan (TTC Formazan) extrapure, 95%	1 Gms 5 Gms 25 Gms	1600 4700 8500
68989	Trimethyl Orthoformate (TMOF) pure, 98%	500 ml 2500 ml 25 Ltr	530 2200 21000	65599 ●	2,3,5-Triphenyltetrazolium Chloride (TTC) extrapure, 99%	10 Gms 25 Gms 50 Gms 100 Gms	2000 4000 7000 13000
49901	N-(Trimethylsilyl)diethylamine (TMSDEA) extrapure, 97% (Diethylamino)trimethylsilane, N,N-Diethyltrimethylsilylamine)	25 ml 100 ml	5110 14580	98635	10X Tris Acetate-SDS Buffer pH-8.3 for molecular biology (TA-SDS Running Buffer)	500 ml 1000 ml	800 1500
45238	N-Trimethylsilylimidazole (TMSIM) extrapure, 98% (1-(Trimethylsilyl)imidazole)N-Trimethylsilylimidazole, TSM)	5 ml 25 ml 100 ml	700 2100 6800	47804	20X Tris Acetate-SDS Buffer pH-8.3 for molecular biology (TA-SDS Running Buffer)	500 ml 1000 ml	1500 2850
97039	3-Trimethylsilylpropionic Acid (TMSPA) extrapure, 95%	1 ml 5 ml	5470 17620	65421 ✓	Tris(2,2-bipyridine)ruthenium(II) Hexafluorophosphate ((Ru(BPY)₃(PF₆)₂), 97% (Ruthenium-tris(2,2'-bipyridyl) dihexafluorophosphate)	250 Mg 1 Gms	4200 15000
39671	Trimethylsulfoxonium Iodide (TMSI) extrapure, 99%	25 Gms 100 Gms 500 Gms	880 2000 8800	26055 ✓	Tris(2,2-bipyridyl)dichlororuthenium (II) Hexahydrate (Ru(BPY)₃), 98% (Ruthenium-tris(2,2'-bipyridyl) dichloride, Tris(2,2'-bipyridyl)ruthenium(II) chloride hexahydrate)	250 Mg 1 Gms	3800 7000
18779	Trimyristin pure, 95%(GC) (Glycerol Trimyristate, Glycerol Trimyristate)	5 Gms 25 Gms	2000 4600				



Code	Name	Packing	Price	Code	Name	Packing	Price
55664	Tris(2-carboxyethyl) Phosphine Hydrochloride (TCEP) extrapure AR, 98%	1 Gms 5 Gms 25 Gms	1200 2800 8000	43235	Tris(Hydroxymethyl)-Aminomethane Phosphate Monobasic extrapure (Tris Phosphate Monobasic), 98%	100 Gms	1640
79175	Tris(dibenzylideneacetone)dipalladium(0) (Pd2(dba)3) extrapure, 22-25% Pd	500 Mg 1 Gms 5 Gms 25 Gms	4680 7800 36000 120000	63291	Tris(Hydroxymethyl)-Aminomethane Succinate extrapure (Tris Succinate), 99%	100 Gms	1640
96455	Tris(Dibenzylideneacetone)Dipalladium-Chloroform Adduct extrapure, 20% Pd (Dipalladium-tris(Dibenzylideneacetone)Chloroform Complex, Pd2(dba)3.CHCl3)	250 Mg 1 Gms 5 Gms	1800 6200 25000	47952	Tris(Hydroxymethyl)-Aminomethane Sulphate extrapure (Tris Sulphate), 98%	100 Gms	1090
87326	10X Tris-Glycine pH-8.3 Tank Buffer for molecular biology	200 ml 1000 ml	840 3150	50615	Tristearin pure, 90%(GC) (Glycerol Tristearate, Glyceryl Tristearate)	25 Gms 100 Gms	2380 8660
57806	10X Tris-Glycine-SDS Buffer for molecular biology (TG-SDS Running Buffer)	200 ml 1000 ml	480 1070	11085	Tristearin Reference Standard, 99% (GC) (Glycerol Tristearate, Glyceryl Tristearate)	500 Mg 1 Gms 5 Gms	2500 4000 16000
83471	10X Tris Buffered Saline (TBS) for molecular biology (10X TBS Buffer)	500 ml	1960	48445	S-Trityl-L-Cysteine extrapure, 98%	1 Gms	4510
63825	10X Tris Buffered Saline Tween-20 (TBST) for molecular biology	500 ml	520	58026	Trypan Blue (Direct blue 14) (C.I. No. 23850)	25 Gms 100 Gms	1060 4100
79091	1M Tris Hydrochloride Buffer (1M Tris HCl) pH-7.2 for molecular biology (Tris(hydroxymethyl)aminomethane, Hydrochloric Acid)	100 ml 500 ml	1110 4680	31591	Trypan Blue for tissue culture (Direct blue 14) (C.I. No. 23850)	25 Gms	1670
55904	1M Tris Hydrochloride Buffer (1M Tris HCl) pH-8.0 for molecular biology (Tris(hydroxymethyl)aminomethane, Hydrochloric Acid)	100 ml 500 ml	1640 4910	12788	Trypan Blue 0.4% Solution	50 ml 125 ml	400 950
37852	10X Tris-Tricine-SDS Buffer for molecular biology (TT-SDS Running Buffer)	500 ml	1210	60484	Trypsin (3x cryst.) ex Bovine Pancreas, 7500BAEE U/mg (2500NF U/mg)	250 Mg 1 Gms 5 Gms	1180 2380 10600
62850	Tris(Hydroxymethyl) Aminomethane Acetate extrapure AR (Tris Acetate Buffer), 99%	100 Gms 500 Gms	1400 6530	42657	Trypsin Inhibitor ex. Soyabean, 10000 BAEE U/mg	25 Mg 100 Mg 250 Mg 500 Mg 1 Gms	3500 9000 18000 28000 51000
34969	Tris(Hydroxymethyl) Aminomethane Acetate for molecular biology (Tris Acetate Buffer), 99%	100 Gms 500 Gms	1900 8900	12094	Tryptamine Hydrochloride extrapure, 98%	1 Gms 5 Gms 25 Gms	610 2000 9000
23017	Tris(Hydroxymethyl)-Aminomethane Carbonate extrapure (Tris Carbonate), 99%	100 Gms	2070	67654	L-Tryptophan Methyl Ester Hydrochloride extrapure, 99%	5 Gms 25 Gms	2140 9250
32119	Tris(Hydroxymethyl)-Aminomethane Maleate extrapure (Tris Maleate), 99.5%	100 Gms	1550	51335	Tungsten Metal Powder, 99.9%, -325 mesh	100 Gms 500 Gms	2580 9800
25913	Tris(Hydroxymethyl)-Aminomethane Nitrate extrapure (Tris Nitrate), 99%	100 Gms	2070	17472	Tungstic Acid pure, 98%	100 Gms 250 Gms	1200 2800
55088	Tris(Hydroxymethyl)-Aminomethane Oxalate extrapure(Tris Oxalate), 99%	100 Gms	1450	55401	Tungstic Acid extrapure AR, 99%	100 Gms 500 Gms	1350 6400
68353	Tris(Hydroxymethyl)-Aminomethane Phosphate Dibasic extrapure (Tris Phosphate Dibasic), 98%	100 Gms	1640	98328	Turpentine oil extrapure	500 ml 2500 ml 25 Ltr	400 1900 17000
				33541	Tyramine Hydrochloride extrapure, 98%	25 Gms 100 Gms 500 Gms	3500 7500 12000



Code	Name	Packing	Price	Code	Name	Packing	Price
94870	■ Tyrosinase (Polyphenol Oxidase) ex. Mushroom, 800U/mg (Catechol Oxidase, Monophenol Monoxygenase, Dihydroxyphenylalanine:Oxygen Oxidoreductase)	25 K.Units	7500	44762	Valeraldehyde pure (Pentanal), 98% (Pentanal)	100 ml	470
		100 K.Units	28500			500 ml	1200
46121	🔗 Umbelliferone (7-Hydroxycoumarin) extrapure, 98%	10 Gms 25 Gms	2100 4500	31477	n-Valeric Acid pure, C5-99% (GC)	500 ml 1000 ml	1060 1990
46487	🔗 Undecylenic Acid extrapure, C11-99% (GC)	100 Gms	650	22128	Valeronitrile (Butyl Cyanide) pure, 99% (Butyl Cyanide)	100 ml	400
		500 Gms	2810			500 ml	1350
23622	🔗 Uracil extrapure, 99%	25 Gms	430	80634	Valerophenone pure, 98%	100 ml	500
		100 Gms	1550			500 ml	1800
		1 Kg	12000			2500 ml	8000
		5 Kg	50000				
81405	✓ Uranyl Acetate Dihydrate ACS, 98%	1 Gms	3300	95091	Valeroyl Chloride pure, 98%	100 ml	700
		5 Gms	12500			500 ml	2800
		25 Gms	60000				
70780	Uranyl Magnesium Acetate extrapure, 98%	1 Gms	4000	21562	D-Valine extrapure CHR, 99%	5 Gms	600
		5 Gms	17000			25 Gms	1900
74495	✓ Uranyl Nitrate Hexahydrate extrapure, 98%	1 Gms	4000	14159	DL-Valine extrapure CHR, 99%	100 Gms	6500
		5 Gms	17000			25 Gms	800
		25 Gms	75000			500 Gms	2900
64807	■ Urease ex. Jack Beans, 200U/mg solids	1 Kg	25000	83185	🔗 L-Valine Benzyl Ester Hydrochloride extrapure, 98%	1 Kg	25000
		3000 Units	1250			25 Gms	10520
		10000 Units	2800				
		25 K.Units	6530				
64632	■ r-Urease (Thermostable) ex. E. Coli, 150U/mg	100	11270	38052	🔗 L-Valine Methyl Ester Hydrochloride extrapure, 99%	1 Gms	360
		10000 Units	13140			5 Gms	960
90739	🔗 Uric Acid extrapure AR, 99%	25 Gms	3750	40652	🔗 Valinomycin, 95%	100 Gms	2850
		100 Gms	14000			100 Gms	8310
		500 Gms	60000			10 Mg	4500
95410	■ r-Uricase (Thermostable) ex. Yeast, 3U/mg	500 Units	6490	45344	Vanadium Metal Powder, 99.7%	5 Gms 25 Gms	1700 7000
62205	🔗 Uridine extrapure, 99%	5 Gms	870	61078	🔗 Vancomycin Hydrochloride (VNC), 90%	1 Gms	3000
		25 Gms	3530			5 Gms	7000
		100 Gms	8000				
20964	● Uridine 5'-Diphosphoglucose Disodium Salt Hydrate extrapure (UDPG.2Na Hydrate), 98%	25 Mg	1400	72241	🔗 Vanillylmandelic Acid extrapure, 99% (VMA, DL-4-Hydroxy-3-Methoxy Mandelic Acid)	250 Mg	1300
		100 Mg	3200			1 Gms	4360
		1 Gms	12000			5 Gms	15640
48301	● Uridine 5-Monophosphate Disodium Salt Hydrate (5-UMP-Na2) extrapure, 98.5%	5 Gms	1300	11547	🔗 n-Veratraldehyde pure, 98%	100 Gms	1050
		25 Gms	5500			250 Gms	2200
56613	● Uridine-5-Triphosphate Trisodium Salt Dihydrate (UTP-Na3) extrapure, 90%	100 Mg	2000	96011	Veratrole pure, 98% (1,2-Dimethoxy Benzene)	100 ml	350
		500 Mg	5000			500 ml	1500
		1 Gms	9000				
50178	🔗 Ursodeoxycholic Acid (UDCS) extrapure, 99%	1 Gms	950	77472	🔗 Vitamin B12 for molecular biology, 97% (Cyanocobalamin)	250 Mg	770
		5 Gms	1500			1 Gms	2200
		25 Gms	6000			5 Gms	9800
24436	🔗 (+)- Usnic Acid, 98%	1 Gms	1500	56437	🔗 Vitamin B12 for tissue culture, 97% (Cyanocobalamin)	250 Mg	1100
		5 Gms	3000			1 Gms	2800
		25 Gms	9000				
				54911	🔗 Vitamin K1 extrapure, 98% (Phytonadione, Phylloquinone, 2-Methyl-3-phytyl-1,4-Napthoquinone, 3-Phytymenadione)	1 Gms 5 Gms	1580 7140
				50342	🔗 Vanadyl Acetylacetonate pure, 98% (Vanadyl Acetoacetate, Vanadium(IV) oxide acetylacetonate, VO(acac)2, Vanadium(IV)-oxy acetylacetonate)	25 Gms 100 Gms	850 3000



Code	Name	Packing	Price	Code	Name	Packing	Price
23761 [123334-20-3]	Vanadyl Sulphate Hydrate pure, 97% (Vanadium (IV) Oxide Sulfate Hydrate, Oxysulphato Vanadium (IV) Hydrate, Vanadium Oxysulphate)	25 Gms 100 Gms 500 Gms	700 2300 10500	84974 [58-86-6]	D-(+)-Xylose extrapure	100 Gms 500 Gms	420 1100
40996 [83480-29-9]	Voglibose extrapure, 98% (Basen, Glustat, N-(1,3-Dihydroxy-2-propyl)valiolamine)	100 Mg 500 Mg	3000 9000	29426 [58-86-6]	D-(+)-Xylose ExiPlus, Multi-Compendial meets compendial specs of USP, BP	100 Gms 500 Gms	510 1300
66532 [201058-08-4]	Wang Resin, 1% DVB, 0.4-2mmol/g, 100-200 mesh (p-Benzyloxybenzyl Alcohol Resin, DVB cross linked)	5 Gms 25 Gms 100 Gms	3210 12600 28350	98468 [609-06-3]	L-(-)-Xylose extrapure, 99%	5 Gms 25 Gms	1500 6000
76374 [247021-90-5]	Weinreb Linker extrapure, 98% (N-FMOC-N-Methoxy-3-Aminopropionic Acid)	1 Gms	8310	31832 [65-19-0]	Yohimbine Hydrochloride extrapure, 99%	1 Gms 5 Gms	2400 8000
13111 [68988-92-1]	Wright Stain (Eosine Methylene Blue solution according to Wright)	25 Gms 100 Gms 500 Gms	600 2340 11000	36744 [10361-91-8]	Ytterbium (III) Chloride anhydrous, 99.9%	5 Gms	4000
72465 [193149-74-5]	WST-8, 95% (2-(2-Methoxy-4-Nitrophenyl)-3-(4-Nitrophenyl)-5-(2,4-Disulphophenyl)-2H-Tetrazolium Sodium Salt)	50 Mg	8000	24099 [10035-01-5]	Ytterbium (III) Chloride Hexahydrate extrapure, 99.9% (Ytterbium Trichloride Hexahydrate)	10 Gms 50 Gms	2500 5500
52714	X-Gal Solution (20mg/ml)	1 ml	2140	20435 [35725-34-9]	Ytterbium (III) Nitrate Pentahydrate extrapure, 99.9%	10 Gms 50 Gms	3000 6400
20748 [69-89-6]	Xanthine extrapure CHR, 99%	5 Gms 25 Gms	820 3280	58985 [1314-37-0]	Ytterbium (III) Oxide extrapure, 99.9%	10 Gms 50 Gms	2500 5500
39607 [9002-17-9]	Xanthine Oxidase Suspension ex. Butter Milk, 1-4 U/mg protein	5 Units 25 Units	4500 9000	61813 [252976-51-5]	Ytterbium (III) Trifluoromethanesulfonate Hydrate extrapure, 98% (Ytterbium triflate, Trifluoromethanesulfonic Acid Ytterbium Salt)	1 Gms 5 Gms 25 Gms	950 2200 8500
62965 [9002-17-9]	Xanthine Oxidase ex. Microorganism, 15U/mg	250 Units	14610	63190 [10361-92-9]	Yttrium (III) Chloride anhydrous ultrapure, 99.99% (Yttrium Trichloride)	10 Gms 50 Gms	3400 9000
94623 [6754-58-1]	Xanthohumol ex. Hop (Humulus Lupulus), 94%	5 Mg	18690	63390 [10025-94-2]	Yttrium (III) Chloride Hexahydrate extrapure AR, 99.9%	5 Gms 25 Gms 100 Gms	800 1300 4000
62630 [59-00-7]	Xanthurenic Acid extrapure, 90%	500 Mg 1 Gms	3200 5500	51515 [13494-98-9]	Yttrium (III) Nitrate Hexahydrate extrapure AR, 99.9%	25 Gms 100 Gms	1100 2800
55962 [161265-03-8]	XantPhos (4,5-Bis(Diphenylphosphino)-9,9-Dimethylxanthine) extrapure, 98%	1 Gms 5 Gms 25 Gms 100 Gms	1200 3500 13500 50000	21412 [52093-30-8]	Yttrium (III) Trifluoromethanesulfonate extrapure, 98% (Yttrium triflate, Trifluoromethanesulfonic Acid Yttrium Salt)	5 Gms 25 Gms	3000 9800
27540 [564483-18-7]	X-Phos (2-Dicyclohexylphosphino-2,4,6-Triisopropylbiphenyl) extrapure, 98%	1 Gms 5 Gms	1500 6000	37482	Z-L-Amino Acids Kit	1 Kit	25870
91186 [9014-63-5]	Xylan from Beechwood	5 Gms 10 Gms 25 Gms 100 Gms	2700 5000 9000 40000	68280 [2304-94-1]	Z-b-Alanine extrapure, 99%	1 Gms 5 Gms 25 Gms	580 1480 5870
30565 [9014-63-5]	Xylan from Corn Cob, 95%	10 Gms 25 Gms 100 Gms 500 Gms	1200 2500 7000 24000	15701 [26607-51-2]	Z-D-Alanine extrapure, 99%	1 Gms 5 Gms 25 Gms	600 2430 11080
13814 [37278-89-0]	Xylanase ex. Aspergillus Niger, 60MU/g	25 Gms 100 Gms 500 Gms	1230 4000 18000	24368 [4132-86-9]	Z-DL-Alanine extrapure, 99%	5 Gms	2410
64949 [87-99-0]	Xylitol extrapure	100 Gms 500 Gms	500 1200	46096 [1142-20-7]	Z-L-Alanine extrapure, 99%	5 Gms 25 Gms 100 Gms	540 2220 7970
				30211 [42918-86-5]	Z-2-Aminobutyric Acid extrapure, 99%	1 Gms 5 Gms 25 Gms	950 4200 20330





Code	Name	Packing	Price	Code	Name	Packing	Price
94475 [6382-93-0]	● Z-D-Arginine extrapure, 99%	1 Gms 5 Gms 25 Gms	6080 20240 73570	14088 [13504-85-3]	● Z-L-Hydroxyproline extrapure, 99%	1 Gms 5 Gms 25 Gms	1400 6330 24720
60020 [1234-35-1]	● Z-L-Arginine extrapure, 99%	25 Gms	4210	34913 [3160-59-6]	● Z-L-Isoleucine extrapure, 95%	5 Gms 25 Gms	2010 6280
55237 [56672-63-0]	● Z-L-Arginine HCl extrapure, 99%	25 Gms 100 Gms	5230 19600	46817 [28862-79-5]	● Z-D-Leucine extrapure, 99%	1 Gms 5 Gms 25 Gms	1090 4510 18800
92873 [4474-86-6]	● Z-D-Asparagine extrapure, 99%	1 Gms 5 Gms 25 Gms	1090 4490 18710	76353 [3588-60-1]	● Z-DL-Leucine extrapure, 99%	5 Gms 25 Gms	1830 8700
60164 [29880-22-6]	● Z-DL-Asparagine extrapure, 98%	1 Gms 5 Gms	1520 4980	85612 [2018-66-8]	● Z-L-Leucine extrapure, 98%	5 Gms 25 Gms	1520 4330
13328 [2304-96-3]	● Z-L-Asparagine extrapure, 99%	1 Gms 5 Gms 25 Gms 100 Gms	310 990 2590 8630	39218 [70671-54-4]	● Z-D-Lysine extrapure, 99%	1 Gms 5 Gms	5000 12000
32899 [78663-07-7]	● Z-D-Aspartic Acid extrapure, 99%	1 Gms 5 Gms 25 Gms	640 2660 11080	54420 [2212-75-1]	● Z-L-Lysine extrapure, 99%	1 Gms 5 Gms	1280 5900
84275 [4515-21-3]	● Z-DL-Aspartic Acid extrapure, 99%	5 Gms 25 Gms	700 2400	71691 [2212-76-2]	● Z-N-e-Lysine Dicyclohexyl Ammonium Salt extrapure, 98% (Z-Lysine(BOC)-OH.Dicyclohexylamine Salt)	5 Gms	5950
63143 [1152-61-0]	● Z-L-Aspartic Acid extrapure, 99%	5 Gms 10 Gms 25 Gms	460 860 2060	91642 [28862-80-8]	● Z-D-Methionine extrapure, 99%	1 Gms 5 Gms	1500 3000
78064 [3479-47-8]	● Z-L-Aspartic Acid-4-Benzyl Ester extrapure, 98% (Z-L-Asp(OBzl)-OH)	10 Gms 25 Gms	13560 23730	11751 [4434-61-1]	● Z-DL-Methionine extrapure, 99%	1 Gms 5 Gms	740 3480
97300 [5680-86-4]	● Z-L-Glutamic Acid-5-Benzyl Ester extrapure, 98%	10 Gms 25 Gms	14130 24720	55768 [1152-62-1]	● Z-L-Methionine extrapure, 99%	1 Gms 5 Gms 25 Gms	690 2850 9350
73971 [63648-73-7]	● Z-D-Glutamic Acid extrapure, 98%	1 Gms 5 Gms	760 2660	21200	● Z-4-Nitro-L-Phenylalanine extrapure, 99%	10 Gms 25 Gms	10840 18970
67271 [1155-62-0]	● Z-L-Glutamic Acid extrapure, 99%	5 Gms 25 Gms 100 Gms	360 1460 5220	66829 [15027-14-2]	● Z-D-Norleucine extrapure, 99%	500 Mg 2.5 Gms	4610 20700
83309 [13139-52-1]	● Z-D-Glutamine extrapure, 99%	1 Gms 5 Gms 25 Gms	1230 5110 21270	12185 [15027-13-1]	● Z-DL-Norleucine extrapure, 99%	1 Gms	3150
44096 [2650-64-8]	● Z-L-Glutamine extrapure, 99%	5 Gms 25 Gms 100 Gms	750 2590 8630	90175 [39608-30-5]	● Z-L-Norleucine extrapure, 99%	1 Gms 5 Gms	4130 18790
86632 [1138-80-3]	● Z-Glycine extrapure, 99%	5 Gms 25 Gms 100 Gms	700 1420 4320	34201	● Z-D-Norvaline extrapure, 99%	1 Gms 5 Gms	2790 12660
21793 [19728-57-5]	● Z-DL-Histidine extrapure, 99%	1 Gms 5 Gms	3480 16560	21693 [21691-43-0]	● Z-DL-Norvaline extrapure, 99%	1 Gms 5 Gms	2310 10480
57156 [14997-58-1]	● Z-L-Histidine extrapure, 99%	1 Gms 5 Gms 25 Gms	1200 5430 21290	75427 [21691-44-1]	● Z-L-Norvaline extrapure, 99%	1 Gms 5 Gms	2790 12660
				72850 [3304-51-6]	● Z-L-Ornithine extrapure, 99%	1 Gms 5 Gms	5010 22760
				24317 [2448-45-5]	● Z-D-Phenylalanine extrapure, 99%	1 Gms 5 Gms 25 Gms	640 2660 11040
				32900 [3588-57-6]	● Z-DL-Phenylalanine extrapure, 99%	5 Gms 25 Gms	2310 10480



Code	Name	Packing	Price	Code	Name	Packing	Price
42182 [1161-13-3]	● Z-L-Phenylalanine extrapure, 99%	25 Gms	2240	70443 [13139-17-8]	● Z-OSu (Z-ONSu) extrapure, 99% (Z-ONSu)	25 Gms	1200
		100 Gms	7910			100 Gms	4500
27486 [35909-92-3]	● Z-L-Phenylalanine Methyl Ester extrapure, 98%	10 Gms	12240	81055 [13114-27-7]	⚠ Zeatin mixed Isomers for tissue culture, ~95%	25 Mg	2940
		25 Gms	21410			100 Mg	7500
41739 [19647-71-3]	● Z-Phenylalanine-p-Nitroanilide extrapure	1 Gms	7590	67299 [13114-27-7]	⚠ Zeatin mixed Isomers, ~95%	25 Mg	2160
16881 [2578-84-9]	● Z-L-Phenylalanine-4-Nitrophenyl Ester extrapure, 98%	10 Gms	11020			100 Mg	6000
		25 Gms	19270			250 Mg	12000
12399 [17609-52-8]	● Z-D-Phenylglycine extrapure, 98%	10 Gms	7400	80440 [6025-53-2]	⚠ Zeatin Riboside extrapure, 99%	10 Mg	2000
		25 Gms	12940			25 Mg	3200
74157 [53990-33-3]	● Z-L-Phenylglycine extrapure, 99%	10 Gms	6490			100 Mg	8200
		25 Gms	11360			500 Mg	36000
24037 [6404-31-5]	● Z-D-Proline extrapure, 99%	500 Mg	930	25910 [7699-45-8]	Zinc Bromide Anhydrous, 99% (Zinc Dibromide)	100 Gms	1100
		1 Gms	1570			500 Gms	2420
		5 Gms	6040	86849 [62625-22-3]	Zincon Sodium Salt ACS, 98%	1 Gms	380
		25 Gms	30180			5 Gms	1300
31688 [1148-11-4]	● Z-L-Proline extrapure, 99%	5 Gms	1260	52049 [1314-23-4]	Zirconium Dioxide pure, 99% (Zirconia, Zirconium (IV) Oxide)	100 Gms	840
		25 Gms	3780			500 Gms	3000
63273 [6081-61-4]	● Z-D-Serine extrapure, 99%	500 Mg	2180				
		1 Gms	3360				
		5 Gms	14030				
75675 [1145-80-8]	● Z-L-Serine extrapure, 99%	1 Gms	420				
		5 Gms	1100				
		25 Gms	5000				
52287 [80384-27-6]	● Z-D-Threonine extrapure, 99%	1 Gms	1300				
		5 Gms	5200				
11228 [19728-63-3]	● Z-L-Threonine extrapure, 99%	5 Gms	1300				
39868 [2279-15-4]	● Z-D-Tryptophan extrapure, 99%	1 Gms	1800				
		5 Gms	5500				
57591 [7432-21-5]	● Z-L-Tryptophan extrapure, 99%	25 Gms	2100				
59268 [64205-12-5]	● Z-D-Tyrosine extrapure, 99%	1 Gms	3700				
		5 Gms	10000				
31078 [1164-16-5]	● Z-L-Tyrosine extrapure, 99%	5 Gms	1950				
		25 Gms	4980				
39463 [16677-29-5]	● Z-O-Benzyl-L-Tyrosine extrapure, 98% (Z-L-Tyr(Bzl)-OH)	10 Gms	7580				
74556 [1685-33-2]	● Z-D-Valine extrapure, 99%	1 Gms	1320				
		5 Gms	3000				
		25 Gms	10000				
17520 [3588-63-4]	● Z-DL-Valine extrapure, 99%	5 Gms	2790				
		25 Gms	13250				
73743 [1149-26-4]	● Z-L-Valine extrapure, 99%	25 Gms	1800				
		100 Gms	4680				
92186 [10314-98-4]	● Z-Isonipecotic Acid extrapure, 99% (1-Carbobenzoxy-4-Piperidinecarboxylic Acid)	10 Gms	4000				
		25 Gms	6000				
88291 [78190-11-1]	● Z-Nipecotic Acid, 95%	10 Gms	6470				

Part B1

Animal Cell Culture





















Code	Name	Packing	Price	Code	Name	Packing	Price
68161 [7365-82-4]	ACES Buffer for cell culture, 99.5%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	5200 12250	68722 [11028-71-0]	■ Concanavalin A Lectin ex. Canavalia Ensiformis Type 2 for cell culture, 20 ug/ml, (BET) 0.05EU/mg	25 Mg 100 Mg	2670 6010
23568 [87-32-1]	⚠ N-Acetyl-DL-Tryptophan for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	5 Gms 25 Gms	3000 9000	15353 [60-27-5]	✓ Creatinine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms 1 Kg	1370 4350 42000
52937 [3244-88-0]	Acid Fuchsin for cell culture, Endotoxin (BET) 0.05EU/mg (Acid Violet 19, Fuchsin S, Fuchsin acid, Rubine S) (C.I. No. 42685)	25 Gms	1600	67133 [10510-54-0]	Cresyl Violet Acetate for cell culture, Endotoxin (BET) 0.05EU/mg	5 Gms	10000
75250 [56-41-7]	L-Alanine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	1050 2490	29751 [548-62-9]	Crystal Violet for cell culture, Endotoxin (BET) 1EU/mg (Methyl Violet 10B) (C.I. No.42555)	25 Gms 100 Gms	1750 5800
96409 [9048-46-8]	● Albumin Bovine (pH 7) fraction V for cell culture (Bovine Serum Albumin,BSA), 98%, (BET) 0.05EU/mg (Bovine Serum Albumin, BSA)	5 Gms 25 Gms 100 Gms 500 Gms	900 3500 11500 51000	70134 [7048-04-6]	L-Cysteine Hydrochloride Monohydrate for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	1150 3250
31539 [33864-99-2]	Alcian Blue for cell culture, Endotoxin (BET) 0.05EU/mg	5 Gms 25 Gms	5500 24000	54676 [50-99-7]	Dextrose for cell culture, Endotoxin (BET) 0.05EU/mg (D-Glucose Anhydrous)	100 Gms 500 Gms	500 1450
68860 [7784-24-9]	Aluminium Potassium Sulphate Dodecahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 Gms 1 Kg	1350 2500	28525 [3483-12-3]	● DL-Dithiothreitol (DTT) for cell culture, 98%, Endotoxin (BET) 1EU/mg (Clelands reagent)	1 Gms 5 Gms	2000 7000
15875 [1397-89-3]	■ Amphotericin B (AMT) Solution (250ug/ml) for cell culture, Endotoxin (BET) 1EU/ml	20 ml 100 ml	1860 5360	81614 [17372-87-1]	Eosin Yellow (water soluble) for cell culture, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	2250 4500
20969 [74-79-3]	L-Arginine (free base) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	1150 3550	74516 [122-99-6]	Ethylene Glycol Monophenyl Ether for cell culture, 99%, Endotoxin (BET) 0.05EU/ml (Phenyl Cellosolve, 2-Phenoxyethanol)	100 ml 500 ml	2400 4500
33468 [1405-87-4]	● Bacitracin (BCT) ex. Bacillus Licheniformis for cell culture, Endotoxin (BET) 0.05EU/mg	50000 Units 250000 Units	1400 4500	11324 [7782-63-0]	Ferrous Sulphate Heptahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg (Iron (II) Sulphate Heptahydrate)	500 Gms	1200
36884 [10191-18-1]	BES Buffer for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (N,N-bis(2-Hydroxyethyl)-2-Aminoethane Sulphonic Acid)	25 Gms 100 Gms	1650 5400	98131 [518-47-8]	Fluorescein Sodium Salt (C.I. No. 45350) for cell culture, Endotoxin (BET) 0.05EU/mg (Acid Yellow 73)	100 Gms	2500
92370 [3513-03-9]	■ Blasticidin S Hydrochloride for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	10 Mg 25 Mg	6120 14470	76611 [59-30-3]	✓ Folic Acid for cell culture, 98%, Endotoxin (BET) 0.05EU/mg (Vitamin B9, Vitamin M, Pteroyl-L-Glutamic acid)	5 Gms 25 Gms	750 3250
55594 [3513-03-9]	■ Blasticidin S HCl Solution in HEPES Buffer (10mg/ml) Sterile for cell culture	1 ml 5 x1 ml	7000 25000	20596 [632-99-5]	Fuchsin Basic for cell culture, Endotoxin (BET) 0.05EU/mg (Basic Fuchsin) (C.I. No. 42510)	25 Gms 100 Gms	2200 8000
81642 [64485-93-4]	⚠ Cephotaxime Sodium Salt (CFT) for cell culture, 916-964ug/mg, Endotoxin (BET) 0.20EU/mg	100 Mg 1 Gms	2500 6000	77469 [51811-82-6]	Giemsa Stain for cell culture, Endotoxin (BET) 0.05EU/mg	5 Gms 25 Gms	4000 15500
84483 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	2500 6000	75931 [6106-04-3]	L-Glutamic Acid Monosodium Salt Monohydrate (MSG) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (Monosodium Glutamate, Monosodium L-Glutamate)	100 Gms 500 Gms	900 2750
97900 [57-88-5]	● Cholesterol ex. Sheep Wool (Lanolin) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	5 Gms 25 Gms 100 Gms	2400 10500 30000	80952 [56-85-9]	L-Glutamine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	10 Gms 25 Gms	950 1800
70553 [86393-32-0]	● Ciprofloxacin Hydrochloride Hydrate (CPFX) for cell culture, 98-102%, Endotoxin (BET) 0.05EU/mg	1 Gms 5 Gms	690 2300	74693 [27025-41-8]	● Glutathione Oxidized (GSSG) for cell culture, 99%, Endotoxin (BET) 1EU/mg	100 Mg 250 Mg 1 Gms 5 Gms	2000 3700 7000 32500
81395 [11028-71-0]	■ Concanavalin A Lectin ex. Canavalia Ensiformis Type 1 for cell culture, 64ug/ml, (BET) 0.05EU/mg (Con A) (Jack bean)	25 Mg 40 Mg	3680 5460				




Code	Name	Packing	Price	Code	Name	Packing	Price
65542 [56-81-5]	Glycerol (Glycerine) Anhydrous for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 ml	1300	42125 [63-68-3]	L-Methionine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	1100 4000
34268 [56-40-6]	Glycine for cell culture, 99.5%, Endotoxin (BET) 1EU/mg (Aminoacetic Acid)	100 Gms	1700	13908 [1132-61-2]	MOPS Buffer for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (3-Morpholinopropane Sulphonic Acid)	25 Gms 100 Gms 500 Gms	3200 7800 17000
39149 [7365-45-9]	HEPES Buffer for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg (N-(2-Hydroxyethyl) piperazine-N(2-Ethane Sulphonic Acid))	25 Gms 100 Gms 500 Gms	1950 6400 26500	69599 [1405-10-3]	Neomycin Sulphate (NMS) for cell culture, Endotoxin (BET) 0.05EU/mg	5 Gms 25 Gms	800 1900
16509 [71-00-1]	L-Histidine (base) for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	1250 3500	64257 [53-84-9]	β-Nicotinamide Adenine Dinucleotide (β-NAD,DPN) for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	100 Mg 1 Gms 5 Gms	1010 4680 17250
86877 [5934-29-2]	L-Histidine Hydrochloride Monohydrate for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	1100 3500	10581 [606-68-8]	β-Nicotinamide Adenine Dinucleotide Disodium Salt (Reduced) (β-NADH.Na2,DPNH.Na2) for cell culture, 98%	100 Mg 1 Gms 5 Gms	2010 10290 37830
54661 [3258-02-4]	N-Hydroxycytidine (EIDD-1931) for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	10 Mg 25 Mg	7000 14000	88722 [24292-60-2]	β-Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt for cell culture, 95%, (BET) 0.05EU/mg	100 Mg 1 Gms	3680 21140
75054 [99011-02-6]	Imiquimod for cell culture, 98%	250 Mg	13500	28771 [1184-16-3]	β-Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt for cell culture, 98%, (BET) 0.05EU/mg	100 Mg 1 Gms	3560 13350
77379 [87-89-8]	Inositol for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (Vitamin B8)	25 Gms 100 Gms	1000 3200	93517 [98-92-0]	Nicotinamide for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg (Niacinamide, Pyridine-3-Carboxylic Acid Amide)	100 Gms 500 Gms	1250 3750
72828 [11061-68-0]	r-Insulin ex. Human for cell culture, 25 USP U/mg, Endotoxin (BET) 1.0EU/mg (Recombinant Insulin)	50 Mg 100 Mg	7000 13000	63509 [1094-61-7]	β-Nicotinamide Mononucleotide (β-NMN) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Mg	6460
11894 [73-32-5]	L-Isoleucine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	1300 4300	50275 [59-67-6]	Nicotinic Acid (Pyridine-3-Carboxylic Acid) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (3-Picolinic Acid, Niacin, Vitamin B3)	100 Gms 500 Gms	950 3000
95793 [62851-42-7]	Jenners Stain (Eosin-methylene blue) for cell culture, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	3100 9800	16828 [1400-61-9]	Nystatin (Mycostatin) for cell culture, 85%, Endotoxin (BET) 0.05EU/mg (Fungicidin)	250 Mg 1 Gms 5 Gms	670 2340 8900
95419 [61-90-5]	L-Leucine for cell culture, 99%, Endotoxin (BET) 1EU/ml	100 Gms 500 Gms	3000 8000	17565 [1400-61-9]	Nystatin (Mycostatin) Solution (10000U/ml) for cell culture, Endotoxin (BET) 10.0EU/ml (Fungicidin)	20 ml	1240
95173 [56-87-1]	L-Lysine (free base) Anhydrous for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	4000 12000	56341 [3184-13-2]	L-Ornithine Monohydrochloride for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	1600 4500
29011 [12650-88-3]	Lysozyme (3x cryst) ex.Egg white (Muramidase) for cell culture, 15000U/mg, Endotoxin (BET) 0.05EU/mg	1 Gms 5 Gms 25 Gms	3000 13500 40000	30917 [328-42-7]	Oxalacetic Acid for cell culture, 98%, Endotoxin (BET) 0.05EU/mg (Oxaloacetic Acid, Ketosuccinic Acid, Oxobutanedioic Acid, 2-Oxosuccinic Acid)	1 Gms 5 Gms	1400 5100
22352 [7786-30-3]	Magnesium Chloride Anhydrous for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	100 Gms	1800	79311 [34487-61-1]	Phenol Red Sodium Salt (water soluble) for cell culture, 95%, Endotoxin (BET) 0.05EU/mg (Phenolsulfonephthalein Sodium Salt)	5 Gms 25 Gms	1100 4000
13546 [7791-18-6]	Magnesium Chloride Hexahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 Gms	3000	68793 [63-91-2]	L-Phenylalanine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	1100 3000
36502 [7487-88-9]	Magnesium Sulphate Dried for cell culture, 62-70% MgSO4, 99%, Endotoxin (BET) 0.05EU/mg	500 Gms	1750	77839 [329-98-6]	Phenylmethane Sulphonyl Fluoride (PMSF) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	1 Gms 5 Gms	1300 4400
12493 [6363-53-7]	D-Maltose Monohydrate for cell culture, Endotoxin (BET) 0.05EU/mg	100 Gms 500 Gms	1000 4000				
20490 [60-24-2]	2-Mercaptoethanol for cell culture, 99%, Endotoxin (BET) 0.05EU/ml	100 ml 250 ml	1300 2650				
55311 [145224-94-8]	MES Monohydrate Buffer for cell culture, 99%, Endotoxin (BET) 0.05EU/mg (2-Morpholineethane Sulphonic Acid Hydrate)	25 Gms 100 Gms	3800 8500				

Code	Name	Packing	Price	Code	Name	Packing	Price
62374 	Phleomycin (PLM) ex. [11006-33-0] Streptomyces verticillus for cell culture, Endotoxin (BET) 1.0EU/mg (Zeocin)	5 Mg 25 Mg 100 Mg	3700 9000 24000	88726	L-Threonine for cell culture, 99%, Endotoxin (BET) 1EU/mg [72-19-5]	25 Gms 100 Gms	2500 7500
52819 	Polymyxin B Sulphate (Aerosporin, PXNS), 6000U/mg for cell culture, Endotoxin (BET) 0.05EU/mg [1405-20-5]	250 Mg 1 Gms	2200 4870	53073 	Ticarcillin Disodium Salt extrapure, 85%, Endotoxin (BET) 0.05EU/mg [4697-14-7]	1 Gms 5 Gms	1950 8860
67209	Polysorbate 80 (Tween 80) for cell culture, Endotoxin (BET) 0.05EU/mg [9005-65-6] (Polyoxyethylene Sorbitan Monoleate)	500 Gms	3000	24000 	Toluidine Blue O for cell culture, 90%, Endotoxin (BET) 0.05EU/mg [92-31-9] (Basic Blue 17, Blutene Chloride, Methylene Blue T50, Tolonium Chloride)	10 Gms 25 Gms	3300 6200
47425	Potassium Chloride for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg [7447-40-7]	500 Gms	3450	30766	TRICINE Buffer for cell culture, 99%, Endotoxin (BET) 0.1EU/mg [5704-04-1] (N-Tris(Hydroxymethyl) Methylglycine)	25 Gms 100 Gms	2400 5500
65897	L-Proline for cell culture, 99%, Endotoxin (BET) 1.0EU/mg [147-85-3]	25 Gms 100 Gms	1050 3350	35416 	Triptolide ex. Tripterigium Wilfordii for cell culture, 98% [38748-32-2] (PG 490)	5 Mg	15000
82361 	Puromycin Dihydrochloride (PRM) for cell culture, Endotoxin (BET) 10EU/mg [58-58-2]	10 Mg 25 Mg	5000 9000	12695	Tris Buffer for cell culture, 99.9%, Endotoxin (BET) 0.05 EU/mg [77-86-1] (Tris(hydroxymethyl)aminomethane, Tromethamine)	100 Gms 500 Gms	950 4000
14050 	Pyridoxine Hydrochloride (Vitamin B6) for cell culture, 99%, Endotoxin (BET) 1EU/mg [58-56-0]	10 Gms 25 Gms	1500 3500	65972 	r-Trypsin - Type Standard ACF ex. Porcine for cell culture, 800U/mg, Endotoxin (BET) 0.05EU/mg [9002-07-7] (Recombinant Trypsin)	100 Mg 1 Gms 5 Gms	5090 16940 33880
77387	Riboflavin for cell culture, 98%, Endotoxin (BET) 0.05EU/mg [83-88-5] (Vitamin B2)	25 Gms 100 Gms	1150 3500	74055 	Trypsin 1:250 ex. Bovine Pancreas for cell culture, 1000BAEE U/mg, Endotoxin (BET) 0.05EU/mg [9002-07-7]	25 Gms 100 Gms 500 Gms	1650 4600 22000
46143 	Rifampicin (RFP) (Rifampin) for cell culture, 97-102%, Endotoxin (BET) 0.05EU/mg [13292-46-1]	1 Gms 5 Gms	4200 15000	23560 	r-Trypsin 1x w/ EDTA Soln in Phosphate Buffer for cell culture (AOF), 150U/ml, Endotoxin (BET) 1EU/ml	100 ml	3340
31904	Safranin O for cell culture, Endotoxin (BET) 0.05EU/mg [477-73-6] (Basic Red 2)	25 Gms 100 Gms	5300 9500	52682 	Trypsin ex. Bovine Pancreas for cell culture, 0.2Anson U/g (2000U/g), Endotoxin (BET) 0.05EU/mg [9002-07-7]	100 Gms 500 Gms 1 Kg	950 4640 8550
59260	L-Serine for cell culture, 99%, Endotoxin (BET) 1EU/mg [56-45-1]	25 Gms 100 Gms	2500 5300	20374 	Trypsin ex. Porcine Gastric Mucosa for cell culture, 0.2Anson U/g(2000U/g), Endotoxin(BET) 0.05EU/mg [9002-07-7]	100 Gms 500 Gms 1 Kg	990 4580 8930
16670	Sodium Butyrate for cell culture, 99%, Endotoxin (BET) 1.0EU/mg [156-54-7] (Butyric Acid Sodium Salt)	5 Gms 100 Gms	3000 13000	80149	L-Tyrosine for cell culture, 99%, Endotoxin (BET) 1EU/mg [60-18-4]	25 Gms 100 Gms	1300 4800
89360	Sodium Chloride for cell culture, 99.9%, Endotoxin (BET) 0.05EU/mg [7647-14-5]	500 Gms 1 Kg 5 Kg	2000 3900 12750	78168	Urea for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg [57-13-6]	500 Gms 5 Kg	2000 9500
66003	Sodium Phosphate Dibasic Anhydrous for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg [7558-79-4] (Disodium Hydrogen Phosphate Anhydrous)	500 Gms 5 Kg	3500 32000	20451	L-Valine for cell culture, 99%, Endotoxin (BET) 1EU/mg [72-18-4]	25 Gms 100 Gms	850 3000
16120	Sodium Phosphate Dibasic Dihydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg [10028-24-7] (Disodium hydrogen phosphate Dihydrate)	500 Gms 5 Kg	1700 10000	12540 	Vitamin B12 for cell culture, 97%, Endotoxin (BET) 0.05EU/mg [68-19-9] (Cyanocobalamin)	250 Mg 1 Gms	1570 4100
27621	Sodium Phosphate Monobasic Anhydrous for cell culture, 99%, Endotoxin (BET) 0.05EU/mg [7558-80-7] (Sodium Dihydrogen Phosphate Anhydrous)	100 Gms 500 Gms	2000 5500	18681 	XTT Sodium for cell culture, 90%, Endotoxin (BET) 5.0EU/mg [111072-31-2]	25 Mg 100 Mg	6500 15000
68350 	Streptozotocin (STZ) for cell culture, 98%, Endotoxin (BET) 0.05EU/mg [18883-66-4]	100 Mg 1 Gms	2800 19000	30108	Zinc Chloride for cell culture, 98%, Endotoxin (BET) 0.05EU/mg [7646-85-7]	500 Gms	2700
68250	Sucrose for cell culture, Endotoxin (BET) 0.05EU/mg [57-50-1]	500 Gms 1 Kg 5 Kg	3000 5500 22000	92647	Zinc Sulphate Heptahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg [7446-20-0]	100 Gms 500 Gms	1600 3400

Part C

Nanopowders & Carbon Nanotubes (CNTs)

(Carbon Nanotubes, Nanodispersants and Nanodispersions, Nanowires, Nanofilms and Nanopowders)





Code	Name	Packing	Price	Code	Name	Packing	Price
75964 [1344-28-1]	Alumina (Alpha) Nanopowder, 20-30nm, 99.9%	25 Gms 100 Gms 250 Gms	2270 5670 10200	69126	CdSe/ZnS Core Shell Quantum Dots, Fluorescence 560nm, (Hydrophobic) (CdSe/ZnS560) (Hydrophobic)	10 Mg	21530
25536 [1344-28-1]	Alumina (Gamma) Nanopowder, 15nm, 99.5% (Hydrophilic)	25 Gms 100 Gms	9250 13870	33618	CdSe/ZnS Core Shell Quantum Dots, Fluorescence 600nm, (Hydrophobic) (CdSe/ZnS600) (Hydrophobic)	10 Mg	21530
96202 [7429-90-5]	Aluminium Nanopowder (Type 1), 40nm, 99%	1 Gms 5 Gms	12130 32530	15377	CdSe/ZnS Core Shell Quantum Dots, Fluorescence 630nm, (Hydrophobic) (CdSe/ZnS639) (Hydrophobic)	10 Mg	21530
18412 [7429-90-5]	Aluminium Nanopowder (Type 2), 70 nm, 99.9%	1 Gms 5 Gms	12130 32530	50439	CdTe Core Type COOH Functionalized Quantum Dots, Fluorescence 510 nm (Hydrophilic)	10 Mg	22050
41892 [1318-23-6]	Aluminium Oxide (Boehmite) Nanodispersion (50nm), 20% in water	25 Gms 100 Gms	2840 8610	37909	CdTe Core Type COOH Functionalized Quantum Dots, Fluorescence 610 nm (Hydrophilic)	10 Mg	22050
29603 [12004-39-6]	Aluminium Titanate Nanopowder, 25nm, 98.5%	2 Gms	13460	19960	CdTe Core Type COOH Functionalized Quantum Dots, Fluorescence 710 nm (Hydrophilic)	10 Mg	22050
38818 [7782-42-5]	Aminated Graphene Amino-PEG covalently linked (GnAmPG) Nanopowder (Reduced Graphene Oxide-NH ₂)	10 Mg 50 Mg	5000 16000	37194 [7440-44-0]	Carbon Porous Nanopowder, 5000-8000nm	1 Gms 10 Gms 50 Gms	1200 4000 18000
19158 [7782-42-5]	Aminated Graphene Octadecylamine covalently linked (GnAm18d) Nanopowder (Reduced Graphene Oxide-NH-(CH ₂) ₁₇ -CH ₃)	10 Mg 50 Mg	5000 16000	28186	CNT Dispersant AC	20 ml	11500
67801 [1309-64-4]	Antimony Trioxide Nanopowder, 80-200nm, 99.9% (Diantimony Trioxide, Antimony (III) Oxide)	5 Gms 25 Gms	1330 3860	35210	CNT Dispersant AQ	20 ml	11500
10842 [12047-27-7]	Barium Titanate Nanopowder, 100nm, 99.5%	25 Gms 100 Gms	3150 8400	59800 [308068-56-6]	TCNT Type 1- Carbon Nanotubes Thin Walled, Length 5-30µm, OD 2-5nm, 90%	25 Mg 100 Mg	12340 31880
78768 [1403674-49-6]	Bis(2',4'-Bis(Hexyloxy)Biphenyl-4-yl)Amine extrapure, 95% (Z-907 Modified Red Dye)	25 Mg	12800	73953 [308068-56-6]	SWCNT Type 1 Carbon Nanotubes Single- Walled, Length 5-30µm, OD 1-2nm, 99%	250 Mg 1 Gms	12000 32000
14683 [1304-76-3]	Bismuth (III) Oxide Nanopowder, 200nm, 99.8% (Dibismuth Trioxide)	25 Gms 100 Gms	6300 17850	20770 [308068-56-6]	SWCNT Type 2 Carbon Nanotubes Single- Walled (Short), Length 0.5-2.0µm, OD 1.0-2.0nm, 90%	100 Mg	9800
21772 [1318-23-6]	Boehmite Nanopowder, 20nm, 99.9%	5 Gms 25 Gms	2840 10710	29129 [308068-56-6]	SWCNT Type 3 Carbon Nanotubes Single- Walled COOH Functionalized, Length 0.5-2.0µm, OD 1-2nm, 90%	25 Mg 100 Mg	5000 9000
62554 [12069-32-8]	Boron Carbide Nanopowder, 50nm, 99%	10 Gms 25 Gms	8000 17000	18989 [308068-56-6]	SWCNT Type 4 Carbon Nanotubes Single-Walled, Length 5-30µm, OD 1-2nm, 90% (-COOH Functionalized)	50 Mg 250 Mg	6000 24000
50943 [10043-11-5]	Boron Nitride (hBN) Aerosol Spray (13Oz/369g) (hexagonal Boron Nitride)	1 piece	12710	55024 [308068-56-6]	SWCNT Type 5 Carbon Nanotubes Single-Walled (-OH Functionalized)	50 Mg 250 Mg	10690 29150
75454 [10043-11-5]	Boron Nitride Nanopowder, 70nm, 99%	25 Gms 100 Gms	3150 8400	27404 [308068-56-6]	SWCNT Type 6 Carbon Nanotubes Single-Walled, Length 5-30µm, OD 1-2nm, 99% (-NH ₂ Functionalized)	50 Mg 250 Mg	16200 62620
45882 [10043-11-5]	Boron Nitride Nanotubes (C) Cylindrical, 50-100nm	50 Mg	32000	95425 [308068-56-6]	SWCNT Type 7 Carbon Nanotubes Single-Walled in aq. media pure, Length 0.5-4µm, OD 1-2nm, 99% (Semiconducting)	20 ml	49560
74899 [471-34-1]	Calcium Carbonate Nanopowder, 80nm, 98%	25 Gms 100 Gms 500 Gms	1030 3800 18000	52710 [308068-56-6]	SWCNT Type 8 Carbon Nanotubes Single-Walled in aq. media extrapure (Semiconducting)	20 ml	68020
72893 [12049-50-2]	Calcium Titanate Nanopowder, 90nm, 99.9%	1 Gms	14490				
12918 [12013-47-7]	Calcium Zirconium Oxide Nanopowder, 50nm, 99.5%	1 Gms 5 Gms	14280 45590				



Code	Name	Packing	Price	Code	Name	Packing	Price
42480 [308068-56-6]	SWCNT Type 9 Carbon Nanotubes Single-Walled in aq. media pure (Metallic/Conducting)	20 ml	58300	58255 [308068-56-6]	MWCNT Type 10 Carbon Nanotubes Multi-Walled, Length 10-30µm, OD 10-20nm, 95% (-COOH Functionalized)	1 Gms 5 Gms	2400 5000
68069 [308068-56-6]	SWCNT Type 10 Carbon Nanotubes Single-Walled in aq. media extrapure (Metallic/Conducting)	20 ml	136030	29466 [308068-56-6]	MWCNT Type 11 Carbon Nanotubes Multi-Walled, Length 10-30µm, OD 20nm, 95% (-NH2 Functionalized)	50 Mg 100 Mg 1 Gms 5 Gms	3240 4860 16200 48590
81868 [308068-56-6]	SWCNT Type 11 Carbon Nanotubes Single-Walled ultrapure (Semiconducting)	50 Mg	81620	82903 [308068-56-6]	MWCNT Type 12 Carbon Nanotubes Multi-Walled, Length 10-30µm, OD 10-20nm, 95% (-OH Functionalized)	500 Mg 1 Gms 5 Gms	2700 4860 9720
28989 [308068-56-6]	SWCNT Type 12 Single-Walled Carbon Nanotubes ultrapure (Metallic/Conducting)	50 Mg	81620	28658 [308068-56-6]	MWCNT Type 13 Carbon Nanotubes Multi-Walled, Length 10-30µm, OD 30-50nm, 95% (-COOH Functionalized)	500 Mg 1 Gms 5 Gms 25 Gms	2380 4320 8640 28080
36078 [308068-56-6]	DWCNT Type 1 Carbon Nanotubes Double Walled, Length 50µm, OD 2-4nm, 60%	100 Mg 500 Mg	21600 53990	65875 [308068-56-6]	MWCNT Type 14 Carbon Nanotubes Multi-Walled, Length 10-30µm, OD 30-50nm, 95% (-NH2 Functionalized)	50 Mg 100 Mg	10800 16200
85143 [308068-56-6]	DWCNT Type 2 Carbon Nanotubes Double Walled (Short), Length 0.5-2µm, OD 2-4nm, 60%	100 Mg	22630	24968 [308068-56-6]	MWCNT Type 15 Carbon Nanotubes Multi-Walled, Length~ 10-30µm, OD 30-35nm, 95% (-OH Functionalized)	500 Mg 1 Gms 5 Gms	2380 3000 7000
45565 [308068-56-6]	DWCNT Type 3 Carbon Nanotubes Double-Walled (-COOH Functionalized)	50 Mg	11850	33670 [308068-56-6]	MWCNT Type 16 Carbon Nanotubes Multi-Walled Short, Length 0.5-2µm, OD 8nm, 95%	500 Mg 1 Gms 5 Gms	4500 7000 26990
69072 [308068-56-6]	DWCNT Type 4 Carbon Nanotubes Double-Walled (-OH Functionalized)	50 Mg 250 Mg	11850 37020	28174 [308068-56-6]	MWCNT Type 17 Carbon Nanotubes Multi-Walled Short, Length 0.5-2µm, OD 10-20nm, 95%	500 Mg 1 Gms 5 Gms	3000 5250 20000
34528 [308068-56-6]	HMWCNT Type1- Carbon Nanotubes Multi Walled Helical, Length 10µm, OD 100-200nm,(C) 90%	250 Mg 1 Gms	12340 16660	90797 [308068-56-6]	MWCNT Type 18 Carbon Nanotubes Multi-Walled Short, Length 0.5-2.0µm, OD 30-50nm, 95%	1 Gms 5 Gms	5400 18360
57743 [308068-56-6]	MWCNT Type 1 Carbon Nanotubes Multi Walled, Length 10-30µm, OD 8nm, 95%	1 Gms 5 Gms 25 Gms	3570 12390 35700	42927 [308068-56-6]	MWCNT Type 19 - Carbon Nanotubes Multi Walled (Conducting), Length 3-6micron,OD 10nm	1 Gms 5 Gms	19440 64780
88440 [308068-56-6]	MWCNT Type 2 Carbon Nanotubes Multi Walled, Length 10-30µm, OD 8-15nm, 95%	5 Gms 25 Gms	5000 13000	58908 [308068-56-6]	MWCNT-Ni Type 1 Carbon Nanotubes Multi Walled, Nickel coated, Length 10-30 micron, OD 5-20nm, 98%	1 Gms 5 Gms	11340 42110
68465 [308068-56-6]	MWCNT Type 3 Carbon Nanotubes Multi Walled, Length 10-30µm, OD 10-20nm, 95%	1 Gms 5 Gms 25 Gms	2000 5000 20000	53105 [308068-56-6]	MWCNT-Ni Type 2 Carbon Nanotubes Multi Walled , Nickel coated	1 Gms 5 Gms	11340 42110
41067 [308068-56-6]	MWCNT Type 4 Carbon Nanotubes Multi Walled, Length 10-30µm, OD 20-30nm, 95%	5 Gms 25 Gms	3500 10000	90500 [308068-56-6]	MWCNT-Ni Type 3 Carbon Nanotubes Multi Walled , Nickel coated	1 Gms 5 Gms	11340 42110
41335 [308068-56-6]	MWCNT Type 5 Carbon Nanotubes Multi Walled, Length 10-30µm, OD 30-50nm, 95%	5 Gms 25 Gms 100 Gms	3000 6000 22000	75288 [308068-56-6]	MWCNT-Ni Type 4 Carbon Nanotubes Multi Walled , Nickel coated	1 Gms 5 Gms	11340 42110
96390 [308068-56-6]	MWCNT Type 6 Carbon Nanotubes Multi Walled, Length 10-30µm, OD 50nm, 95%	5 Gms 25 Gms 100 Gms	3200 6500 23000	65468 [9012-76-4]	Chitosan Nanopowder, 80-100nm, 99%	5 Gms 25 Gms	3400 10200
35203 [308068-56-6]	MWCNT Type 7 Carbon Nanotube Multi Walled (Graphitized), 99.9%	1 Gms 5 Gms	8020 26720	44316 [1308-38-9]	Chromium (III) Oxide Nanopowder, 90nm, 99% (Chromia)	10 Gms	14000
73235 [308068-56-6]	MWCNT Type 8 Carbon Nanotubes Multi-Walled, Length 20µm, OD 10-20nm, 99.9% (Graphitized, -COOH Functionalized)	500 Mg 1 Gms	3800 6000				
46918 [308068-56-6]	MWCNT Type 9 Carbon Nanotubes Multi-Walled, Length 20µm, OD 10-20nm, 99.9% (Graphitized -OH Functionalized)	500 Mg 1 Gms	3800 6000				



Code	Name	Packing	Price	Code	Name	Packing	Price
64835	C106 Dye, 90%	25 Mg	9140	73225	Gold Nanoparticles Dispersion (Spherical) (AU05), 0.05mg/ml Citrate, 0.1mM in PBS	10 ml 25 ml	5500 11500
[1152310-69-4]	(Cis-Bis(Isothiocyanato) (2,2Bipyr-4,4-Dicarboxylato) (4,4bis(5(Hexylthio)thiophen2yl)2,2-Bipy)Ru(II))			[7440-57-5]			
35347	K19 Dye (Sensitizer), 85%	25 Mg	9240	36848	Gold Nanoparticles Dispersion (Spherical) (AU10), 0.05mg/ml Citrate, 0.1mM in PBS	10 ml 25 ml	5500 11500
[847665-45-6]	(cis-Bis(Thiocyanato) (2,2-Bipyr-4,4-Dicarboxylic Acid)- (4,4-bis(Phexyloxystyryl) -2,2-Bipyr)Ru(II))			[7440-57-5]			
74373	Clay Nanopowder, 80-150nm, 99%	5 Gms 25 Gms	6800 10200	72123	Gold Nanoparticles Dispersion (Spherical) (AU20), 0.05mg/ml Citrate, 0.1mM in PBS	10 ml 25 ml	5500 11500
[1332-58-7]				[7440-57-5]			
31570	Cobalt Iron Oxide Nanopowder, 50nm, 99.9%	1 Gms 5 Gms	1200 4000	60974	Gold Nanoparticles Dispersion (Spherical) (AU40), 0.05mg/ml Citrate, 0.1mM in PBS	10 ml 25 ml	5500 11500
[12052-28-7]	(Cobalt Ferrite)			[7440-57-5]			
74613	Cobalt Zinc Iron Oxide Nanopowder, 50nm, 99.9%	5 Gms 25 Gms	6000 16000	91082	Gold Nanoparticles Dispersion (Spherical) (AU60), 0.05mg/ml Citrate, 0.1mM in PBS	10 ml 25 ml	5500 11500
[12052-28-7]				[7440-57-5]			
74343	Copper Nanopowder, 50nm, 99.9%	5 Gms	29560	27944	Single Layer Graphene (SLG) Nanopowder, 98%	10 Mg 100 Mg	6000 18000
[7440-50-8]				[7782-42-5]			
73612	Copper Nanowires	10 Mg	35000	73949	Single Layer Graphene Factory (SLGF) Nanopowder, 98%	100 Mg 250 Mg	5250 13130
[7440-50-8]				[7782-42-5]			
28954	Cupric Oxide Nanopowder, 40nm, 99%	5 Gms 25 Gms 100 Gms	1900 5440 9970	89922	Graphene Carboxyl (GCOOH) Nanopowder, 1000-5000nm, 99%	25 Mg	12000
[1317-38-0]	(Copper (II) Oxide)			[7782-42-5]			
19151	Diamond Nanopowder, 4-7nm	1 Gms	21700	60703	Graphene Carboxyl (GCOOH) Nanodispersion, 5mg/ml in water	20 ml	44000
[7782-40-3]				[7782-42-5]			
85476	Diisobutyl 2,2-Bipyridine-4,4-Dicarboxylate extrapure, 95%	100 Mg	12800	88398	Graphene Film (Super Paper) (GFSP), 20000nm, 98%	1 piece	150000
[1141011-53-1]				[7782-42-5]			
91287	Ferric Oxide (Alpha) Nanopowder, 30nm, 99%	5 Gms 25 Gms 100 Gms 250 Gms	1910 5140 16520 23820	87185	Graphene Nitrogen-doped (GNdp) Nanopowder, 500-5000nm	50 Mg 250 Mg	6090 28000
[1309-37-1]	(Iron (III) Oxide (Alpha))			[7782-42-5]			
51744	Ferric Oxide (Gamma) Nanopowder, 20-50nm, 99.9%	5 Gms 25 Gms 100 Gms 250 Gms	1580 4130 12180 21700	90251	Graphene Oxide Film (Super Paper) (GOFSP), 20000nm, 98%	1 piece	112200
[1309-37-1]	(Iron (III) Oxide (Gamma))			[7782-42-5]			
16708	Ferrous Ferric Oxide Nanopowder (Type 1), 20-50nm, 99.9%	5 Gms 25 Gms 100 Gms	2100 4730 15000	55093	Graphene Platelet Nanopowder (GPN Type 1), 6-8nm, 99.5%	5 Gms 25 Gms	5500 20000
[1317-61-9]	(Iron (II, III) Oxide)			[7782-42-5]			
85993	Formamidinium Bromide extrapure, 99%	1 Gms 5 Gms	4500 9500	36529	Graphene Platelet Nanopowder (GPN Type 2), 11-15 nmnm, 99.5%	1 Gms 5 Gms	1300 4200
[146958-06-7]	(Methanimidamide Bromide, Formamidine Hydrobromide, Iminomethylamine Hydrobromide)			[7782-42-5]			
67537	Formamidinium Iodide extrapure, 99%	1 Gms 5 Gms	2500 8000	98585	Graphene Platelet Nanopowder (GPN Type 3), 2-10nm, 99.5%	5 Gms 25 Gms	3000 9000
[879643-71-7]	(Formamidine Hydroiodide, Methanimidamide Hydroiodide)			[7782-42-5]			
37461	Fullerene C60, 99.5%	250 Mg 1 Gms	9800 24000	53927	Graphene Quantum Dots (1mg/ml) (GQD), 15nm, 80%	5 ml 25 ml	6790 25200
				[7440-40-0]			
44170	Fullerene C70, 99%	100 Mg 500 Mg	12000 40000	49888	Single Layer Graphene Oxide (SLGO) Nanopowder, 0.8-1.2nm, 99%	25 Mg 100 Mg 500 Mg	4500 11000 42000
				[7782-42-5]			
84500	Gold Nanopowder, 90nm, 99.99%	1 Gms	93620	58531	Single Layer Graphene Oxide (SLGOE) Nanodispersion, 5mg/ml in ethanol	10 ml	20830
[7440-57-5]				[7782-42-5]			
				72536	Single Layer Graphene Oxide (SLGOW) Nanodispersion, 5mg/ml in water	10 ml 25 ml	10290 17480
				[7782-42-5]			
				68908	Graphite Nanopowder (Type 2), 1-18nm, 87%	1 Gms 5 Gms	9840 37020
				[7440-44-0]			
				85833	Graphite Nanopowder (Type 1), 400nm, 98%	5 Gms 25 Gms 100 Gms	2500 7500 25000
				[7782-42-5]			
				69869	Graphite Nanopowder Lubricant Grade, 50nm, 99.5%	5 Gms 25 Gms	6500 25000
				[7782-42-5]			



Code	Name	Packing	Price	Code	Name	Packing	Price
38058 [51311-17-2]	Graphite Fluoride (Carbon Monofluoride) Nanopowder, 1000-10000nm	1 Gms 5 Gms	2630 7460	30786 [207347-46-4]	N719 Dye, 95% Di-Tetrabutylammonium cis-Bis(Isothiocyanato)Bis(2,2-Bipyridyl-4,4-Dicarboxylato) Ruthenium(II), N-7	50 Mg 250 Mg 1 Gms	5780 11550 33600
39525 [7782-42-5]	Graphite Oxide Nanopowder, Dia 500-1500nm	100 Mg 500 Mg 1 Gms	2630 6830 12080	52716 ⓘ [359415-47-7]	N749 Dye (Black Dye), 95% (Triisothiocyanato-(2,2':6,6'-Terpyridyl-4,4,4-Tricarboxylato) Ruthenium(II) Di(Tetra-Butylammonium))	50 Mg	20790
11934 [7782-42-5]	Graphite Pyrolytic Micronpowder, 50micron	5 Gms	8400	35001 [7440-02-0]	Nickel Nanopowder, 20nm, 99.9%	5 Gms	28920
69895 [12167-74-7]	Hydroxyapatite Micronpowder, 12micron, 99% (Calcium Hydroxyapatite, Calcium Phosphate Tribasic)	5 Gms 25 Gms	5780 12130	32293 [1313-99-1]	Nickel (II) Oxide Nanopowder, 50nm, 99.5% (Nickel Monoxide)	25 Gms	7000
13616 [12167-74-7]	Hydroxyapatite Nanopowder, 20nm, 99% (Calcium Hydroxyapatite, Calcium Phosphate Tribasic)	5 Gms 25 Gms	6000 15230	73985	Nickel Titanium Alloy Nanopowder, 30-120nm	250 Mg 1 Gms	18510 55530
66614 [1312-43-2]	Indium (III) Oxide Nanopowder ultrapure, 50nm, 99.99%	1 Gms	33040	69691 [12645-50-0]	Nickel Zinc Iron Oxide (NZFO) Nanopowder, APS 50nm, 99.9% (Nickel Zinc Ferrite)	5 Gms 25 Gms	3000 9000
45974 [1312-81-8]	Lanthanum Oxide Nanopowder ultrapure, 90nm, 99.99%	5 Gms 25 Gms	3680 13130	74380 ⓘ	Perovskite Quantum Dots (pQD 450), Fluorescence 450nm (Hydrophobic)	50 Mg	18900
52726 ✓ [15365-14-7]	Lithium Iron (II) Phosphate Micronpowder, 2micron, 98% (Ferrous Lithium Phosphate, Iron Lithium Phosphate, LFP, Triphylite)	5 Gms 25 Gms	4310 8610	15360 ⓘ	Perovskite Quantum Dots (pQD 480), Fluorescence 480nm (Hydrophobic)	50 Mg	18900
53768 [12031-95-7]	Lithium Titanate (LTO) (Spinel) Nanopowder, 200nm, 99% (Tetralithium Titanate)	5 Gms 10 Gms	11500 18000	77345 ⓘ	Perovskite Quantum Dots (pQD 510), Fluorescence 510nm (Hydrophobic)	50 Mg	18900
69667 [12068-51-8]	Magnesium Aluminate (Spinel) Nanopowder, 50nm, 99%	1 Gms 2 Gms	4120 7200	23300 ⓘ	Perovskite Quantum Dots (pQD 550), Fluorescence 550nm (Hydrophobic)	50 Mg	18900
71829 [1309-48-4]	Magnesium Oxide Nanopowder, 50nm, 99.5%	5 Gms 25 Gms	2500 7500	22116 [7440-05-3]	Palladium Nanopowder (Type I), 30nm, 99.9%	100 Mg 500 Mg	6000 22000
56176 [73905-81-4]	Magnetic Iron Oxide Nanocrystals Powder, 20nm, 99%	20 Mg	119620	41341 [7440-05-3]	Palladium Nanopowder (Type II)	100 Mg	35000
85918 [1317-34-6]	Manganese (III) Oxide Nanopowder, 30nm, 99% (Manganese Sesquioxide)	10 Gms	8400	14387 [7440-06-4]	Platinum Nanopowder, 50nm, 99.9%	250 Mg	55000
39543 [6876-37-5]	Methylammonium Bromide extrapure, 99% (Methanamine Hydrobromide, Methylamine Hydrobromide)	1 Gms 5 Gms	5800 15000	65469 [9002-88-4]	Polyethylene Nanospheres - Type 1, 740nm-4990nm	25 Mg 100 Mg	6500 12500
25334 [14965-49-2]	Methylammonium Iodide extrapure, 98% (Methanamine Hydriodide)	1 Gms 5 Gms 25 Gms	2300 4100 11000	50349 [9002-88-4]	Polyethylene Nanospheres - Type 2, 200nm-9900nm	25 Mg 100 Mg	6700 15650
31562 [247058-06-6]	Methyl 4,4''-Dimethyl-[2,2':6',2''-Terpyridine]-4'-Carboxylate extrapure, 95%	50 Mg 100 Mg	11730 18120	64798 [9011-14-7]	Poly(Methyl Methacrylate) (pMMAC) Nanospheres, 1500nm-11500nm	100 Mg 500 Mg	4430 18150
83005 [1317-33-5]	Molybdenum Disulfide Nanopowder Lubricant Grade, 90nm, 99%	5 Gms 10 Gms	11250 21210	28699 [7782-49-2]	Selenium Nanopowder in aq. media, 0.1mg/ml, 50nm	2 ml	118760
95822 [12316-56-2]	MXene Nanoflakes, Multilayer, 100-200nm	100 Mg 500 Mg	18000 60000	26112 [7440-21-3]	Silicon Nanopowder, 40nm, 99%	1 Gms 5 Gms	5200 24000
22701 [12363-89-2]	MXene Nanoflakes, 1-10 layers (few-layer MXene Ti3C2Tx nanoflakes)	25 Mg 100 Mg	18000 35000	43362 [409-21-2]	Silicon Carbide Nanopowder, 50nm, 98%	25 Gms 100 Gms	5570 19440
16806 ✓ [141460-19-7]	N3 Red Dye, 95% (N-3 Red Dye, Bis(Isothiocyanato)Bis(2,2-Bipyridyl-4,4-Dicarboxylato) Ruthenium(II))	100 Mg	7880	69294 [7631-86-9]	Silicon Dioxide Nanopowder, 15nm, 99.5%	25 Gms 100 Gms	2220 7020
				22806 [7631-86-9]	Silicon Dioxide (Silica) Nanodispersion Type A (20nm), 40% in water	25 Gms 100 Gms	1950 5940
				69337 [7631-86-9]	Silicon Dioxide (Silica) Nanodispersion Type B (20nm), 40% in water	25 Gms 100 Gms	1950 5940



Code	Name	Packing	Price	Code	Name	Packing	Price
38475 [10097-28-6]	Silicon Monoxide Nanopowder, 400nm, 99.99%	1 Gms 5 Gms	8510 33600	64394 [13463-67-7]	Titanium Dioxide Rutile Nanodispersion (30nm), 40% in water (Titanium (IV) Oxide)	25 Gms	7800
63338 [12033-89-5]	Silicon Nitride Nanopowder, 20nm, 99%	5 Gms 25 Gms	5000 12000	16547 [13463-67-7]	Titanium Dioxide Nanowires (Type 1) (Titanium (IV) Oxide)	50 Mg	12500
44416 [7440-22-4]	Silver Nanopowder (Type I), 100nm, 99.9%	1 Gms 5 Gms 10 Gms	4200 13000 24000	22091 [13463-67-7]	Titanium Dioxide Nanowires (Type 2) (Titanium (IV) Oxide)	50 Mg	12500
36214 [7440-22-4]	Silver Nanopowder (Type II), 20nm, 99.9%	1 Gms 5 Gms 10 Gms	3000 11000 18000	52163 [25583-20-4]	Titanium Nitride Nanopowder, 20nm, 97% (Titanium (III) Nitride)	5 Gms 10 Gms	5700 11000
53941 [7440-22-4]	Silver Nanowires	10 Mg 50 Mg	5800 23000	75513 ✓ [1392221-69-0]	FK 102 Co(II) PF6 Salt Complex, 98% (Tris(2-(1H-Pyrazol-1-yl)Pyridine)Cobalt(II) Di[hexafluorophosphate])	1 Gms 5 Gms	3680 12600
46912 ⚠ [7440-22-4]	Silver Nanoparticles Dispersion (Spherical) (AG20), 0.02mg/ml in Citrate (5mM)	10 ml 25 ml	5500 11500	51632 ✓ [1346416-71-4]	FK 102 Co(III) PF6 Salt Complex, 98% (Tris(2-(1H-Pyrazol-1-yl)pyridine)cobalt(III) Tri[Hexafluorophosphate])	1 Gms 5 Gms	4730 15750
49241 ⚠ [7440-22-4]	Silver Nanoparticles Dispersion (Spherical) (AG40), 0.02mg/ml in Citrate (2mM)	10 ml 25 ml	5500 11500	66142 ✓ [2057441-94-6]	FK 102 Co(II) TFSI Salt Complex, 98% (Tris(2-(1H-Pyrazol-1-yl)pyridine)cobalt(II) Di[bis(Trifluoromethane)sulfonimide])	1 Gms 5 Gms	3680 12600
58322 ⚠ [7440-22-4]	Silver Nanoparticles Dispersion (Spherical) (AG60), 0.02mg/ml in Citrate (2mM)	10 ml 25 ml	5500 11500	84076 ✓ [2057441-94-6]	FK 102 Co(III) TFSI Salt Complex, 98% (Tris(2-(1H-pyrazol-1-yl)pyridine)cobalt(III) Tri[bis(Trifluoromethane)sulfonimide])	1 Gms 5 Gms	2630 8930
15669 [18282-10-5]	Stannic Oxide Nanopowder, 60nm, 99.5% (Tin (IV) Oxide)	5 Gms 25 Gms	4200 12080	33139 ⚠ [1197995-33-7]	Triethyl [2,2':6',2''-Terpyridine] -4,4',4''-Tricarboxylate extrapure, 95%	50 Mg	10660
27873 [7440-25-7]	Tantalum Nanopowder, 70nm, 99.9%	250 Mg 1 Gms	12000 32000	88917 [7440-33-7]	Tungsten Nanopowder, 50nm, 99.9%	1 Gms 5 Gms	4500 14000
74708 ■ [318286-59-8]	Tectomer 2-Tailed (C8H16(CH2NHGLY4)2.2HCl), 90%	5 Mg	13130	51456 [12070-12-1]	Tungsten Carbide Nanopowder, 200nm, 99%	25 Gms 100 Gms	7140 26710
73330 ■ [318286-59-8]	Tectomer 3-Tailed (CH3C(CH2-NH-Gly7)3.3CF3CO2H), 90%	5 Mg	13130	23882 [12138-09-9]	Tungsten Disulfide (WS2) Aerosol Spray (13Oz/369g)	1 piece	13000
27570 ■ [318286-59-8]	Tectomer 4-Tailed (C(CH2-NH-Gly7)4.4HCl), 90%	5 Mg	13130	53032 [12138-09-9]	Tungsten Disulfide Micronpowder, 0.6micron, 99.9% (Tungsten (IV) Sulphide)	25 Gms 100 Gms 500 Gms	3500 6650 31170
72951 [7440-32-6]	Titanium Nanopowder, 50nm, 99.9%	1 Gms	9530	78519 [12138-09-9]	Tungsten Disulfide Nanopowder, 90nm, 99%	1 Gms 5 Gms	3120 11430
74629 [13463-67-7]	Titanium Dioxide Photocatalyst Nanopowder, 7nm, 95% (Titanium (IV) Oxide)	25 Gms 100 Gms	4100 10500	23851 [1314-35-8]	Tungsten Trioxide Nanopowder, 60-90nm, 99.5% (Tungsten (VI) Oxide, Tungstic Anhydride)	5 Gms 25 Gms	2210 9450
90885 [13463-67-7]	Titanium Dioxide Catalyst Nanopowder, 50nm, 98% (Titanium (IV) Oxide)	25 Gms 100 Gms	3400 10200	82874 ✓ [502693-09-6]	Z907 Dye, 95% cis-Bis(Isothiocyanato) (2,2-Bipyridyl-4,4-Dicarboxylato) (4,4-Di-Nonyl-2-Bipyridyl) Ruthenium(II), Mo	50 Mg 250 Mg	5780 16280
94632 [13463-67-7]	Titanium Dioxide Anatase Nanodispersion (15nm), 15% in water (Titanium (IV) Oxide)	25 Gms	9500	19366	Zeolite - Mesoporous Carbon Nanopowder (CMK-3 Type), Dia. 3-6nm	100 Mg 250 Mg	13130 19950
40566 [13463-67-7]	Titanium Dioxide Ultrapure Nanopowder, 250nm, 99.97% (Titanium (IV) Oxide)	25 Gms 100 Gms	4000 11200	31755	Zeolite - Mesoporous Silica Molecular Sieve KIT-5	1 Gms	12600
35299 [13463-67-7]	Titanium Dioxide Rutile Nanopowder, 20nm, 92% (Titanium (IV) Oxide)	25 Gms	3900				
10161 [13463-67-7]	Titanium Dioxide Rutile Nanopowder, 50nm, 99%	25 Gms	4000				
86729 [13463-67-7]	Titanium Dioxide Rutile Nanopowder (Hydrophilic), 50nm, 99% (Titanium (IV) Oxide)	25 Gms 100 Gms	3900 11500				



Code	Name	Packing	Price	Code	Name	Packing	Price
65276	Zeolite - Mesoporous Silica Molecular Sieve Kit-6	1 Gms	12600				
83881 [7631-86-9]	Zeolite - Mesoporous Silica Nanopowder (SBA-15 Type), Dia. 6-11nm	250 Mg 1 Gms	3150 9480				
97621 [7631-86-9]	Zeolite - Mesoporous Silica Nanopowder (1D-Hexagonal SBA-41 Type)	250 Mg 500 Mg	14580 21380				
63876 [7631-86-9]	Zeolite - Mesoporous Silica Nanopowder (3D-Cubic MCM-48 Type)	250 Mg 500 Mg	14580 21380				
79132	Zeolite - Molecular Sieve SAPO-11	5 Gms	9720				
52201	Zeolite - Ultrastable Y	5 Gms	10290				
74601 [7440-66-6]	Zinc Nanopowder, 50nm, 99.9%	5 Gms	5500				
50841 [12063-19-3]	Zinc Iron Oxide Nanopowder, 50nm, 98.5% (Zinc Ferrite)	10 Gms	8500				
91148 [1314-13-2]	Zinc Oxide Nanopowder (Type I), 30nm, 99.9%	10 Gms 25 Gms 100 Gms 500 Gms	2190 4370 6550 27260				
60345 [1314-13-2]	Zinc Oxide Nanopowder (Type II), 240nm, 99.999%	5 Gms 25 Gms 100 Gms 500 Gms	2190 4370 6550 27260				
64168 [1314-13-2]	Zinc Oxide Nanodispersion Type A-Nonionic (70nm), 50% in water	10 Gms	10180				
80467 [1314-13-2]	Zinc Oxide Nanodispersion Type B-Anionic (70nm), 50% in water	10 Gms	9770				
74963 [1314-13-2]	Zinc Oxide Nanodispersion Type C-Cationic (70nm), 50% in water	10 Gms	9770				
99997 [12036-43-0]	Zinc Titanate Nanopowder, 90 nm, 99.5%	1 Gms	16820				
38501 [1314-23-4]	Zirconium Dioxide Nanopowder, 45nm, 99.5% (Zirconia, Zirconium (IV) Oxide)	25 Gms 100 Gms	3500 9000				

Media for Gel Filtration and Affinity Chromatography

Gel Filtration (Molecular Sieving or Size Exclusion Chromatography) and Affinity Chromatography are rapidly becoming indispensable to biochemists and molecular biologists. Gel Filtration is used for the separation of macromolecules from smaller molecules, for fractionation of mixtures of various biopolymers on the basis of molecular size, for characterizing macromolecules and determining molecular weights and molar masses, for pathological screening of body fluids and for structure determination studies. Affinity Chromatography, besides being put to many of the above uses, is mainly employed for the isolation and purification of biologically active substances like enzymes, antibodies, antigens, lectins, viruses and toxins. Affinity Chromatography has the advantage of being rapid and highly selective.



SRL Seraloses™	Particle size in wet state (microns)	Fractionation Range (as molecular weight)		Approximate Exclusion Limits (as molecular weight)		
		Proteins	Polysaccharides	Proteins	Polysaccharides	DNA (basis pairs-bp)
Seralose™ 2B Seralose™ CI-2B	60-250	$7.5 \times 10^4 - 45 \times 10^6$	$1 \times 10^5 - 20 \times 10^6$	45×10^6	20×10^6	1353 bp
Seralose™ 4B Seralose™ CI-4B	40-190	$5 \times 10^4 - 20 \times 10^6$	$3 \times 10^4 - 5 \times 10^6$	20×10^6	5×10^6	872 bp
Seralose™ 6B Seralose™ CI-6B	40-190	$1 \times 10^4 - 5 \times 10^6$	$1 \times 10^4 - 1 \times 10^4$	5×10^6	10×10^6	194 bp

Detailed literature available on request

Seralite Products

Ion Exchange Resins

Our important range of Seralite products is very critical for ion exchange applications. These are acidic/basic exchange resins consisting of different polymers and copolymers. The particle size of these resins is between 20 – 50 mesh and are excellent for cross-linking. Typical application of these resins are for water conditioning, softening and deionisation, removal of recovery of high molecular weight anions, fractional separation of organic acids, amino acids, metals, peptides, inorganic and rare earth metals. They can also be used for the treatment of sugar solutions, amino acids and enzymes. SRL Ion exchange resins are highly recommended products for critical separation work.

Product Name	Particle Size	Ion Exchange Capacity	pH Range	Ionoc Form
Seralite SRA-400	20 – 50 mesh BSS	3.0-3.5meq/g	0-14	Cl-
Seralite SRC-120	20 – 50 mesh BSS	min 4.5meq/g	0-14	H+
Seralite SRA-400	20 – 50 mesh BSS	min 10meq/g	5-14	H+

Our Seralite series is equivalent to the Amberlite series of the Rohm and Haas Company

Part D

Dehydrated Culture Media Products

- Product Listing • Media Supplements
- ChroMed™ • Media Kits



Harmonized Culture Media

In recent years, much of the focus has started shifting to newer methods of microbiological testing, led by the leading international pharmaceutical bodies across the world, namely European Pharmacopoeia, Japanese Pharmacopoeia and US Pharmacopoeia. These new methods include harmonization in microbiological testing and this will greatly simplify drug manufacturing norms.

SRL Harmonized Culture Media are manufactured, formulated, labelled and performance tested in compliance with the new harmonized standards.

SRL is ready to face the challenges of the future, be in Biotech, Pharmaceutical R & D, Diagnostics, or any application or research in Microbiology. We offer this new range of products to cater to the new demands that we will be fulfilling through this range.



Important highlights of our Harmonized Media:

- The usage of only the Finest Quality of Bacteriological ingredients
- Strict quality control of Raw Material testing
- Highly trained microbiologists ensure that our Harmonized media are comparable to the best international products
- Very sensitive and precise instrumentation and media manufacturing equipments make sure that each batch is consistent in quality
- Constant R & D and customer interaction helps us to design appropriate products

With our dedicated team of highly skilled microbiologists, an ISO 9001-2008 quality management system and our CE certification.



Conformité Européenne

All **SRL** culture media products are CE certified and now meet EU consumer safety, health and environmental requirements.

All the manufacturing, testing parameters and packaging are done according to the CE norms.



Code	Name	Packing	Price	Code	Name	Packing	Price
38515	✓ A1 Broth (A-1 Medium)	100 Gms	1500	59640	✓ A. K. Agar No. 2 (Sporulating Agar, Arret & Kirshbaum Medium)	100 Gms	1400
		500 Gms	6400			500 Gms	4700
	For the detection of faecal coliforms in foods, treated wastewater and seawater by Most Probable Number (MPN) Method.				Used for production of spores of Bacillus subtilis ATCC 6633.		
26408	✓ AATCC Bacteriostasis Agar (FDA Agar) (FDA Agar, ATCC Medium 182) APHA, FDA recommended medium for detecting plate counts of microorganisms in food, water and waste water.	100 Gms	1500	55418	✓ Aeromonas Isolation Medium Base	100 Gms	1700
		500 Gms	4300			500 Gms	5700
					For the selective differentiation and isolation of Aeromonas hydrophila and other Aeromonas species from clinical specimens and foods.		
49025	✓ AATCC Bacteriostasis Broth (FDA Broth)	100 Gms	1200	63013	⚠ Aeromonas Selective Supplement (2.5mg/vl)	5 vl	1300
		500 Gms	4200				
	For testing antibacterial activities of antiseptics and disinfectants.				For the selective isolation and cultivation of Aeromonas species.		
59235	✓ Acetamide Agar	100 Gms	1200	34609	✓ Aero Pseudo Selective Agar (GSP Agar)	100 Gms	1300
		500 Gms	4400			500 Gms	5200
	For the differentiation of non -fermentative gram negative bacteria especially Pseudomonas aeruginosa.				Used for detection of Aeromonas and Pseudomonas in food, as well as in equipments and water supplies of food industry.		
20605	✓ Acetamide Broth	100 Gms	1100	77981	Agar powder BactoBio for microbiology [9002-18-0]	100 Gms	2000
		500 Gms	4100			500 Gms	7500
	For the confirmation of Pseudomonas aeruginosa in bottle water.				2.5 Kg	35800	
	Specially manufactured to provide clear, high gel strength agar, suitable for use in preparation of microbiological media.						
64773	✓ Acetate Differential Agar (Sodium Acetate Agar)	100 Gms	1300	35799	✓ Aleksandrow Agar	100 Gms	1300
		500 Gms	4200			500 Gms	4800
	For the differentiation of Shigella species from those of the Escherichia genus.				Widely used media for isolation and identification of Potassium solubilizing bacteria from soil samples.		
31257	✓ Acetobacter Agar (Glucose)	100 Gms	1300	72439	✓ Algae Culture Broth	100 Gms	1000
		500 Gms	4500			500 Gms	4200
	Used for the cultivation and maintenance of glucose positive Acetobacter species.				Used for the isolation and cultivation of algae from soil, water and sewage.		
85514	✓ Acid Broth	100 Gms	1200	36191	✓ Algae Culture Agar	100 Gms	1100
		500 Gms	4000			500 Gms	4300
	For the isolation of acid tolerant bacteria from canned foods.				Used for isolation and cultivation of algae from soil, water and sewage.		
76557	✓ Actidione Agar Base w/o Actidione	100 Gms	1600	45712	✓ Alicyclobacillus Detection Agar (Alicyclobacillus Agar)	100 Gms	2300
		500 Gms	5050			500 Gms	8200
	Used for the enumeration and detection of bacteria in specimens containing large numbers of yeasts and moulds.				Used for detection of Alicyclobacillus in fruit juices.		
15126	⚠ Actinomyces Broth	100 Gms	1200	80501	✓ Alkaline Peptone Water	100 Gms	800
		500 Gms	4000			500 Gms	2900
	Used for the maintenance and cultivation of Actinomyces species.				For the cultivation of Vibrio species from sea foods and clinical specimens.		
24729	✓ Actinomycete Isolation Agar	100 Gms	1300	84893	✓ Alkaline Peptone Water (I)	100 Gms	800
		500 Gms	4300			500 Gms	2900
	Used for the isolation and cultivation of Actinomyces species from soil and water.				Used for the enrichment of Vibrio species.		
31047	✓ Adams Agar	100 Gms	1100	83863	✓ Alkaline Peptone Water (B/S)	100 Gms	800
		500 Gms	4100			500 Gms	2900
	Used for examining sporulation in yeasts.				Used for the enrichment of Vibrio species.		



Code	Name	Packing	Price	Code	Name	Packing	Price
58784	✓ Alkaline Saline Peptone Water (I)	100 Gms	1000	50747	✓ Ampicillin Dextrin Broth Base	100 Gms	1100
		500 Gms	3600			500 Gms	4600
	Used for the enrichment of <i>Vibrio</i> species from food and water samples.				Recommended for the selective isolation, differentiation and quantitative enumeration of <i>Aeromonas</i> species from water, food and environmental samples by the membrane filter method.		
44860	✓ AC Agar (All Culture Agar)	100 Gms	1000	24891	⚠ Ampicillin Dextrin Selective Supplement	5 vI	1050
		500 Gms	4200			5 x5 vI	3800
	For growth of aerobic, anaerobic and microaerophilic organisms. Recommended for sterility testing of solutions and materials not containing mercurial preservatives.				Used for selective isolation and differentiation of <i>Aeromonas</i> species.		
87091	✓ AC Broth (All Culture Broth)	100 Gms	900	78162	⚠ Ampicillin Supplement (10mg/vI)	5 vI	1500
		500 Gms	3900				
	For cultivation and isolation of aerobic, anaerobic and microaerophilic organisms. Recommended for sterility testing of solutions and materials not containing mercurial preservatives.				For the selective isolation of <i>Aeromonas</i> species.		
52023	✓ Alternative Thioglycollate Medium (I/P)(U/P) (NIH Thioglycollate Broth)	100 Gms	500	12213	✓ Anaerobic Agar	100 Gms	1200
		500 Gms	1700			500 Gms	4800
	For the sterility testing of biological products which are turbid or viscous as mentioned in pharmacopeia.				For the cultivation of anaerobic bacteria, especially <i>Clostridium</i> species.		
39422	✓ Alternative Thioglycollate Medium, Sterile	100 Gms	600	20911	✓ Anaerobic Agar (Brewer)	100 Gms	1400
		500 Gms	2400			500 Gms	4800
	Gamma irradiated sterile powder used for sterility testing of biological products which are turbid or viscous.				For the isolation and sensitivity testing of facultative and obligatory anaerobes.		
98349	✓ Amies Transport Medium w/ Charcoal	100 Gms	1200	97394	✓ Anaerobic Blood Agar Base	100 Gms	1400
		500 Gms	3700			500 Gms	4950
	For the transport of swab specimens to prolong the survival of microorganisms, especially <i>Neisseria gonorrhoeae</i> .				Recommended for isolation and cultivation of Group A and Group B <i>Streptococci</i> from throat cultures and other clinical samples		
24193	✓ Amies Transport Medium w/o Charcoal	100 Gms	1200	59821	✓ Anaerobic Agar w/o Dextrose	100 Gms	1300
		500 Gms	3700			500 Gms	4500
	For the transport of swab specimens to prolong the survival of microorganisms.				For cultivation of variety of anaerobic bacilli, especially <i>Clostridium</i> species.		
90600	✓ Ammonium Phosphate Agar	100 Gms	1300	19422	✓ Anaerobic Egg Yolk Agar Base	100 Gms	1400
		500 Gms	5900			500 Gms	5000
	For the detection of microorganisms that can use ammonium phosphate as nitrogen source.				For the detection of <i>Clostridium</i> species, especially from food samples.		
69084	✓ Ampicillin Dextrin Agar Base	100 Gms	1300	85198	✓ Anaerobic Tryptone Soya Agar	100 Gms	1300
		500 Gms	5250			500 Gms	4300
	Recommended for the selective isolation, differentiation and quantitative enumeration of <i>Aeromonas</i> species from water, food and environmental samples by the membrane filter method.				Used for screening of anaerobes in cosmetics (Talcum powder).		
				47702	✓ Andrade Lactose Peptone Water	100 Gms	840
						500 Gms	3200
					To study fermentation reactions of members of the <i>Enterobacteriaceae</i> .		
				41449	✓ Andrade Peptone Water	100 Gms	950
						500 Gms	4200
					A basal medium to study fermentation reactions by adding various carbohydrates		
				90295	✓ Andrade Peptone Water BioVeg	100 Gms	1100
						500 Gms	4500
					A basal medium to study fermentation reactions by adding various carbohydrates.		



Code	Name	Packing	Price	Code	Name	Packing	Price
70197	✓ Antibiotic Assay Medium No. 5 (Streptomycin Assay Agar w/ Yeast Extract)	100 Gms	1200	22599	✓ Aqua Test E.Coli Medium	100 Gms	7900
		500 Gms	5200			100 Gms	7900
	For antibiotic assay testing. For the streptomycin assay using Bacillus subtilis as the test organism.				Aqua Test Ecoli Medium, is used for detection of faecal indicator bacteria in drinking water, especially in low-income countries and outside controlled laboratory settings.		
24301	✓ Antibiotic Assay Medium No. 8 (Base Agar w/Low pH)	100 Gms	1200	41524	✓ Arabinose Agar Base	100 Gms	1300
		500 Gms	5200			500 Gms	5100
	For microbiological assay testing of Tetracycline, Vancomycin, Oxytetracycline, et c.				Used for selective isolation of Enterococcus faecium from faeces, sewage and water samples.		
52812	✓ Antibiotic Assay Medium No. 9 (Polymyxin Base Agar)	100 Gms	1100	85908	✓ Arginine Dihydrolase Broth	100 Gms	1100
		500 Gms	4200			500 Gms	4500
	Used as base agar for the plate assay of Carbenicillin, Colistimethate and Polymixin B.				Used for the detection of arginine dihydrolase producing microorganisms.		
26751	✓ Antibiotic Assay Medium No. 10 (Polymyxin Seed Agar)	100 Gms	1400	15577	✓ Aseptic Commissioning Medium (Aseptic Packing Line Medium)	100 Gms	1200
		500 Gms	4200			500 Gms	4300
	Used as seed agar for plate assay of Carbenicillin, Colistimethate and Polymixin B.				It is an ideal medium used for validation of aseptic packing and filling lines.		
87878	✓ Antibiotic Assay Medium No. 1 (Seed Agar) (Penassay Seed Agar, Seed Agar, Agar Medium A)	100 Gms	1100	64778	✓ Ascospore Agar	500 Gms	4300
		500 Gms	5000				
	For antibiotic assay testing, detection of antibiotics in milk and determination of the antimicrobial effectiveness of antibiotics.				Ascospore Agar is a solid medium recommended for use in qualitative procedures for the cultivation of ascomycetous yeasts.		
50741	✓ Antibiotic Assay Medium No. 2 (Base Agar, Penassay Base Agar) (Penassay Base Agar, Base Agar)	100 Gms	1200	88277	♻ Ashby's Glucose Agar	100 Gms	1300
		500 Gms	5200			500 Gms	4700
	For use as a base layer in antibiotic assay testing.				For the cultivation of Azotobacter species that can utilize glucose as carbon and atmospheric nitrogen as nitrogen source.		
66729	✓ Antibiotic Medium No. 3 (U/P) (I/P) (Assay Broth, Penassay Broth)	100 Gms	1000	26569	✓ Ashby's Mannitol Agar	100 Gms	1300
		500 Gms	3300			500 Gms	4700
	For microbiological assay of antibiotics.				For the cultivation of Azotobacter species that can utilize mannitol as carbon and atmospheric nitrogen as nitrogen source.		
10892	✓ Antifungal Assay Agar	100 Gms	1300	75830	✓ ASLA Agar	100 Gms	1200
		500 Gms	4300			500 Gms	4400
	For assaying antifungal activity.				Used for isolation and cultivation of Propionibacterium species from food.		
12797	✓ APRY Agar Base	100 Gms	1100	57624	✓ Aspergillus Differentiation Medium Base	100 Gms	1500
		500 Gms	4200			500 Gms	5650
	For the cultivation of acid resistant yeasts.				Recommended media for isolation and cultivation of denitrifying bacteria.		
26126	✓ APT Agar (APHA)	100 Gms	1200	53903	✓ Asparagine Nitrate Medium	100 Gms	3300
		500 Gms	4400				
	Used for the cultivation of heterofermentative lactobacilli requiring high thiamine content.				Recommended media for isolation and cultivation of denitrifying bacteria.		
31990	✓ APT Broth (APHA)	100 Gms	1200	69318	✓ Asparagine Proline Broth	100 Gms	1200
		500 Gms	4200			500 Gms	4400
	Used for the cultivation of heterofermentative lactobacilli requiring high thiamine content.				For the cultivation of Pseudomonas aeruginosa by membrane filter technique.		
				95670	✓ Asparagine Proline Broth BioVeg	100 Gms	1300
						500 Gms	4900
					For cultivation of Pseudomonas aeruginosa by membrane filter technique.		



Code	Name	Packing	Price	Code	Name	Packing	Price
92301	✓ Ayers and Johnson Agar (Stock Culture Agar)	100 Gms	1300	97676	✓ B.C.P. - D.C.L.S. Agar (Bromocresol Purple-Deoxycholic Acid-Citrate-Lactose-Sucrose Agar) Used for the selective isolation of Salmonella and Shigella species.	100 Gms	1300
		500 Gms	4700			500 Gms	4800
94692	✓ Azide Blood Agar Base	100 Gms	1300	69574	✓ Beef Extract Agar (ex. Buffalo)	100 Gms	1000
		500 Gms	4500			500 Gms	4100
47479	✓ Bacillus Differentiation Agar	100 Gms	1700	39359	✓ Beef Extract Broth (ex. Buffalo)	100 Gms	900
		500 Gms	5300			500 Gms	3600
51747	✓ Bacillus Medium	100 Gms	900	60856	✓ Beef Extract ex. Buffalo BactoBio for bacteriology [68990-09-0]	500 Gms	2000
		500 Gms	3600			5 Kg	17500
74664	✓ Bacillus Cereus Agar	100 Gms	1100	57542	✓ Beijerinckia Medium	100 Gms	1300
		500 Gms	4500			500 Gms	5100
98947	✓ Bacteroides Bile Esculin (BBE) Agar Base	100 Gms	3200	29141	✓ BIGGY Agar (Nickerson Medium) (Nickerson Agar)	100 Gms	1100
		500 Gms	12900			500 Gms	4700
83141	✓ Bacteroides Selective Supplement (50mg/vl)	5 vl	1200	49319	✓ Bile Broth Base	100 Gms	1300
						500 Gms	5200
50222	✓ Baird-Parker Agar, Base (U/P)(I/P) (I)	100 Gms	1000	66013	✓ Bile Esculin Agar w/o azide (I)	100 Gms	3500
		500 Gms	4200			500 Gms	13200
24562	✓ Baird-Parker Agar, Base (B/S)	100 Gms	1000	66572	✓ Bile Esculin Agar, Base	100 Gms	2300
		500 Gms	4200			500 Gms	10200
21748	✓ Baird-Parker Agar Base w/Sulpha	100 Gms	1500	34963	✓ Bile Esculin Azide Agar	100 Gms	2400
		500 Gms	5300			500 Gms	9000
26267	✓ B.C. Motility Medium	100 Gms	1100	79630	✓ B.D.G.Broth, Hajna	100 Gms	1200
		500 Gms	3800			500 Gms	4000
				64104	✓ Bile Salts Agar	100 Gms	1200
						500 Gms	5200



Code	Name	Packing	Price	Code	Name	Packing	Price
50362	✓ Bile Salts BactoBio for bacteriology	100 Gms	5400	55369	✓ Bismuth Sulphite Agar (I) (Bismuth Sulfite Agar (I))	100 Gms	900
		500 Gms	19800			500 Gms	3700
Used in microbiological culture media as a selectively inhibitory agent.							
18276	✓ Bile Salts No. 3 BactoBio for bacteriology	100 Gms	8100	48794	✓ Blood Agar Base (Infusion Agar)	100 Gms	900
		500 Gms	24700			500 Gms	3700
Bile salts No. 3 is a refined bile salt for use as a selective inhibitory agent in bacteriological culture media. It consist of a specially modified fraction of bile acid salts (comprising mainly of sodium cholate and sodium deoxycholate).							
69577	✓ Bile Salts Brilliant Green Starch Agar	100 Gms	2200	90935	✓ Blood Agar Base (w/o sheep blood)	100 Gms	900
		500 Gms	5800			500 Gms	3700
For the preparation of blood agar by the addition of sheep blood.							
56175	✓ Bile Salts Mixture BactoBio for bacteriology	100 Gms	7800	67644	✓ Blood Agar Base No.2 (w/ 1.2% Agar)	100 Gms	1000
		500 Gms	22500			500 Gms	3700
Used as an inhibitory agent for gram positive organisms in microbiological media.							
18037	✓ Bile Salts Technical for bacteriology	100 Gms	1400	74999	✓ Blood Agar Base w/ Low pH (w/o sheep blood)	100 Gms	1000
		500 Gms	5400			500 Gms	3800
It is used in bacteriological culture media as an inhibitory agent for gram positive bacteria, making it selective for isolation and identification of pathogens.							
79665	✓ Bile Tolerant Gram negative bacteria Test Kit (Pre-Weighed Media)	1 Kit	1200	81083	✓ Blood Free Campylobacter Selectivity Agar Base	100 Gms	1500
Used for isolation, identification and cultivation of Bile tolerant gram negative bacteria.							
92875	✓ Biochemical Test Kit - I (Pre-Weighed Media)	1 Kit	2600	Used for the selective isolation and differentiation of Campylobacter species from food and animal feeding stuffs. This medium is recommended by ISO 10272-1&2:2017.			
Used for biochemical identification of gram negative enteric bacteria based on tests like Carbohydrate utilization, H ₂ S production, Phenylalanine deaminase and Urease production.							
65896	✓ Biochemical Test Kit - II (Pre-Weighed Media)	1 Kit	2400	71476	✓ BG-11 Broth (Blue-Green Medium)	100 Gms	1500
Used for biochemical identification of microorganisms based on tests - Nitrate reduction, Malonate utilisation, Gelatin liquefaction and Starch hydrolysis.							
55785	✓ Bio Peptone (Mixture of Casein & Meat Peptone) BactoBio for bacteriology	500 Gms	2900	85308	✓ Bordet - Gengou Agar, Base (w/o rabbit blood)	100 Gms	1300
		5 Kg	23100			500 Gms	5000
		10 Kg	44100			For the detection and isolation of Bordetella species from clinical specimens.	
Biopeptone is a mixture of enzymic digest of casein and meat peptone. It is recommended for the cultivation of fastidious microorganisms in Columbia Broth Base, Dextrose Agar and Casman Agar Base.							
15097	⚡ B.P. Sulpha Supplement (50mg/vl)	5 vl	1200	91661	✓ BPL Agar (Brilliant Green Phenol Red Agar)	100 Gms	1300
Used for suppressing the growth of Proteus species on Baird Parker Agar Base.							
For isolation and identification of Salmonellae except S.typhi in faeces, urine, milk and other materials.							



Code	Name	Packing	Price	Code	Name	Packing	Price
46530	✓ Brain Heart CC Agar (BHI CC Agar)	100 Gms	2200	65774	✓ Brilliant Green Agar	100 Gms	900
		500 Gms	9500			500 Gms	3500
	Recommended for isolation and cultivation of fastidious pathogenic fungi and saprophytic fungi from specimens heavily contaminated with bacteria.				For the selective isolation of Salmonella other than S.typhi from faeces, food and dairy products.		
64944	✓ Brain Heart Infusion Powder (BHI Powder) BactoBio for bacteriology	500 Gms	3000	14980	✓ Brilliant Green Agar, Modified (I) (Brilliant Green Agar Base w/ Phosphates)	100 Gms	900
		5 Kg	28200			500 Gms	3500
	Used for cultivation of highly fastidious microorganisms like Streptococci, Pneumococci, Meningococci, Haemophilus, Neisseria sp. and pathogenic fungi. A highly nutritious mixture of calf brain infusion and beef heart infusion.				For the selective isolation of Salmonellae from faeces, water, food and dairy products.		
94124	✓ Brain Heart Infusion Agar (BHI Agar)	100 Gms	900	18545	✓ Lactose Bile Brilliant Green Broth 2% (I)(B/S)	100 Gms	1100
		500 Gms	3500			500 Gms	4900
		5 Kg	32500				
	For the cultivation of wide variety of fastidious bacteria, yeasts and molds from clinical and non-clinical specimens.				Recommended medium for detection and confirmation of coliforms from water, wastewater, foods, milk and dairy products.		
87864	✓ Brain Heart Infusion Broth (BHI Broth)	100 Gms	900	98383	✓ Brilliant Green Bile Agar	100 Gms	1000
		500 Gms	3200			500 Gms	4200
		5 Kg	29500				
	For the cultivation of variety of fastidious and non-fastidious aerobic and anaerobic microorganisms.				For the detection & enumeration of coliform bacteria in materials of sanitary importance such as water, sewage & foods.		
82856	✓ Brain Heart Infusion Agar, Modified (BHI Agar, Modified)	100 Gms	1000	39284	✓ Brilliant Green Sulfa Agar (B.G. Sulpha Agar)	100 Gms	1000
		500 Gms	3900			500 Gms	4500
		5 Kg	35100				
	For the cultivation of wide variety of fastidious bacteria, yeast and molds from clinical and non-clinical specimens.				For the selective isolation of Salmonella species, other than Salmonella typhi from food, dairy products, eggs, egg products and feed.		
84560	✓ Brain Heart Infusion w/ 0.1% Agar (BHI w/ 0.1% Agar)	100 Gms	1100	32445	✓ Bolton Broth Base	100 Gms	1100
		500 Gms	3900			500 Gms	4900
	For the cultivation of fastidious pathogenic microorganisms.				A medium for the selective pre-enrichment of Campylobacter species in food samples.		
26671	✓ Brain Heart Infusion w/ PABA and Agar (BHI Agar w/PABA)	100 Gms	1200	55582	⚠ Bolton Selective Supplement	5 vl	1800
		500 Gms	4800			5 x5 vl	7800
	For the detection of fastidious microorganisms from blood containing sulfonamides.				Used for the selective enrichment of Campylobacter species from food samples.		
25357	✓ Brain Heart Infusion Broth w/6.5% NaCl (BHI Broth w/6.5% NaCl)	100 Gms	1000	66006	⚠ Bordetella Selective Supplement (20mg/vl)	5 vl	1400
		500 Gms	3800				
	Nutritive medium used for cultivation of salt tolerant microorganisms.				Used for the selective isolation of Bordetella species.		
33355	✓ Brewer Thioglycollate Medium	100 Gms	700	26384	⚠ Bromocresol Purple Supplement (15mg/vl)	5 vl	900
		500 Gms	2800				
	For sterility testing of biological products and other materials.				Used for isolation and identification of faecal streptococci.		
49977	✓ Bromocresol Purple Azide Broth	100 Gms	1100	49977	✓ Bromocresol Purple Azide Broth	100 Gms	1100
		500 Gms	4100			500 Gms	4100
	For the confirmation tests for presence of faecal streptococci in water and waste water.				For the confirmation tests for presence of faecal streptococci in water and waste water.		
19202	✓ Bromocresol Purple Lactose Broth (BCP Lactose Broth, Yeast Fermentation Broth Base)	100 Gms	1000	19202	✓ Bromocresol Purple Lactose Broth (BCP Lactose Broth, Yeast Fermentation Broth Base)	100 Gms	1000
		500 Gms	3800			500 Gms	3800
	Used as presumptive medium for the detection of coliform bacteria in water.				Used as presumptive medium for the detection of coliform bacteria in water.		



Code	Name	Packing	Price	Code	Name	Packing	Price
53213	✓ Bromocresol Purple Lactose Broth w/o Sodium Chloride	100 Gms	1000	22197	✓ Buffered Peptone Water BioVeg	100 Gms	800
		500 Gms	3600			500 Gms	2900
46172	⚠ Bromothymol Blue Supplement (20mg/vl) Used for differentiating microflora from urine sample.	5 vl	600		A pre-enrichment medium, manufactured from animal free bases for the isolation of Salmonella, especially injured microorganisms from various food sources.		
68035	✓ Bryant and Burkey Agar	100 Gms	1200	93439	✓ Buffered Peptone Water w/ Casein	100 Gms	900
		500 Gms	4500			500 Gms	3500
	For the detection of lactate fermenting Clostridial species in milk and dairy products.				A pre-enrichment medium, for the isolation of Salmonella, especially from cocoa (chocolates and confectionary).		
61882	✓ Bryant and Burkey Medium	100 Gms	1100	85268	✓ Buffered Tryptone Glucose Yeast Extract Broth	100 Gms	1100
		500 Gms	4200			500 Gms	3900
	For the detection of lactate fermenting Clostridial species in milk and dairy products.				Used for the isolation of Clostridium perfringens from food samples.		
19814	✓ B.T.B. Lactose Agar (Bromothymol Blue Lactose Agar)	100 Gms	1200	70054	✓ Buffered Yeast Agar	100 Gms	1000
		500 Gms	4400			500 Gms	3900
	For the isolation and cultivation of pathogenic Staphylococci.				For the cultivation of yeast and molds and for controlling bottle washing operations in the soft drinks and related industries.		
28540	⚠ B12 Culture Agar, (U/P)	100 Gms	1800	89637	✓ Buffered Sodium Chloride-Peptone Solution pH 7.0, Harmonized	100 Gms	800
	For the cultivation and maintenance of Lactobacillus leichmannii ATCC 7830 to be used as the test organism in the vitamin B12 assay.					500 Gms	2900
79328	⚠ B12 Inoculum Broth, (U/P)	100 Gms	1700	73461	✓ Burk's Medium	100 Gms	1300
		500 Gms	7200			500 Gms	4100
	For the preparation of inoculum cultures of Lactobacillus leichmannii ATCC 7830, which is used as the test organism in the vitamin B12 assay.				Used for isolation and cultivation of nitrogen fixing bacteria such as Azotobacter species from soil.		
21700	✓ Buffered Glycerol Saline Base	100 Gms	900	32639	✓ Bushnell - Haas Agar	100 Gms	1000
						500 Gms	4200
					For examining fuels for microbial contamination and for studying hydrocarbon utilization by microorganisms.		
72993	✓ Buffered Peptone Water	100 Gms	700	14509	✓ Bushnell - Haas Broth	100 Gms	800
		500 Gms	2900			500 Gms	3600
	A pre-enrichment medium for the isolation of Salmonella species, especially injured microorganisms from food sources.				For examining fuels for microbial contamination and for studying hydrocarbon utilization by microorganisms.		
88680	✓ Buffered Peptone Water (I/O) (B/S)	100 Gms	800	16574	✓ CAE Agar Base (Citrate Azide Enterococcus)	100 Gms	1100
		500 Gms	2900			500 Gms	4200
	Recommended medium for pre-enrichment of injured Salmonella species from foods, before selective enrichment and isolation.				Used for identification of Enterococci in meat, dairy and other food products.		
12995	✓ Buffered Peptone Water w/ NaCl	100 Gms	1000	35512	✓ CAL Agar (Cellobiose Arginine Lysine Agar)	100 Gms	7400
		500 Gms	2900				
	An isotonic agent recommended for use as a diluent in performing microbial examination of non-sterile products.				Used for the isolation and characterization of Yersinia enterocolitica from faecal specimens		
				95845	✓ Calcium Caseinate Agar	100 Gms	1500
						500 Gms	4900
					For the detection and enumeration of proteolytic microorganism in foodstuff and other materials.		



Code	Name	Packing	Price	Code	Name	Packing	Price
25867	✓ Campylobacter Agar Base	100 Gms	1300	61796	✓ Casein Peptone BactoBio for bacteriology	500 Gms	2400
		500 Gms	5000			5 Kg	22500
	Used with addition of blood and antibiotics in isolation and cultivation of Campylobacter species.				An enzymatic digest of casein, rich in amino acids and peptides. Used as a nitrogen source in microbiological media.		
36198	✓ Candida BCG Agar, Base	100 Gms	1300	72689	✓ Casitone (Casitose) BactoBio for bacteriology	500 Gms	2400
		500 Gms	4800			49946	⚠ Casitose Agar w/ 1.5% Agar
	For use with added Neomycin for isolation and differentiation of Candida from primary specimens.				Used as a general purpose medium for cultivation of microorganisms.		
95160	✓ Candida Isolation Agar (Candida Agar)	100 Gms	1300	79033	✓ Casitose Soya Agar, Modified (Casein Soya Agar, Modified)	100 Gms	1300
		500 Gms	4800			500 Gms	4200
	For the isolation and differentiation of Candida albicans.				For the growth of wide variety of organisms.		
45568	✓ Candida Albicans Test Kit (Pre-Weighed Media)	1 Kit	1200	13927	✓ Casitose Soya Blood Agar Base (Casein Soya Blood Agar Base) (Trypticase Soya Blood Agar Base)	100 Gms	1300
	Used for isolation, identification and cultivation of Candida albicans.				Recommended for the cultivation of fastidious microorganisms and detection of their hemolytic activity.		
92558	✓ Carbohydrate Fermentation Test Kit - I (Pre-Weighed Media)	1 Kit	3800	91254	✓ Casman Agar Base	100 Gms	1100
	For the differentiation of microorganisms on the basis of various carbohydrate fermentation reactions.				500 Gms 4200		
40071	✓ Carbohydrate Fermentation Test Kit - II (Pre-Weighed Media)	1 Kit	7300		Used with addition of blood, for isolation and cultivation of fastidious microorganisms from clinical specimens.		
	For the differentiation of microorganisms on the basis of various carbohydrate fermentation reactions.			18871	⚠ CBI Supplement	5 vI	1500
54951	✓ Carbon Utilisation Agar	500 Gms	2300		Used for selective isolation of Clostridium botulinum.		
	Used for characterization of Streptomyces on the basis of carbon utilization studies.			90465	✓ Cetrimide Agar Base, Harmonized	100 Gms	900
24715	✓ Cary - Blair Transport Medium, Base (w/o charcoal)	100 Gms	1100		500 Gms 3600		
	For maintenance as a holding medium or transport medium of clinical specimens during collection or shipment.				Used for the selective isolation and identification of Pseudomonas aeruginosa in pharmaceutical testing according to harmonized methods.		
68806	✓ Acicase (Casein Acid Hydrolysate, Casamino Acids) BactoBio for bacteriology	500 Gms	6500	45470	✓ Cetrimide Agar, Base	100 Gms	900
		[65072-00-6]	2 Kg	22000		500 Gms 3600	
	Acid digest of casein, a rich source of nitrogen recommended for use in microbiological culture media that require a completely hydrolyzed protein as a nitrogen source.				For the selective isolation, cultivation and identification of Pseudomonas aeruginosa.		
95305	✓ Acicase (Casein Acid Hydrolysate, Casamino Acids) Technical for bacteriology	500 Gms	5000	93927	✓ Cetrimide Agar BioVeg	100 Gms	900
		[65072-00-6]	2 Kg	18000		500 Gms 3600	
	Acid digest of casien; is a rich source of nitrogen.				Made from Veg.based ingredients ; it is used for the selective cultivation and identification of Pseudomonas aeruginosa.		
68211	✓ Casein Magnesium Broth (NZM Broth)	100 Gms	1400	31199	✓ Cetrimide Broth (U/P)	100 Gms	900
		500 Gms	5500		500 Gms 3300		
	Used in the cultivation of recombinant strains of Escherichia coli.				Used for the cultivation of Pseudomonas aeruginosa.		
				94532	⚠ Cetrinix Supplement	5 vI	1900
					5 x5 vI 4500		
					Used for the selective isolation of Pseudomonas species.		



Code	Name	Packing	Price	Code	Name	Packing	Price
70984	🔒 CFC Supplement	5 vl	1700	96599	🔒 ChroMed ECC Agar	100 Gms	4200
		5 x5 vl	5000			500 Gms	16100
	Used for selective isolation of Pseudomonas species.				Differential medium recommended for presumptive identification of Escherichia coli and other coliforms in food and environmental samples.		
11507	✔ Chapman Stone Agar	100 Gms	1100	75955	🔒 ChroMed E.coli Agar	100 Gms	2900
		500 Gms	3900			500 Gms	12900
	For the isolation of staphylococci from a variety of specimens.				Recommended chromogenic medium, used for the detection and enumeration of Escherichia coli and coliforms from food samples.		
58323	✔ Charcoal Agar	100 Gms	1200	46706	🔒 ChroMed Klebsiella Selective Agar Base	100 Gms	2100
		500 Gms	4200			500 Gms	8600
	For the cultivation and maintenance of fastidious microorganisms, especially Bordetella pertussis, for production of vaccines.				Used for the selective isolation and detection of Klebsiella species from water and other sources. This medium can also be used in membrane filtration procedure.		
53641	✔ Charcoal Agar w/ Niacin	100 Gms	1400	45615	🔒 ChroMed Listeria Agar (I)	100 Gms	1800
		500 Gms	4950			500 Gms	7700
	Used for cultivation and isolation of Bordetella pertussis and Haemophilus influenzae.				A selective and differential chromogenic medium recommended for rapid and direct identification of listeria species.		
52057	✔ China Blue Lactose Agar	100 Gms	1100	38284	✔ ChroMed Listeria Agar Base, Modified	100 Gms	1800
		500 Gms	4500			500 Gms	7400
	Used for differentiating lactose fermenters and non fermenters and also in enumeration of bacteria in milk.				For the selective identification and differentiation of Listeria monocytogenes.		
52665	🔒 Chloramphenicol Yeast Glucose Agar BioVeg	100 Gms	800	65621	🔒 ChroMed MeReSA Agar	100 Gms	2800
		500 Gms	3600			500 Gms	11800
	Used for the isolation and enumeration of molds in milk and milk products.				A chromogenic media recommended for the isolation and selective identification of Methicillin Resistant Staphylococcus aureus (MRSA) from clinical isolates.		
27880	🔒 ChroMed Aureus Agar	100 Gms	2200	75213	🔒 Chromed M-Lauryl Sulfate Agar (MLGA) (Membrane Lactose Glucuronide Agar)	100 Gms	5200
		500 Gms	9900			500 Gms	20900
	A chromogenic medium used for the identification of Staphylococcus aureus.				For the differentiation and enumeration of Escherichia coli and other coliforms by membrane filter technique.		
78355	🔒 ChroMed Bacillus Cereus Agar	100 Gms	1400	90219	🔒 ChroMed OGYE Agar Base (I)	100 Gms	3800
		500 Gms	5500			500 Gms	16600
	A chromogenic medium used for the isolation of Bacillus species from a mixed culture in foods, clinical and non-clinical samples.				Selective and differential medium for isolation of yeasts and moulds from milk and milk products.		
42436	🔒 ChroMed Chromogenic Coliform Agar (CCA) (I)	50 Gms	3100	92671	🔒 ChroMed Salmonella Agar	100 Gms	10300
		100 Gms	5800			500 Gms	48400
		500 Gms	27300				
	For detection of Escherichia coli and coliforms in water samples as per ISO standards 9308-1:2014.				A chromogenic medium used for the differentiation of Salmonella species.		
19440	🔒 ChroMed Chromogenic Coliform Agar w/ SLS (CCA w/ SLS)	50 Gms	2500	52496	🔒 ChroMed TBX Agar (E.coli Agar Modified)	100 Gms	2200
		100 Gms	4500			500 Gms	10100
		500 Gms	17500				
	For detection of Escherichia coli and coliforms in water samples.				A selective chromogenic medium used for the detection and enumeration of Escherichia coli in food samples, animal feeds and water.		



Code	Name	Packing	Price	Code	Name	Packing	Price
42979	🔑 ChroMed UTI Agar	100 Gms	3000	12655	✓ Clostridium Test Kit (Pre-Weighed Media) Used for isolation, identification and cultivation of Clostridium species.	1 Kit	1200
		500 Gms	14300				
80559	✓ CHO Medium, Base (Carbohydrate Medium, Base)	100 Gms	1000	64078	🔑 CNA Supplement Recommended for the selective isolation of anaerobic gram-positive cocci.	5 vl	1800
		500 Gms	3800				
28850	✓ Chocolate Agar, Base	100 Gms	1200	19156	✓ Coagulase Mannitol Agar Base For the cultivation, differentiation of Staphylococcus aureus from other Staphylococcus species, based on coagulase production and mannitol fermentation.	100 Gms	1100
		500 Gms	4200			500 Gms	4700
14602	🔑 Chloramphenicol Selective Supplement (50mg/vl)	5 vl	1200	52655	✓ Coliform Medium (CM, Coliform Broth) For the isolation & cultivation of coliform organisms from raw milk, cream, yoghurt.	100 Gms	1000
		5 x5 vl	3500			500 Gms	3600
60822	✓ Chloramphenicol Yeast Glucose Agar (I)	100 Gms	800	21493	✓ Columbia Agar Base, Harmonized Used for the isolation of fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.	100 Gms	900
		500 Gms	3700			500 Gms	3700
93306	✓ Christensen Citrate Agar	100 Gms	1000	45481	✓ Columbia Agar, Base For the isolation and cultivation of fastidious and non-fastidious microorganisms.	100 Gms	900
		500 Gms	4400			500 Gms	3700
55769	✓ CLED Agar (Brolacin Agar)	100 Gms	1000	97789	✓ Columbia C.N.A. Agar Base For selective isolation and cultivation of pathogenic Gram-positive cocci from clinical and non-clinical specimens.	100 Gms	2500
		500 Gms	3700			500 Gms	10100
88366	✓ CLED Agar w/ Andrade Indicator	100 Gms	1000	23588	✓ Conn's Agar Used for the cultivation of fungi.	100 Gms	2200
		500 Gms	3700			500 Gms	9100
40980	✓ Clostridium Botulinum Isolation Agar, Base	100 Gms	1100	16340	✓ Corn Meal Agar w/ Dextrose Cultivation of phytopathological and other fungi.	100 Gms	1000
		500 Gms	4400			500 Gms	4300
26836	✓ Clostridium Difficile Agar Base	100 Gms	1400	26998	✓ Corn Meal Agar For the chlamyospore production by Candida albicans and maintenance medium for fungal stock cultures.	100 Gms	1000
		500 Gms	4950			500 Gms	4300
93834	🔑 Clostridium Difficile Supplement	5 vl	1300	60277	✓ Corn Meal Peptone Yeast Agar	100 Gms	1200
		5 x5 vl	3900			500 Gms	4200
				73398	✓ Cooke Rose Bengal Agar Base Used for the selective cultivation and isolation of fungi.	100 Gms	1700
						500 Gms	5900



Code	Name	Packing	Price	Code	Name	Packing	Price
45455	✓ CPC Agar Base For cultivation and differentiation of Vibrio species from food samples.	100 Gms	6300	61195	⚠ Dairy samples Testing Kit (Pre-Weighed Media) Used for identification and enumeration of microorganisms from dairy products.	1 Kit	2100
65165	⚠ CPC Supplement For isolation and enumeration of Vibrio species from foods	5 vI	2300	96640	✓ Decarboxylase Test Medium Base (Falkow) (Decarboxylase Basal Medium, Decarboxylase Media, Falkow) For the differentiation of bacteria based on their ability to decarboxylate the amino acid.	100 Gms 500 Gms	1000 3700
48743	✓ Craigs Medium	100 Gms 500 Gms	1300 3900	47129	✓ Deoxycholate Agar Differential medium for direct counts of coliforms from dairy products and for the isolation of enteric microorganisms from clinical and non-clinical specimens.	100 Gms 500 Gms	900 3900
70952	✓ CRAMP Agar Base For the cultivation of Yersinia species with plasmids.	100 Gms	5300	20023	✓ Deoxycholate Citrate Agar (I/P) Used for the selective isolation and cultivation of enteric pathogens, especially Salmonella and Shigella species.	100 Gms 500 Gms	1400 6300
27793	✓ Cystine Tryptone Agar (Cystine Tryptic Agar) Used for the maintenance, subculturing and detection of motility of various bacteria.	100 Gms 500 Gms	1000 3700	38695	✓ Deoxycholate Lactose Agar For the isolation and differentiation of Gram-negative enteric bacilli and for enumeration of coliforms from water, waste water, milk and dairy products.	100 Gms 500 Gms	1200 4300
77853	✓ Crystal Violet Agar (Crystal Violet Lactose Agar) For the differentiation of pathogenic and non- pathogenic staphylococci.	100 Gms 500 Gms	1200 4300	18752	✓ Dermatophyte Test Agar Base (D.T.M. Agar Base) For the isolation and cultivation of dermatophytic fungi.	100 Gms 500 Gms	1200 4500
57485	✓ Crystal Violet Lactose Broth For the detection of coliforms in water filtration control works.	100 Gms 500 Gms	1400 3800	68650	✓ DEV Nutrient Agar To determine total germ count in water acc. To the "Deutschen Einheitsverfahren" regulations of drinking water.	100 Gms 500 Gms	1100 3900
91022	✓ Crystal Violet Tetrazolium Agar, Base Used for the detection of gram-negative psychrotrophic bacteria causing food spoilage.	100 Gms 500 Gms	1100 4500	22438	✓ DEV Tryptophan Broth Used for sub-cultivation for coliform differentiation and for indole testing in the bacteriological examination of water as per German Standard methods.	100 Gms 500 Gms	800 2900
29212	✓ Czapek - Dox Agar For the cultivation of fungi and bacteria capable of utilizing sodium nitrate as the sole source of nitrogen.	100 Gms 500 Gms	900 3300	15923	✓ Dextrose Agar For the cultivation of a wide variety of microorganisms and used as a base for blood agar and for general laboratory purposes.	100 Gms 500 Gms	900 3800
93812	✓ Czapek - Dox Agar Modified For the cultivation and maintenance of numerous fungal species, also for chlamyospore production by Candida albicans.	100 Gms 500 Gms	1200 4200	64098	✓ Dextrose Broth For the isolation and enrichment of fastidious or damaged microorganisms.	100 Gms 500 Gms	800 2700
74367	✓ Czapek - Dox Broth For the cultivation of fungi and bacteria capable of utilizing sodium nitrate as the sole source of nitrogen.	100 Gms 500 Gms	800 2900				
95417	✓ Czapek Malt Agar For the isolation and cultivation of saprophytic fungi.	100 Gms 500 Gms	900 3700				



Code	Name	Packing	Price	Code	Name	Packing	Price
83607	✓ Dextrose Mannitol Agar (Gillies Agar No.1)	100 Gms	1300	52978	✓ Differential Reinforced Clostridial Broth, Base (I)	100 Gms	900
		500 Gms	4700			500 Gms	3300
	Recommended medium for primary isolation of Salmonella and Shigella species, by detection of urease production, dextrose and mannitol fermentation.				For the cultivation of Clostridia from water samples.		
98009	✓ Dextrose Proteose Peptone Agar Base	100 Gms	1100	88167	✓ Differential Reinforced Clostridial Broth, Base BioVeg	100 Gms	900
		500 Gms	3900			500 Gms	3500
	Used in combination with blood and tellurite for the isolation of Corynebacterium diphtheriae.				For the cultivation of Clostridia from water samples.		
11581	✓ Dextrose Salt Agar	100 Gms	1100	63899	✓ Dihydrolase Broth, Base	100 Gms	1300
		500 Gms	4300			500 Gms	4100
	For the enumeration of yeasts and molds in butter and dairy products.				Used for sterility testing of pharmaceuticals.		
87461	✓ Dextrose Salt Broth	100 Gms	1000	14912	✓ Diluting Fluid A	100 Gms	800
		500 Gms	3600			500 Gms	3000
	For the enumeration of yeasts and molds in butter and dairy products.				Used for sterility testing of pharmaceutical products in accordance with USP.		
44486	✓ Dextrose Starch Agar	100 Gms	1200	23121	✓ Diluting Fluid D	100 Gms	900
		500 Gms	4200			500 Gms	3400
	For the cultivation and maintenance of Neisseria gonorrhoeae and other fastidious microorganisms.				Used for sterility testing of pharmaceutical products in accordance with USP.		
50223	✓ Dextrose Tryptone Agar (Dextrose Casein Peptone Agar)	100 Gms	1100	53277	✓ Diluting Fluid K	100 Gms	1000
		500 Gms	4100			500 Gms	3000
	For the isolation and cultivation of mesophilic and thermophilic aerobic microorganisms related to food spoilage.				Used as diluting or rinsing fluid, when performing sterility testing of pharmaceuticals.		
78209	✓ Dey-Engley Neutralizing Broth	100 Gms	1200	82965	✓ Disinfectant Test Broth, AOAC	100 Gms	1000
		500 Gms	4400			500 Gms	3800
	For the testing and neutralization of antiseptics and disinfectants.				For the determination of phenol coefficient of disinfectants.		
73318	✓ Diamalt Agar	100 Gms	1400	82359	✓ DNase Test Agar Base	100 Gms	3700
		500 Gms	5200			500 Gms	15500
					Used for differentiation of microorganisms based on their production of deoxyribonuclease.		
29412	✓ Dichloran Glycerol Medium Base	100 Gms	950	78317	✓ DNase Test Agar w/Methyl Green	100 Gms	4200
		500 Gms	4500			500 Gms	16100
					Used for differentiation of microorganisms based on deoxyribonuclease activity.		
63110	✓ Dichloran Medium Base w/ Rose Bengal	100 Gms	1400	88941	✓ Drakes Medium 10	100 Gms	1500
		500 Gms	6000			500 Gms	5100
	Used for isolation and enumeration of yeasts and moulds associated with food spoilage.				Recommended for isolation of Pseudomonas species from water samples.		
66473	✓ Differential Reinforced Clostridial Agar	100 Gms	1200	53292	✓ DRBC Agar (Dichloran Rose Bengal Chloramphenicol Agar) Base	100 Gms	1500
		500 Gms	4200			500 Gms	5400
	For the cultivation of Clostridia from water samples.				Used for the selective isolation and enumeration of yeasts and moulds of significance in food spoilage.		
27548	✓ Differential Reinforced Clostridial Broth, Base	100 Gms	800	84127	✓ Drigalski Lactose Agar	100 Gms	1700
		500 Gms	2800			500 Gms	5000
	For the cultivation of Clostridia from water samples.						
				56107	✓ Drigalski Litmus Lactose Agar	100 Gms	1300
						500 Gms	4400



Code	Name	Packing	Price	Code	Name	Packing	Price
76861	🔑 Doyle's Antibiotic Supplement	5 vI	1100	65512	✓ Emerson Agar	100 Gms	1300
		5 x5 vI	3950			500 Gms	4300
	Used for enrichment of Campylobacter species.				Used for isolation and cultivation of Actinomycetaceae, Streptomycetaceae, fungi and moulds.		
26609	✓ Doyle's Enrichment Broth Base	100 Gms	1150	85046	✓ Endo Agar	100 Gms	900
		500 Gms	4650			500 Gms	3400
	Used for enrichment of Campylobacter species				For the selective isolation, cultivation and differentiation of coliforms and other enteric microorganisms based on their ability to ferment lactose.		
80907	✓ Doyle's Enrichment Broth Base BioVeg	100 Gms	1400	81496	✓ Endo DEV Agar	100 Gms	1100
		500 Gms	4950			500 Gms	3900
	Used for enrichment of Campylobacter species				Used for selection and differentiation of E.coli acc. To the "Deutschen Einheitsverfahren" regulations for drinking water.		
49763	✓ E. Coli Test Kit (Pre-Weighed Media)	1 Kit	1400	95904	✓ Enriched Thioglycollate Broth (Thioglycollate Medium, Enriched, Thioglycollate Medium, Base)	100 Gms	800
	Used for isolation, identification and cultivation of Escherichia coli.					500 Gms	3700
25549	✓ EC Medium (EC Broth)	100 Gms	900		For the isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria.		
		500 Gms	3600	33945	✓ Enteric Fermentation Media	100 Gms	1000
	For the differentiation and enumeration of coliforms in water, wastewater, shellfish and foods.				For the cultivation and differentiation of a variety of bacteria based on their ability to ferment different carbohydrates.	500 Gms	2900
66389	✓ EC Medium w/MUG	100 Gms	1400	71611	✓ Enterobacteria Enrichment Broth Mossel (EE Broth Mossel), Harmonized	100 Gms	1300
		500 Gms	5600			500 Gms	5700
	Used for the fluorogenic detection of Escherichia coli in water, food and milk samples.				Used for the selective enrichment of Enterobacteriaceae in pharmaceutical testing according to harmonized methods.		
54723	✓ Elliker Broth (Lactobacilli Broth)	100 Gms	1000	58444	✓ Enterococcus Confirmatory Agar	100 Gms	1000
		500 Gms	3800			500 Gms	4000
	Used for cultivation of streptococci and lactobacilli, especially in dairy procedures.				For the identification of enterococci from water supplies and other sources by the confirmatory test.		
11983	✓ Eijkman Lactose Medium (Eijkman Lactose Broth)	100 Gms	1100	64819	✓ Enterococcus Confirmatory Broth	100 Gms	900
		500 Gms	3600			500 Gms	3700
	For the cultivation and differentiation of Escherichia coli from other coliform organisms based on their ability to ferment lactose and produce gas.				For the identification of enterococci from water by the confirmatory test.		
95514	✓ EMB Agar (Eosin Methylene Blue Agar)	100 Gms	800	47082	🔑 Enterococcus Selective Supplement	5 vI	1700
		500 Gms	3500			5 x5 vI	5500
	For the isolation, cultivation and differentiation of gram negative enteric bacteria based on lactose fermentation.				Used for the selective isolation and cultivation of Enterococci.		
46675	✓ EMB Agar, Levine (Eosin Methylene Blue Agar, Levine)	100 Gms	800	60312	✓ Esculin Iron Agar	100 Gms	4100
		500 Gms	3500			500 Gms	17900
	For the isolation, cultivation and differentiation of Gram-negative enteric bacteria based on lactose fermentation.				For cultivation and identification of Enterococci based on their ability to hydrolyze esculin.		
51207	✓ EMB Broth (Eosin Methylene Blue Broth)	100 Gms	800	27131	🔑 Esculin Supplement (0.5gm/vI)	5 vI	2800
		500 Gms	3200				
	For the differentiation of gram negative enteric bacteria from clinical and non clinical specimens.				Used for detection of group D streptococci on the basis of esculin hydrolysis.		



Code	Name	Packing	Price	Code	Name	Packing	Price
69404	✓ Ethyl Violet Azide Broth (E.V.A. Broth)	100 Gms	1100	52071	⚠ Fraser Selective Supplement	5 vl	1500
		500 Gms	3500			Used for selective isolation and cultivation of <i>Listeria monocytogenes</i> from food and environmental specimens.	
48357	✓ Eugonic Agar (B/S)	100 Gms	1200	83831	✓ Fuchsin Lactose Broth	100 Gms	1000
		500 Gms	4500	500 Gms	3900		
66070	✓ Eugonic Broth	100 Gms	1200	37346	✓ Fungal Agar (Mycological Agar)	100 Gms	1200
		500 Gms	3800	500 Gms	4700		
78507	⚠ FGTC Antibiotic Supplement (2.5mg/vl)	5 vl	1200	93411	✓ Fungal Agar w/ low pH (Mycological Agar with Low pH)	100 Gms	1200
		Used for the selective isolation and cultivation of Enterococci.		500 Gms	4700		
93466	✓ Fluid Sabouraud Medium	100 Gms	600	68653	✓ Fungal Agar with Low pH (Mycological Agar w/ low pH)	100 Gms	1200
		500 Gms	2200	500 Gms	4800		
93023	✓ Fluid Thioglycollate Medium, Clear (U/P)	100 Gms	600	62729	✓ Fungal Broth (Mycological Broth)	500 Gms	4300
		500 Gms	1900			For cultivation and maintenance of fungi.	
42917	✓ Fluid Thioglycollate Medium, (U/P) (I/P)	100 Gms	600	90195	✓ Fungi Cultivation Kit (Pre-Weighed Media)	1 Kit	1400
		500 Gms	1900	500 Gms	4400		
46990	✓ Fluid Thioglycollate Medium, Harmonized	100 Gms	600	94016	✓ Gassner Lactose Agar	100 Gms	1100
		500 Gms	1900			500 Gms	4400
76037	✓ FNA Medium (Fluorescein Denitrification Agar)	100 Gms	1100	72464	✓ GC Agar Base	100 Gms	900
		500 Gms	4100			500 Gms	3400
46142	✓ Forget Fredette Agar	100 Gms	1200	10474	✓ Gelatin Agar DEV	100 Gms	1000
		500 Gms	4500			500 Gms	3800
33696	✓ Formate Ricinoleate Broth	100 Gms	1200	23942	✓ Gelatin Iron Agar	100 Gms	1000
		500 Gms	4800			500 Gms	4300
37593	✓ Fraser Broth Base	100 Gms	1000	75750	✓ Gelatin Peptone BactoBio for bacteriology	500 Gms	2000
		500 Gms	4200			5 Kg	19300
97539	Fraser Supplement (250mg/vl)	5 vl	1200	Gelatin peptone, prepared by enzymatic digest of Gelatin; is used as an ingredient in media for fermentation studies and to support growth of non-fastidious microorganisms. It is characterised by low Cystine, Tryptophan and Carbohydrate content .			



Code	Name	Packing	Price	Code	Name	Packing	Price
43172 [9000-70-8]	✓ Gelatin Powder Special ex. Porcine (Type B), 120g Bloom BactoBio for bacteriology Gelatin is a collagenous protein which finds its application for the solidification of cultural media. It is also used for detection and differentiation of certain proteolytic bacteria. A bacteriological grade, readily soluble in water.	500 Gms	1500	79127	✓ GN Broth, Hajna (Gram-Negative Broth, Hajna) For the selective cultivation of gram negative microorganisms.	100 Gms 500 Gms	800 2900
24426 [9000-70-8]	✓ Gelatin Powder Special Clear ex. Bovine (Type B), 200-250g Bloom BactoBio for bacteriology Gelatin for bacteriology is a special bacteriological grade product, readily soluble in water to give a clear solution.	500 Gms	2200	30963	⚡ GTC Supplement (1.25mg/vl) Used for the selective isolation and cultivation of Enterococci.	5 vl	900
78334	⚡ Gentamicin Selective Supplement (20mg/vl) Used for the isolation and detection of Clostridium perfringens.	5 vl	1000	11266	✓ Glutamate Starch Phenol Red Agar Base Used for detection of Pseudomonas and Aeromonas in foodstuffs, wastewater and equipment in food industry.	100 Gms 500 Gms	1200 4000
50084	⚡ Genta-Oxy Selective Supplement Used for the selective isolation and enumeration of yeasts and moulds.	5 vl 5 x5 vl	1700 3800	61655	✓ Gum Listeria Medium Recommended for the isolation of Listeria monocytogenes from clinical and non-clinical samples.	100 Gms 500 Gms	1100 4300
39238	✓ General Purpose Kit - I (Pre-Weighed Media) Nutrient agar cultivates a wide variety of microorganism and MacConkey agar is used in isolation of gram negative enteric bacteria.	1 Kit	1100	72275	✓ H Broth For the preparation of H agglutination antigen used in the differentiation and identification of Salmonella species types and subtypes.	100 Gms 500 Gms	1200 4000
84905	✓ General Purpose Kit - II (Pre-Weighed Media) Nutrient agar cultivates a wide variety of microorganisms, MacConkey agar aids in isolation of gram negative enteric bacteria and Blood Agar Base is used in detecting hemolytic of fastidious microorganisms.	1 Kit	1400	85012	✓ Hartley's Digest Broth 100 Gms 900 500 Gms 3600		
15628	✓ Giollotti Cantoni Broth Base Used for the cultivation and enrichment of Staphylococcus aureus from foods.	100 Gms 500 Gms	1300 4000	41861	⚡ Haemoglobin Powder Haemoglobin powder is used as an enrichment supplement. 2% w/v solution of this supplement is autoclavable. Used with G.C. Agar base, in preparation of Chocolate Agar.	50 Gms	1400
68382	✓ Gluconate Test Medium 100 Gms 900 500 Gms 3600			47704	✓ Heart Infusion Agar (HI Agar) 100 Gms 1100 500 Gms 4500		
35070	✓ Glucose Salt Teepol Broth (Twin Pack) Liquid medium, used for the detection of Vibrio parahaemolyticus in foodstuffs.	100 Gms 500 Gms	1000 4300	75134	✓ Heart Infusion Broth (HI Broth) Used for isolation and cultivation of a wide variety of fastidious microorganisms. Also used as a base for preparation of Blood Agar in determining haemolytic reactions.	100 Gms 500 Gms	1000 4100
58174	✓ Glucose Yeast Extract Agar For the cultivation of lactobacilli, especially in pharmaceutical preparations.	100 Gms 500 Gms	1200 4400	28551	✓ Heart Infusion Powder (HI Powder) BactoBio for bacteriology It is rich in amino acids, peptides and other nutrients required by highly fastidious microorganisms like Streptococci, Pneumococci, Meningococci and Brucella species.	500 Gms 2.5 Kg	2500 11100
17991	✓ Glucose Yeast Peptone Agar For the isolation of yeasts from soil specimens.	100 Gms 500 Gms	1200 4400	68100	✓ Hektoen Enteric Agar Used for the isolation and cultivation of gram negative enteric microorganisms from a variety of clinical and non clinical specimens.	100 Gms 500 Gms	1200 5500



Code	Name	Packing	Price	Code	Name	Packing	Price
20852	✓ Hemmes Medium Base	100 Gms	2300	91875	✓ ITC Broth	100 Gms	1300
		500 Gms	7200			500 Gms	4900
52740	✓ Hofers Alkaline Medium	100 Gms	1500	42882	✓ IUT Medium, Base	100 Gms	1400
67658	✓ Horie Arabinose Ethyl Violet Broth	100 Gms	1300	70916	✓ Jensen`s Medium (Jensen`s Agar)	100 Gms	1000
		500 Gms	5100			500 Gms	3900
46946	✓ Hoyle Medium, Base	100 Gms	1000		Used for the cultivation of nitrogen fixing bacteria.		
		500 Gms	4000				
	For the isolation and differentiation of <i>Corynebacterium diphtheriae</i> .			87806	✓ Jensens Broth	100 Gms	1300
79035	✓ High Plate Count Agar	100 Gms	1200		Recommended for the detection and cultivation of nitrogen fixing bacteria.	500 Gms	4700
64068	✓ High Salt Nutrient Agar (I)	100 Gms	1000	55686	✓ Jensen Seedling Agar	100 Gms	1100
		500 Gms	3900	500 Gms	4100		
37353	✓ High Salt Nutrient Agar (B/S)	100 Gms	1000		Used for growing plants for collection of root exudates and to study the nodulating ability of <i>Rhizobium</i> isolates.		
39147	✓ High Salt Peptone Yeast Extract Agar (I)	100 Gms	1000	44485	✓ Kanamycin Esculin Azide Agar	100 Gms	2900
		500 Gms	3800	500 Gms	7500		
77707	✓ HS Medium (Hydrosulphite of Sodium Medium)	100 Gms	1000		Used for the isolation of enterococci in foodstuffs.		
		500 Gms	3300	50136	✓ Kanamycin Esculin Azide Broth Base	100 Gms	3720
	Used for the cultivation of aerobic and anaerobic bacteria. It is also used for sterility testing.				Recommended for selective isolation and identification of group D <i>Streptococci</i> in foodstuffs		
26221	✓ Hugh Leifson Medium (B/S)	100 Gms	1100	60649	⚠ Kanamycin Sulphate Selective Supplement (10mg/vl)	5 vl	1300
		500 Gms	4300		Used for the selective isolation and cultivation of <i>Enterococci</i> .		
	Used to distinguish between anaerobic and aerobic breakdown of carbohydrate (Dextrose).			96343	✓ Kaper`s Medium	100 Gms	1200
79544	✓ HYA Agar	100 Gms	1700		500 Gms	4900	
21128	✓ Hydrolysate BioVeg BactoBio for bacteriology	500 Gms	2500	33613	✓ Kenknight and Munaier`s Medium	100 Gms	1200
		5 Kg	19800	500 Gms	4800		
	Prepared by enzymatic hydrolysis of vegetable proteins under controlled conditions. Used as a nutritive source for growth of bacteria and fungi.				Used for the isolation of <i>Actinomyces</i> species from soil samples.		
36873	✓ IMViC Test Kit (Pre-Weighed Media)	1 Kit	1200	75772	✓ Ketogluconate Broth	100 Gms	1200
	Used for biochemical identification of gram negative enteric bacteria based on Indole production, Methyl Red and Voges Proskauer reactions and Citrate Utilization test.				500 Gms	3600	
68788	✓ IMViC Test Kit (Pre-Weighed Media) w/ Reagents	1 Kit	5000	64342	✓ KF Streptococcus Agar Base (APHA)	100 Gms	1000
12139	✓ Indole Nitrate Medium (Tryptone Nitrate Medium)	100 Gms	900		500 Gms	4200	
		500 Gms	3200		For the selective cultivation and enumeration of faecal streptococci.		
	For the identification of microorganisms by means of nitrate reduction and indole tests.			66947	✓ KG Agar Base	100 Gms	1500
54336	✓ ISP Medium No. 1 (Tryptone Yeast Extract Broth)	100 Gms	1300		500 Gms	5300	
		500 Gms	5600		Kim-Goepfert (KG) Agar with added supplements is used for promoting fast and free spore formation which helps in distinguishing <i>Bacillus cereus</i> from <i>Bacillus thuringiensis</i> . Kim-Goepfert (KG) Agar with added supplements is used for promoting fast and free spore formation which helps in distinguishing <i>Bacillus cereus</i> from <i>Bacillus thuringiensis</i> .		
76920	✓ ISP Medium No.4 (Inorganic Salt Starch Agar)	100 Gms	1500				
		500 Gms	6000				



Code	Name	Packing	Price	Code	Name	Packing	Price
41924	✓ Kimmig Agar Base (Fungi Agar Base Kimmig)	100 Gms	1200	63026	✓ Lactalbumin Hydrolysate BactoBio for bacteriology [91079-44-6] A hydrolysate obtained by enzymatic digestion of protein, Lactalbumin. It is used primarily in the preparation of tissue culture media, fermentation media, media for the growth of Lactobacilli, Campylobacter sps, etc..	500 Gms	4300
		500 Gms	4800			500 Gms	4300
42820	⚡ Kimmig Selective Supplement Used for selective isolation of fungi.	5 vl	2200	24806	⚡ L-Lactic Acid 10% Solution (10ml/vl) Used for adjusting pH in acidic range.	5 vl 5 x5 vl	1100 3500
11411	✓ King`s Medium A Base For the non selective isolation, cultivation and pigment production of Pseudomonas.	100 Gms	900	37985	✓ Lactic Agar Recommended for enumeration and identification of lactic Streptococci and Lactobacilli by pour plate method.	100 Gms	1700
		500 Gms	3900			100 Gms	1700
21694	✓ King`s Medium B Base For the non-selective isolation, cultivation and pigment production of Pseudomonas species.	100 Gms 500 Gms	900 3900	68888	✓ Lactic Bacteria Differential Agar	100 Gms 500 Gms	1200 4500
29760	⚡ Klebsiella Selective Supplement (25mg/vl) Used for the selective isolation and detection of Klebsiella species.	5 vl	1300	84282	⚡ Lactic Supplement	5 vl	1400
33943	✓ Kligler Iron Agar For the differentiation and identification of gram-negative bacilli based upon the fermentation of dextrose and lactose and production of H2S.	100 Gms	900	39785	⚡ Lactobacilli Supplement (50mg/vl) An antibiotic supplement recommended for the selective isolation of Lactobacilli from wine.	5 vl 5 x5 vl	1700 5000
		500 Gms	3500			5 vl 5 x5 vl	1700 5000
61860	✓ Kligler Iron Agar (I) For the differentiation and identification of gram-negative bacilli based upon the fermentation of dextrose and lactose and production of H2S. For identification of Pseudomonas species.	100 Gms	900	79562	⚡ Lactobacillus MRS Agar (I) Used for the isolation and enumeration of lactic acid bacteria from meat and meat products.	100 Gms 500 Gms	1000 3700
		500 Gms	3900			100 Gms 500 Gms	1000 3700
25844	✓ Kligler Iron Agar BioVeg For the differentiation and identification of gram-negative bacilli based upon the fermentation of dextrose and lactose and production of H2S.	100 Gms	900	50871	✓ Lactobacillus MRS Agar BioVeg Used for the isolation and enumeration of lactic acid bacteria from meat and meat products.	100 Gms 500 Gms	1000 4300
		500 Gms	3500			100 Gms 500 Gms	1000 4300
44000	✓ Kohn Two Tube Medium No. 1 Base	100 Gms 500 Gms	2500 6700	46812	✓ Lactobacillus MRS Broth w/o Dextrose Used for the selective isolation and enumeration of lactobacilli from various sources including feces and dairy.	100 Gms 500 Gms	900 3500
58578	✓ Kohn Two Tube Medium No. 2 Base	100 Gms 500 Gms	6300 23400	47192	✓ Lactobacilli Agar, AOAC For the cultivation and maintenance of stock cultures used in microbiological assays of vitamins and amino acids.	100 Gms 500 Gms	2000 5800
65373	✓ Koser Citrate Medium For the differentiation of Escherichia coli and Enterobacter aerogenes based on citrate utilization.	100 Gms	900	18659	⚡ Lactobacillus Selection Agar Used for isolation, cultivation and enumeration of lactobacilli.	100 Gms 500 Gms	1200 4700
		500 Gms	3400			100 Gms 500 Gms	1200 4700
77760	✓ Kundrat Agar	100 Gms 500 Gms	1300 4700	66749	✓ Lactobacillus Selection Oxgall Agar Base (LBS Oxgall Agar) Used for the cultivation and enumeration of lactobacilli.	100 Gms 500 Gms	1300 4500
70663	⚡ KV Supplement	5 vl	1800				
52911	✓ Lachica`s Medium Base	100 Gms	4100				



Code	Name	Packing	Price	Code	Name	Packing	Price
49190	Lactobacillus MRS Broth (MRS Broth) For the cultivation of lactobacilli.	100 Gms	900	59326	Letheen Agar To determine the phenol coefficient of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus ATCC 6538.	500 Gms	5300
		500 Gms	3500			500 Gms	5300
27750	Lactobacillus MRS Broth BioVeg Used for the cultivation of lactobacilli.	100 Gms	900	28685	Listeria Enrichment Medium Base (UVM Medium) Recommended medium for use in qualitative procedures for the isolation of Listeria monocytogenes from food samples.	100 Gms	1500
		500 Gms	3700			500 Gms	6900
97354	Lactose Broth For the detection of lactose fermenting gram-negative coliforms, as pre-enrichment broth for Salmonella species.	100 Gms	600	96310	Listeria Identification Agar Base (PALCAM) Used for isolation of Listeria sp. from clinical and non-clinical samples.	100 Gms	1700
		500 Gms	2500			500 Gms	7500
77121	Lactose Gelatin Medium (I) For the cultivation of Clostridium perfringens.	100 Gms	1000	96155	Listeria Motility Medium (I) Used for isolation of Listeria species from pathological samples.	100 Gms	1100
		500 Gms	3900			500 Gms	4300
24171	Lactose Lecithin Agar Used for the isolation of Listeria sp. from clinical and non-clinical samples.	100 Gms	1400	15650	Listeria Moxalactum Supplement Used for the isolation of Listeria species from pathological samples.	5 vl	1700
		500 Gms	4800			500 Gms	4300
88539	[10039-26-6, 64044-51-5] Lactose Monohydrate sterile (gamma irradiated) Lactose monohydrate, Sterile (Gamma Irradiated) is used for Media Fill Runs in dry injectable in pharmaceutical industry.	500 Gms	1000	76366	Listeria Oxford Medium Base (Oxford Agar) Used for isolation of Listeria species from pathological samples.	100 Gms	1100
		5 Kg	9100			500 Gms	5100
62367	Lactose Peptone Broth Used for the isolation of Listeria species from pathological samples.	100 Gms	1000	90345	Listeria Selective Supplement (PALCAM) Used for the isolation of Listeria monocytogenes and other species of Listeria from food products.	5 vl	1200
		500 Gms	3500			5 vl	1200
71135	Lactose Sulphite Broth Base (I) Used for the isolation of Listeria monocytogenes and other species of Listeria from food products.	100 Gms	1000	51864	Listeria UVM Supplement I Used for the isolation of Listeria monocytogenes and other species of Listeria from food products.	5 vl	1100
		500 Gms	3600			5 vl	1100
70637	Lactose TTC Agar (w/ Tergitol 7) (I) (Lactose Triphenyltetrazolium Chloride Agar) Selective differential medium for the detection and enumeration of Escherichia coli and coliform bacteria in water using the membrane filtration method.	100 Gms	1000	72547	Listeria UVM Supplement II Used for the isolation of Listeria monocytogenes and other species of Listeria from food products.	5 vl	1100
		500 Gms	3700			5 vl	1100
92343	Lauryl Sulfate Broth w/MUG Used for the differentiation of lactose fermenting and non-lactose fermenting bacteria.	100 Gms	1200	59797	Litmus Lactose Agar For the differentiation of lactose fermenting and non-lactose fermenting bacteria.	100 Gms	1100
		500 Gms	4500			500 Gms	4200
44956	Lauryl Sulfate Broth (Lauryl Tryptose Broth) (I)(B/S) For the detection of coliform bacteria in a variety of specimens. Also for the enumeration of coliform bacteria by the multiple tube fermentation technique.	100 Gms	800	96658	Litmus Milk (Litmus SM Broth) For the maintenance of Lactobacilli and the differentiation of several bacteria, based on their action on milk.	100 Gms	1100
		500 Gms	2900			500 Gms	4000
94906	Lauryl Tryptose Mannitol Broth w/Tryptophan For the detection of Escherichia coli in water samples.	100 Gms	1200	50037	Liquoid Broth Nutritive characteristic are good in Liver extract so used for cultivation of anaerobic bacteria such as Brucellae and Clostridia, also used for cultivation of pathogenic bacteria.	100 Gms	1200
		500 Gms	4100			500 Gms	4100
10517	Lead Acetate Agar For the cultivation and differentiation of gram negative coliform bacteria based on H ₂ S production.	100 Gms	1100	54004	Littman Oxgall Agar Base Nutritive characteristic are good in Liver extract so used for cultivation of anaerobic bacteria such as Brucellae and Clostridia, also used for cultivation of pathogenic bacteria.	100 Gms	1200
		500 Gms	4100			500 Gms	4300
82632	Leptospira Medium Base Nutritive characteristic are good in Liver extract so used for cultivation of anaerobic bacteria such as Brucellae and Clostridia, also used for cultivation of pathogenic bacteria.	100 Gms	1000	87566	Liver Extract Powder BactoBio for bacteriology Nutritive characteristic are good in Liver extract so used for cultivation of anaerobic bacteria such as Brucellae and Clostridia, also used for cultivation of pathogenic bacteria.	500 Gms	1900
		500 Gms	4000			5 Kg	15600



Code	Name	Packing	Price	Code	Name	Packing	Price
81322	✓ Liver Hydrolysate BactoBio for bacteriology (Peptone from Liver, Liver Peptone) Used as source of nutrients in microbiology culture media. Water soluble; being derived from liver contains relatively high levels of iron.	500 Gms	2900	40826	✓ Luria Bertani Agar, Miller BioVeg (LB Agar, Miller BioVeg) Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.	100 Gms 500 Gms	900 3800
68861	✓ Liver Infusion Agar (LI Agar)	100 Gms 500 Gms	1000 3800	17320	✓ Luria Bertani Broth, Miller BioVeg (LB Broth, Miller BioVeg) Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.	100 Gms 500 Gms 2 Kg	900 3400 10900
96453	✓ Liver Infusion Broth (LI Broth) Used for cultivation of Brucella and other pathogenic anaerobic bacteria.	100 Gms 500 Gms	900 3200	97970	✓ Luria Bertani Agar w/o Sodium Chloride Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.	100 Gms 500 Gms	1300 4500
98858	✓ Liver Meat Glucose Cysteine Broth	100 Gms 500 Gms	1200 4700	22006	✓ Luria Bertani Broth w/o Sodium Chloride (LB Growth Medium w/o Sodium Chloride) Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.	100 Gms 500 Gms	900 3800
79612	✓ LM Agar (Meat Liver Agar) Used for the cultivation of anaerobic microorganisms, specially for the sulphite reducing Clostridia and Clostridium perfringens in water and milk.	500 Gms	4200	90769	✓ Lysine Arginine Iron Agar (LAI Agar) For the cultivation and differentiation of bacteria based on their ability to decarboxylate lysine, arginine and produce H ₂ S. Recommended by APHA for isolation and identification of Yersinia from milk and milk products.	100 Gms 500 Gms	900 3400
69741	✓ Lowenstein - Jensen Medium, Base (L.J. Medium Base) For the cultivation and differentiation of Mycobacterium species. This medium is also used for cultivation and maintenance of Gordona species, Nocardia species, Rhodococcus species and Tsukamurella paurometabolum.	100 Gms 500 Gms	800 2800	16624	✓ Lysine Decarboxylase Broth w/o Peptone (I) For distinguishing Salmonella serotype Arizonae from the Bethesda Ballerup group of Enterobacteriaceae.	100 Gms 500 Gms	800 3200
27888	✓ LPM Agar Base Used for isolation and cultivation of Listeria monocytogenes from food and dairy products.	100 Gms	3300	71125	✓ Lysine Iron Agar For the differentiation of enteric organisms, especially Salmonella, based upon lysine decarboxylation/ deamination and H ₂ S production.	100 Gms 500 Gms	900 3200
46502	✓ Luria Bertani Agar, Lennox (Luria Agar, LB Agar, Lennox) Used for maintaining and cultivating recombinant strains of Escherichia coli.	100 Gms 500 Gms	1000 4000	82502	✓ M2 Agar A semisynthetic culture medium, used as a general purpose plate count agar.	100 Gms 500 Gms	1100 4200
47436	✓ Luria Bertani Agar, Miller Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.	100 Gms 500 Gms	900 3800	24415	✓ M17 Agar Base For improved growth of lactic streptococci and their bacteriophages.	100 Gms 500 Gms	1100 4100
14593	✓ Luria Bertani Broth, Lennox (Luria Broth) (Luria Broth, LB Broth, Lennox) Used for maintaining and propagating Escherichia coli in molecular biology procedures.	100 Gms 500 Gms 2 Kg	900 3400 10900	13297	✓ M17 Broth Base For improved growth of lactic streptococci and their bacteriophages.	100 Gms 500 Gms	900 3800
29817	✓ Luria Bertani Broth, Miller (LB Broth, Miller) Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.	100 Gms 500 Gms 2 Kg	900 3400 10900				



Code	Name	Packing	Price	Code	Name	Packing	Price
76875	✓ MacConkey Agar	100 Gms 500 Gms	800 3300	64030	✓ MacConkey Agar w/o C.V., NaCl w/ 0.5% Bile Salts	100 Gms 500 Gms	800 3400
	For the selective isolation, cultivation and differentiation of coliforms and enteric pathogens based on the ability to ferment lactose.			72074	✓ MacConkey Agar No.3	100 Gms 500 Gms	1200 4000
					For the selective isolation, cultivation and differentiation between coliforms and non-lactose fermentors.		
96871	✓ MacConkey Agar BioVeg	100 Gms 500 Gms	800 3300	74726	✓ MacConkey Broth (MacConkey Broth w/ Neutral Red)	100 Gms 500 Gms	800 2800
	For the selective isolation, cultivation and differentiation of coliforms and enteric pathogens based on ability to ferment lactose.				For the selective isolation and cultivation of coliforms in milk and water.		
37775	✓ MacConkey Agar, Harmonized	100 Gms 500 Gms	800 3300	44448	✓ MacConkey Broth, Harmonized	100 Gms 500 Gms	800 2800
	Used for the selective isolation and differentiation of Escherichia coli and coliform bacteria in pharmaceutical testing according to harmonized methods.				Used for the identification of coliforms in pharmaceutical testing according to harmonized methods.		
80302	✓ MacConkey Agar w/ MUG	100 Gms 500 Gms	1500 6100	54056	✓ MacConkey Broth w/ Neutral Red (B/S)	100 Gms 500 Gms	800 2800
71117	✓ MacConkey Agar (B/S)	100 Gms 500 Gms	800 3300	20309	✓ MacConkey Broth Double Strength w/ Neutral Red	100 Gms 500 Gms	700 2600
83870	✓ MacConkey Agar, Base	100 Gms 500 Gms	800 3300		For the selective isolation and cultivation of coliforms in milk and water from large samples.		
26823	✓ MacConkey Agar Medium	100 Gms 500 Gms	900 3400	92933	✓ M-MacConkey Broth	100 Gms 500 Gms	800 3300
95199	✓ MacConkey Agar, Modified	100 Gms	3000		For detecting and enumerating lactose fermenting enteric bacteria from milk and water by the membrane filter method.		
98384	✓ MacConkey Agar w/ Bromothymol Blue	100 Gms 500 Gms	1000 3700	42944	✓ MacConkey Broth Purple	100 Gms 500 Gms	800 2900
58370	✓ MacConkey Agar w/ 0.15% Bile salts, C.V. and NaCl (U/P)	100 Gms 500 Gms	800 3600		Selective medium for isolation and cultivation of coliforms in milk and water.		
	Selective medium for gram-negative organisms by suppressing the growth of a number of gram positive bacteria.			38989	✓ MacConkey Broth Purple w/BCP (I)	100 Gms 500 Gms	700 2600
33759	✓ MacConkey Agar w/o C.V., w/ 1.2% Agar	100 Gms 500 Gms	1000 3900	90084	✓ MacConkey Broth Purple w/BCP (I/P)	100 Gms 500 Gms	700 2600
	For the selective isolation and differentiation of enteric bacteria on the basis of lactose fermentation.			51545	✓ MacConkey Broth Purple w/BCP (B/S)	100 Gms 500 Gms	700 2600
50372	✓ MacConkey Agar w/o C.V., NaCl w/ 0.5% Sodium Taurocholate	100 Gms 500 Gms	1200 3900	57608	✓ MacConkey Broth Purple Double Strength w/ BCP	100 Gms 500 Gms	900 3200
	Differential medium for detection and isolation of enteric organisms by restricting the swarming of Proteus species.				For the primary isolation of coliforms from large water and wastewater samples.		
79447	✓ MacConkey Agar w/o C.V. w/ 0.15% Bile Salts	100 Gms 500 Gms	800 2900	98664	✓ MacConkey Sorbitol Agar (Sorbitol Agar)	100 Gms 500 Gms	1300 4300
64300	✓ MacConkey Agar w/o C.V. w/ 0.5% Bile Salts	100 Gms 500 Gms	800 3400		For the isolation and identification of pathogenic Escherichia coli.		
	For isolation and detection of coliforms and enteric pathogens.			57340	✓ MacConkey Sorbitol Agar, Base (I)	100 Gms 500 Gms	1200 4200
64024	✓ MacConkey Agar w/o C.V., NaCl, w/ 0.0075% NR, 1.2% Agar BioVeg	100 Gms 500 Gms	900 3300		For the selective isolation and detection of Escherichia coli 0157:H7 from food and animal feeds stuff.		



Code	Name	Packing	Price	Code	Name	Packing	Price
99130	✓ Malachite Green Broth	100 Gms	1000	99505	✓ Malonate Broth	100 Gms	4100
		500 Gms	3300			Used for differentiating Enterobacter and Escherichia coli based on malonate utilization.	
51517	✓ M-Brilliant Green Broth	100 Gms	1200	76507	✓ Malt Agar	100 Gms	1400
		500 Gms	4000			500 Gms	5500
10054	✓ McBride Listeria Agar Base	100 Gms	1200	84980	✓ Malt Extract Agar	100 Gms	1200
		500 Gms	4800			500 Gms	4700
70317	⚠ McBride Listeria Supplement	5 vI	1400	42936	✓ Malt Extract Agar Base, Modified as per Thom and Church	100 Gms	1300
						500 Gms	5000
50642	✓ McClung Toabe Agar Base	100 Gms	1200	83358	✓ Malt Extract BactoBio for bacteriology	500 Gms	1200
		500 Gms	4900			5 Kg	11400
87015	✓ M-EC Test Agar	100 Gms	1100	67973	✓ Malt Extract Broth Base	100 Gms	1300
		500 Gms	4000			500 Gms	5200
66805	✓ M-Endo Agar LES	100 Gms	1000	40828	D-Mannitol Sterile (Gamma Irradiated)	500 Gms	3600
		500 Gms	3800			5 Kg	33200
57906	✓ M-Endo Broth	100 Gms	1000	48330	✓ Mannitol Agar w/ Prillion	100 Gms	4800
		500 Gms	3900			500 Gms	18700
33919	✓ M-Enrichment Broth	100 Gms	1000	75485	✓ Mannitol Lysine Agar	100 Gms	1100
		500 Gms	3900			500 Gms	4400
52295	✓ M-FC Agar Base	100 Gms	1200	62331	✓ Mannitol Selenite Broth Base (Selenite Mannitol Broth)	100 Gms	1200
		500 Gms	4800			500 Gms	4800
76439	✓ M-FC Broth Base	100 Gms	1200	92493	✓ Mannitol Motility Test Medium	100 Gms	1100
		500 Gms	4000			500 Gms	3700
51072	✓ M-HPC Agar, Base (Heterotrophic Plate Count Agar, Base)	100 Gms	1000	48939	✓ Mannitol Nitrate Motility Medium	100 Gms	1000
		500 Gms	4200			500 Gms	3600
14750	✓ M-Lauryl Sulfate Broth (I)	100 Gms	1200	60062	✓ Mannitol Salt Agar (U/P)	100 Gms	800
		500 Gms	4000			500 Gms	2900
21051	✓ M-Staphylococcus Broth	100 Gms	1000				
		500 Gms	3500				
51416	✓ MLCB Agar Mannitol Lysine Crystal Violet Brilliant Green Agar (Mannitol Lysine Agar)	100 Gms	1200				
		500 Gms	4700				



Code	Name	Packing	Price	Code	Name	Packing	Price
23626	✓ Mannitol Salt Agar, Harmonized	100 Gms	800	11828	✓ Meat Peptone Type T BactoBio for bacteriology It is obtained by proteolytic digestion of meat with Trypsin. Suitable for mass scale cultivation of microorganisms for production of antibiotics, vitamins, enzymes etc.	500 Gms	4000
		500 Gms	2900			100 Gms	1100
55066	✓ Mannitol Salt Broth	100 Gms	900	28238	✓ Micro Inoculum Broth (Micro Vitamin Test Inoculum Broth)	500 Gms	5200
		500 Gms	3200			100 Gms	1300
25511	✓ Marine Agar 2216 (Zobell)	100 Gms	1200	63261	✓ Microbial Content Test Agar	500 Gms	6100
		500 Gms	4800			100 Gms	1500
54174	✓ Marine Broth 2216 (Zobell)	100 Gms	1100	61200	✓ Milk Agar (Modified Plate Count Agar) For differentiation of Enterobacteriaceae based on their motility, indole production and ornithine decarboxylase activity.	500 Gms	4500
		500 Gms	4500			100 Gms	1300
34832	✓ Maximum Recovery Diluent	100 Gms	1000	18789	✓ Milk Agar w/Cetrimide (Twin Pack) (Modified Pseudomonas Selective Agar w/Cetrimide) For detection and enumeration of Pseudomonas aeruginosa in water samples.	500 Gms	3400
		500 Gms	3400			100 Gms	1300
78784	✓ Meat Extract BactoBio for bacteriology [100085-61-8]	500 Gms	2800	93957	✓ Milk Medium w/Reducing Agent (Modified Litmus Medium w/Reducing Agent)	500 Gms	4400
		5 Kg	24300			100 Gms	1000
70117	✓ Meat Extract Powder BioVeg BactoBio for bacteriology	500 Gms	2500	17595	✓ Milk Salt Agar Base (Modified Salt Agar Base for Staphylococci)	500 Gms	4700
		5 Kg	19800			100 Gms	1300
17585	✓ Meat Extract w/ Peptone (Pepted Meat Broth)	100 Gms	1100	20767	✓ Minimal Agar, Davis	500 Gms	5100
		500 Gms	4100			100 Gms	1300
11980	✓ Meat Peptone BactoBio for bacteriology	500 Gms	2900	39821	✓ Minimal Broth, Davis	100 Gms	1100
		500 Gms	2900			500 Gms	3700
91980	✓ Meat Peptone Type P BactoBio for bacteriology	500 Gms	3900	24911	✓ Minimal Broth, Davis w/o Dextrose	100 Gms	1100
		500 Gms	3900			500 Gms	3700
88736	✓ MIO Medium (Motility Indole Ornithine Medium)	100 Gms	1000	88736	✓ MIO Medium (Motility Indole Ornithine Medium)	500 Gms	4000
		500 Gms	4000			100 Gms	1000
46584	✓ Mitis Salivaris Agar Base	500 Gms	4500	16309	✓ MIU Medium Base (Motility Indole Urea Medium)	100 Gms	1200
		500 Gms	4500			500 Gms	4400



Code	Name	Packing	Price	Code	Name	Packing	Price
79667	✓ M-TEC Agar	100 Gms	1200	90174	✓ Motility Medium S, Base (Motility Nitrate Medium)	100 Gms	900
		500 Gms	4200			500 Gms	3600
	Recommended medium for isolation, differentiation and enumeration of Escherichia coli from water by membrane filtration.				For the determination of bacterial motility by means of TTC reduction.		
62811	✓ M-Nutrient Broth	100 Gms	1200	21740	✓ Motility Sulphide Medium	100 Gms	1000
		500 Gms	3800			500 Gms	4000
	For enumerating bacteria by membrane filter technique.						
85769	✓ Modified Rappaport Vassiliadis Medium	100 Gms	1300	64421	✓ Motility Test Medium	100 Gms	1000
		500 Gms	4700			500 Gms	3800
	Used as a selective enrichment medium for the isolation of Salmonella species from food and environmental specimens.				For the determination of bacterial motility.		
82453	✓ Modified Skim Milk Agar (Modified SM Agar)	100 Gms	1800	17624	✓ MPH Agar (Milk Protein Hydrolysate Agar)	100 Gms	1400
		500 Gms	5300			500 Gms	5700
	For cultivation and enumeration of microorganisms encountered in dairy industries.				For the enumeration of bacteria in water and dairy products.		
89414	✓ Modified Tergitol-7 Agar, Base (I) (Tergitol-7 Agar, Base, Modified)	100 Gms	1300	14833	✓ MR-VP Medium (Glucose Phosphate Broth, Buffered Glucose Broth) (MRVP Broth)	100 Gms	700
		500 Gms	4900			500 Gms	2800
					For the differentiation of bacteria based on acid production (Methyl Red test) and acetoin production (Voges-Proskauer reaction).		
30066	✓ Moeller Decarboxylase Broth Base (Decarboxylase Broth Base, Moeller)	100 Gms	2100	14443	✓ Multipurpose Test Kit (Pre-Weighed Media)	1 Kit	4000
		500 Gms	8400				
	With the addition of L-Lysine/ L-Arginine/ L-Ornithine used for the differentiation of bacteria on the basis of their ability to decarboxylate the amino acid.				Used for isolation, identification and cultivation of a wide variety of microorganism.		
18124	✓ Moeller Decarboxylase Broth w/ Lysine Hydrochloride	100 Gms	2900	24756	✓ Mueller Hinton Agar (MH Agar)	100 Gms	900
		500 Gms	14000			500 Gms	3600
	Used for differentiation of bacteria on the basis of their ability to decarboxylate L-lysine hydrochloride.					2 Kg	11800
27510	✓ Moeller Decarboxylase Broth w/ Ornithine Hydrochloride	100 Gms	3000				
		500 Gms	14400				
					For antimicrobial susceptibility testing of a variety of microorganisms. For the cultivation and maintenance of Moraxella osloensis and Neisseria meningitidis.		
69483	✓ Moeller Decarboxylase Broth w/ Arginine Hydrochloride	100 Gms	2900	26351	✓ Mueller Kauffman Tetrathionate Broth Base	100 Gms	900
		500 Gms	14000			500 Gms	2800
	Used for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride.				An improved enrichment medium for the isolation of Salmonellae and the suppression of Proteus species.		
34452	✓ Monsur Medium Base	100 Gms	1000	76135	✓ Mueller Kauffman Tetrathionate Novobiocin Broth Base (MKTTn)	100 Gms	1100
		500 Gms	4100			500 Gms	4000
					Used for selective enrichment for the isolation of Salmonella, when used with MKTT Novobiocin supplement.		
68957	✓ M9CA Medium	100 Gms	2700	29465	✓ Mucate Broth	100 Gms	6600
		500 Gms	10900			500 Gms	30700
23184	✓ M9 Minimal Salts 5X	100 Gms	1900	38800	✓ Mucate Control Broth	500 Gms	3600
		500 Gms	6300				
	For the cultivation of recombinant strains of Escherichia coli.				Used for identification of enteropathogenic Escherichia coli and Salmonella species from milk and milk products.		
42853	✓ Motility GI Medium	100 Gms	2400				
		500 Gms	9500				



Code	Name	Packing	Price	Code	Name	Packing	Price		
49550	✓ Mueller Hinton Broth (MH Broth)	100 Gms	900	44388	✓ Nitrofurantoin Broth Base	100 Gms	1100		
		500 Gms	3300			500 Gms	4400		
		2 Kg	9900			Used for the enrichment and isolation of Pseudomonas species.			
	For the cultivation of a wide variety of organisms and for antimicrobial susceptibility testing.								
24698	⚠ MUG EC Broth	100 Gms	2400	34350	⚠ Non-Spore Anaerobic Supplement	5 vl	1500		
		500 Gms	6800			Used for selective isolation of non-sporing anaerobic bacteria.			
26834	⚠ MUG Supplement (50mg/vl)	5 vl	2100	31601	⚠ Novobiocin MKTT Supplement(40mg/vl)	5 vl	1900		
26706	✓ Mycological Peptone BactoBio for bacteriology	500 Gms	2900			Recommended for selective enrichment and isolation of Salmonellae.			
		5 Kg	21100	18352	⚠ Novobiocin Supplement(5mg/vl)	5 vl	1300		
Used as a nutritive source for the isolation, cultivation and identification of saprophytic, dermatophytic fungi-yeast and moulds.						Used to enhance inhibition of Gram-positive organisms.			
66739	✓ MYP Agar, Base (B/S) (Phenol Red Egg Yolk Polymyxin Agar, Base)	100 Gms	1100	63971	✓ Nutrient Agar	100 Gms	800		
		500 Gms	4200			500 Gms	3300		
For the isolation and identification of pathogenic staphylococci and bacilli.				For the cultivation and maintenance of a wide variety of microorganisms.					
74997	✓ MYP Agar, Base (I) (Phenol Red Egg Yolk Polymyxin Agar, Base)	100 Gms	1100	18953	✓ Nutrient Agar (I)	100 Gms	900		
		500 Gms	4200			500 Gms	3500		
For isolation and identification of pathogenic staphylococci and bacilli.				For the cultivation and maintenance of a wide variety of microorganisms.					
67124	⚠ Nalidixic Selective Supplement (15mg/vl)	5 vl	1200	73478	✓ Nutrient Agar BioVeg	100 Gms	800		
Used for the selective isolation of Pseudomonas aeruginosa.						500 Gms	3300		
77316	⚠ Neomycin Supplement (30mg/vl)	5 vl	1200	General purpose (animal origin free) medium for the cultivation of microorganisms.					
		Used for selective isolation of various microorganisms.				18876	✓ Nutrient Agar 1.5% (I)	100 Gms	1100
44697	✓ Neopeptone BactoBio for bacteriology (Peptone Special)	500 Gms	2400	500 Gms 4000				84955	✓ Nutrient Agar 1.5%
		Neopeptone, an enzymatic digest of protein is well suited for the growth of many delicate and fastidious bacteria like Group A Streptococci. It also facilitates the development of mucoid colonies of the hemolytic Streptococci.				500 Gms	3800		
79989	✓ Neutral Red Chalk Lactose Agar	100 Gms	1000	48275	✓ Nutrient Agar for Oxidase (I)	100 Gms	1100		
		500 Gms	4500			500 Gms	4000		
65466	✓ NIH Agar	100 Gms	900	75435	✓ Nutrient Agar w/ Manganese	100 Gms	1000		
23527	✓ Nitrate Agar	500 Gms	4000			500 Gms	3900		
		For the differentiation of aerobic and facultative Gram-negative organisms based on their ability to reduce nitrate.				73153	✓ Nutrient Agar w/MUG	100 Gms	2100
48541	✓ Nitrate Broth (I) (B/S)	100 Gms	1000	500 Gms	8400			Used for the detection of Escherichia coli by fluorogenic procedure especially from water and food samples.	
		500 Gms	4000	50427	✓ Nutrient Agar w/ 1% Peptone	100 Gms	900		
For the differentiation of aerobic and facultative gram negative organisms based on their ability to reduce nitrate.						500 Gms	3300	A general purpose medium used for the cultivation of a wide variety of microorganisms, by addition of blood or other biological fluids.	
				70955	✓ Nutrient Agar No. 2 (B/S)	100 Gms	900		
						500 Gms	3700	Used for the cultivation and maintenance of a wide variety of bacteria.	



Code	Name	Packing	Price	Code	Name	Packing	Price
17137	✓ Nutrient Agar No. 2	100 Gms	900	73438	✓ Oatmeal Agar	100 Gms	1200
		500 Gms	3700			500 Gms	4800
	For the cultivation and maintenance of a wide variety of bacteria.				Used for the cultivation of fungi, particularly for macrospore formation.		
58561	✓ Nutrient Agar, pH 6.8	100 Gms	1000	25916	✓ Oatmeal Powder BactoBio for bacteriology [134134-86-4]	100 Gms	1100
		500 Gms	3700			500 Gms	4400
	For the cultivation and enumeration of organisms in water, sewage, faeces and other materials.				Oatmeal powder is obtained from oat grains and manufactured under controlled conditions. It is highly nutritious source for growth of fungi in media.		
96434	✓ Nutrient Agar, pH 7.0 (I)	100 Gms	1000	83951	✓ OF Basal Medium	100 Gms	900
		500 Gms	3900			500 Gms	3600
	For the cultivation of a wide variety of microorganisms, including Salmonella species				For use with added carbohydrate for differentiation of gram negative microorganisms based on oxidation-fermentation patterns.		
38009	✓ Nutrient Agar, pH 7.0 (B/S)	100 Gms	1000	13566	✓ OGYE Agar Base (Oxytetracycline Glucose Yeast Extract Agar Base)	100 Gms	1400
		500 Gms	3900			500 Gms	4000
67948	✓ Nutrient Agar pH 6 w/ 0.8 % NaCl	100 Gms	1000				
					With added Oxytetracycline used for selective isolation of yeast and molds in foods.		
55427	✓ Nutrient Broth	100 Gms	700	14427	✓ Orange Serum Agar	100 Gms	1200
		500 Gms	2600			500 Gms	4400
	For the cultivation and maintenance of a wide variety of microorganisms.				Used for the isolation and enumeration of spoilage organisms of citrus products and for examining fruit beverages.		
39905	✓ Nutrient Broth BioVeg	100 Gms	700	57925	✓ Orchid Agar	100 Gms	1200
		500 Gms	2600			500 Gms	4900
	An animal origin free media, for the cultivation and maintenance of a wide variety of microorganisms .						
97327	✓ Nutrient Broth No. 2	100 Gms	700	34235	✓ Ornithine Decarboxylase Broth	100 Gms	3300
		500 Gms	2800				
	For the cultivation and maintenance of less fastidious bacteria.				14792 ✓ L-Ornithine Decarboxylase Broth (I)		3400
63679	✓ Nutrient Broth w/ 1% Peptone (B/S)	100 Gms	700	57253	⚠ Oxacillin Resistant Selective Supplement	5 vl	1400
		500 Gms	2800				
	Used as a general purpose culture medium.				Recommended for screening of oxacillin resistant microorganisms.		
93063	✓ Nutrient Broth w/ 1% Peptone (I/P) (B/P)	100 Gms	700	99455	✓ Ox Bile (Ox Gall) Powder BactoBio for bacteriology	100 Gms	4200
		500 Gms	2800			500 Gms	20200
	For microbial limit test and sterility testing.				Dehydrated ox bile, used is preparation of microbiological culture media as a selectively inhibitory agent. It inhibits bacteria not growing in enteric environment and favours growth of enteric microorganisms.		
66363	✓ Nutrient Broth, pH 6.9 w/o NaCl	100 Gms	700	42116	⚠ Oxford Listeria Supplement	5 vl	1800
		500 Gms	2800				
	A general purpose medium for cultivation of a wide variety of microorganisms.				Used for selective isolation of Listeria species.		
94007	✓ Nutrient Broth w/ 1% Yeast Extract	100 Gms	1000	51521	⚠ Oxytetra Selective Supplement (50mg/vl)	5 vl	1000
		500 Gms	3800			5 x5 vl	3200
	For the cultivation and maintenance of a wide variety of microorganisms.				Used for the selective isolation of yeasts and moulds.		
22583	✓ Nutrient Gelatin	100 Gms	900	35973	✓ Pagano Levin Base (Pagano Levin Candida Test Medium)	100 Gms	900
		500 Gms	3200			500 Gms	3400
	For detection of gelatin liquefaction by proteolytic microorganisms						
50540	✓ N Z Broth	100 Gms	5700				
		500 Gms	9700				



Code	Name	Packing	Price	Code	Name	Packing	Price
39992	✓ Pantothenate Culture Agar	100 Gms	1700	11522	✓ Peptone Water BioVeg General purpose growth medium and as the base of carbohydrate fermentation media.	100 Gms	900
		500 Gms	7500			500 Gms	3300
50769	✓ PE 2 Medium	100 Gms	1200	56562	✓ Peptone Water w/ Phenol Red For cultivation of non-fastidious microorganisms and as a base for carbohydrate fermentation tests.	100 Gms	800
		500 Gms	4200			500 Gms	3300
89858	🔗 PEMBA Supplement (10KU/vl)	5 vl	1000	70376	✓ Peptonized Milk (Peptonized SM Powder) BactoBio for microbiology Peptonized milk is an enzymatic digest of fat free milk solids. It contains peptones, polypeptides and amino acids derived from milk protein as well as other nutritive components of skim milk. Used for isolation and cultivation of Lactobacilli and Streptococci, especially in dairy products.	100 Gms	1000
95292 [73049-73-7]	✓ Peptone BactoBio for bacteriology Used in various general and diagnostic media, also for large-scale production of enzymes, vaccines, antibiotics, etc. Peptic digest of animal tissue also used in microbiological culture media.	500 Gms	1800			500 Gms	3300
		5 Kg	15600				
		25 Kg	68400				
51960	✓ Peptone BioVeg BactoBio for bacteriology Peptone derived from vegetable/plant source; is alternative to traditional animal based peptones. It contains polypeptides and amino acids which provides readily available source of nitrogen and minerals for the growth of bacteria and fungi.	500 Gms	2200	17511	✓ Peptonized Milk Agar (Peptonized SM Agar)	100 Gms	1300
		5 Kg	17900			500 Gms	5200
		10 Kg	34500				
29002	✓ Peptone BioVeg Sterile for bacteriology (Gamma Irradiated) Sterile (gamma irradiated) vegetable source of peptone, recommended for use in manufacturing of vaccines, enzymes, antibiotics, etc.	100 Gms	850	66916	✓ Perfringens Agar Base (O.P.S.P.) For presumptive identification of Clostridium perfringens in foods.	100 Gms	1300
		500 Gms	3210			500 Gms	4900
23136	✓ Peptone Granulated BactoBio for bacteriology A peptic digest of animal tissue used in various general and diagnostic media also for large scale production of enzyme, vaccines, antibiotics, etc.	500 Gms	2800	11976	🔗 Perfringens Supplement-I (50mg/vl) Used for selective isolation of Clostridium perfringens	5 vl	1000
		5 Kg	26800			5 x5 vl	2600
95672	✓ Peptone Special BactoBio for bacteriology Peptic digest of animal tissue used in microbiological culture media.	500 Gms	2500	62598	🔗 Perfringens Supplement-II Used for selective isolation of Clostridium perfringens.	5 vl	1300
		5 Kg	23100			5 x5 vl	3500
		10 Kg	42800				
65059	✓ Peptone Iron Agar For the cultivation and differentiation of microorganisms based on their ability to produce H ₂ S.	100 Gms	2300	92096	🔗 Perfringens S.F.P. Supplement (S.F.P. Supplement) Used for the selective isolation of clostridium perfringens.	5 vl	1200
		500 Gms	6300			4 x5 vl	4000
21025	✓ Peptone Sorbitol Bile Broth	100 Gms	1300	55688	🔗 Perfringens T.S.C. Supplement (T.S.C Supplement) (200mg/vl) Used for selective isolation of Clostridium perfringens.	5 vl	1300
		500 Gms	4400			4 x5 vl	3700
55010	✓ Peptone Water For the cultivation of non-fastidious microorganisms, for carbohydrate fermentation tests and also for performing the indole tests.	100 Gms	800	23504	✓ Pikovskaya` s Agar Used for the detection of phosphate solubilizing soil microorganism.	100 Gms	1100
		500 Gms	2800			500 Gms	4400
21025	✓ Peptone Sorbitol Bile Broth	100 Gms	1300	52133	✓ Pikovskaya` s Broth Used for detection of phosphate solubilizing microorganisms.	100 Gms	1000
		500 Gms	4400			500 Gms	4300
55010	✓ Peptone Water For the cultivation of non-fastidious microorganisms, for carbohydrate fermentation tests and also for performing the indole tests.	100 Gms	800	59048	✓ Phenol Red Agar, Base For the determination of fermentation reaction.	100 Gms	1100
		500 Gms	2800			500 Gms	4100



Code	Name	Packing	Price	Code	Name	Packing	Price
14517	✓ Phenol Red Broth Base	100 Gms	1200	21699	✓ Plate Count Agar (I) (Standard Methods Agar)	100 Gms	1100
		500 Gms	3500			500 Gms	4700
	For the study of carbohydrate fermentations.				APHA, FDA recommended medium for detecting plate counts of microorganisms in food, water and waste water.		
79054	✓ Phenol Red Dextrose Broth	100 Gms	1000	88393	✓ Plate Count Agar (B/S)	100 Gms	1100
		500 Gms	4000			500 Gms	4400
35850	✓ Phenol Red Lactose Broth	100 Gms	1100			100 Gms	1100
		500 Gms	4000			500 Gms	4400
	Used for determination of fermentation of lactose in the differentiation of microorganisms.				Used for determination of plate counts of microorganisms in milk and dairy products by pour plate technique or spread plate technique.		
15572	✓ Phenol Red Tartrate Agar (Jordan Tartrate Agar)	100 Gms	3400	78609	✓ Plate Count Agar, Special	100 Gms	1800
		500 Gms	15800			500 Gms	7000
12168	✓ Phenolphthalein Phosphate Agar	100 Gms	1200	45218	✓ Plate Count Agar w/ BCP	100 Gms	1200
		500 Gms	4800			500 Gms	4400
92335	✓ Phenylalanine Agar (Phenylalanine Deaminase Medium)	100 Gms	1100	25496	✓ PM Indicator Agar (Penicillin in Milk Indicator Agar) (Penicillin in Milk Indicator Agar)	100 Gms	1300
		500 Gms	4500			500 Gms	4500
	For the differentiation of enteric gram-negative bacilli on the basis of their ability to produce phenyl pyruvic acid from phenylalanine.					100 Gms	1300
63532	✓ Phenylalanine Malonate Broth (Shaw and Clarke)	100 Gms	4800	35980	⚠ Polymyxin B Selective Supplement (50KU/vl)	5 vl	1000
		500 Gms	11000			5 x5 vl	3400
	Used as a test medium to detect the utilization of malonate and phenylalanine deamination.				Used for the selective isolation of various microorganisms.		
34115	✓ P.E.A. (Phenylethyl Alcohol) Agar	100 Gms	2500	81798	✓ Polysorbate 80 Agar (Twin Pack)	100 Gms	1000
		500 Gms	11300			500 Gms	3900
	For the selective isolation of gram-positive organisms like Staphylococci and Streptococci.					100 Gms	1000
21418	✓ Phosphate Buffer pH 7.2 (APHA)	100 Gms	800	14644	⚠ Potassium Lactate 50% (10ml/vl)	5 vl	1500
		500 Gms	2300			5 vl	1500
	Used for preparation of dilutions and blanks in the examination of specimens like water, dairy products, foods, etc.				Used for isolation and enumeration of yeasts		
69049	✓ Phosphate Buffer, pH 8.0	100 Gms	900	12370	⚠ Potassium Sorbate 10% (10 ml/vl)	5 vl	1300
		500 Gms	3800			5 vl	1300
	Recommended for preparation of dilutions and blanks as per methods specified in pharmacopoeia.				Recommended for the detection and isolation of acid resistant yeasts.		
10453	✓ Plate Count Agar	100 Gms	1000	91488	⚠ Potassium Tellurite 1% Supplement (1ml/vl)	5 vl	900
		500 Gms	4200			5 x5 vl	2900
	For the enumeration of viable bacteria in milk and dairy products, heterotrophic bacteria in water by pour plate technique.				Used for Selective Isolation for Corynebacteria and Staphylococci.		
52192	✓ Plate Count Agar BioVeg	100 Gms	1000	99482	⚠ Potassium Tellurite 3.5% Supplement (1ml/vl)	5 vl	900
		500 Gms	4200			5 vl	900
	For the enumeration of viable bacteria in milk and dairy products, heterotrophic bacteria in water by pour plate technique.				Used for selective isolation of corynebacteria and staphylococci		
36879	✓ Plate Count Agar w/MUG	100 Gms	2100	15344	✓ Potato Carrot Agar	100 Gms	1200
		500 Gms	8700			500 Gms	5100
					Used to enhance sporulation of a variety of fungi. Also recommended for sporangial production of Phytophthora species.		
				17235	✓ Potato Carrot Broth	100 Gms	1100
						500 Gms	4900
					Recommended Broth media for the reproduction of Pyronema domesticum.		



Code	Name	Packing	Price	Code	Name	Packing	Price
71788	✓ Potato Dextrose Agar (PDA)	100 Gms	800	74426	✓ Presence - Absence Broth (PA Broth)	100 Gms	1000
		500 Gms	3200			500 Gms	3600
		2 Kg	11800			For the detection of coliform bacteria in water from treatment plants or distribution systems using the presence-absence coliform test.	
		5 Kg	28200				
For the isolation, cultivation and enumeration of yeasts and molds from dairy and food products.Used to induce sporulation in many fungi.							
94111	✓ Potato Dextrose Agar (PDA), Harmonized	100 Gms	900	41406	✓ Proteose Peptone BactoBio for bacteriology [91079-38-8]	500 Gms	2500
		500 Gms	3300			2 Kg	7800
Used for the cultivation of yeasts and molds in pharmaceutical testing according to harmonized methods.		Enzymatic digest of protein, high in proteoses. Used in microbiological culture media and in bacterial toxin production and also in microbiological media for bacteria requiring varying nutritional properties.					
91338	✓ Potato Dextrose Agar (PDA) BioVeg	100 Gms	800	93788	✓ Protose BactoBio for bacteriology	100 Gms	1000
		500 Gms	3200			500 Gms	3000
For the isolation, cultivation and enumeration of yeasts and molds from dairy and food products. Used to induce sporulation in many fungi.		A specially manufactured biological ingredient, very high in proteoses. It`s composition of various amino acids ,along with proteoses and peptones ,make it suitable ingredient for fermentation and vaccine manufacturing process.					
63506	✓ Potato Dextrose Agar w/ Chloramphenicol (0.1g/lit) (PDA w/ 0.01% Chloramphenicol)	100 Gms	1100	90912	✓ Pseudomonas Agar Base (I)	100 Gms	900
		500 Gms	4300			500 Gms	4000
Recommended as a general purpose medium for cultivation and isolation of yeasts and molds from foods, dairy and cosmetics.		Used for the selective isolation of Pseudomonas species.					
72704	✓ Potato Dextrose Agar w/2% Glucose and 60% Sucrose (PDA w/2% Glucose and 60% Sucrose)	100 Gms	1200	49698	✓ Pseudomonas Agar for Fluorescein	100 Gms	1000
		500 Gms	4800			500 Gms	3700
For the isolation of Zygosaccharomyces rouxii from chocolate syrup.		For the cultivation and observation of fluorescein production in Pseudomonas species.					
35208	✓ Potato Dextrose Broth (PDB)	100 Gms	800	80358	✓ Pseudomonas Agar for Pyocyanin (Pseudomonas Agar-P)	100 Gms	900
		500 Gms	2900			500 Gms	3400
For the isolation, cultivation and enumeration of yeasts and molds from dairy and food products.		For the isolation, cultivation and differentiation of Pseudomonas species on the basis of pyocyanin production.					
74474	✓ Potato Dextrose Broth (PDB) BioVeg	100 Gms	1000	40976	✓ Pseudomonas Asparagine Broth (APHA)	100 Gms	3500
		500 Gms	3300			500 Gms	11300
For the cultivation and enumeration of yeasts and molds.		For the isolation and cultivation of Pseudomonas species.					
69190	✓ Potato Dextrose Rose Bengal Agar	100 Gms	900	55523	✓ Pseudomonas Isolation Agar, Base	100 Gms	1000
		500 Gms	4100			500 Gms	4200
Used for promoting ascospore production.		For the isolation and cultivation of Pseudomonas species.					
60040	✓ Potato Infusion Powder (PI Powder) BactoBio for bacteriology	100 Gms	900	36124	✓ Pseudomonas Isolation Agar BioVeg	100 Gms	1000
		500 Gms	2700			500 Gms	4200
Potato infusion, is a high quality infusion powder for use as an ingredient in microbiological culture media, for enhanced sporulation and growth of fungal microorganisms.		For the isolation and cultivation of Pseudomonas species.					
43921	✓ Potato Malt Agar	100 Gms	1100	47758	✓ Pseudomonas Test Kit (Pre-Weighed Media)	1 Kit	3500
		500 Gms	4000			Used for isolation, identification and cultivation of Pseudomonas species.	
		69827 ✓ Purple Agar Base					
		100 Gms 1300					
		500 Gms 5400					
		98775 ✓ Purple Broth Base					
		100 Gms 1000					
		500 Gms 4200					



Code	Name	Packing	Price	Code	Name	Packing	Price
10666	✓ Pyridoxine Assay Medium	100 Gms	3700	63380	✓ Ringer Salt Solution Powder	100 Gms 500 Gms	1700 7100
	For the microbiological assay of pyridoxine using Neurospora sitophila as the test organism.				Used as an isotonic diluent during food, milk and dairy products microbiological examination.		
29051	✓ PYR Agar	100 Gms 500 Gms	1400 5200	57672	⚠ Rosolic Acid Supplement (0.1gm/vl)	5 vl	1300
	Used for the isolation and identification of Streptococcus pyogenes.				Used for the selective isolation of coliforms.		
50846	✓ R2A Agar	100 Gms 500 Gms	1300 4700	76126	✓ SA Agar Base	100 Gms 500 Gms	1900 5800
	Used for enumerating heterotrophic bacteria from drinking water.				Used for isolation and differentiation of Aeromonas hydrophila from foods based on starch hydrolysis (as per APHA).		
34629	✓ R2A Agar BioVeg	100 Gms 500 Gms	1150 4950	99752	✓ S. Aureus Test Kit (Pre-Weighed Media)	1 Kit	4000
	Used for enumeration of heterotrophic bacteria from drinking water				Used for isolation, identification and cultivation of Staphylococcus aureus.		
16437	✓ R3A Agar	100 Gms 500 Gms	1500 4900	67506	✓ SABHI Agar Base	100 Gms 500 Gms	1400 4500
	For the cultivation and maintenance of heterotrophic bacteria from potable waters.						
39167	✓ Rappaport Vassiliadis R 10 Broth	100 Gms 500 Gms	1000 4000	44970	✓ Sabouraud Chloramphenicol Agar	100 Gms 500 Gms	1100 4200
	Used for the selective enrichment of Salmonella from meat and dairy products, faeces and sewage polluted water.				For the cultivation of yeasts and molds.		
59912	✓ Rappaport Vassiliadis Salmonella Enrichment Broth, Harmonized	100 Gms 500 Gms	900 3600	55941	✓ Sabouraud Chloramphenicol Agar BioVeg	100 Gms 500 Gms	1100 4200
	Used for selective enrichment of Salmonella species in pharmaceutical testing according to harmonized methods.				For the cultivation of yeasts and molds.		
22140	✓ Rappaport Vassiliadis Soyabean Meal Broth (RVSM Broth)	100 Gms 500 Gms	1200 4100	19427	✓ Sabouraud Dextrose Agar (U/P) (I/P) (Sabouraud Glucose Agar)	100 Gms 500 Gms	800 3300
	Used for enrichment and isolation of Salmonella species.				For the cultivation of dermatophytes, yeasts and filamentous fungi.		
18530	✓ Razi`s Medium	100 Gms 500 Gms	1200 4800	28055	✓ Sabouraud Dextrose Agar	100 Gms 500 Gms	800 3200
					Used for the cultivation of dermatophytes, yeasts & filamentous fungi.		
78777	✓ Reinforced Clostridial Agar	100 Gms 500 Gms	900 3600	95430	⚠ Sabouraud Dextrose Agar Cycloheximide and Chloramphenicol (Mycobiotic Agar)	50 Gms 100 Gms	4200 7800
	Used for the cultivation and enumeration of Clostridium species and other anaerobes from clinical specimens and foods.				For the selective isolation and cultivation of fungi.		
11999	✓ Reinforced Medium for Clostridia, Harmonized	100 Gms 500 Gms	800 2900	24613	✓ Sabouraud Dextrose Agar, Harmonized	100 Gms 500 Gms	800 3300
	Used for the cultivation and enumeration of Clostridia in pharmaceutical testing according to harmonized methods.				For the cultivation and isolation of yeasts, molds and aciduric microorganisms in pharmaceutical testing according to harmonized methods.		
71467	✓ Rhizobium Medium	100 Gms 500 Gms	1400 4300	88999	✓ Sabouraud Dextrose Agar BioVeg	100 Gms 500 Gms	800 3300
	Used for the cultivation of Rhizobium species.				Used for the cultivation of dermatophytes, yeasts and filamentous fungi.		



Code	Name	Packing	Price	Code	Name	Packing	Price
24835	✓ Sabouraud Dextrose Broth, Harmonized	100 Gms	600	87213	✓ Selenite Broth w/ Dulcitol (Twin Pack) Used for enrichment of Salmonella species.	500 Gms	7200
		500 Gms	2000			100 Gms	800
64402	✓ Sabouraud Dextrose Maltose Broth	100 Gms	1200	16709	✓ Selenite Cystine Broth, Base w/o Selenite	500 Gms	3300
		500 Gms	4700			100 Gms	1100
14506	✓ Sabouraud Glucose Broth (Sabouraud Dextrose Broth)	100 Gms	500	38926	✓ Selenite F Broth, Base w/ Selenite (Twin Pack)	500 Gms	4400
		500 Gms	1500			100 Gms	800
57791	✓ Sabouraud Maltose Agar	100 Gms	1200	83179	✓ Selenite F Broth, Base w/o Selenite	500 Gms	3300
		500 Gms	4500			100 Gms	800
33387	✓ Sabouraud Maltose Broth	100 Gms	1000	17458	✓ Semi-Solid Nutrient Agar (I)	500 Gms	4400
		500 Gms	4100			100 Gms	1100
36370	✓ Saline Agar	100 Gms	1200	75917	✓ Semi-Solid Nutrient Agar (B/S)	500 Gms	4400
		500 Gms	4200			100 Gms	1100
39930	✓ SS Agar (Salmonella Shigella Agar)	100 Gms	900	37963	✓ Semi-solid Rappaport Vassiliadis (MSRV) Medium Base	500 Gms	4300
		500 Gms	3600			100 Gms	1200
36856	✓ SS Agar, Modified (Salmonella-Shigella Agar, Modified) (Salmonella Shigella Agar) A modified medium, which provides better growth of Salmonella and Shigella species.	100 Gms	1100	84809	✓ Sensitest Agar	100 Gms	2100
		500 Gms	4200			500 Gms	8500
55521	✓ Salmonella Test Kit (Pre-Weighed Media)	1 Kit	2200	11580	✓ S.F.P Agar Base (Shahidi Ferguson Perfringens Agar Base) Used for the isolation and enumeration of Clostridium perfringens from foods.	100 Gms	1100
						500 Gms	5100
48589	✓ Salt Polymyxin Broth, Base (I) (Polymyxin Salt Broth)	100 Gms	1000	94074	✓ Shigella Broth Base	100 Gms	1100
		500 Gms	3900			500 Gms	4000
22887	✓ Salt Polymyxin Broth, Base (B/S)	100 Gms	1000	45290	✓ Shigella Selective Supplement (0.55mg/vl)	5 vl	1200
		500 Gms	3900			100 Gms	1100
58249	✓ Schaedler Agar w/o Thioglycollate (Schaedler Anaerobic Agar w/o Thioglycollate)	100 Gms	1700	91694	✓ Slanetz and Bartley Medium	500 Gms	4300
		500 Gms	4800			100 Gms	900
16164	✓ Schaedler Agar (Schaedler Anaerobic Agar)	100 Gms	1100	49810	✓ SIM Medium (Sulfite Indole Motility Medium)	500 Gms	3500
		500 Gms	4300			100 Gms	900
	Used for the cultivation and isolation of yeasts, molds and aciduric microorganisms in pharmaceutical testing according to harmonized methods.				With addition of selenite, used for isolation and cultivation of Salmonella species from faeces, dairy products and other specimens.		
	Used for the cultivation of moulds, yeasts and aciduric organisms as well as testing of antimycotic substances.				For the performance of antibiotic sensitivity test.		
	For the cultivation of dermatophytes, yeasts and filamentous fungi.				Used for the selective isolation and enumeration of Clostridium perfringens from foods.		
	For the cultivation and maintenance of yeasts, molds and a variety of fungi.				Used for the isolation and cultivation of Shigella species from food.		
	Used for detection of alpha -toxin in Clostridium perfringens				Used for the selective isolation and cultivation of Shigella species.		
	For the selective isolation and differentiation of pathogenic enteric bacilli especially Salmonella and Shigella species.				For the detection and enumeration of enterococci by membrane filtration method.		
					For the differentiation of members of the Enterobacteriaceae, based on H2S production, indole production and motility.		
	Used for enumeration of various aerobic and anaerobic bacterial species present in the gastrointestinal tract.				Used for the differentiation of members of the Enterobacteriaceae, based on H2S production, indole production and motility.		



Code	Name	Packing	Price	Code	Name	Packing	Price
59437	✓ Simmon`s Citrate Agar	100 Gms	900	28501	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB)	100 Gms	600
		500 Gms	3900			500 Gms	1800
	For the differentiation of gram-negative bacteria on the basis of citrate utilization.				A nutritious general purpose medium used for the growth of a wide variety of bacteria and fungi.	2 Kg	5900
28582	✓ Skim Milk Powder (SM Powder) BactoBio for bacteriology	500 Gms	1200	89320	✓ Soya Lecithin (30%) BactoBio for bacteriology	100 Gms	1900
	Specially made from Fat free milk,high in protein.Suitable as ingredient in microbiology media.			[8002-43-5]		500 Gms	3900
69372	✓ Skim Milk Plate Count Agar (SM Plate Count Agar)	100 Gms	2400		A natural phospholipid made from non-GMO soya beans.		
	For the enumeration of bacteria in milk and dairy products.	500 Gms	5800	20626	✓ Soyatone BactoBio for bacteriology	500 Gms	1400
41023	✓ Sorbitol Iron Agar	100 Gms	1400	[91079-46-8]	(Soya peptone)	5 Kg	12000
		500 Gms	5100		Papaic digest of soyabean meal phytone, a peptone of plant origin. Contains high concentration of carbohydrates and nitrogen constituents, hence making it suitable for growth of fastidious microorganisms.		
77892	✓ Soyabean Casein Digest Agar (SCDA) (Tryptone Soya Agar, TSA), Harmonized	100 Gms	800	24205	✓ Special YM Medium	100 Gms	1100
	For isolation and cultivation of fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.	500 Gms	3300			500 Gms	4100
		2 Kg	12000	39778	✓ Spirit Blue Agar	100 Gms	1300
33291	✓ Soyabean Casein Digest Agar (SCDA) (Tryptone Soya Agar, TSA)	100 Gms	800		For the detection, enumeration and study of lipolytic microorganisms.	500 Gms	5300
	Used for the isolation and cultivation of fastidious & non fastidious microorganisms.	500 Gms	3300	54880	✓ Sporulation Broth	100 Gms	1000
		2 Kg	12000			500 Gms	3800
10935	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), Harmonized	100 Gms	600	31363	✓ SPS Agar	100 Gms	1200
	Used for cultivation of a wide variety of fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.	500 Gms	1800		For the detection and enumeration of Clostridium perfringens in foods.	500 Gms	4200
		2 Kg	5900	14041	✓ Standard Methods Agar w /Tween 80 and Lecithin	100 Gms	2600
47404	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), Sterile (Gamma Irradiated)	500 Gms	2200		For the determination of sterility of surfaces	500 Gms	10400
	Gamma irradiated sterile powder used for the growth of wide variety of bacteria and fungi.			92654	✓ Standard Nutrient Agar No.1	100 Gms	1100
51993	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB) BioVeg	100 Gms	600		Used for the cultivation of fastidious bacteria and also for the isolation and enumeration of bacteria.	500 Gms	4400
	(Soyabean Medium BioVeg)	500 Gms	2000	72899	✓ Standard Nutrient Agar No.2	100 Gms	1300
	For the cultivation of a wide variety of microorganisms.					500 Gms	5500
44520	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), BioVeg Sterile (Gamma Irradiated)	500 Gms	2700	68818	✓ Standard Nutrient Broth (H.S. Vaccine Medium)	100 Gms	900
	A nutritious general purpose medium, prepared by replacing animal based peptones with vegetable based peptones. It is gamma irradiated sterile powder, used in evaluation of sterility in manufacturing process.				Recommended nutritive medium for mass cultivation of bacteria for vaccine production.	500 Gms	2600
				18247	⚠ Staph-Strepto Selective Supplement	5 vI	1700
					Used for the selective isolation of Staphylococcus and Streptococcus.	5 x5 vI	4000



Code	Name	Packing	Price	Code	Name	Packing	Price
39726	✓ Staphylococcus Medium 110 (Stone Gelatin Agar, Gelatin Mannitol Salt Agar) For the isolation & enumeration of Staphylococci based on mannitol fermentation, pigment formation & gelatinase activity.	100 Gms	1000	49778	✓ Sulphite Agar (Sulfite Agar)	100 Gms	1500
		500 Gms	3500			500 Gms	4700
37547	✓ Starch Agar For detection of starch hydrolyzing microorganisms.	100 Gms	1100	84524	✓ Iron Sulphite Agar (Sulfite Iron Agar) Used for the detection of Clostridia in the examination of meat and meat products.	100 Gms	1000
		500 Gms	4400			500 Gms	4200
78486 [9005-84-9]	✓ Starch Soluble Special (Cold Water Soluble) BactoBio for microbiology A special grade of Starch, suitable for media preparations in microbiology since it is cold water soluble due to its special preparation method. The solution characteristics being clear, make it especially suitable for such use in labs.	100 Gms	1800	34050	♻ Sulpha Supplement Used for the selective isolation of Salmonella species.	5 vl	1800
		500 Gms	3900			500 Gms	4800
76043	✓ Sterility Test Kit (Pre-Weighed Media) Used for sterility testing of products as per pharmacoepial standards.	1 Kit	1100	68041	✓ Syncase Broth	100 Gms	1200
						500 Gms	4800
11475	♻ Strepto Supplement Used for the selection of Streptococcus species.	5 vl	1300	23635	✓ T1N1 Agar (Tryptone Salt Agar) (Tryptone Salt Agar)	100 Gms	1200
		5 x5 vl	4100			500 Gms	4500
35140	♻ Streptococcus Selective Supplement Used for the selective isolation and cultivation of Streptococcus species.	5 vl	1800	65235	✓ T1N1 Broth (Tryptone Salt Broth)	100 Gms	700
		5 x5 vl	4200			500 Gms	2900
31025	✓ Streptococcus Thermophilus Isolation Agar For determining the ratio of Streptococcus thermophilus and Lactobacillus bulgaricus in yoghurt.	100 Gms	1300	15600	✓ T.A.T. Broth Base (Tryptone-Azolectin-Tween Broth Base)	100 Gms	900
		500 Gms	4500			500 Gms	4100
77304	✓ Streptomyces Agar For the cultivation and maintenance of Streptomyces.	100 Gms	1100	86626	✓ TCBS Agar (Thiosulphate Citrate Bile Salts Sucrose Agar) For the selective isolation of Vibrio cholerae and Vibrio parahaemolyticus from a variety of clinical specimens.	100 Gms	1000
		500 Gms	4300			500 Gms	4100
43048	✓ Stuart Transport Medium For the preservation of Neisseria species and other fastidious organisms during their transport from clinic to laboratory.	100 Gms	1400	50165	✓ TCBS Agar (B/S) (Thiosulfate Citrate Bile Salts Sucrose Agar) Used for selective isolation of Enteropathogenic Vibrio species.	100 Gms	1000
		500 Gms	5800			500 Gms	4100
14840	✓ Sucrose Salicin Agar (Gillies Agar No.2)	100 Gms	5900	68331	✓ TCBS Agar BioVeg For the selective isolation of Vibrio cholerae and Vibrio parahaemolyticus from clinical specimens.	100 Gms	1100
						500 Gms	4500
69237	✓ Sugar Free Agar (Count Agar Sugar-free) For the enumeration of psychotropic and mesophilic gram- negative rods in butter and other dairy products as per formula described by the International Dairy Federation.	100 Gms	1200	15297	♻ Tellurite Cefixime Supplement Used for the selective isolation and cultivation of Escherichia coli 0157:H7	5 vl	1400
		500 Gms	4200				
97630	✓ Tergitol- 7 Agar, Base (B/S) (T7 Agar) Used for selective enumeration and identification of coilform organisms	100 Gms	1100	30431	✓ Tellurite Glycine Agar Base	100 Gms	1000
		500 Gms	5100			500 Gms	4900
67662	✓ Tergitol-7 Agar H, Base (T7 Agar, H)	100 Gms	1400	99371	✓ Tergitol-7 Broth (T7 Broth)	100 Gms	1000
		500 Gms	5700			500 Gms	4100
30086	✓ Terrific Broth (Tartoff-Hobbs Broth) For the cultivation of recombinant strains of Escherichia coli.	100 Gms	900			100 Gms	900
				500 Gms	3300		



Code	Name	Packing	Price	Code	Name	Packing	Price
40873	⚡ Tetracycline Selective Supplement Used for the selective isolation and cultivation of yeasts and moulds.	5 vI	1500	74398	✓ Tomato Juice Agar Used for the cultivation of lactobacilli.	100 Gms 500 Gms	1800 5000
13112	✓ Tetrathionate Broth Base w/o Iodine & BG (TT Broth Base) For the enrichment of Salmonella species.	100 Gms 500 Gms	700 2500	33544	✓ Transport Charcoal Medium For transportation of clinical specimens.	100 Gms 500 Gms	1200 5000
81902	✓ Tetrathionate Broth Base (I) (TT Broth Base) Recommended for enrichment of Salmonellae from samples suspected to be contaminated with Salmonellae in accordance with IP.	100 Gms 500 Gms	800 2500	87704	⚡ Tributyryn Supplement (10ml/vI) Used for the detection of lipolytic microorganisms.	5 vI 5 x5 vI	1800 6900
13727	✓ TGB Agar (Tryptone Glucose Beef Extract Agar)	100 Gms 500 Gms	1000 4300	30842	✓ Tributyryn Agar Base w/o Tributyrin For the cultivation and enumeration of lipolytic microorganisms.	100 Gms 500 Gms	1200 4900
44521	✓ Thayer-Martin Medium, Base (Thayer-Martin Agar, Modified) For the isolation of Neisseria species from specimens containing mixed flora of bacteria and fungi.	100 Gms 500 Gms	900 3700	12081	✓ Triple Sugar Iron Agar (I) (TSI Agar) Used for the differentiation of members of Enterobacteriaceae on the basis of fermenting of glucose, lactose, sucrose and H2S production.	100 Gms 500 Gms	800 3500
86908	✓ Thiobacillus Agar	100 Gms 500 Gms	1900 5900	55720	✓ Triple Sugar Iron Agar (B/S) Used for the differentiation of Enterobacteriaceae on the basis of fermenting of glucose, lactose, sucrose and H2S production.	100 Gms 500 Gms	800 3500
65489	✓ Thioglycollate Agar Used for the growth and cultivation of anaerobic microorganisms.	100 Gms 500 Gms	1100 4300	69309	✓ Triple Sugar Iron Agar BioVeg Used for the differentiation of members of Enterobacteriaceae on the basis of fermenting of glucose, lactose, sucrose and H2S production.	100 Gms 500 Gms	800 3500
38136	✓ Thioglycollate Broth w/ Liver Extract (B.Q. Vaccine Medium) Recommended medium for cultivation of anaerobes on large scale, especially for vaccine manufacturing.	100 Gms 500 Gms	900 2400	80175	✓ Tryptone Agar BioVeg Used for the detection and enumeration of Escherichia coli in foods using a modified direct plating method	100 Gms 500 Gms	1400 4950
91690	✓ Thioglycollate Medium w/o Indicator (Diagnostic Thioglycollate Medium) For the cultivation of anaerobic, microaerophilic and aerobic microorganisms. For use in sterility testing of a variety of specimens.	100 Gms 500 Gms	900 2800	32007	✓ Tryptone BactoBio for bacteriology (91079-40-2) (Casitose) Pancreatic Digest Of Casein used for cultivation of fastidious and non-fastidious bacteria and fungi.	500 Gms 5 Kg	2100 18800
63270	✓ Thiol Broth	100 Gms 500 Gms	1300 3800	10396	✓ Tryptone Bile Agar (I) Used for rapid detection and enumeration of Escherichia coli in foods.	100 Gms 500 Gms	1100 4500
67819	⚡ Ticarcillin Supplement (1mg/vI) Used for enrichment of Yersinia enterocolitica.	5 vI	1300	62600	✓ Tryptone Broth (Tryptone Water) For the cultivation of production of Indole by microorganisms.	100 Gms 500 Gms	700 2900
29536	✓ TN Agar	100 Gms 500 Gms	1200 4500	11947	✓ Tryptone Broth BioVeg (Tryptone Water BioVeg) For the cultivation of production of indole by microorganisms.	100 Gms 500 Gms	800 2900
11483	✓ Todd Hewitt Broth For the cultivation of Group A Streptococci used in serological typing and for the cultivation of variety of pathogenic microorganisms.	100 Gms 500 Gms	900 3700				
95197	✓ Toluidine Blue DNA Agar (Dnase Test Agar with Toluidine Blue)	100 Gms 500 Gms	7500 35800				



Code	Name	Packing	Price	Code	Name	Packing	Price
62087	✓ Tryptone Glucose Yeast Extract Broth	100 Gms	1100	24392	✓ Tryptone Soya Broth (TSB) (Soyabean Casein Digest Medium, SCDM)	100 Gms	600
		500 Gms	3700			500 Gms	1800
45227	✓ Tryptone Phosphate Broth	100 Gms	700		For the cultivation of a variety of microorganisms.	2 Kg	5900
		500 Gms	2800				
	For the cultivation of enteropathogenic Escherichia coli.			32347	✓ Tryptone Soya Broth (TSB) /SPS (Soyabean Casein Digest Medium w/SPS, SCDM w/SPS)	100 Gms	900
73825	✓ Tryptone Salt Broth	100 Gms	700		For the cultivation of fastidious and non-fastidious microorganism such as H. influenzae, N. meningitidis, S. pneumonia.	500 Gms	3500
		500 Gms	2900				
	Used as diluents to prepare stock solutions of dairy products and other food products, cosmetics products for microbiological analysis.			16684	✓ Tryptone Soya Broth (TSB) (Soyabean Casein Digest Medium, SCDM) BioVeg	100 Gms	600
53226	✓ Tryptone Soya Agar (TSA) w/Lecithin and Polysorbate 80 (SCDA Lecithin & Tween 80) (Soyabean Casein Digest Agar w/Lecithin & Tween 80, SCDA Lecithin & Tween 80)	100 Gms	1100		For the cultivation of a variety of microorganisms.	500 Gms	2000
		500 Gms	4700				
	Tryptone Soya Agar w/ Lecithin and Polysorbate 80 is used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.			45511	✓ Tryptone Soya Yeast Extract Broth	100 Gms	1000
18039	✓ Tryptone Soya Broth (TSB) w/ 6.5% Sodium Chloride (Soyabean Casein Digest Medium (SCDM) w/ NaCl)	100 Gms	1300		Tryptone Type I is an enzymatic digest of milk protein, rich in amino nitrogen source; used in microbiological and fermentation media.	500 Gms	3500
		500 Gms	2700				
	Used for differentiation between Salt tolerant and salt -intolerant species.			83009	✓ Tryptone Tellurite Agar Base	100 Gms	1100
21091	✓ Tryptone Sucrose Tetrazolium Agar, Base (I) (TSTA)	100 Gms	1100		Tryptone Type II is an enzymatic digest of lactose free milk protein, rich in amino nitrogen source used especially in Antibiotic assay medium.	500 Gms	4800
		500 Gms	4400				
	Recommended medium with added TTC for isolation of Vibrio species.			18528	✓ Tryptone Type I (Casitose) BactoBio for bacteriology [91079-40-2]	500 Gms	2900
20407	✓ Tryptone Soya Agar (TSA) (Soyabean Casein Digest Agar, SCDA)	100 Gms	800		(Casein Enzymatic Hydrolysate (Type I))		
		500 Gms	3300				
	For the cultivation and maintenance of a wide variety of microorganisms.			20483	✓ Tryptone Type II (Casitose) BactoBio for bacteriology	500 Gms	2900
32068	✓ Tryptone Soya Agar (TSA) (Soyabean Casein Digest Agar, SCDA) BioVeg	100 Gms	1000		(Casein Enzymatic Hydrolysate (Type II))		
		500 Gms	3700				
	For isolation and cultivation of fastidious and non-fastidious microorganisms with or without addition of blood. Semisolid medium recommended for testing of motility of Listeria monocytogenes, as recommended by ISO committee.			69165	✓ Tryptone Water Broth w/BCP	100 Gms	1000
21794	✓ Tryptone Soya Agar (TSA) w/MUG (Soyabean Casein Digest Agar w/MUG, SCDA MUG)	100 Gms	1400		Recommended for the cultivation of Salmonella species from food samples.	500 Gms	3300
		500 Gms	6100				
	Used for the cultivation of fastidious and non fastidious microorganisms by fluorogenic procedure.			79223	✓ Tryptone Yeast Extract Agar w/BCP (I)(B/S)	100 Gms	1200
					Recommended medium for isolation and enumeration of Enterobacteriaceae and Bacillus cereus.	500 Gms	5000
				15965	✓ Tryptophan Broth (I) (Tryptophan Medium (I))	100 Gms	800
					Used for differentiation of bacteria on the basis of indole production.	500 Gms	2800
				40626	✓ Tryptophan Broth (Tryptophan Medium) BioVeg	100 Gms	900
					Used for the differentiation of bacteria on the basis of indole production.	500 Gms	3200



Code	Name	Packing	Price	Code	Name	Packing	Price
47253	✓ Tryptose Blood Agar Base	100 Gms	1300	80192	⚠ 40% Urea Solution (5ml/vl)	5 vl	600
		500 Gms	5100			5 x5 vl	2200
	For the cultivation and maintenance of a wide variety of fastidious microorganisms.				Used for the detection of urease activity.		
12514	✓ Tryptose BactoBio for bacteriology [84843-69-6]	500 Gms	2200	26117	⚠ Vancomycin Supplement (3mg/vl)	5 vl	1800
							Used for the selective isolation of Enterococci.
82302	✓ Tryptose Cycloserine Dextrose Agar Base	100 Gms	1250	34123	⚠ VCN Supplement	5 vl	2500
		500 Gms	5100			5 x5 vl	8700
	Used for isolation of mesophilic spore forming anaerobes in food spoilage.				Used for selective isolation of Neisseria species.		
48200	✓ Tryptose Phosphate Broth	100 Gms	800	32249	⚠ VCNT Supplement	5 vl	2500
		500 Gms	3200			5 x5 vl	8700
	For the cultivation of variety of fastidious bacteria.				Used for selective isolation of Neisseria species.		
45989	✓ Tryptose Phosphate Broth BioVeg	100 Gms	900	78604	✓ V Infusion Agar (Veal Infusion Agar)	100 Gms	1400
		500 Gms	3300			500 Gms	4200
	For the cultivation of a variety of fastidious bacteria.			86771	✓ V Infusion Broth (Veal Infusion Broth)	100 Gms	1100
			500 Gms			3900	
					Recommended for cultivation of fastidious pathogenic bacteria.		
55052	⚠ TTC Solution 1% (10ml/vl)	5 vl	1200	67389	✓ Veg Extract Agar BioVeg	500 Gms	4400
		5 x5 vl	3600				
	Used for detecting microorganisms on the basis of TTC reduction.			55605	✓ Veg Extract Broth BioVeg	500 Gms	4400
18339	✓ Urea Agar, Base (I) (B/S)	100 Gms	1200	53818	✓ Violet Red Bile Agar (B/S)	100 Gms	900
		500 Gms	4200			500 Gms	3600
	Used for the detection of urease production by Proteus species and for identification of other members of Enterobacteriaceae.				Recommended medium for selective isolation, detection and enumeration of coliforms in water, milk and other dairy products.		
88708	✓ Urea Agar Base	100 Gms	1000	57081	✓ Violet Red Bile Agar (1.2%) (I)	100 Gms	1100
		500 Gms	3700			500 Gms	3700
	Used for the detection of urease production by Proteus species and for identification of other members of Enterobacteriaceae				Recommended medium for selective isolation, detection and enumeration of coliforms in water, milk and other dairy products.		
42465	✓ Urea Agar Base (Christensen) BioVeg	100 Gms	1000	33690	✓ Violet Red Bile Agar w/ MUG	100 Gms	1700
		500 Gms	3800			500 Gms	7200
	Used for the detection of urease production by Proteus species and for identification of other members of Enterobacteriaceae.				For the differentiation of Escherichia coli from dairy products and other foods by fluorogenic procedure.		
97438	✓ Urea Broth, Base	100 Gms	900	88966	✓ Violet Red Bile Broth	100 Gms	900
		500 Gms	3700			500 Gms	3300
	For identifying bacteria on the basis of urea utilization, for the differentiation of Proteus species from Salmonella and Shigella species.				For detection and enumeration of coliforms from water and foods.		
58028	✓ Urea Indole Medium	100 Gms	1100	43459	✓ Violet Red Bile Dextrose Agar BioVeg	100 Gms	1200
		500 Gms	4300			500 Gms	3700
	Used for the differentiation of Enterobacteria on the basis of urease and indole production and the transamination of tryptophan.				Used for detection and enumeration of Enterobacteriaceae from foods.		
				55373	✓ Violet Red Bile Glucose Agar (I) (Violet Red Bile Glucose Agar w/o Lactose)	100 Gms	900
			500 Gms			3500	
					Used for detection and enumeration of Enterobacteriaceae from foods.		



Code	Name	Packing	Price	Code	Name	Packing	Price
89912	✓ Violet Red Bile Glucose Agar, Harmonized	100 Gms	900	26434	✓ Wurtz Medium	100 Gms	1100
		500 Gms	3400			500 Gms	4200
	Used for cultivation and isolation of Enterobacteriaceae in pharmaceutical testing according to harmonized methods.				Used for isolation and differentiation of lactose fermenting bacteria.		
34326	📌 Vitamin K1 Supplement (10mg/vl)	5 vl	1200	53556	✓ Xylose Lysine Deoxycholate Agar (XLD Agar)(U/P) (I/P)	100 Gms 500 Gms	900 3800
	A vitamin growth supplement used for the isolation of anaerobic organisms.				Used for the isolation and differentiation of enteric pathogens, especially Shigella and Providencia.		
38907	✓ Vogel and Johnson Agar, Base (U/P)(I/P) (V.J. Agar, Base)	100 Gms	800	70791	✓ Xylose Lysine Deoxycholate Agar (XLD Agar)	100 Gms	900
		500 Gms	3200			500 Gms	3800
	For the detection of coagulase positive Staphylococcus aureus.				Used for the isolation and identification of Salmonellae and Shigellae.		
56055	✓ Water Agar	100 Gms	1200	89660	✓ XLT 4 Agar Base	100 Gms	1300
		500 Gms	4000			500 Gms	5500
	Used for cultivation and observation of sporulation of some fungi and also for the enumeration of fungi according to MPN method.				Used for isolation and identification of Salmonellae from various samples.		
23892	✓ Water (Faecal coliforms) Testing Kit (Pre-Weighed Media)	1 Kit	1900	73111	✓ Xylose Lysine Deoxycholate Agar (XLD Agar), Harmonized	100 Gms 500 Gms	1100 4300
	For the enumeration and identification of faecal coliforms from water and waste water samples.				For cultivation and isolation of Salmonella species in pharmaceutical testing according to harmonized methods.		
55014	✓ Wilkins-Chalgren Agar (Anaerobic Agar)	100 Gms	1200	67146	✓ Yeast Autolysate (Yeast Peptone) [84604-16-0] BactoBio for microbiology	100 Gms	800
		500 Gms	4400			500 Gms	2800
	For cultivation and maintenance of anaerobic bacteria. In susceptibility testing to determine minimum inhibitory concentrations (MICs) of antibiotics for anaerobic bacteria.				Water soluble portion of autolysed yeast especially rich in B-complex vitamins, used in microbiological and fermentation media.		
91753	✓ Willis and Hobbs Medium Base	100 Gms	1200	22176	📌 Yeast Autolysate Supplement	5 vl	1200
		500 Gms	4800			5 x5 vl	3900
	Used for isolation and identification of Clostridium from food.				used for enrichment of Neisseria species.		
31560	✓ WL Differential Agar	100 Gms	1100	51089	✓ Yeast and Mould Agar	100 Gms	1200
		500 Gms	4000			500 Gms	4700
	Used in isolating bacteria encountered in industrial fermentation processes.				Used for isolation of yeasts, molds & other aciduric microorganisms.		
45086	✓ WL Nutrient Agar (Wallerstein Laboratory Medium)	100 Gms	1200	34266	✓ Yeast Extract BactoBio for bacteriology [8013-01-02]	100 Gms	900
		500 Gms	4100			500 Gms	2500
	For the detection of bacteria & yeasts in industrial fermentation processes, particularly from beer processing				5 Kg	24300	
					10 Kg	46600	
78176	✓ WL Nutrient Broth (Wallerstein Laboratory Nutrient Broth)	100 Gms	1200	89463	✓ Yeast Extract for bacteriology [8013-01-02]	100 Gms	700
		500 Gms	3600			500 Gms	1200
	For cultivation of bacteria and yeasts in industrial fermentation processes, particularly from beer processing.				5 Kg	11500	
					Low pH, slightly turbid, extract of autolysed yeast cells used generally for technical purposes.		
47617	✓ Wort Agar	100 Gms	1000				
		500 Gms	4400				
	For the cultivation and enumeration of yeasts. Its low pH inhibits bacterial growth.						



Code	Name	Packing	Price	Code	Name	Packing	Price
52184	✓ Yeast Extract for cell culture	100 Gms	1200	83385	✓ Yeast Glucose Chloramphenicol Agar (YGC Agar, Chloramphenicol Agar) Used for the isolation and enumeration of molds in milk and dairy products.	100 Gms	800
		500 Gms	3200			500 Gms	3700
36504	✓ Yeast Extract Agar For the enumeration of microorganisms in potable and fresh water samples.	100 Gms	1700	66995	✓ YPD Broth (Yeast Peptone Dextrose Broth, YEPD Broth) For maintenance and propagation of yeasts in molecular microbiology procedures.	100 Gms	1200
		500 Gms	5600			500 Gms	5000
62332	✓ Yeast Lactose Agar For cultivation of soil microorganisms like Rhizobium species.	100 Gms	2200	98271	✓ YT Broth (2X YT Broth) Used for the cultivating of recombinant strains of Escherichia coli.	100 Gms	1000
		500 Gms	9000			500 Gms	3700
49723	✓ Yeast Malt Agar (YM Agar) For the cultivation of fungi including yeasts and other aciduric organisms.	100 Gms	1100	19510	✓ YXT Agar Base Used for detection of yeasts and molds, with or without added Tetracycline.	100 Gms	1100
		500 Gms	4500			500 Gms	4300
63973	✓ Yeast Malt Extract Broth (YM Broth) For the cultivation of fungi, yeasts and other aciduric microorganisms.	100 Gms	900				
		500 Gms	3600				
40965	✓ Yeast Mannitol Agar For the isolation and enumeration of soil microorganisms like Rhizobium species.	100 Gms	1200				
		500 Gms	5500				
56342	✓ Yeast Mannitol Broth For the cultivation of soil microorganisms like Rhizobium species.	100 Gms	900				
		500 Gms	3800				
54250	✓ YPD Agar (Yeast Peptone Dextrose Agar, YEPD Agar) For maintaining and propagating yeasts in molecular biology studies.	100 Gms	1000				
		500 Gms	4100				
51830	✓ Yersinia Isolation Agar For the isolation of Yersinia species from foods.	100 Gms	1300				
		500 Gms	4700				
27810	✓ Yersinia Selective Agar Base For the isolation of Yersinia enterocolitica from clinical specimens and food samples.	100 Gms	1300				
		500 Gms	4700				
15061	⚠ Yersinia Selective (C.I.N.) Supplement Used for isolation of Yersinia enterocolitica.	5 vI	1500				
		5 x5 vI	4400				

Pharmacopoeial Products

(IP/BP/USP/NF)

We take pride in introducing a select range of pharmacopoeial grade products according to IP/BP/USP/NF to meet the critical requirements of the pharmaceutical and biotech industries for drug manufacture and diagnostics use.

These products have stringent limits of purity and impurities, often more critical than specified in the pharmacopoeial standards. This will enable the niche pharmaceutical manufacturers to obtain very high quality raw material ingredients indigenously.

IP, BP, USP & NF Product List


85996	Aminocaproic Acid IP
99093	Aminocaproic Acid BP
50445	Aminocaproic Acid USP
40682	Glycine IP
74072	Glycine BP
37449	Glycine USP
61988	Proline BP
68128	L-Proline USP
47638	Propyl Gallate IP
14086	Propyl Gallate BP
16067	Propyl Gallate NF
50090	Sodium Caprylate BP
81340	Sodium Caprylate NF
34378	Sodium Lauryl Sulphate BP
82958	Sucrose IP (Non-Parenteral Use)
38142	Sucrose BP (Non-Parenteral Use)
56799	Sucrose NF (USP) (Non-Parenteral Use)
16622	Tris Buffer USP, 99-101% (Non Injectable Use)



Part E

BioLit[®]

(DNA & Protein Tools and Kits)





code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® PCR Products (Taq Polymerase, Buffers & Kits)

BioLit® TAQ Polymerases

Taq DNA Polymerases (offered in different concentrations) are enzymes used in Routine PCR. They are thermostable recombinant DNA polymerases derived from thermophilic bacterium *Thermus aquaticus*. They can amplify DNA target up to 5 kb (simple template) and have a 5' to 3' polymerase activity but lack 3' to 5' exonuclease activity that result in a 3'-dA overhang PCR product.

BioLit® Routine PCR

Applications - PCR amplification of DNA fragments as long as 5 kb, DNA labeling, DNA sequencing, PCR for cloning.

61524	TAQ DNA Polymerase (1U/μl)	Includes Taq DNA Polymerase (1U/μl) 10X PCR Buffer (MgCl ₂ free), 25mM MgCl ₂	500 units	2280.00
			1000 units	4320.00
			5000 units	21010.00
32976	TAQ DNA Polymerase (3U/μl)	Includes Taq DNA Polymerase (3U/μl) 10X PCR Buffer (MgCl ₂ free), 25mM MgCl ₂	500 units	2280.00
			1000 units	4320.00
			5000 units	21010.00
82487	TAQ DNA Polymerase (5U/μl)	Includes Taq DNA Polymerase (5U/μl) 10X PCR Buffer (MgCl ₂ free), 25mM MgCl ₂	500 units	2280.00
			1000 units	4320.00
			5000 units	21010.00
12816	TAQ DNA Polymerase (5U/μl) (w/6X Buffer)	Includes Taq DNA Polymerase (5U/μl) 10X PCR Buffer (Mg ²⁺ Plus) 6X Loading Buffer	500 units	2840.00
			1000 units	4890.00
			5000 units	22150.00
51613	TAQ DNA Polymerase (5U/μl) (w/6X Buffer, w/dNTP)	Includes Taq DNA Polymerase (5U/μl) 10X PCR Buffer (Mg ²⁺ Plus) 6X Loading Buffer dNTP mix (each 2.5 mM)	500 units	3070.00
			1000 units	5120.00
			5000 units	23280.00

A Thermostable recombinant DNA polymerase, useful in amplification of DNA fragments upto 6 kb from genomic DNA with high purity and specificity. Sources of template - plant genomic DNA, mouse cDNA, bacterial colony DNA, bacterial plasmid DNA, viral DNA and zygosity PCR templates. No loading buffers or tracking dyes required. Samples may be added directly to an agarose gel after PCR and visualized.

57694	Red TAQ DNA Polymerase (1U/μl)	Includes Red Taq DNA Polymerase (1U/μl) 10X Red Taq Buffer, 25 mM MgCl ₂	500 units	3980.00
			1000 units	6930.00
12192	Roseate Taq DNA		500 units	3030.00
			1000 units	4980.00

Roseate Taq DNA Polymerase is a thermostable recombinant DNA polymerase derived from thermophilic bacterium *Thermus aquaticus*. Its molecular weight is 94 kDa. Taq DNA Polymerase can amplify DNA targets up to 5 kb (simple template). The elongation velocity is 0.9~1.2kb/min (70~75°C). It has 5' to 3' polymerase activity but lacks of 3' to 5' exonuclease activity that result ion a 3'-dA overhangs PCR product.

The buffer given is 10X Rosette PCR Buffer with Mg²⁺. This buffer has a roseate coloured dye enabling the researcher to load the sample directly after PCR into an agarose gel for electrophoresis.

Other different polymerases described below are useful when there is a need for higher specificity for primer incorporation, high fidelity with proof reading capability, amplifying long and complex templates & need for efficient and fast elongation, and DNA Polymerase which is suitable for Hot Start PCR. The polymerases here each have one of these features and can be chosen to suit the needs of the researcher.

BioLit® Hot Start PCR

This product is a DNA Polymerase coated with antibody, which is suitable for Hot Start PCR. There is no activity of this enzyme at room temperature, and the antibody can be inactivated rapidly at 70°C or above. This ensures that the enzyme is active only during PCR and prolonged heating or denaturation steps can be avoided.

81646	Hot Start Taq Polymerase (5U/μl)	Includes Includes HotStart Taq Polymerase (5U/μl) 10X HotStart buffer with Mg ²⁺ , 2.5mM dNTP Mix	250 units	7730.00
			1000 units	29530.00



code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® High Specificity PCR

Can amplify DNA target up to 5 kb. The elongation velocity is 0.9~1.2kb/min. It has 5' to 3' polymerase activity but lacks 3' to 5' exonuclease activity that results in a 3'-dA overhang PCR product.

Applications - PCR amplification of DNA fragments as long as 5 kb, DNA labeling, DNA sequencing, PCR for cloning.

46033	HSP TAQ DNA	Includes HSP Taq DNA Polymerase (5U/μl)	500 units	4780.00
	Polymerase (5U/μl)	10X HSP PCR Buffer (with Mg ²⁺) 6×Loading Buffer	1000 units	8860.00

BioLit® High Fidelity PCR

Pfu DNA polymerase, derived from the hyperthermophilic archae Pyrococcus furiosus, has superior thermostability and proofreading properties. It can amplify DNA target up to 2 kb (simple template), possesses 3' to 5' exonuclease proofreading activity, generates PCR fragments will have fewer errors, results in blunt-ended PCR products, which are ideal for cloning into blunt-ended vectors

Applications - High-fidelity PCR and primer-extension reactions, High fidelity PCR for cloning into blunt-ended vectors, Site-directed mutagenesis.

22774	Pfu DNA	Includes Pfu DNA Polymerase (5U/μl)	250 units	6480.00
	Polymerase (5U/μl)	10X Pfu Buffer (Mg ²⁺) 6X Loading Buffer	1000 units	22720.00

49069	Pfu DNA	Includes Pfu DNA Polymerase (5U/μl)	250 units	6710.00
	Polymerase (5U/μl) (w/dNTP)	10X Pfu Buffer (Mg ²⁺) 6X Loading Buffer dNTP mix (each 2.5mM)	1000 units	23850.00

Taq Plus DNA Polymerase is a mixture of Taq and Pfu DNA polymerase that allows amplification of higher fidelity and longer templates Ideal for amplifying complex template, such as GC-rich template.

Applications - Amplification of long template up to 20kb, Amplification of complex template, High fidelity PCR

85737	TAQ Plus DNA	Includes Taq plus DNA Polymerase (2.5U/μl)	250 units	4090.00
	Polymerase (2.5U/μl)	10X PCR Buffer (Mg ²⁺ Plus) 6X Loading Buffer	1000 units	14770.00

93561	TAQ Plus DNA	Includes Taq plus DNA Polymerase (2.5U/μl)	250 units	4320.00
	Polymerase (2.5U/μl) (w/dNTP)	10X PCR Buffer (Mg ²⁺) 6X Loading Buffer dNTP mix (each 2.5mM)	1000 units	15220.00

BioLit® Long PCR

Long Taq DNA Polymerase, a combination of two thermostable DNA polymerases, Taq and Pfu, is a special formulation designed for amplifying large fragments. This specially formulated Long Taq was shown to amplify long templates from λ phage genome of up to 40 kb. It is also a better choice for amplifying complex template, such as GC-rich template. Long Taq is suitable as a direct replacement for ordinary Taq Polymerase in most applications. Using Long Taq in your PCR results in PCR products with 3'-dA overhangs which can be used in TA clone.

15367	Long TAQ DNA	Includes Long Taq DNA Polymerase (5U/μl)	250 units	3300.00
	Polymerase (5U/μl)	10X Long Taq Buffers I & II (Mg ²⁺) 6X Loading Buffer PCR Enhancer	1000 units	12000.00

94126	Long TAQ DNA	Includes Long Taq DNA Polymerase (5U/μl)	250 units	5000.00
	Polymerase (5U/μl) (w/dNTP)	10X Long Taq Buffers I & II (Mg ²⁺) 6X Loading Buffer PCR Enhancer dNTP mix (each 2.5mM)	1000 units	15000.00



code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® Fast PCR

FSP Taq DNA polymerase is the latest generation Taq-based DNA polymerase. It possesses high amplification efficiency as Taq polymerase and with fast elongation ability, it can be used in a variety of PCR. The FSP PCR Buffer, designed for FSP Taq DNA polymerase, can be used in fast amplification reactions.

The elongation rate of FSP Taq DNA polymerase is 2-fold higher than the one of regular Taq DNA polymerase, which shortens the amplification time by half.

58235	FSP TAQ DNA Polymerase (5U/μl)	Includes FSP Taq DNA Polymerase (5U/μl)	250 units	3640.00
		10X FSP Taq Buffer (with Mg ²⁺) 6X Loading Buffer	1000 units	11360.00
70073	FSP TAQ DNA Polymerase (5U/μl) (w/dNTP)	Includes FSP Taq DNA Polymerase (5U/μl)	250 units	3870.00
		10X FSP Taq Buffer (with Mg ²⁺) 6X Loading Buffer dNTP mix (each 2.5 mM)	1000 units	11820.00

BioLit® PCR Mixes

Routine PCR Master Mixes

Ready-to-use solutions containing the specific DNA Polymerase, dNTP, Mg²⁺ and Reaction Buffer at optimal concentrations for efficient amplification of DNA templates by PCR. This pre-mixed formulation saves time and reduces contamination due to the fewer pipetting steps. Includes Specific DNA Polymerase Mix, Water Nuclease Free.

50900	Taq Mix (2X) (PCR Master Mix (2X))	1ml (40 rxns)	2500.00
		5×1ml (200 rxns)	7500.00
		5×2.5ml (500 rxns)	15000.00
46503	Roseate PCR Master Mix (2X) (Taq Mix (2X))	1ml (40 rxns)	2700.00
		5×1ml (200 rxns)	8200.00
		5×2.5ml (500 rxns)	17000.00
94531	Pfu Mix (2X)	1ml (40 rxns)	7330.00
		5×1ml (200 rxns)	28900.00
23782	Plus Mix (2X)	1ml (40 rxns)	7460.00
		5×1ml (200 rxns)	28900.00
66677	HSP Mix (2X)	1ml (40 rxns)	3670.00
		5×1ml (200 rxns)	15160.00
36250	Long Taq Mix (2X)	1ml (40 rxns)	7330.00
		5×1ml (200 rxns)	18120.00
11307	FSP Taq Mix (2X)	1ml (40 rxns)	4890.00
		5×1ml (200 rxns)	21890.00
84729	FSP Taq Mix Direct for blood (2X)	1ml (40 rxns)	7390.00
		5×1ml (200 rxns)	30660.00
20220	FSP Taq Mix Direct for tissue (2X)	1ml (40 rxns)	7390.00
		5×1ml (200 rxns)	30660.00

Realtime PCR Master Mix (qPCR)

2X Master Mix for Real-Time PCR, contains all components, except the primer & template. This reagent is applicable for intercalation assay with FluroGreen dye which is similar to SYBR Green I. Reagent can be used in various detection devices. Also available with passive reference dye of low or high concentrations.

Includes FluroGreen qPCR Mix(2X)w/wt passive reference dye, Nuclease Free Water .

60159	BioLit FluroGreen qPCR Master Mix (2X)	0.5ml (20 amps)	2500.00
		1ml (40 amps)	4500.00
		5×1ml (200 amps)	18000.00



code	product name	application/description	unit	price
78797	BioLit FluroGreen qPCR Master Mix (Low CAR) (2X)		0.5ml (20 amps)	3000.00
			1ml (40 amps)	5000.00
			5 × 1ml (200 amps)	19000.00
38151	BioLit FluroGreen qPCR Master Mix (High CAR) (2X)		0.5ml (20 amps)	3000.00
			1ml (40 amps)	5000.00
			5 × 1ml (200 amps)	19000.00

BioLit® PCR Accessory Reagents

Ready-to-use reagents for PCR for the user's convenience.

61318	10X PCR Buffer with KCl (Mg ²⁺ free)		4 × 1.25ml	1460.00
41212	10X PCR Buffer with 15mM Mg ²⁺		4 × 1.25ml	1460.00
43386	10X PCR Buffer with Mg ²⁺ set		6 × 1.25ml	1800.00
90508	10X Roseate PCR Buffer with Mg ²⁺	Ready-to-use reagent having two tracking dyes along with the buffer & MgCl ₂ . After PCR, samples can be loaded directly onto the agarose gel for electrophoresis.	4 × 1.25ml	1410.00
86687	25mM MgCl ₂		4 × 1.25ml	1650.00
66886	DEPC-Treated Water	Suitable in any application where RNA is involved and all molecular biology applications.	100 ml	550.00
			500 ml	1710.00
96370	Water, nuclease-free	Suitable for use in all molecular biology applications.	5 × 1ml	290.00
			100ml	550.00
			500 ml	1710.00
20870	PCR Enhancer	Useful to optimize PCR of problematic and/or GC-rich templates. Offers higher primer specificity, and improved the mostability of DNA polymerases.	0.5ml	800.00
			4 × 1ml	2800.00
52531	PCR Sample Preparation Solution	Simple, all-inclusive sample preparation solutions for varied samples suitable for direct PCR techniques.	50 preps	1710.00
			200 preps	6590.00
48044	Glycogen (20mg/ml) Aq. Solution Ultrapure		2 × 0.25 ml	4500.00
			1 ml	8500.00
79326	Shrimp Alkaline Phosphatase (rSAP) (1U/ul)		500 units	8660.00
			1000 units	16230.00

Shrimp Alkaline Phosphatase (r-SAP) is a heat labile alkaline phosphatase purified from a recombinant source. rSAP is identical to the native enzyme and contains no affinity tags or other modifications. rSAP nonspecifically catalyzes the dephosphorylation of 5' and 3' ends of DNA and RNA phosphomonoesters.

BioLit® NTP and dNTP Sets, Mixes & Solutions

NTP Set & Solutions (100mM each)

The set and individual solutions consist of 100mM aqueous solutions of ATP, TTP, CTP and GTP each supplied in separate vials. These ready-to-use solutions offer maximum flexibility for various molecular biology applications *viz.* *in vitro* transcription, RNA amplification. Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

65240	NTP Set Ultrapure (100mM each)		4x0.25ml	5500.00
89889	ATP Solution Ultrapure (100mM)		0.25ml	1820.00
71636	CTP Solution Ultrapure (100mM)		0.25ml	1820.00
88705	GTP Solution Ultrapure (100mM)		0.25ml	1820.00
93633	UTP Solution Ultrapure (100mM)		0.25ml	1820.00



code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

dNTP Sets (100mM, 10mM)

The sets consists of 10mM/100mM aqueous solutions of dATP, dTTP, dCTP and dGTP, pH 7.0, each supplied in a separate vial. The dNTP Set offers maximum flexibility in preparation of reaction mixes for different molecular biology applications.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

94903	dNTP Set Ultrapure (100mM each)		4×0.25ml	7840.00
			4×1ml	27260.00
69478	dNTP Set Ultrapure(10mM each)		4×0.1ml	1710.00
			4×0.5ml	4550.00
			5x(4x0.2ml)	9090.00

dNTP Mixes

dNTP Mix is an aqueous solution at pH 7.0 containing dATP, dCTP, dGTP and dTTP, each at a final concentration of 2.5 mM/10mM/25mM. They are ready-to-use solutions designed to save time, provide higher reproducibility in PCR and other applications, reduce the number of pipetting steps and the risk of reaction set-up errors.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

70596	dNTP Mix Ultrapure (2.5mM each)		1ml	2390.00
			5×1ml	8520.00
18821	dNTP Mix Ultrapure (10mM each)		1ml	3190.00
			5×1ml	9660.00
14464	dNTP Mix Ultrapure (25mM each)		1ml	3750.00
			5×1ml	14770.00

dNTP Solutions

Each individual dNTP is supplied as a 100mM solution in sterile, deionized water at pH 7.0 and is prepared from monosodium salts of the free nucleotides.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

72009	dATP (100mM Solution)		0.2 ml	2500.00
19809	dCTP (100mM Solution)		0.5 ml	4550.00
			0.2 ml	2500.00
47435	dGTP (100mM Solution)		0.5 ml	4550.00
			0.2 ml	2500.00
91474	dTTP (100mM Solution)		0.5 ml	4550.00
			0.2 ml	2500.00
71411	dUTP (100mM Solution)		0.5 ml	4550.00
			0.25ml	11250.00

BioLit® RNA Accessory Reagents

75044	Oligo (dT) 15 primer (50µM)	A synthetic single-stranded 15-mer oligonucleotide with 5'- and 3'-hydroxyl ends. Supplied as an aqueous solution. Used for first strand cDNA synthesis synthesis in presence of reverse transcriptase	50 mcl	2050.00
53704	Random Hexamer Primer 6-mer (50µM)	A mixture of single-stranded random hexanucleotides with 5'- and 3'-hydroxyl ends. Used during cDNA synthesis to produce cDNAs randomly scattered through mRNA resulting in short strands of cDNA.	50 mcl	2050.00
96710	Ribonuclease A Solution ex. Bovine Pancreas (RNase A Soln) (10mg/ml) (DNase, Protease Free)		3 x1 ml	3640.00
			10 ml	11360.00
38080	Ribonuclease H (RNase H) (5U/ul)		50 units	7580.00
			250 units	22720.00
92030	RNasin (RNase inhibitor) (40U/µl)	RNase H is a recombinant endoribonuclease that hydrolyses specifically the phosphodiester bonds of RNA hybridized to DNA and produces 5' phosphate-terminated oligoribonucleotides and single-stranded DNA. Ribonuclease inhibitor purified from human placenta. It inhibits ribonuclease (RNase) activity of common eukaryotic enzymes such as RNaseA, RNase B, RNase C. Inhibits RNA degradation in the following procedures: in vitro transcription, cDNA synthesis, in vitro translation, isolation of mammalian cell fractions that contain mRNA-protein complex etc.	1000 units	4090.00



code	product name	application/description	unit	price
71969	RNA Stabilizing Solution	An aqueous tissue storage reagent that stabilizes and protects cellular RNA in intact, unfrozen tissue samples. It eliminates the need to immediately process tissue samples or to freeze samples in liquid nitrogen. It does not jeopardize the quality or quantity of RNA in the sample.	5 x1 ml	2520.00
			100 ml	3360.00
			500 ml	7880.00
20310	RNA Loading Buffer (5X)	It is used to load RNA sample on a formaldehyde agarose gel. It consists of two tracking dyes, Bromophenol blue and Xylene cyanol.	1 ml	1200.00
			5x1ml	5500.00
98343	T7 RNA Polymerase (50U/ul) (w/10X IVT Buffer)	T7 RNA polymerase is a monomeric bacteriophage encoded DNA directed RNA polymerase which catalyzes the formation of RNA in the 5'-3' direction.	1000 units	8000.00
			5000 units	39000.00
76516	M-MLV (Recombinant) (200U/μl)	A Reverse Transcriptase enzyme that generates first strand cDNA for use in PCR, real-time. Includes 10X Reaction Buffer	5000 units	9000.00
			10000 units	16000.00
94837	RT-PCR Kit (First Strand cDNA Synthesis Kit)	Reverse Transcriptase -PCR Kit is optimized to synthesize first-strand cDNA from purified poly (A)+ or total RNA. Includes - M-MLV (200U/μl), RNasin (40U/μl), Oligo(dT)15 (50μM), 100 Random hexamer primer (50μM), 5X First-strand Buffer, RNase-free Water, dNTP mix (10mM each)	20 preps	7100.00
			40 preps	11930.00
			100 preps	28390.00
41066	TRizol-C Reagent	Ready-to-use reagent for the isolation of high yields of total RNA from cells and tissues. As it is differently buffered from TRizol-T reagent, the isolated RNA may interact with these metal ions if involved in downstream processes.	20 ml	1820.00
			100 ml	6360.00
99359	TRizol-T Reagent	Ready-to-use reagent for the isolation of high yields of total RNA from cells and tissues. Differs in the buffer of TRizol-T reagent, and is innocuous to all downstream processes.	20 ml	1600.00
			100 ml	6140.00

BioLit® Tracking dyes & Buffers

6x Gel Loading Dyes are pre-mixed loading buffers with tracking dye/s to be added to the nucleic acid samples for agarose and non-denaturing polyacrylamide gel electrophoresis.

78591	6X Blue Loading Dye	Contains Bromophenol blue as tracking dye.	5 × 1 ml	2770.00
83184	6X DNA Loading Dye	Contains Bromophenol blue and Xylene Cyanol FF as tracking dyes.	5 × 1 ml	2770.00
56885	6X DNA Loading Dye & SDS solution	Contains Bromophenol blue and Xylene Cyanol FF as tracking dyes. The buffer also contains SDS which results in sharper bands as some restriction enzymes remain bound to DNA following cleavage	5 × 1 ml	3120.00
46200	6X Orange Loading Dye	Contains Orange G and Xylene Cyanol FF as tracking dyes	5 × 1 ml	2770.00
55895	6X TriColor Loading Dye	Contains Orange G, Bromophenol Blue and Xylene Cyanol FF as tracking dyes	5 × 1 ml	2770.00
73530	20X DoubleQuick DNA Electrophoresis Buffer	An exceptionally 'swift' agarose gel tank buffer that electrophoreses the DNA samples in less than 10 minutes. Three times more effective as compared to TAE or TBE buffer.	250 ml	4160.00
			500 ml	7530.00

BioLit® Staining Dyes for Nucleic Acids

Nucleic acid & protein staining dyes.

50358	BioLit FluroBronze Stain	A non-carcinogenic nucleic acid stain that is eco-friendly and replaces the use of ethidium bromide. Used for viewing nucleic acids on agarose gel.	50 mcl	1140.00
			250 mcl	3640.00
			1 ml	11360.00
Advantage: The stain is not added to the gel matrix or the running buffers, but is mixed as a 6X loading buffer with the nucleic acid samples prior to loading onto the gel.				
21156	SafeDye Green Stain (20000X in Water)		100 mcl	6930.00
			500 mcl	28350.00
			1 ml	50400.00



code	product name	application/description	unit	price
25834	BioLit SafeDye Stain	SafeDye is a new, safe nucleic acid stain for the detection of double-stranded DNA, single-stranded DNA and RNA in Agarose gels. This dye replaces Ethidium Bromide (toxic, potential mutagen) commonly used in Agarose gel electrophoresis and assists in determining the size of PCR product, insert and restriction analysis. SafeDye emits green fluorescence when bound to dsDNA, ssDNA and RNA. This stain has a fluorescence excitation maxima when bound to nucleic acid at approx. 290-320nm and emits at 490nm.	50 mcl	1200.00
			250 mcl	5000.00
			1 ml	16000.00

BioLit® Reference Digests/Markers

87978	ProxiB Lambda HindIII Digest Marker Size range: 2.0 to 23kb	Lambda DNA is used routinely for measurement of restriction enzyme activities. Lambda-Hind III digestion is a useful demonstration experiment for restriction analysis and it is a substrate for checking DNA ligase. This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye. (bands at 0.1 & 0.5kb although present, are very faint.)	50 mcg	1800.00
			100 mcg	3400.00
90023	ProxiB Lambda-EcoRI Digest Marker Size range: 3.5 to 21kb	Lambda-EcoRI digest is a popular teaching tool to demonstrate the activity of restriction enzymes. This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye.	50 mcg	1800.00
			100 mcg	3400.00
53625	ProxiB Lambda Double Digest Marker Size range: 0.5 to 23kb	Lambda DNA double digest of Hind III/EcoRI is a popular teaching tool to demonstrate double-digests (i.e., the simultaneous use of two restriction enzymes). This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye.	50 mcg	2100.00
			100 mcg	3600.00
46658	ProxiB Lambda BstEII Digest Marker Size range: 0.1-8.4 kb		50 mcg	2400.00
93663	Lambda PstI Digest Marker Size range: 0.25-11.5 kb		50 mcg	2400.00

BioLit® Nucleic Acid

64438	DH5α Competent Cells for Subcloning		2 x 0.1 ml	2630.00
			4 x 0.5 ml	18900.00
67291	Lambda DNA	Lambda DNA is a double stranded linear DNA of 48,502 base pairs in length. It is isolated from bacteriophage Lambda. The Lambda Phage is a bacterial virus (bacteriophage), that infects the bacterial species <i>E. coli</i> . The phage is isolated from the heat inducible lysogen <i>E. coli</i> strain. This NA is useful as size markers, in restriction enzyme assays and cloning. Concentration — 250ng/μl	100 mcg	4200.00
			250 mcg	10000.00
12658 new	Autoinduction Medium (AIM) Solution	AIM-LB medium w/o Trace elements is used to grow IPTG-inducible expression in bacterial strains	500 ml	1600.00



code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® Cloning Vectors

A cloning vector is a small piece of DNA into which a foreign DNA fragment can be inserted. The insertion of the fragment into the cloning vector is carried out by treating the vehicle and the foreign DNA with the same restriction vector, then ligating the fragments together. There are many types of cloning vectors. Genetically engineered plasmids are most commonly used for this purpose.

55912	pBR322 pBR322 was the first artificial plasmid. It is a 4361 bp long plasmid and was originally developed for cloning. This low copy number plasmid contains tetracycline and ampicillin resistance-conferring genes. pBR322 remains a popular teaching aid for demonstration of plasmid isolation, restriction digestion and cloning.	50 mcg	4800.00
		100 mcg	9080.00
93116	pUC18 pUC18 vector is a circular double stranded DNA and is 2686 base pairs long. This plasmid possesses – i) ampicillin resistance gene ii) the origin of replication derived from pBR322 and iii) the lac Z gene derived from <i>E. coli</i> . Within the lac region is also found a polylinker sequence having unique restriction sites. It is a popular teaching aid for demonstrating plasmid DNA isolation, restriction digestion and cloning.	50 mcg	4800.00
		100 mcg	9080.00
48402	pUC19 pUC19 vector is also a circular double stranded DNA and is 2686 base pairs long. It is similar to pUC18, but possesses different restriction sites. This plasmid possesses – i) ampicillin resistance gene ii) the origin of replication derived from pBR322 and iii) the lac Z gene derived from <i>E. coli</i> . Within the lac region is also found a polylinker sequence having unique restriction sites. It is a popular teaching aid for demonstrating plasmid DNA isolation, restriction digestion and cloning.	50 µg	4800.00
		100 µg	9080.00




code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® Ready-to-use DNA Molecular Weight Standards

BioLit DNA markers come in many useful ranges to cover most of the requirements of researchers and students. The markers are provided in a ready-to-use format for convenience and high reproducibility. We recommend a volume of 10 µL (~1 µg total DNA) per load to ensure that distinct, prominent DNA bands are observed even with a less sensitive UV transilluminator or in a less than optimal dark chamber. Users might be able to load a volume less than that recommended (without compromising results) if a high-sensitivity gel documentation system is available.

The markers have been carefully prepared under sterile conditions and stored in 10 mM Tris-HCl, pH 7.5, 1 mM EDTA and 1 mg/ml sodium azide and are unstained markers. Stocks will be stable for several months if properly stored frozen or even refrigerated.

10344	Low-Range DNA Marker: 0.1 – 1kb	This marker range has been designed to assist in determining the size of PCR product, insert and restriction analysis. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 103 to 1074bp	15 mcg	2050.00
			50 mcg	5800.00
			100 mcg	10910.00
12447	Mid-Range DNA Marker: 0.5 – 5kb	This marker range should facilitate the analysis of inserts cloned into commonly used plasmids and restriction digests. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 448 to 5024bp	15 mcg	2050.00
			50 mcg	5800.00
			100 mcg	10910.00
45587	Hi-Range DNA Marker: 2.0 – 25kb	This marker range is useful for experiments involving mega plasmids or genomic analysis. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 2.0 to 25kb	15 mcg	2050.00
			50 mcg	3190.00
			100 mcg	5800.00




These DNA markers are packaged in ready-to-use convenient quantities, 150, 500 & 1000µL, containing 15, 50 & 100 µg respectively, recommended for 15, 50 & 100 loadings respectively.




code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------


BLM013




BLM014



BLM015



BLM016



54882	ProxiO DNA Marker 1 : 0.1-0.6kb	Size range: 100 to 600bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	7320.00
48234	ProxiO DNA Marker 2 : 0.1-1.2kb	Size range: 100 to 1200bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 3x50 mcg	9060.00 23750.00
30219	ProxiO DNA Marker 3 : 0.2-4.5kb	Size range: 200 to 4500bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	7320.00
20082	ProxiO DNA Marker 4 : 0.5-10kb	Size range: 500 to 15000bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 3x50 mcg	5710.00 15340.00

BioLit® FluroBronze™ DNA Marker Packs

The varying range of specially prepared DNA marker packs (ready-to-load) contain in addition to the tracking dyes, a non-carcinogenic nucleic acid stain (BioLit® FluroBronze™ Stain) for detection of the marker bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus simplifying the preparation of agarose gel sans a potentially mutagenic dye.

57939	FluroBronze™ DNA Marker 1	Size range: 100 to 600bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain.	50 mcg	12630.00
35412	FluroBronze™ DNA Marker 4	Size range: 500 to 15000bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain.	50 mcg	12630.00



code	product name	application/description	unit	price
32462	FluroBronze™ Mid Range DNA Marker	Size range: 448 to 5,024bp These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain	50 mcg	10750.00
99331	FluroBronze™ Hi-Range DNA Marker	Size range: 2.0 to 25kb These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain	50 mcg	14370.00

BioLit® SafeDye DNA Marker Packs

The varying range of DNA marker packs (ready-to-load) are accompanied by a vial of SafeDye Stain, a non-carcinogenic nucleic acid stain mixed in a 6X loading buffer, for detection of the marker bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus eliminating a potentially mutagenic dye.


57493	SafeDye™ DNA Marker 1	Size range: 100 to 600bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 mcg	11210.00
21054	SafeDye™ DNA Marker 4	Size range: 500 to 15000bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 mcg	11210.00
81685	SafeDye™ Mid range DNA Marker	Size range: 448 to 5,024 bp These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 mcg	12960.00
56678	SafeDye™ Hi-range DNA Marker	Size range: 2.0 to 25kb These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 mcg	12960.00




code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® DNA Ladders


These ready-to-load ladders are designed with precise DNA fragments for accurate quantification by agarose gel electrophoresis. The concentration of each band is kept uniform to give sharp bands. A single or multiple bands in the ladders are made intense to orient the user to the other bands in the ladder. Recommended Loading volume 3-5µl. The products are unstained DNA Ladders.




ProxiO 10bp DNA Ladder




ProxiO 20bp DNA Ladder




ProxiO Low DNA Ladder



ProxiO 50bp DNA Ladder




ProxiO 50bp DNA Ladder Plus






code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------


ProxiO 100bp DNA Ladder




ProxiO 100bp DNA Ladder Plus




ProxiO 200bp DNA Ladder




ProxiO 500bp DNA Ladder




ProxiO 1kb DNA Ladder




ProxiO 1kb DNA Ladder Plus




D2000 Ladder




D5000 Ladder



D10000 Ladder



D15000 Ladder



code old/new	product name	application/description	unit	price
--------------	--------------	-------------------------	------	-------

44897	ProxiO 10bp DNA Ladder	Size range: 80 to 300 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	9930.00
98628	ProxiO 20bp DNA Ladder	Size range: 60 to 300 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	8910.00
68905	ProxiO Low DNA Ladder	Size range: 25 to 700 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	7500.00 36770.00
82208	ProxiO 50bp DNA Ladder	Size range: 50 to 500 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	7070.00 23240.00
88417	ProxiO 50bp DNA Ladder Plus	Size range: 50 to 1,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	6770.00 23690.00
92972	ProxiO 100bp DNA Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	5680.00 21990.00



code	product name	application/description	unit	price
84628	ProxiB 100bp DNA Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes.	50 mcg 5X 50 mcg	5680.00 21990.00
52075	ProxiO 100bp DNA Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	5680.00 21990.00
50255	ProxiB 100bp DNA Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes.	50 mcg 5X 50 mcg	5680.00 21990.00
37217	ProxiO 200bp DNA Ladder	Size range: 200 to 4,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	8680.00
93121	ProxiO 500bp DNA Ladder	Size range: 500 to 5,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	9130.00
48290	ProxiO 1kb DNA Ladder	Size range: 500 to 10,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	5560.00 23790.00
93406	ProxiO 1kb DNA Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	5560.00 23790.00
77305	PCR Ladder	This size marker covers the most common range encountered in PCR and shows an aesthetically pleasing ladder of five bands (50, 150, 300, 500, and 800 bp) that separate uniformly as shown. Contains Bromophenol Blue as the tracking dye.	10 mcg 50 mcg	1860.00 5910.00

BioLit® FluroBronze™ DNA Ladder Packs

The varying range of specially prepared DNA ladder packs (ready-to-load) contain in addition to the tracking dyes, a non-carcinogenic nucleic acid stain (BioLit FluroBronze Stain) for detection of the ladder bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus simplifying the preparation of agarose gel sans a potentially mutagenic dye.

76195	FluroBronze™ PCR Ladder	Size range: 50 to 800 bp Contains Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	11070.00
39563	FluroBronze™ 50bp Ladder Plus	Size range: 50 to 1,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	12050.00
97958	FluroBronze™ 100bp Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	10790.00



code	product name	application/description	unit	price
72601	FluroBronze™ 100bp Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	10720.00
54896	FluroBronze™ 500bp Ladder	Size range: 500 to 5,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	14290.00
23416	FluroBronze™ 1kb Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	10230.00

BioLit® SafeDye™ DNA Ladder Packs

The varying range of DNA ladder packs (ready-to-load) contain DNA ladders accompanied by the BioLit SafeDye Stain, a non-carcinogenic nucleic acid stain mixed in a 6X loading buffer, for detection of the ladder bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus eliminating a potentially mutagenic dye.

64935	SafeDye™ PCR Ladder	Size range: 50 to 800 bp Contains Bromophenol Blue as the tracking dye. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	10370.00
19262	SafeDye™ 50bp Ladder Plus	Size range: 50 to 1,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	10650.00
33902	SafeDye™ 100bp Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	10790.00
53261	SafeDye™ 100bp Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	9110.00
27107	SafeDye™ 500bp Ladder	Size range: 500 to 5,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	12890.00
29877	SafeDye™ 1kb Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	10230.00



code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

Surface Decontamination Spray

69341	DNA Decontam Surface Decontamination Spray	Eliminate unwanted DNA and DNase from glassware and plastic ware without affecting subsequent DNA samples and plastic ware without affecting subsequent DNA samples. Supplied in a spray bottle	250ml	3500.00
27248	RNase Decontam Surface Decontamination Spray	A surface decontamination solution that destroys RNases on contact. Spray the Solution onto surfaces to be decontaminated and rinse off with RNase-free-water. Supplied in a spray bottle format.	250ml	4000.00

BioLit® Restriction Enzymes

BioLit® Restriction Enzymes are highly purified and ensure that the integrity of your DNA is not compromised, making them the enzymes of choice for even the most demanding applications. All the Restriction Enzymes are accompanied with their specific reaction buffer to enable 100% enzyme activity.

85844	AluI (10U/μl)		100 unit	5500.00
51914	BamHI (10U/μl)		2500 unit 10000 unit	3300.00 11000.00
32338	BglI (10U/μl)		1500 unit	6420.00
24848	BglII (10U/μl)		250 unit 500 unit	2200.00 4000.00
78895	BspTI (MspCI, AflII) (10U/μl)		250 unit	2800.00
23203	Eco91I (BstEII) (10U/μl)		500 unit	3300.00
99402	DraI (10U/μl)		1000 unit	8500.00
91290	EcoRI (10U/μl)		4000 unit 10000 unit	3500.00 8400.00
90279	EcoRV (Eco321) (10U/μl)		1500 unit	4280.00
61338	HaeIII (BsuRI, BshFI) (10U/μl)		3000 unit 10000 units	6300.00 20000.00
44261	HincII (HindII) (10U/μl)		250 units 1000 units	3500.00 12500.00
77976	HindIII (10U/μl)		2500 units 5000 units	3800.00 7500.00
36322	Hinfl (10U/μl)		750 unit	3600.00
15100	KspAI (HpaI) (10U/μl)		200 unit 500 unit	4900.00 11500.00
47167	KpnI (10U/μl)		1000 unit 2000 unit	2200.00 10000.00
65301	MboI (10U/μl)		300 unit 1100 unit	12000.00 40000.00
79971	NcoI (10U/μl)		125 unit 300 unit	2900.00 6250.00
75760	NdeI (10U/μl)		500 unit 2500 unit	2200.00 9000.00
97361	NotI (10U/μl)		100 unit 250 unit	4800.00 11000.00
94651	PstI (10U/μl)		1500 unit	3000.00



code	product name	application/description	unit	price
72649	PvuII (10U/μl)		4500 unit	8000.00
			500 unit	1850.00
97505	RsaI (10U/μl)		2000 unit	5800.00
			250 unit	3300.00
			1000 unit	12000.00
27301	SacI (10U/μl)		750 unit	6000.00
			1250 unit	9000.00
10190	SalI (10U/μl)		500 unit	3600.00
			750 unit	5200.00
74952	Sau3AI (Bsp143I) (10U/μl)		300 unit	3600.00
			1500 unit	17000.00
15231	SmaI (10U/μl)		500 unit	6000.00
49365	SpeI (BcuI) (10U/μl)		200 unit	3700.00
			400 unit	6800.00
40653	SspI (10U/μl)		250 unit	3700.00
			500 unit	7000.00
96600	XbaI (10U/μl)		750 unit	3100.00
			1250 unit	4600.00
			4000 unit	13500.00
71245	XhoI (SlaI) (10U/μl)		1000 unit	3000.00
			5000 unit	12000.00
46448	Universal Restriction Enzyme Buffer (10X)		5 x1 ml	1200.00

BioLit® QuickRxn Restriction Enzymes

These restriction enzymes reduce digestion time and speed up the downstream processes.

81536	QuickRxn BamHI (20U/mcl)		250 units	600.00
			1000 units	1700.00
15918	QuickRxn EcoRI (20U/mcl)		250 units	500.00
			1000 units	1200.00
15723	QuickRxn HindIII (20U/mcl)		250 units	500.00
			1000 units	1800.00
38616	QuickRxn KpnI (20U/mcl)		250 units	950.00
			1000 units	2400.00
54781	QuickRxn NcoI (20U/mcl)		100 units	3000.00
			250 units	3400.00
57426	QuickRxn NdeI (20U/mcl)		250 units	1500.00
			1000 units	4200.00
60399	QuickRxn NotI (20U/mcl)		100 units	5100.00
			250 units	11800.00
64479	QuickRxn PstI (20U/mcl)		250 units	700.00
			1000 units	2200.00
37862	QuickRxn SalI		250 units	2200.00
49604	QuickRxn SmaI (20U/mcl)		250 units	3200.00
25887	QuickRxn XhoI (20u/mcl)		250 units	1400.00
			1000 units	3600.00



code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® Ligases


This DNA ligase, an ATP-dependent recombinant enzyme, isolated from Escherichia coli, is used for DNA cloning

85315	T4 DNA Ligase VLC (20CEU/ μ l or 0.1 Weiss Unit/ μ l)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiester bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	10000 Units (CEU)	2500.00
			40000 Units (CEU)	5680.00
41686	T4 DNA Ligase LC (200CEU/ μ l or 1 Weiss Unit/ μ l)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiester bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	200 Units (Weiss)	2840.00
			1000 Units (Weiss)	5120.00
			5000 Units (Weiss)	8520.00
67428	T4 DNA Ligase RC (1000CEU/ μ l or 5 Weiss Unit/ μ l)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiester bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	250 Units (Weiss)	5680.00
			1000 Units (Weiss)	9660.00
32581	Tth DNA Ligase Swift (5U/ μ l) Thermostable	An enzyme isolated from Escherichia Coli strain containing plasmid carrying the Thermus thermophilus DNA ligase, ligates DNA fragments within 15 minutes. Works on sticky ends only.	100 Units (Weiss)	11000.00
			200 Units (Weiss)	22000.00



code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® Ready-to-use Unstained Protein Molecular Weight Standards




BioLit protein molecular weight standards cover the useful range of protein sizes that a researcher or student requires for routine experiments. The recommended loading volume is 20 µl, giving approximately 5 µg of each protein sufficient for detection by Coomassie blue staining. The products are unstained markers. The proteins have been dissolved and denatured in the standard SDS-PAGE sample-loading buffer. Prepared under sterile conditions, these markers have appropriate additives to ensure long-term stability when they are stored in a refrigerator or freezer and even with brief exposure to room temperature. Although boiling is not required prior to loading, doing so will not affect results.

33203

Mid-Range 1 Protein Marker: 14-80kDa

This ready-to-use marker covers the useful range of protein sizes of 14 - 80 kDa and contains Bromophenol Blue as the tracking dye. It has nine bands of varying molecular sizes that a researcher or student requires for routine experiments.

0.5 ml	2440.00
1 ml	4400.00
2.5 ml	9260.00




Profile in SDS-12% PAGE (20 µl in a mini gel)

58511

Mid-Range 3 Protein Marker: 14-95kDa

This ready-to-use marker covers a slightly higher range of protein sizes of 14 - 95 kDa and contains Bromophenol Blue as the tracking dye. It has eight bands of varying molecular sizes that a researcher or student requires for routine experiments.

0.5 ml	2440.00
1 ml	4400.00
2.5 ml	9260.00



Profile in SDS-12% PAGE (20 µl in a mini gel)

78084

Popular-Range Protein Marker: 14-66kDa




This molecular weight marker covers a general range of protein sizes 14-66 kDa that is typically used by a researcher. It contains Bromophenol Blue as the tracking dye.

0.5 ml	2440.00
1 ml	4400.00



Profile in SDS-12% PAGE (20 µl in a mini gel)



code	product name	application/description	unit	price
59893	Low-Range Protein Marker: 3-40kDa	This protein molecular weight standard includes proteins in the range of 2.5 - 40 kDa and contains Bromophenol Blue as the tracking dye. With the advent of proteomics and identification of many low molecular weight proteins and domains being involved in important functions, there is an emerging interest in polypeptides in this range. This is also a useful range for electrophoresis based peptide mapping, especially using Tricine SDS - PAGE.	0.5 ml	2440.00
			1 ml	4400.00
			2.5 ml	9260.00
				
	Profile in Tricine SDS-18% PAGE (20 µl in a mini gel)			
12986	High-Range 1 Protein Marker: 20-220kDa	This molecular range marker covers a larger range of molecular sizes - 20 to 220kDa and is helpful to researchers working on higher molecular weight proteins. It contains Bromophenol Blue as the tracking dye.	0.5 ml	2780.00
			1 ml	5210.00
				
	Profile in SDS-10% PAGE (20 µl in a mini gel)			
99625	High-Range 2 Protein Marker: 14-220kDa	This molecular range marker covers a larger range of molecular sizes - 14 to 220kDa and is helpful to researchers working on higher molecular weight proteins. It contains Bromophenol Blue as the tracking dye.	0.5 ml	2780.00
			1 ml	5210.00
				
	Profile in SDS-10% PAGE (20 µl in a mini gel)			

Ready-to-use Prestained Protein Molecular Weight Standards

68894	PreStained Blue Protein Marker: 14 - 66kDa	Blue Prestained Protein Molecular Weight Standard, contains a mix of proteins, coupled with a blue chromophore. This marker has 6 bands in range of 14 to 66kDa.	0.5 ml	2550.00
93675	PreStained Dual Coloured Protein Marker: 14 - 66kDa	This Protein Molecular Weight Standard, contains a mix of proteins, coupled with blue and red chromophore. This marker has 6 bands in range of 14 to 66kDa.	0.25 ml	2520.00
			0.5 ml	4200.00
27839	PreStained High Range 1 Tri-Coloured Protein Ladder: 10-180kDa	This Protein Ladder is a three-color protein standard with 10 bands in the range of 10 to 180 kDa. Proteins are covalently coupled with a blue chromophore except for two reference bands (one green and one red band at 25 kDa and 75 kDa respectively) when separated on SDS-PAGE (Tris-glycine buffer).	0.25 ml	12150.00
			1 ml	35050.00



code	product name	application/description	unit	price
67792	PreStained High Range 2 Tri-Coloured Protein Ladder: 10-245kDa	This Protein Ladder is a three-color protein standard with 12 bands in the range of 10 to 245 kDa. Proteins are covalently coupled with a blue chromophore except for two reference bands (one green and one red band at 25 kDa and 75 kDa respectively) when separated on SDS-PAGE (Tris-glycine buffer).	0.25 ml	10000.00
			1 ml	38000.00
49772	PreStained High Range 3 Tri-Coloured Protein Marker: 10-315kDa	A ready-to-use Prestained protein marker giving 12 discrete fragments (in kDa): 315 (orange), 250, 180, 130, 95 (Blue), 72 (orange), 52 (green), 43, 34, 26, 17 (blue), and 10 (green).	0.25 ml	42000.00

BioLit® Staining Dyes for Proteins

25437	BioLit SpryBlue Stain for SDS PAGE	A snappy stain for Polyacrylamide gels that accelerates the staining of proteins and eliminates the need for destains.	250 ml	700.00
			500 ml	1200.00

Buffers

85074	Borate Buffer (20X) (Amine-free)	Ideal buffer solution that is used in protein modification procedures requiring amine-free buffer at alkaline pH.	100 ml	2200.00
			500 ml	7500.00
88480	SDS PAGE Sample Buffer (2X) (Reducing) (Laemmli Buffer 2X)	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 2X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	390.00
			20 ml	1500.00
99573	SDS PAGE Sample Buffer (5X) (Reducing) (Laemmli Buffer 5X)	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	480.00
			20 ml	1800.00
98786	SDS PAGE Sample Buffer (5X) (Reducing) w/ DTT w/ BPB	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	2500.00
35974	SDS PAGE Sample Buffer (5X) (Non-Reducing) w/o DTT w/ BPB	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	2500.00

BioLit® SDS PAGE Accessory Reagents

Ready-to-use Separating gel mix in a various percentage ranges and Stacking gel mix to simplify the process of SDS PAGE preparation and eliminate pipetting errors.

91574	Ready-To-Use Stacking Gel mix - 4%	250 ml	2170.00
86325	Ready-To-Use Stacking Gel mix - 4% (Coloured)	100 ml	1040.00
24723	Ready-To-Use Separating Gel mix - 10%	100 ml	2440.00
80306	Ready-To-Use Separating Gel mix - 12%	100 ml	2440.00
88394	Ready-To-Use Separating Gel mix - 15%	100 ml	2440.00

BioLit® Protease for Recombinant Protein Fusion Tag Cleavage

86851	TEV Protease (1U/μl)	A highly sequence-specific cysteine protease from Tobacco Etch Virus (TEV). Removes affinity tags from purified recombinant fusion proteins and its specificity gives controlled cleavage. Effective over a broad range of temperature	1000 Units	10230.00
			5000 Units	39750.00



code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

Antibodies

41262	Express Coating Buffer (1X, pH 6.4) for Antigen & Antibodies	A special coating buffer for rapid adsorptive immobilization of proteins, enzymes, antigens or antibodies on any plastic surface including ELISA plates. It coats the surface within 10-15mins.	100 ml	2500.00
			500 ml	8000.00
91754	Express Coating Buffer (1X, pH 8.5) for Antigen & Antibodies	A special coating buffer for rapid adsorptive immobilization of proteins, enzymes, antigens or antibodies on any plastic surface including ELISA plates. It coats the surface within 10-15mins.	100 ml	3500.00
			500 ml	9000.00
37971	Goat anti-Human IgG (affinity purified) (2mg/ml)	Antiserum is produced in Goat using highly purified human IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of antiserum.	1 ml	4820.00
77924	Goat anti-Human IgG-HRP (1mg/ml)	Purified IgG conjugated to Horseradish Peroxidase (HRP). Pooled antisera from goats hyperimmunized with human IgG	1 ml	12840.00
57404	Goat anti-Mouse IgG-HRP (1mg/ml)	Polyclonal Goat antibodies conjugated with HRP. Pooled antisera from goats hyperimmunized with Mouse IgG	1 ml	12840.00
54537	Goat anti-Rabbit IgG (whole serum) (3mg/ml)	Antiserum is produced in Rabbit using highly purified bovine IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of antiserum.	1 ml	3210.00
			5 ml	12840.00
88495	Goat anti-Rabbit IgG-HRP (1mg/ml)	Polyclonal Goat antibodies conjugated with HRP. Pooled antisera from goats hyperimmunized with Rabbit IgG.	1 ml	12840.00
68977	Rabbit anti-Bovine IgG (whole serum) (2mg/ml)	Antiserum is produced in Rabbit using highly purified bovine IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of antiserum.	1 ml	2570.00
21105	Rabbit anti-Bovine IgG-HRP (whole serum) (1mg/ml)	Anti-Bovine secondary antibodies conjugated with HRP. Pooled antisera from cows hyperimmunized with rabbit IgG	1 ml	12840.00
57919	Rabbit anti-Chicken IgY (whole serum)		1 ml	7490.00
			5 ml	23540.00
26249	Rabbit Anti-Human IgG (whole serum)		1 ml	4280.00
			5 ml	19260.00



code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

BioLit® Research Kits

A column based quick and easy method for DNA Extraction from bacteria/ tissue/whole blood yielding pure DNA useful for down-stream processes.

51826	BioLit Genomic DNA Extraction Mini Kit (Research)	Isolation of high quality genomic DNA using the silica spin columns from various sources - plasma, serum, body fluids, cultured cells, sputum and other body fluids. Kit contents : ● Spin Columns ● Buffers ● Proteinase K	25 Extractions	7080.00
			50 Extractions	13680.00
56860	BioLit Plant DNA Extraction Mini Kit (Research)	Kit works to efficiently extract genomic DNA from various plant and tissue samples rapidly. Mini silica columns deliver high quality genomic DNA without use of expensive reagents and time consuming processes. Kit contents : ● Spin Columns ● Buffers	25 Extractions	5000.00
			50 Extractions	9000.00
75718	BioLit Tissue DNA Extraction Mini Kit (Research)	Isolation of high quality tissue DNA using the silica spin columns from soft and hard tissues samples like liver, spleen, thymus, heart, kidney, brain, etc Kit contents : ● Spin Columns ● Buffers ● Proteinase K	25 Extractions	9040.00
			50 Extractions	15460.00
94733	BioLit Whole Blood DNA Extraction Mini Kit (Research)	Isolation of high quality DNA using the silica spin columns from human whole blood. Kit contents : ● Spin Columns ● Buffers	25 Extractions	8500.00
			50 Extractions	16000.00
33981	BioLit Tissue RNA Extraction Mini Kit (Research)	Tissue RNA can be purified from soft and hard tissues samples like liver, spleen, thymus, heart, kidney, brain, etc Kit contents : ● Spin Columns ● Collection Tubes ● Buffers ● Carrier RNA -Poly A	25 Extractions	10250.00
			50 Extractions	19500.00
87883	BioLit Viral RNA Extraction Mini Kit (Research)	Viral RNA can be purified from plasma, serum and other cell body fluids. Kit contents : ● Spin Columns ● Collection Tubes ● Buffers ● Carrier RNA -Poly A	25 Extractions	5740.00
			50 Extractions	9920.00
			1000 Extractions	18190.00
76108	BioLit Whole Blood RNA Extraction Mini Kit (Research)	A fast, easy method for the preparation of total cellular RNA from human whole blood. Multiple blood samples can be processed simultaneously in less than 1 hour. Kit contents : ● Spin Columns ● Collection Tubes ● Buffers ● β-mercaptoethanol	25 Extractions	10700.00
			50 Extractions	20810.00
91210	BioLit Animal Tissue Direct PCR Kit (Research)	Amplifies DNA directly from a wide variety of animal tissues including mice, fish, birds and insects. Kit contents : ● 2X Taq mix ● Buffers ● Sterile Water	50 Preps	25990.00
74578	BioLit Gel Extraction Kit (Research)	Kit for quick and easy extraction of DNA fragment from Low melting agarose. Useful for various downstream processes. Kit contents : ● Silica Spin Columns ● Buffers	50 Preps	10500.00



code	product name	application/description	no. of experiments	unit	price
23512	BioLit PCR and DNA Fragment Purification Kit (Research)		50 Preps		11000.00
			100 Preps		21460.00
62606	BioLit Total RNA Extraction Kit from Plant (Research)	Quick Total RNA extraction kit using silica gel columns. Purifies RNA from Plants and Fungi. Kit contents : ● Spin Columns ● Buffers	50 Preps		23000.00
86792	BioLit Total RNA extraction Kit From Various Sources (Research)	Isolates RNA from various sources - whole blood, animal and plant tissue, cultured cells and bacteria. Kit contents : ● Spin Columns ● Buffers	50 Preps		23000.00

BioLit® Teaching Kits

66602	Agarose Gel Electrophoresis Kit (Teaching)	The overall goal is to view different plasmid DNAs by their movement through a matrix viz agarose gel. Kit contents : ● DNA Samples ● Loading Dye ● Agarose ● Ethidium Bromide ● Tank Buffer ● DNA Size Marker	15	1 Kit	9000.00
64279	Bacterial Transformation Kit - 1 (Teaching)	Transformation is central to recombinant DNA technology. This highly self-contained Transformation Kit provides all the necessary materials including starter culture, sterile media, antibiotic & LB agar mix to perform competent cell preparation by CaCl ₂ treatment and transformation within a day. Overnight incubation will reveal transformed colonies. Competent cells are provided as internal control. Kit contents : ● Host Cells ● Sterile LB Media ● LB agar mix ● Ampicillin ● CaCl ₂ ● Plasmid DNA	15	1 Kit	8000.00
			30	1 Kit	15000.00
28660	Bacterial Transformation Kit – 2 (with blue white screening) (Teaching)	Transformation is central to recombinant DNA technology. This highly self-contained Transformation Kit provides all the necessary materials including starter culture, sterile media, antibiotic & LB agar mix to perform competent cell preparation by CaCl ₂ treatment and transformation within a day. Overnight incubation will reveal transformed colonies. Competent cells are provided as internal control. Blue white screening is also seen with the use of the X-Gal Kit contents : ● Host Cells ● Sterile LB Media ● LB agar mix ● Ampicillin ● X-gal ● IPTG ● CaCl ₂ ● Plasmid DNA	5	1 Kit	6000.00
			15	1 Kit	17000.00
			30	1 Kit	30000.00
95043	DNA Ligation Kit (Teaching)	This DNA ligation Kit contains reagents for ligation of two Lambda digests using T4 DNA ligase These experiments constitute essential learning experiences for a student interested in cloning and recombinant DNA strategies. Kit contents : ● Lambda DNA Digested with Appropriate Restriction Enzymes ● T4 DNA Ligase ● Ligase Buffer ● Agarose ● TAE buffer ● Gel Loading Dye ● Ethidium Bromide ● DNA Molecular Size Marker	10	1 Kit	4400.00



code	product name	application/description	no. of experiments	unit	price
76941	FITC Conjugation Kit (Teaching)	Fluorescein isothiocyanate (FITC) is a fluorescent dye used in labeling antibodies and proteins. FITC is a derivative of fluorescein and reacts with the amines and sulphhydryl groups on proteins. This kit provides components for conjugation of fluorescein isothiocyanate with antibodies or other proteins in a quick and easy manner. Kit contents : ● FITC isomer I ● Buffers	5	1 Kit	5500.00
19317	BioLit Gene Amplification Kit - PCR (Teaching)	PCR or Polymerase Chain Reaction has become a mainstay in modern recombinant DNA technology. BioLit's PCR kit has been specifically designed and standardized to eliminate the initial pitfalls so that even a beginner can be successful in the first try itself. The kit allows students to vary cycle conditions and find their effects on yield of the amplified product, an E.coli gene Kit contents : ● Template ● Reaction Mix: containing dNTP mix, Buffer, primers and MgCl ₂ ● TAQ DNA Polymerase ● Enzyme Diluent Buffer ● Dye ● Agarose ● TAE buffer ● Ethidium Bromide ● Marker	10 25	1 Kit 1 Kit	12180.00 17290.00
83462	BioLit Genomic DNA Extraction (from bacteria) Kit (Teaching)	This genomic DNA extraction kit uses a rapid and simple technique. Kit contents : ● Bacterial Cell Pellets ● Lysis Buffer ● Saturated Phenol ● Chloroform ● DNA Precipitation Solution ● TE Buffer ● Ethidium Bromide ● Agarose ● Gel Loading Dye ● Marker	15	1 Kit	7480.00
61498	BioLit Genomic DNA Extraction (from leaves) Kit (Teaching)	This genomic DNA extraction kit uses a rapid and simple technique ideal for school and college students. Kit contents : ● Bacterial Cell Pellets ● Lysis Buffer ● Saturated Phenol ● Chloroform ● DNA Precipitation Solution ● TE Buffer ● Ethidium Bromide ● Agarose ● Gel Loading Dye ● Marker	15	1 Kit	10440.00
87377	Onion Root Tip Mitosis Kit (Teaching)	Demonstrates the different stages of mitosis present in the meristematic cells located in the onion root tips. Mitosis is the process in which a eukaryotic cell nucleus splits in two, followed by division of the parent cell into two daughter cells.	10 50	1 Kit 1 Kit	3000.00 9000.00
27725	Plasmid Isolation Kit from Bacterial cells (Teaching)	This plasmid mini-prep kit facilitates the rapid (~ 2 h) isolation of plasmid DNA from bacterial cells already transformed with a plasmid. The detailed instructions which accompany the kit will allow typical school and college students to use the kit with no additional assistance. Kit contents : ● Bacterial Cell Pellets ● Alkaline lysis Reagents ● DNA Precipitation Solution ● Wash Solution ● TE Buffer, Gel Loading Dye ● Agarose ● TAE Buffer ● Ethidium Bromide ● Plasmid Control	15 25	1 Kit 1 Kit	6780.00 9200.00
31377	Protoplast Fusion Kit from Plants (Teaching)	Protoplast fusion kit is used as a means to generate hybrids with useful characteristics in plants. The method requires careful manipulations of plant parts like leaves, petals etc. to be digested with cell wall breaking enzymes. The separated and digested cells round up and in presence of polyethylene glycol fuse together which can be viewed under a microscope Kit contents : ● Osmotic Buffer ● Macrozyme ● PEG	15	1 Kit	9370.00



code	product name	application/description	no. of experiments	unit	price
18450	Restriction Digestion Kit (Teaching)	This kit contains materials to teach the use of restriction enzymes HindIII and EcoRI & demonstrate restriction mapping of lambda DNA mapping. These experiments constitute essential learning experiences for a student interested in cloning and genetic mapping.	10	1 Kit	4000.00
			50	1 Kit	14000.00
Kit contents : ● Lambda DNA ● Agarose ● Restriction Enzymes ● Reaction Buffer ● Ethidium Bromide ● Gel Loading Dye ● TAE buffer ● DNA Molecular Size Marker					
83775	SDS PAGE Kit (Teaching)	This kit teaches the technique of separation of proteins based on their size under denaturing conditions using sodium dodecyl sulphate (SDS) and beta mercaptoethanol (BME). SDS cleaves non ionic interactions while BME cleaves disulphide bonds. SDS also imparts a strong negative charge to the polypeptides thereby their charge to mass ratio is rendered uniform. This allows the polypeptides to be separated on the basis of only their size, which is read by comparison with a standard marker	5	1 Kit	5000.00
			15	1 Kit	8500.00
Kit contents : ● Bis Acrylamide Solution ● Separating and Stacking Buffer Solutions ● APS ● TEMED ● Protein Marker ● Protein Samples ● Stain and Destain Solutions					
31105	Silver Staining Kit (Teaching)	Silver staining is a rapid, easy and sensitive method used for staining proteins, DNA and RNA after polyacrylamide gel electrophoresis. Silver staining is a far more sensitive method of staining than Coomassie Brilliant blue and can detect protein & even polypeptides as low as 0.05 ng in concentration. Reagents sufficient for 15 reactions are enclosed.	5	1 Kit	5000.00
			15	1 Kit	10000.00
Kit contents : ● Fixing solution ● Silver nitrate ● Developing solution ● Stop solution					
46037	Southern Blotting Kit (Teaching)	E. M. Southern invented a technique to transfer separated DNA molecules to a membrane, which is capable of binding the DNA, and immobilizing it for further analysis. The technique named as Southern blotting, after its inventor, involves placing either a nitrocellulose or nylon membrane in contact with the agarose gel and facilitating the transfer process by capillary action. By drawing buffer from the gel to the membrane, the DNA fragments are forced to move with the buffer and deposit on the membrane. (Hybridization not included)	5	1 Kit	8500.00
Kit contents : ● NC Membranes ● SSPE Buffer ● Filter Paper Wicks and Strips ● DNA Samples ● Marker ● Agarose ● Ethidium Bromide					
52166	SpinCol Plasmid Miniprep kit from Bacterial cells (Teaching)	A new teaching kit for isolation of plasmid DNA from E.coli cultures based on silica - membrane technology on a mini spin columns. This is a fast and efficient method and yields high quality plasmid DNA.	20	1 Kit	5000.00
			50	1 Kit	7090.00
Kit contents : ● Spin column ● Lysis buffer ● precipitating buffer ● wash buffer ● elution buffer					


Microcentrifuge Tube and Screw Cap

Our gamma irradiated microcentrifuge tubes are highly recommended in the areas of Life Science, Industry or Chemistry for use in research and critical reagent packaging requirements.

Our tubes are designed with conical bottoms allowing for complete sample retrieval. Screw caps with O-rings guard against leakage by forming a positive seal against the rim of the tube. External ribs on the free standing microcentrifuge tubes allow for single-handed opening and closing when placed in racks with serrated holes. Screw Cap Microcentrifuge Tubes work with many automated systems. The O-ring is manufactured from durable ethylene polypropylene dimonomere compound.

Product Features:

- Capacity: 0.5 ml & 1.5ml sizes
- Plastic (Polypropylene) clear colorless tube
- Self Standing Tubes with Screw Cap & O-Ring
- Sterile
- Operating range: -196°C to +121°C
- Autoclavable at 121°C
- Withstands maximum RCF of 20000× G
- No Graduations
- DNase & RNase Free



Prdt. Code	Product Name	Packing Unit
31635	Microcentrifuge Tube and Screw Cap (0.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade	500 Nos.
60838	Microcentrifuge Tube and Screw Cap (1.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade	500 Nos.

* Bulk packs available on request

Nucleic Acid Purification Aids:

Spin Column Set

A purification aide utilizing silica membrane in a column form which is used for purifying/extracting nucleic acids (DNA or RNA) of high quality. These columns are compatible with in-house buffers as well as store-brought ones.

Applications:

- Purification of Gel / PCR products
- Extraction of Genomic DNA
- Extraction of Plasmid DNA



Prdt. Code	Product Name	Packing Unit
39738	Mini Silica Spin Column Set A (2ml SC w/CT each)	50 Nos, 100 Nos
89887	Mini Silica Spin Column Set B (2ml SC w/CT each)	50 Nos, 100 Nos
69516	Mini Silica Spin Column Set C (2ml SC w/CT each)	50 Nos, 100 Nos
37351	RNA Mini Spin Column Set (2ml SC w/CT each)	50 Nos, 100 Nos

Collection Tubes

Collection tube of 2ml capacity to be used in purification of DNA / RNA samples. They are used along with mini silica spin column sets A/B/C & RNA spin column sets.

Prdt. Code	Product Name	Packing Unit
41425	Collection Tubes (CT) for DNA, RNA purification (2ml)	50 Nos, 500 Nos

* Bulk packs available on request

Part L

Laboratory Accessories





code	product name	unit	price
------	--------------	------	-------

Buffer capsules

87767	Buffer capsules pH 4	10 caps	240
95323	Buffer capsules pH 6	10 caps	240
18533	Buffer capsules pH 7	10 caps	240
74399	Buffer capsules pH 9.2	10 caps	240



Indicator Papers

74183	Brilliant Yellow Indicator Papers	10 Books	360
11902	Bromothymol Blue Indicator Papers	10 Books	340
84795	Chlorine Test Indicator Papers	10 Books	390
54494	Congo Red Indicator Papers	10 Books	330
72874	Indicator Papers pH 1.0 - 14.0	10 Books	400
12794	Indicator Papers pH 1.0 - 10.0	4 Books	790
47603	Indicator Papers pH 2.0 - 4.5	10 Books	430
27671	Indicator Papers pH 2.0 - 10.5	10 Books	380
84794	Indicator Papers pH 3.5 - 6.0	10 Books	380
82811	Indicator Papers pH 3.8 - 5.3	10 Books	400
98044	Indicator Papers pH 3.8 - 5.4	10 Books	400
36120	Indicator Papers pH 5.0 - 7.5	10 Books	380
61169	Indicator Papers pH 6.5 - 9.0	10 Books	380
94744	Indicator Papers pH 8.0 - 10.5	10 Books	410
76345	Litmus Blue Indicator Papers	10 Books	310
67562	Litmus Red Indicator Papers	10 Books	310
48758	Phenolphthalein Indicator Papers	10 Books	360
27893	Starch Indicator Papers	10 Books	490
75672	Starch Iodide Indicator Papers	10 Books	410
45438	Turmeric Indicator Papers	10 Books	450



Barrier Pen

93071	PAP Pen Mini (Hydrophobic Barrier Pen, 1mm, Blue)	1 nos	7200
59164	PAP Pen Regular (Hydrophobic Barrier Pen, 3mm, Blue)	1 nos	12000

Petri Plates

High quality disposable Petri Dishes, suitable for all microbiological applications manufactured as per ISO 24998. Dimensional accuracy of 90 mm ensures compatibility with most automated systems. Extremely high optical clarity for easy viewing on a microscope. Petri Dishes have elevated lids (vented) that allows for superior gas exchange and evaporation. Convenient & easy to stack.

90226 Petri Plates (90mm)



100 nos	1350
500 nos	6650



code	product name	unit	price
------	--------------	------	-------

Spin Columns

A purification aid set comprising of Silica membrane spin column and a collection tube. Silica membrane in a column form is used for purifying/ extracting nucleic acids (DNA or RNA) of high quality. These columns are compatible with in-house buffers as well as Store-bought ones.

39738	Mini Silica Spin Column Set A (2ml SC w/ CT each) Binding capacity — 45µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of 65bp to 10kb size from PCR amplifications and agarose gel extractions.	50 nos	5240
		100 nos	9760
89887	Mini Silica Spin Column Set B (2ml SC w/ CT each) Binding capacity — 50µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of less than 10kb size from lysed cell cultures.	50 nos	5240
		100 nos	9760
69516	Mini Silica Spin Column Set C (2ml SC w/ CT each) Binding capacity — 55µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of less than 10kb size from lysed cell cultures.	50 nos	5600
		100 nos	10470
37351	RNA Mini Spin Column Set (2ml SC w/ CT each) Binding capacity — 40µg Supplied with 2ml Collection Tube (CT) Used in purifying RNA from agarose gel extractions.	50 nos	7050
		100 nos	11930

Tubes and Screw Caps

31635	Microcentrifuge Tube and Screw Cap (0.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade • Capacity - 0.5 ml • Self Standing Tube With Screw Cap & O-Ring • Sterile - Gamma Irradiated. • Operating range: -196 °C to +121°C. • Autoclavable at 121 °C • Withstands Maximum RCF of 20000X G • No Graduation	500 Nos	7350
60838	Microcentrifuge Tube and Screw Cap (1.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade • Capacity - 1.5 ml • Self Standing Tubes With Screw Cap & O-Ring • Sterile - Gamma Irradiated. • Operating range: -196°C to +121°C • Autoclavable at 121°C • Withstands maximum of 20000X G • No Graduations	500 Nos	7880
41425	Collection Tubes (CT) for DNA, RNA purification (2ml)	50 nos	440
		500 nos	4110
11876	Centrifuge Tube and Screw Cap (15ml)	50 nos	850
		250 nos	4000
		500 nos	7200
11048	Centrifuge Tube and Screw Cap (50ml)	50 nos	1000
		250 nos	4900
		500 nos	9600



code	product name	unit	price
------	--------------	------	-------

Crucible Tall Form

These crucibles are made of high quality Porcelain for basic laboratory use to heat chemical compounds. Each product is well tested for its strength, thermal performance, and enhanced chemical resistance with low water absorbance. Widely suitable for burning solid matter, evaporation, concentration or crystallization of solutions.

45866	Crucible Porcelain, 5 ml, Tall with Lid	6 Nos	720
14903	Crucible Porcelain, 10 ml, Tall with Lid	6 Nos	750
61275	Crucible Porcelain, 15 ml, Tall with Lid	4 Nos	650
55162	Crucible Porcelain, 30 ml, Tall with Lid	4 Nos	750
94977	Crucible Porcelain, 40 ml, Tall with Lid	1 Nos	200



Capacity	Top OD	Height	Wall Thickness	Weight	Lid Dia
5 ml	24 mm	20 mm	1.7 mm	8 gm	26 mm
10 ml	31 mm	26 mm	1.8 mm	12 gm	34 mm
15 ml	35 mm	29 mm	1.8 mm	13 gm	38 mm
30 ml	45 mm	36 mm	1.8 mm	18.5 gm	47 mm
40 ml	50 mm	40 mm	1.8 mm	23 gm	53 mm

Crucible Wide Form

These crucibles are made of high quality Porcelain for basic laboratory use to heat chemical compounds. Each product is well tested for its strength, thermal performance, and enhanced chemical resistance with low water absorbance. Widely suitable for burning solid matter, evaporation, concentration or crystallization of solutions.

16024	Crucible Porcelain, 2 ml, Wide with Lid	6 Nos	735
97090	Crucible Porcelain, 8 ml, Wide with Lid	6 Nos	820
97897	Crucible Porcelain, 17 ml, Wide with Lid	4 Nos	680
71099	Crucible Porcelain, 30 ml, Wide with Lid	4 Nos	770
13057	Crucible Porcelain, 50 ml, Wide with Lid	1 Nos 4 Nos	250 900



Capacity	Top OD	Height	Wall Thickness	Weight	Lid Dia
2 ml	18 mm	12 mm	1.3 mm	3 gm	26 mm
8 ml	32 mm	20 mm	1.6 mm	10 gm	34 mm
17 ml	41 mm	26 mm	1.6 mm	18 gm	47 mm
30 ml	50 mm	31 mm	1.8 mm	25 gm	53 mm
50 ml	61 mm	37 mm	1.8 mm	35 gm	69 mm



code	product name	unit	price
------	--------------	------	-------

Mortar & Pestle

Mortar & Pestle are made from high quality Porcelain for basic laboratory application such as crushing, grinding, etc. They are designed with a spout which enables easy pouring.

44249	Mortar & Pestle Set, Porcelain, 60 ml	1 Nos	260
41278	Mortar & Pestle Set, Porcelain, 100 ml	1 Nos	300
13968	Mortar & Pestle Set, Porcelain, 150 ml	1 Nos	500
51686	Mortar & Pestle Set, Porcelain, 275 ml	1 Nos	600



Mortar						Pestle		
Capacity	Top OD	Top ID	Outer Height	Wall Thickness	Weight	Length	Head OD	Weight
60 ml	80 mm	60 mm	44 mm	7.5 mm	200 gm	98 mm	27 mm	50 gm
100 ml	90 mm	75 mm	48 mm	10 mm	280 gm	98 mm	27 mm	50 gm
150 ml	105 mm	85 mm	72 mm	9 mm	490 gm	114 mm	30 mm	90 gm
275 ml	125 mm	100 mm	70 mm	11.5 mm	650 gm	130 mm	36 mm	130-140 gm

Evaporating Dish

These evaporating dishes are made from high quality Porcelain with spout for easy pouring of liquids. These have wide applications in scientific laboratories such as evaporating, drying & crystallizing. They are highly suitable for critical laboratory use.

11443	Dish Evaporating Porcelain, 20 ml	6 Nos	800
42418	Dish Evaporating Porcelain, 40 ml	6 Nos	830
96704	Dish Evaporating Porcelain, 100 ml	6 Nos	1000



Capacity	Top OD	Height	Wall Thickness	Weight
20 ml	50 mm	22 mm	1.3 mm	19 gm
40 ml	60 mm	27 mm	1.3 mm	25 gm
100 ml	75 mm	35 mm	2 mm	51 gm



code	product name	unit	price
------	--------------	------	-------

Buchner Funnel

Each Buchner funnel is autoclavable, made from high quality Porcelain with fixed perforated plate & a thick stem. It is commonly used in chemistry labs for filtration purposes to eliminate unwanted particles.

53092	Funnel Buchner, Porcelain, 6 ml	1 Nos	280
64702	Funnel Buchner, Porcelain, 30 ml	1 Nos	300
38635	Funnel Buchner, Porcelain, 87 ml	1 Nos	320
59425	Funnel Buchner, Porcelain, 186 ml	1 Nos	440



Capacity	Top OD	FP Dia	Height	Perforated Dia	Wall Thickness	Weight
6 ml	35 mm	20 mm	72 mm	23 mm	3 mm	32 gm
30 ml	50 mm	35-40 mm	89 mm	23 mm	3 mm	48 gm
87 ml	60 mm	50-55 mm	110 mm	38 mm	3 mm	110 gm
186 ml	84 mm	70 mm	143 mm	62 mm	3.5 mm	180 gm

Bio-Indenta[®]



Global searching station for Unlisted Compounds



Bio-Indenta®

Our Indenting division, "Bio-Indenta" has completed its third successful year of operation. Headquartered in Mumbai, we have been able to master the art of supply chain and global sourcing for our valued scientific researchers. We have contributed to the scientific community by making available complex niche chemicals and biochemicals to our Institutional and Industrial customers. We have efficient logistics systems in place and offer you the transparency and trust you need to make most well informed decisions for your R&D & production needs.






Bio-Indenta exists to connect you to your Principal product provider. We offer you the option of

- importing the products yourself or
- allowing Bio-Indenta to import them and supply them to you.

Transactions can be conducted in Indian Rupees or in any foreign currency.

Through Bio-Indenta, we have established Partnerships and Distributorships with selected pioneer biotech companies for their complete range of biochemicals, diagnostics and fine chemicals to serve scientific and R&D community.

Our partners in this endeavor are,

-  **1. Carbosynth** (UK)
-  **2. Biosynth** (Switzerland)
-  **3. Bachem** (Switzerland)
-  **4. Elicityl SA** (France)
-  **5. ACS Materials**(USA)

And Multiple Chinese and European specialty chemical companies who can supply a range of specialty chemicals and intermediates with all required documentations. Now you can choose your most preferred supplier. Take command of your sourcing...

Bio-Indenta®

All your inquiries can be mailed to bio-indenta@srchem.com for immediate quotes and delivery schedules. Our offices are standing by to assist you in your requirements.



Authorized Distributors for

**Carbosynth**
UKwww.carbosynth.com

Carbosynth



Carbosynth Limited was established to provide the most comprehensive product range in the fields of carbohydrates and nucleosides for the international Life Science R&D communities. Carbosynth aims to support its clients from discovery to launch by offering cost effective solutions to their carbohydrate and nucleoside requirements.

Carbosynth offers over 2500 carbohydrates and nucleosides. This range includes monosaccharides, enzyme substrates, D- and L-sugars, oligosaccharides, detergents and nucleosides. The Carbosynth catalogue offers quantities for R&D, but many are produced in bulk. For example methyl- α -D-glucopyranoside, n-octyl- β -D-glucopyranoside, 3,4,6-tri-acetyl-D-galactal, gulon's-1000's of kilos.

Carbosynth also offers a range of allied fine chemicals many of which are versatile building blocks or have specialist applications ranging from biochemical reagents to natural antioxidants. Included in their product range are coupling agents, such as EDAC, or activators in peptide and oligonucleotide synthesis.

Custom synthesis is one of Carbosynths' fastest growing business sectors and they are committed to providing in-time development and delivery of quality compounds. Carbosynth is able to draw upon a wide range of chemical reactions and processes especially in the fields of carbohydrates and nucleosides.

The Carbosynth product range broadly includes –

- **Carbohydrates and Derivatives of Carbohydrates.**
- **Unnatural Sugars and Carbohydrate Building Blocks.**
- **Nucleosides and Nucleotide Building Blocks.**
- **Oligosaccharides and a range of other Fine Chemicals and Enzyme Substrates.**

Carbosynth Prominent Products

Carbosynth Prod. Code	Product Name
EA06838	O-(2-Acetamido-2-deoxy-D-glucopyranosylidene)amino N-phenyl carbamate
OA08244	N-Acetyl-D-lactosamine
MA00746	N-Acetylneuraminic acid
FA02773	2-Amino-3-chloropyrazine
MA03786	1,6-Anhydro- β -D-galactopyranose
EB06680	5-Bromo-4-chloro-3-indolyl β -D-galactopyranoside
FC06230	6-Chloro-2-cyano-3-nitropyridine
MC02788	1-Chloro-2-deoxy-3,5-di-o-toluoyl- α -D-ribofuranose
EC05990	2-Chloro-4-nitrophenyl α -L-fucopyranoside
ND04237	2'-Deoxy-2',2'-difluoro-D-cytidine
MD04977	2-Deoxy-D-ribose
FD06223	4,4'-Dibromo-2,2'-bipyridine
FD04039	R)-2,5-Dihydro-3,6-dimethoxy-2-isopropylpyrazine
FD06273	Diphenylcyclopropanone
FD05800	N-Ethyl-N'-(3-dimethylaminopropyl)carbodiimide HCl
MG05201	D-Galactose
MG05247	L-Glucose
MD05002	1,2:5,6-Di-O-isopropylidene- α -D-allofuranose
MD06795	1,2:5,6-Di-O-isopropylidene- α -D-glucofuranose
EN06363	2-Nitrophenyl β -D-galactopyranoside
DO05161	Octyl β -D-glucopyranoside
MP06689	1,2,3,4,6-Penta-O-acetyl- β -D-galactopyranose
FQ02772	R-(-)-3-Quinuclidinol
FQ06985	S-(+)-3-Quinuclidinol
FT04400	2,2,6,6-Tetramethylpiperidine 1-oxyl, free radical - solid melt
MT04086	2,3,4,6-Tetra-O-benzyl-D-galactopyranose
MT06691	2,3,4,6-Tetra-O-benzyl-D-glucopyranose
MT05853	3,4,6-Tri-O-acetyl-D-galactal
MT00681	3,4,6-Tri-O-acetyl-D-glucal

Please inquire with us for their latest product catalogues & quotations



Authorized Distributors for

Bachem
Switzerland
(www.bachem.com)



Bachem is an independent, technology-based, public biochemicals company providing full service to the pharma and biotech industry. Bachem is specialized in the process development and the manufacturing of peptides and complex organic molecules as active pharmaceutical ingredients (APIs), as well as innovative biochemicals for research purposes. With headquarters in Bubendorf, Switzerland, and affiliates in Europe and the US, Bachem works on a global scale and holds a leading position in the field of peptides.

Bachem are world leaders in Peptides and in large scale GMP Peptide production. The product range includes,

- **Peptides and Bio-chemicals — Bioactive peptides and proteins, Enzyme substrates and Inhibitors, Organic compounds.**
- **Building Blocks — Amino acids, Amino acid derivatives, Linkers, Resins and Reagents.**
- **Immunochemicals — Antibodies, Antisera and Assay Kits.**

Product Lines

Amyloid β-Protein Fragments and Related Peptides
Adrenomedullins
Amylins and Fragments
Angiotensins and Related Peptides
Bradykinins, Analogs and Sequences
Caspase-1 Inhibitors
Corticotropin-Releasing Factor (CRF) and Analogs
Endothelins and Related Peptides
f,...-Diaminobutyric Acid
Fibronectin Fragments and Analogs
Ghrelin
HIV Proteases
Hydroxyproline
Isoleucine, allo-Isoleucine
Luteinizing Hormone-Releasing Hormone (LHRH) and Analogs
Melanin-Concentrating Hormones (MCH) and Related Peptides
Neuropeptide Y (NPY), Analogs and Fragments
Orexins
Ornithine

p-Alkoxybenzyl Alcohol Resin (-R)-Linked Fmoc-Amino Acids
pTH, Sequences and Analogs
Somatostatin and Analogs
Threonine, allo-Threonine
Vasopressin and Analogs

Authorized Distributors for

Elicityl SA
France
(www.elicityl-oligotech.com)



Based near Grenoble, France, ELICITYL is a biotech company devoted to complex sugar engineering and production. The company mission is to supply oligosaccharides and polysaccharides for biological applications targeting plant health, pharmacy, nutraceuticals and cosmetics.

A few highlighted products offered

ABO, Lewis & P Histo-Blood Group Antigens
Human milk oligosaccharides - HMOs
Neutral, Acidic, Minor HMO's
Oligosaccharides from other Mammalian species (cow, goat, sheep)
Human & Bacterial Lectins
Functionalized Oligosaccharides
Functionalized Blood group & Lewis antigens
Functionalized Ganglio-Series
Functionalized Globo-Series antigens
Functionalized Fucosylated Oligosaccharides
Functionalized Core structure
Tumor-associated carbohydrate antigens - TACAs
Natural polysaccharides and Oligosaccharides extracted from Biomass
Glycobricks® Building Blocks (Biotin,...)
Neoglycoproteins
Aminoglycoside derivatives

Please inquire with us for their latest product catalogues & quotations



Authorized Distributors for

**Biosynth**

Switzerland

www.biosynth.com**BIOSYNTH**[®]
CHEMISTRY & BIOLOGY

Biosynth is leading swiss specialty reagents manufacturer operating out of its plants in Switzerland and China. It began operations in 1966 as one of the few biochemical manufacturers of the world. It manufactures specialty products for the life-science and biotech industry. It's main core business areas include the production of chromogenic & fluorogenic substrates, organic synthesis products, API's, molecular biology, microbiology, biochemistry, cell science and genetic research products. Bio-Indenta is an exclusive channel partner of Biosynth in India.

A few highlighted products offered

API's

Chromogenic & Fluorogenic Substrates

Luminogenic Substrates

Organic Synthesis Products

Biochemistry, Molecular Biology & Genetic Research Products

Microbiology, Cell Science & In-Vitro Diagnostic Reagents

Imaging Probes

Dyes For Forensic Research

Products for Biomedical Research

Veterinary Science Products

Plant Biotechnology Products

Nutrition Research Products

Cosmetic Research Products

Authorized Distributors for

**ACS Materials**

USA

www.acsmaterial.com**ACS MATERIAL**[®]
Advanced Chemicals Supplier

ACS Materials is a high-tech enterprise, based in Pasadena, California (USA), involved in advanced nanomaterials development and production. The Company provides high quality nanomaterial products, service or technical products for research and allied applications.

A few highlighted products offered

Graphene (single-layer graphene, graphene oxide, graphene nanoplates, carboxyl graphene, graphite oxide)

Molecular sieves (SBA-15, MCM-41, MCM-48, SBA-3, ZSM-5)

Carbon series (activated carbon, graphite nanopowder, order mesoporous carbon CMK-3, High-order 3-D mesoporous carbon (la3d), porous carbon)

Metal nanomaterials (antioxidation dispersible copper nanoparticles, copper colloids, nickel nanoparticles, silver nanoparticles, silver nanowires)

Battery Materials (Si/C Composite, Silicon Monoxide, Silicon Nanoparticles)



Prices: The Prices offered are net & subject to change without notice. Good shall be delivered subject to the availability of stocks & will be invoiced at prices ruling on the date of dispatch. The prices are unit prices exclusive of GST taxes & any levies.

Taxes: GST taxes & any other levies or charges in lieu of levies as applicable shall be charged extra as and where applicable at the prevailing rates. Customers seeking any exemption must submit the required form along with their orders. All Order must specify your GST registration number.

Delivery: Customers based in cities where SRL Depot's are located, are responsible to collect their ordered/invoiced goods from the respective SRL Depot. For all others customers in India, invoiced goods will be supplied C.P.T. destination by the cheapest mode of transport for invoice value of Rs. 20,000/- net or more. All invoice(s) below Rs. 20,000/- shall be executed on ex-godown basis, all expenses will be charged extra. In case of remote areas, please inform the nearest station of address where goods/correspondence can be sent by courier. We reserve the right to make part supplies unless otherwise specified by the customers.

For invoices of temperature sensitive products below Rs. 5,000/- net, customers shall be charged additionally for dry ice, packing material, freight/courier, etc.

Special License Products: Methanol/Carbinol and all Pharmacopoeial labelled products of all grades required special permissions and are separately dispatched directly from our factory or respective warehouses which hold valid applicable licenses. Orders for Pharmacopoeial Grade Products must be accompanied with drug license no, date & validity. NMR Solvents require special End-Use certificates from customers and shall be supplied only against receipt of the same.

Shortage / Breakage: All products are packed with utmost care & forwarded at customer's risk. No claim for shortage / breakage, delay or damage will not be entertained if not informed to us in writing within seven days from the date of receipt of goods along with relevant evidences. Many of the products are very labile and likely to be damaged on prolonged storage. Many-a-times the products may get damaged during transit due to extreme condition of temperature, humidity, etc. Improper handling may also cause degradation of quality. Products should be stored in required conditions & protected from temperature, humidity, light, etc. Any complaint on quality of products should be intimated to us within 30 days from receipt of goods beyond which we shall not entertain complaints. No goods should be returned without our prior written consent. It is understood that buyers are aware of storage and handling condition of the products.

Amendment / Cancellation: Goods once sold will not be taken back. No amendment or cancellation of orders will be accepted once the goods have been packed for dispatch.

Warranty: In case of failure or rejection of any of our products for whatsoever reasons, our liability is expressly limited to the extent of its replacement or its cost and we shall not be responsible for any other damages or losses incurred directly or indirectly. All recommendation, information and description supplied with respect to any product are believed to be accurate and reliable, but do not constitute warranties.

Insurance: If expressly desired, goods can be insured at customer's cost at 1% premium on the invoice value.

Force Majeure Clause: Notwithstanding whatever is specified by the customers or mentioned herein, in the event due to reasons beyond our control such as war, riots, strikes, civil commotion, shortage of raw materials, natural calamities, Govt. restrictions, change in fiscal policies and budgetary changes by the Govt., etc. we or our authorised stockist/s will not be liable for any penalization for delay or non-supply of the products.


Products appearing in this catalogue are meant for laboratory use only.

All disputes are subject to Mumbai Jurisdiction.

Sisco Research Laboratories Pvt.Ltd.

The Electrophoresis Leaders of India

We are India's best company in the field of molecular biology since the last 40 years. Our expertise lies in the manufacture of reagents and buffers used in gel electrophoresis for nucleic acid, DNA/RNA and protein separation. Having the most extensive range of protein and nucleic acid electrophoresis applications, we are 100% sure that our products will be very important for you to conduct most critical molecular biology techniques such as electrophoresis of DNA and RNA, PFGE for large fragment analysis, PCR fragment analysis, cloning and recovery of DNA and RNA and various blotting techniques such as Northern & Southern blotting.



SRL is manufacturing few products in bulk scale to meet the following applications in molecular biology for critical applications:

- Gel Electrophoresis
- SDS Page Electrophoresis
- Pulse Field Gel Electrophoresis
- Immunoelectrophoresis
- Counter Current Electrophoresis
- Tissue Culture & Cell Culture Studies
- Forensic & Diagnostic Analysis
- Antigen Antibody Reaction Studies
- Molecular Weight Screening


SRL Special
Agarose Low-6 & Agarose Low-8 have been specially developed for molecular screening applications and improves resolution of small DNA fragments & PCR products

Product code	Agarose	Sulphate %	Gel strength (1.5% gel) gm/cm ²	Gelling temperature (1.5% soln)	Melting temperature (1.5% gel)	Electro-endosmosis (EEO)
60645	High EEO for MB	<0.3	>800	36°C (±1.5)	85 - 90°C	0.25 - 0.30
10423	Medium EEO for MB	<0.2	>1500	36°C (±1.5)	85 - 90°C	0.16 - 0.19
91466	Low EEO Regular grade (100bp-25kb)	<0.15	>1200	36°C (±1.5)	85 - 90°C	0.09 - 0.13
36601	Low EEO for MB (100bp-25kb)	<0.15	>1200	36°C (±1.5)	85 - 90°C	0.09 - 0.13
23287	Low EEO Superior grade for MB (100bp-25kb)	<0.15	>1500	36°C (±1.5)	85 - 90°C	0.09 - 0.13
Product code	Agarose (for Low Base Pairs)	Sulphate %	Gel strength (3% gel) gm/cm ²	Gelling temperature (3% soln)	Melting temperature (3% gel)	Electro-endosmosis (EEO)
32417	Low Melting for MB (10-1200bp)	<0.2	min 300	35°C (±1.5)	~ 65°C	max 0.1
27813	Metaphor (10-1200bp)	—	min 300	<35°C	<75°C	max 0.1
78711	Low-6 (10-1200bp)	<0.1	min 800	< 35°C	< 75°C	max 0.12
52734	Low-8 (10-1200bp)	<0.11	min 1500	<35.5°C	<80°C	max 0.12

Product code	Acrylamide	Solubility	Assay (Nitrogen)	pH (5% aq. soln)	A1% aq. 290nm
89314	1× Cryst. extrapure	30% aq. Clear & colourless	99.5%	min. 5.0	—
15657	3×Cryst. extrapure AR	60% aq. Clear & colourless	99.9%	min. 5.0	max. 0.5
61346	3× Cryst. for MB	30% aq. Clear & colourless	99.5%	min. 5.0	max. 0.5

Product code	Acrylamide/ Bis-acrylamide Premix	Solubility	pH (5% aq. soln)	Specific conductance (5% aq. soln)
24263	19:1	10% aq. Clear & colourless	5 - 8	min. 10μ mho/cm
10762	29:1	10% aq. Clear & colourless	5 - 8	min. 10μ mho/cm
74379	37.5:1	10% aq. Clear & colourless	5 - 8	min. 10μ mho/cm

Product code	N,N'-Methylene Bis Acrylamide	Solubility	Assay (CG)	pH (2.5% aq. soln)	A1% aq. 290nm
38516	3× Cryst. extrapure AR	2.5% aq.	99.5%	min. 5.0	max. 0.2
67320	3× Cryst. for MB	2.5% aq.	99.5%	min. 5.0	max. 0.1



SISCO RESEARCH LABORATORIES PVT. LTD.

Administrative Office:

608-B, Satellite Gazebo, Near Solitaire Corporate Park, Andheri Ghatkopar Link Road, Chakala, Andheri (East), Mumbai 400 099. India
Tel.: +91-22-4268 5800 • E-mail: info@srchem.com, marketing@srchem.com

Website: www.srlchem.com